

ANALYSTLAB AFRICA / HEALTHCONNECT

HealthConnect Appointment Attendance Analytics

Week 5 Project Summary

Prepared by	Chenai Mpofu
Track	Data Analytics
Reporting period	January 2025 - June 2026
Document	Project Summary

Executive summary

- Appointment non-attendance is the central operational risk, with no-shows affecting 51.2% of completed appointments.
- The strongest observed differences are linked to previous no-show history, booking lead time and reminder status.
- HealthConnect should prioritise targeted confirmations, reminder coverage and reconfirmation for long-lead bookings.
- Tracking recovered capacity and rescheduled appointments will help quantify the commercial value of attendance interventions.

Project objective

To identify patterns associated with appointment non-attendance and convert those patterns into practical operational and commercial recommendations for HealthConnect.

What was delivered

1. A cleaned appointment-level analytical model covering January 2025 to June 2026.
2. A Date Table with a validated active relationship to appointment_date.
3. Nine reusable DAX measures and one behavioural grouping column.
4. Two Power BI report pages: Overview and Attendance Drivers.
5. Documented insights, recommendations, limitations and next steps.

Headline KPIs

KPI	Result	Definition
Total appointments	5,000	All appointment records
No-show appointments	2,423	Outcome = No-Show
No-show rate	51.2%	No-Shows / (No-Shows + Attended)
Cancellation rate	5.3%	263 Cancelled / 5,000 Total
Reminder coverage	72.7%	3,634 reminders recorded as sent / 5,000
Repeat no-show rate	57.8%	No-show rate where previous_no_shows >= 1

Five decision-relevant insights

6. Patients with previous no-shows have a 57.8% no-show rate, compared with 46.3% for patients without previous no-shows.
7. Appointments without a recorded reminder have a 54.6% no-show rate, versus 49.9% where a reminder was sent.
8. No-show appointments have an average booking lead time of 34.5 days, compared with 24.5 days for attended appointments.
9. Follow-up appointments have the highest appointment-type no-show rate at 54.2%; General Consultations are lowest at 49.1%.
10. Monthly rates vary from 44.1% to 57.6%, so the KPI should be monitored continuously rather than interpreted from one month.

Recommended actions

11. Prioritise confirmations and easy rescheduling for patients with previous no-shows.
12. Increase reminder coverage and capture delivery timing, success and response.
13. Use staged reconfirmation for long-lead bookings.
14. Pilot attendance interventions first within follow-up appointments.
15. Track recovered capacity and rescheduled appointments to quantify commercial value.

Limitations

16. The analysis is descriptive and does not establish that reminders or other factors cause attendance changes.
17. The dataset does not include reminder timing, clinic capacity, costs or detailed reasons for non-attendance.
18. Cancellations are excluded from the no-show denominator and reported separately.

Collaboration note

I requested a cross-track review from a Data Science participant to obtain one recommendation or limitation concerning my appointment no-show analysis. At the time of completing the project, a response had not yet been received. I therefore continued with my track-specific deliverables independently and did not claim feedback that had not been provided. The requested collaboration would have helped assess the suitability of the dataset for predictive no-show modelling.

Source: HealthConnect_Appointment_Data.csv and HealthConnect_Data_Dictionary.xlsx. Companion deliverable: HealthConnect Week 5 Power BI report.