



## **Bill of Materials**

<Parameter Title not found>

 Source Data From:
 PCB\_Project3.PrjPCB

 Project:
 PCB\_Project3.PrjPCB

 Variant:
 None

 Creation Date:
 2016/6/14 星期二下午 3:26:05

 Print Date:
 42535
 42535.64324

ootprint	Comment	LibRef	Designator	Description	Quantity
BELL-5	BEEP	BEEP	BEEP1		1
CR1220	Battery	Battery	BT1	タハ中油	1
				备份电池	
0805	104	C, C_2, C_3,	C1, C15, C18, C19, C20, C21, C22, C23,	Capacitor	27
		Cap	C24, C25, C26, C27, C28, C29, C30, C31,		
			C32, C35, C36, C37, C39, C40, C41, C42,		
			C43, C44, C45		
805	10pF	C_2	C3, C5		2
805	22pF	C_3	C4, C10		2
805	106	c_s	C6, C7, C8, C9, C11, C12	-	6
805	225	С	C13, C14		2
CC6.56.5	220uF	CAP	C17, C34, C38		3
.ED		LED2	D1, D2, D4, D5, D8	Typical RED, GREEN, YELLOW, AMBER	5
				GaAs LED	
DIDOE	1N4007	D	D3, D10	1	2
		D			
DIDOE	1N4148		D6, D7, D9		3
SS34	SS34	Diode BAT17	D11	Silicon RF Schottky Diode for Mixer	1
				Applications in the VHF/UHF Range	
HDR2X3	Header 3X2	Header 3X2	H1	Header, 3-Pin, Dual row	1
SDCARD-M	SDCARD-M	SDCARD-M	J1, J2	TF卡槽	2
VD5-24S3V3				" ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	1
		WD5-24S3V3A1	J3		
3TN8.5*8.5	BUTTON	BUTTON	K1	1	1
-330	Inductor	Inductor	L1	Inductor	1
HDR2X4_CE	WIFI	Header 4X2A	P1	Header, 4-Pin, Dual row	1
	I	I		1	
HDR1X4	Header 4H	Header 4H	P2	Header, 4-Pin, Right Angle	1
IDR1X2	Header 2	Header 2	P3	Header, 2-Pin	1
HDR2X3	Header 3X2H	Header 3X2H	P4, P5, P8	Header, 3-Pin, Dual row, Right Angle	3
DIP-2X20	MHDR2X20	MHDR2X20	P6, P35	Header, 20-Pin, Dual row	2
DIP-2X19	MHDR2X19	MHDR2X19	P7	Header, 19-Pin, Dual row	1
OT-23R	S8050	NPN	Q2, Q4	8050/BCW846/BCW847	2
					1
SOT-23R	S8550	PNP	Q3	8550/BCW68	
805	10K	R, R_1, R_2,	R1, R2, R3, R4, R5, R6, R7, R8, R10,	贴片电阻	11
		Res1, RES2	R11, R41		
805	24K	R_2	R9		1
805	1M	R	R12	1	1
805	100R	R_2	R13, R14	1	2
805	4R7	R_2	R15		1
805	332	R_2	R16		1
805	1k	R, R_2	R17, R18, R21, R22, R25, R40		6
805	0R	R_2	R19, R20	1	2
805	102	R, R_2	R23, R28, R29, R30		4
	103		R26		1
805		R			
805	472	R	R31		1
805	360R	R_2	R32, R34, R37, R39		4
805	120R	R_2	R33, R38	1	2
1805	10K/1%	Res2	R35	Resistor	1
805	1K/1%	Res2	R36	Resistor	1
SW_PB2_A1	KEY_M	KEY_M	RESET1		1
QFP144	STM32F407ZET	STM32F407ZET	U1	STM32F407ZET6	1
	16	6			
SSOP24	KT603C	KT603C	U3	1	1
				ODI EL AGU	
SOIC8_W	W25Q128	W25QXX	U4, U9	SPI FLASH	2
DA8932T_G	TDA8932T_GFB	TDA8932T_GFB	U5		1
В	I	I			
M2596-12	LM2596-12	LM2596-12V	U6	1	1
SO-16	MAX3232CUE	MAX3232CUE	U7	1	l i
SOT-223	AMS1117	AMS1117	U8		1
SO-8	SP3485	SP3485	U10, U12		2
SO-14	TLC2264	TLC2264	U11		1
QFN28	CP2102	CP2102	U14		1
CBCompon	USB-B(Mini)	USB5	USB1, USB SLAVE1	1	2
	USB-B(IVIIIII)	USBS	USB1, USB_SLAVE1		
ent_1 -	I	I			
luplicate					
CTAL32	32.768K	XTAL_1	Y1	Crystal Oscillator	1
CTAL_US	8MHz	XTAL	Y2	Crystal Oscillator	1
					129
Approved		Notes			125
phiosen		110103			
		1			
		•		•	