

# **EZconn**

# **Overview**

Innovating for a sustainable future

# Safe Harbor Statement

This following presentation may include predictions, estimates or other information that might be considered forward-looking.

These forward-looking statements are based on information available to PTI as of the date of this conference and current expectations, forecasts and assumptions, and involve a number of risks and uncertainties that could cause actual results to differ materially from those anticipated by these forward-looking statements. You are cautioned not to place undue reliance on these forward-looking statements and please keep in mind that except as required by law, we are not obligating ourselves to revise or publicly release the results of any revision to these forward-looking statements.

# General Information


- ▶ Established in 1977
  - ▶ 2025 revenue US\$ 300+ million;  
2026 revenue expected to continue to grow.
  - ▶ Listed on Taiwan stock market in 2015  
(Stock symbol: 6442.TW)
  - ▶ 1400+ employees
  - ▶ Headquarters: Taiwan
- Oversea presence: USA  
the Philippines,  
the Czech Republic,  
the People Republic of China




# Finance Overview

In Thousands of NTD ; %


Revenue




Profit Before  
Income Tax



EPS




Gross Margin



# Finance Overview

In Thousands of NTD ; %



|                              | 2025H1    | 2026H1    |
|------------------------------|-----------|-----------|
| Revenue                      | 5,013,497 | 6,386,649 |
| Profit Before Income Tax     | 737,557   | 1,972,548 |
| Gross Margin (%)             | 56.53%    | 59.50%    |
| Profit from Operating Profit | 1,176,246 | 1,894,217 |
| EPS (Dollars)                | 6.85      | 19.07     |

# Finance Overview

| Item                           |                                          | 2026.06.30 | 2025.12.31 | 2025.06.30 |
|--------------------------------|------------------------------------------|------------|------------|------------|
| Capital Structure Analysis     | Debts Ratio (%)                          | 31.99      | 49.04      | 59.31      |
| Debt-paying Ability            | Current Ratio (%)                        | 217.81     | 268.62     | 163.45     |
| Profitability                  | Return on Total Stockholder's Equity (%) | 29.31      | 33.76      | 28.71      |
| Book Value Per Share (Dollars) |                                          | 166.11     | 87.90      | 46.37      |

# Global Sites

## Trutnov, Czech Republic



- \* Research and Development
- \* ISO 9001, ISO-14001
- \* Wafer Level Packaging

## New Taipei City, Taiwan



- \* Headquarters
- \* ISO-9001, ISO-14001
- \* Low-volume Production



- \* Research and Development
- \* ISO-9001, ISO-14001
- \* High-volume Production

## Ningbo, China



- \* Research and Development
- \* ISO-9001, ISO-14001
- \* High-volume Production


## Lipa, Philippines



- \* Research and Development
- \* ISO-9001, ISO-14001
- \* High-volume Production





# Product Portfolio


| CATV Connector /Components                                                                                                                                                                                                                 | Microwave Connector / Dipole Antenna                                                                                                                                                      | Automobile Connection System                                                                                                                                                                               | Active Components                                                                                                                                                                                                        | Passive Components                                                                                                                                                                                          | MEMS /Aerospace                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>F Connector<br/>BNC Connector<br/>IEC Connector<br/>Hardline Connector<br/>Filter/Attenuator<br/>/Isolator<br/>Surge Arrester<br/>Cable Assembly</p>  | <p>SMA Connector<br/>SMB Connector<br/>MCX Connector<br/>Dipole Antenna<br/>EP &amp; Cable Assembly</p>  | <p>HDMI-E</p>  <p>FAKRA-Connector</p>  | <p>OSA</p> <p>TOSA / ROSA/ TRI-DI<br/>GPON / EPON BOSA<br/>10G /25G BOSA<br/>Combo ONU/OLT BOSA<br/>Special Application<br/>BOSA</p>  | <p>SC/LC/MU Series<br/>MPO Series<br/>MT-RJ Series<br/>FC/ST Series<br/>Torpedo Cable Series<br/>Patch Panel Series</p>  | <p>MEMS Scanning Module</p>  <p>AOC cable</p>  |
|                                                                                                                                                                                                                                            | <p>Base Station Connector / Arrester</p>                                                                                                                                                  | <p>LAB Adaptor</p>                                                                                                                                                                                         | <p>Transceiver</p>                                                                                                                                                                                                       |                                                                                                                                                                                                             | <p>Medical</p>                                                                                                                                                                                                       |
|                                                                                                                                                                                                                                            | <p>N Connector<br/>7/16 Connector<br/>Surge Arrester<br/>Low PIM series</p>                            | <p>50 OHM/75 OHM Adaptor</p>                                                                                           | <p>Dual Mode TRX<br/>SFP/SFP+/XFP<br/>XGS PON Stick<br/>XGS-PON Triplexes<br/>XGS-PON OLT Combo /TRX</p>                            |                                                                                                                         | <p>Intravenous laser module<br/>OCT Laser Module<br/>3D inspection module<br/>Skin-OCT</p>                                      |



# Patents overview



# Core Competency



## Miniaturization

Experienced in miniaturizing modules/components in various applications.



## Quality Production

Attained quality recognition from 1<sup>st</sup> tier customers.




## Intellectual Property

With over 180+ active issued patents and thousands of interconnect designs in its library.



## Precision Machinery

Maintaining micro level precision machining capabilities in mass production.




## Customized Design

Customized designs of optical, mechanical, and electronic packaging.

# Market Sectors


- ▶ **Broadband Networks – Access (Last-Mile)**
  - Optical engines for “Fiber to the Home” (FTTH) for Telcos
  - RF interconnects for cable service providers
- ▶ **AI infrastructure – Hyperscalers (large-scale data centers)**
  - **Scale-out:** high-density fiber deployment connecting data centers' physical structures
  - **Scale-up:** active silicon photonic CPO-ELS\* modules to increase speed and reduce power consumption for GPU's (expected 2026)
- ▶ **Biomedical & Scientific**
  - Miniaturized optical units for testing and probing instruments using OCT, PCR, Raman technologies, and for quantum-computing testing
- ▶ **Aerospace & Defense**
  - Replacement components for fighter jets
  - High-frequency RF interconnects




\* CPO-ELS stands for “co-packaging optics with external laser source” - essential chip packaging for AI processing at server level in data centers.

# Broadband Networks – Access (Last-Mile)



## FTTH



## Cable Network



10G BOSA  
(Bi-directional  
optical sub-  
assemblies),  
BOSA Combo  
(1G,10G, 25G)



Optical  
Transceivers






RF connectors,  
amplifiers, filters,  
cables, etc.






# Broadband Networks – Access (Last-Mile)

|                                | SMP                                                                               | SMPM                                                                              | 1.85mm                                                                            | 2.4mm                                                                              | 2.4mm                                                                               |
|--------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 5G mmWave<br>40 GHz~<br>65 GHz |  |  |  |  |  |



# AI infrastructure: Scale-out


High density optical fiber interconnects linking data center structures or rooms for AI infrastructure .  
Torpedo cable contains up to 6912 fiber cores.






# AI infrastructure: Scale-up

**CPO ELS modules  
expected 2026**



**Top view**






**Side view**









# Bio Medical & Scientific: OCT and PCR

EZconn also provides optical components for PCR (Polymerase chain reaction) machines.






Used as light source module in OCT (Optical Coherence Tomography) products examining under-skin, eyes, teeth, etc.

Size: 11 x 6 x 4.5 cm



# Bio Medical: Miniaturized Raman Spectrometers


Application: Currently mainly used by the law enforcement to detect drugs and medicines








# Biomedical & Scientific: Quantum-computing testing

Superconducting Nanowire Single-Photon Detector




Photon counting  
in detective mode with very  
low dark count  
Working Temp: 4°K(-269°C)



EZconn Confidential

# Aerospace & Defense:


Replacement components for fighter jets






| Item                                                        | Photo                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| High frequency jumper for aerospace<br><br>(BMA SEMI-RIGID) | Three high frequency jumpers of different lengths, made of semi-rigid coaxial cable with gold-plated connectors at both ends. They are arranged horizontally, showing their flexibility and the precision of the connectors.                                                                                                                                            |
| RF relays for aerospace                                     | Technical drawings of RF relays. On the left, three cylindrical relays are shown in a row, with a vertical dimension line indicating a height of 23. On the right, a rectangular relay is shown with a top view and a side view. The top view shows four input/output ports and a central switching mechanism. The side view shows a height of 33.2 and a width of 170. |
| Micro-D to HDMI for aerospace                               | A black cable with a Micro-D connector on one end and an HDMI connector on the other. To the right, a close-up of the Micro-D connector is shown, highlighting its multi-pin design and the blue shielding on the cable jacket.                                                                                                                                         |



# Aerospace & Defense: High-frequency RF interconnects

|                                | SMP                                                                               | SMPM                                                                              | 1.85mm                                                                            | 2.4mm                                                                              | 2.4mm                                                                               |
|--------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 5G mmWave<br>40 GHz~<br>65 GHz |  |  |  |  |  |





**Thank you**