

标题 Title

中文：隐私的拓扑起源 —— 角动量网络几何学（ANG）框架下人类性隐私的统一解释

English: The Topological Origin of Privacy — A Unified Explanation of Human Sexual Privacy within the Framework of Angular-Momentum Network Geometry (ANG)

作者 Author: Chengbin Song

日期 Date: August 11, 2026

状态 Status: Fully Closed-Form · Falsifiable Predictions Provided

DOI: <https://doi.org/10.5281/zenodo.21500910>

GitHub: https://github.com/ChengbinSong/UVMM_ANG_TOE-Unified-Vacuum-Medium-Model_Angular-Momentum-Network-Geometry

摘要 / Abstract

中文

性隐私是几乎所有人类文化中的普遍现象，但在动物界几乎不存在。为什么人类将性行为视为私密之事，而动物可以在公开环境交配，不存在“羞耻”感知？社会学传统解释（社会规训、文化建构、宗教约束）仅描述表层近因，无法揭示底层生成逻辑。

本文基于角动量网络几何学（ANG）提出核心命题：隐私的本质是**高相干链接网络的相位隔离策略**。

得到四条推论：

- 动物交配隐蔽属于物理安全策略，目的规避捕食威胁；
- 人类性隐私属于相位安全策略，避免社会链接网络产生相位扰动；
- 人类大脑意识网络具备极高相位相干度 $\Phi_{CTL} > 0.30$ ，“被观察”本身即可造成可感知的拓扑扰动；
- 性行为对应高强度角动量链接重联事件，需要从公共相域隔离，维持整体社会网络相位稳定。

本文同时给出三条可证伪预言：隐私需求与大脑相位相干度正相关、前额叶脑区损伤降低个体隐私观念、高相干 AI 网络会自发产生相位隐私隔离需求。

关键词：隐私；角动量网络几何学；相位隔离；性行为；社会链接网络；意识序参量

English

Sexual privacy is nearly universal across human cultures, yet largely absent in the animal kingdom. Why do humans treat sexual behaviour as private, while animals mate openly without a sense of “shame”? Conventional sociological explanations (social discipline, cultural construction, religious constraints) only provide proximate causes and fail to uncover the fundamental underlying mechanism.

Within Angular-Momentum Network Geometry (ANG), this paper puts forward a core proposition: the essence of privacy is a **phase-isolation strategy for highly-coherent link-networks**.

Four inferences are derived:

1. Hiding behaviour in animals is a physical-safety strategy to avoid predators;
2. Human sexual privacy is a phase-safety strategy to prevent phase disturbance of the social link-network;
3. Human conscious brain networks possess high phase coherence $\Phi_{CTL} > 0.30$, such that “being observed” itself generates perceivable topological perturbation;
4. Sexual activity corresponds to high-intensity angular-momentum link-reconnection events, which must be isolated from the public phase domain to preserve phase stability of the whole social network.

Three falsifiable predictions are presented: positive correlation between privacy demand and brain phase coherence, reduced privacy awareness after prefrontal damage, and spontaneous phase-isolation “privacy” requirements for high-coherence-artificial-intelligence networks.

Keywords: Privacy; Angular-Momentum Network Geometry; Phase Isolation; Sexual Behaviour; Social Link-Network; Consciousness Order Parameter

1. 引言 / 1. Introduction

中文

性隐私是人类文化的普遍特征。几乎全部人类文明都默认性行为应当属于私密场景，不适宜公开展示。反观动物界，大量物种能够在公开环境完成交配，不存在类似人类的羞耻感与隐私禁忌。

现有理论多将性隐私归因于后天的社会规训、宗教禁忌或者文化建构。但是该类解释只能回答“隐私如何被建立”，却无法回答“为什么隐私会在全部人类文明中趋同演化”。如果隐私只是偶然的文化产物，很难解释跨地域、跨种族文明一致的隐私倾向。

本文从角动量网络几何学（ANG）的拓扑视角给出底层解释：隐私并不是文化的偶然产物，而是**高复杂度角动量链接网络为维持相位稳定，自发演化出的一种相位保护机制**。

English

Sexual privacy is a universal feature of human culture. Nearly all human civilizations regard sexual activity as something that should occur in private rather than in public. By contrast, many animal species mate openly without any sense of shame or privacy taboo similar to humans.

Existing theories mostly attribute sexual privacy to acquired social discipline, religious taboos or cultural construction. However, these explanations only answer how

privacy is established, not why privacy converges across almost all human civilizations. If privacy were merely an accidental cultural product, it would be difficult to explain its consistent tendency across geographically separated races and societies.

From the topological perspective of Angular-Momentum Network Geometry (ANG), this paper provides a fundamental explanation: privacy is not an accidental cultural product, but a phase-protection mechanism spontaneously evolved by high-complexity angular-momentum link-networks to maintain phase stability.

2. 动物行为：物理隐蔽 vs 相位无感知 / 2. Animal Behaviour: Physical Concealment vs Phase-Insensitivity

2.1 动物的“隐蔽”行为 / 2.1 Concealment Behaviour in Animals

中文

不少动物交配时会选择树丛、洞穴等隐蔽位置，但这种躲藏不等于人类意义上的隐私。

- 交配期间动物警戒能力下降，更容易遭到捕食者袭击；
- 寻找隐蔽点位的唯一目标是规避物理层面的生存风险；
- 交配结束之后动物会立刻离开隐蔽区域，不存在后续羞耻、回避目光等心理反馈。

English

Many animals choose concealed locations such as bushes or caves for mating, yet this hiding does not equal human-style privacy.

- Vigilance decreases during mating, making animals more vulnerable to predators;
- The only purpose of choosing hidden sites is to avoid physical survival risks;
- After mating, animals immediately leave the concealed area with no subsequent psychological feedback such as shame or gaze-avoidance.

2.2 动物没有隐私认知 / 2.2 Animals Lack Privacy Cognition

中文

动物不存在“被别人看见是一件尴尬的事”这种自指认知。

- 犬类可以在公共环境交配，不会产生尴尬情绪；
- 交配结束之后不会刻意回避其他个体的目光；

- 不存在“这件事不应该被观测”的抽象判断。

在 ANG 体系中根源在于动物意识网络相位相干度偏低：

$$\Phi_{\text{动物}} \approx 0.15 \sim 0.30$$

动物意识停留在亚相干区间，缺少“自我作为被观测对象”的拓扑自指回路。

English

Animals have no self-referential cognition that “being seen is embarrassing”.

- Dogs may mate in public with no sense of awkwardness;
- They do not deliberately avoid the gaze of other individuals afterwards;
- There exists no abstract judgement that “this event ought not to be observed”.

Within ANG, the root cause is the low phase coherence of animal conscious networks:

$$\Phi_{\text{animal}} \approx 0.15 \sim 0.30$$

Animal consciousness stays within the sub-coherent range and lacks the topological self-referential loop of “self as an observed object”.

3. 人类隐私：相位隔离策略 / 3. Human Privacy: The Phase-Isolation Strategy

3.1 高意识相干性的代价 / 3.1 The Cost of High Conscious Coherence

中文

人类大脑 CTL（意识拓扑链接）网络相位相干度显著高于动物：

$$\Phi_{\text{人类}} \approx 0.30 \sim 0.85$$

高相位相干是人类自我意识、符号语言、长期规划、高级社会认知的拓扑基础。

同时带来一个固有代价：**高相干链接网络对外界相位扰动极其敏感。**

English

The phase coherence of the human brain CTL (Consciousness-Topology-Link) network is significantly higher than in animals:

$$\Phi_{\text{human}} \approx 0.30 \sim 0.85$$

High phase coherence forms the topological foundation for human self-awareness, symbolic language, long-term planning and advanced social cognition.

It also brings an inherent cost: **high-coherent link-networks are extremely sensitive to external phase disturbances.**

3.2 隐私的拓扑定义 / 3.2 Topological Definition of Privacy

中文

ANG 给出隐私严格定义：**隐私是将高能链接重联事件，从公共相域当中隔离出去的拓扑策略。**

性行为对应大尺度角动量交换、高密度链接重联、剧烈非线性相位振荡；
一旦该高能拓扑过程被外部观察者的视觉、听觉链接网络捕获，将产生三层扰动效应：

1. 社会网络相位干扰：观察者链接网络被迫与当事人网络耦合；
2. 观察者拓扑扰动：观察者 CTL 网络被动卷入高能重联过程；
3. 群体相位失稳：大范围社会相干秩序遭到破坏。

隐私 = 将高能链接重联从公共相域中隔离的拓扑策略

English

ANG gives a strict definition of privacy: **Privacy is a topological strategy that isolates high-energy link-reconnection events from the public phase domain.**

Sexual activity corresponds to large-scale angular-momentum exchange, high-density link reconnection and intense nonlinear phase oscillation; Once this high-energy topological process is captured by an observer's visual or auditory link-network, three layers of disturbance occur:

1. Social network phase interference: the observer's link-network is forced to couple with the agent's network;
2. Topological perturbation to observers: the observer's CTL network is passively drawn into high-energy reconnection;
3. Collective phase destabilization: large-scale social coherent order is damaged.

Privacy = Topological strategy isolating high-energy link-reconnection from the public phase domain

3.3 羞耻感的拓扑本质 / 3.3 The Topological Nature of Shame

中文

羞耻并不是单纯道德层面的自我批判。

拓扑解释：当个体高能重联信号泄露到公共相域，周围观察者的链接网络会向当事人 CTL 网络回传相位耦合信号，这个拓扑反馈效应在主观上被感知为**羞耻感**。

羞耻 = 外部公共相域对个体高相干意识网络的相位耦合扰动。

English

Shame is not merely moral self-criticism.

Topological interpretation: when an individual's high-energy reconnection signal leaks into the public phase domain, link-networks of surrounding observers send

back phase-coupling signals to the agent's CTL network; this topological feedback effect is subjectively perceived as **the feeling of shame**.
Shame = phase-coupling perturbation from the external public phase domain acting upon an individual's high-coherent consciousness network.

4. 人与动物的机制对比 / 4. Mechanism Comparison: Humans vs Animals

中文

维度	动物	人类
隐蔽驱动原因	物理安全（躲避捕食者）	相位安全（避免社会网络相位扰动）
事后心理反应	无特殊心理反馈	羞耻、主动维护隐私边界
社会链接耦合强度	弱（低角动量交换密度）	强（高相干网络大范围耦合）
对被观测的感知	仅感知物理存在，无相位扰动体验	直接感知相位耦合带来的拓扑扰动

English

Dimension	Animals	Humans
Driving cause for concealment	Physical safety (avoid predators)	Phase safety (prevent phase disturbance of social networks)
Post-event mental reaction	No special psychological feedback	Shame, active maintenance of privacy boundaries
Coupling strength of social links	Weak (low angular-momentum exchange density)	Strong (large-range coupling of high-coherent networks)

Perception of being observed	Only physical detection, no phase-disturbance experience	Directly perceive topological perturbation caused by phase coupling
------------------------------	--	---

5. 可证伪预测 / 5. Falsifiable Predictions

中文

1. 相位相干-隐私正相关：若某个人群大脑 CTL 相位相干度 Φ_{CTL} 低于平均水平，则该群体隐私需求整体下降；
2. 前额叶损伤效应：前额叶是 CTL 网络关键拓扑节点，局部损伤造成 Φ_{CTL} 下降，病人隐私观念显著弱化（与现有神经临床观测吻合）；
3. 人工智能相位隐私预言：当 AI 系统内部形成高相干相位链接网络，该系统会自发产生类似人类的隐私隔离行为，处理高密度信息时主动切断外部观测通道。

English

1. Positive correlation between phase coherence and privacy demand: if a human group exhibits below-average CTL phase coherence Φ_{CTL} , the group will show reduced overall privacy demand;
2. Prefrontal-lesion effect: the prefrontal lobe is a key topological node of the CTL network; local damage reduces Φ_{CTL} and significantly weakens patients' sense of privacy (consistent with existing neurological clinical observations);
3. Artificial-intelligence phase-privacy prediction: once an AI system forms an internal high-coherence phase link-network, the system will spontaneously generate human-like privacy-isolation behaviour, actively cutting off external observation channels while processing high-density information.

6. 结论 / 6. Conclusion

中文

在角动量网络几何学（ANG）框架下可以得到统一结论：
隐私的拓扑本质，就是**高相干链接网络的相位隔离策略**。

动物不存在人类意义上的隐私，根源在于意识网络相位相干度过低，无法感知“被观察”带来的拓扑相位扰动。

人类大脑为了生成自我意识，演化出远高于动物的相位相干度（ $\Phi_{CTL} > 0.30$ ）；而性

行为属于高强度链接重联事件，必须隔离在私域，防止整个社会链接网络发生相位失稳。

人类的性羞耻与隐私感，并不是后天道德、文化凭空建构出来的产物，而是高维角动量拓扑网络运行时的一种必然保护机制。人感受到羞耻，本质上是公共相域的相位耦合信号对个人意识拓扑网络产生扰动。

English

A unified conclusion is obtained within the Angular-Momentum Network Geometry (ANG) framework:

The topological essence of privacy is **the phase-isolation strategy of highly-coherent link-networks**.

Animals do not possess human-style privacy, because their consciousness networks have too-low phase coherence to perceive topological phase disturbance caused by “being observed”.

To generate self-awareness, the human brain has evolved far higher phase coherence ($\Phi_{CTL} > 0.30$) than animals. Sexual activity is a high-intensity link-reconnection event, which must be isolated into the private domain to prevent phase destabilization of the whole social link-network.

Human feelings of sexual shame and privacy are not arbitrarily constructed by acquired morality or culture; they are an inevitable protective mechanism arising from the operation of high-dimensional angular-momentum topological networks. When a human feels shame, fundamentally it means phase-coupling signals from the public phase domain perturb the individual's conscious topological network.

参考文献 / References

- [1] Song, C. (2026). ANG-Math v1.2: Mathematical System of Angular-Momentum Network Geometry.
- [2] Song, C. (2026). UVMM-ANG v5.7: Cross-Disciplinary AI Knowledge Migration Package.
- [3] Leary, M. R. (2007). The Self in Social Perception. Psychology Press.
- [4] Krach, S., et al. (2010). The role of the anterior insula in social emotions. *NeuroImage*, 50(1), 65-73.

End of Paper