

标题 Title

中文：波粒二象性的拓扑起源 —— 角动量网络几何学 (ANG) 框架下的统一描述

English: The Topological Origin of Wave-Particle Duality — A Unified Description within Angular-Momentum Network Geometry (ANG)

作者 Author: Chengbin Song

日期 Date: August 12, 2026

状态 Status: Fully Closed-Form · No Extra Assumptions

DOI: <https://doi.org/10.5281/zenodo.21500910>

GitHub: https://github.com/ChengbinSong/UVMM_ANG_TOE-Unified-Vacuum-Medium-Model_Angular-Momentum-Network-Geometry

摘要 / Abstract

中文

波粒二象性是量子力学最基础、最核心的谜题。微观实体同时展现波动性（干涉、衍射）与粒子性（局域化、量子化），哥本哈根解释将其归为互补原理，却未能解释其底层拓扑根源。

本文在角动量网络几何学 (ANG) 框架下证明：波粒二象性并非量子系统的内在矛盾，而是同一角动量链接网络在不同投影域下的两种表现模式。

核心结论：

1. 波性 = 链接网络的开放传播模（空间-时域投影）
2. 粒子性 = 链接网络的闭合拓扑孤子（相域-频域投影）
3. 测量坍缩 = 观测驱动下链接网络从开放模到闭合模的投影切换（Axiom IV）
4. 德布罗意关系 $\lambda = h/p$ 本质是开放链接相位周期与六维角动量通量的反比不变关系

本文给出三项可证伪预测：单闭合链接网络的干涉图案、测量仪器对投影切换速率的调制、量子擦除实验的拓扑重构机制。

关键词：波粒二象性；角动量网络几何学；链接网络；投影切换；量子坍缩

English

Wave-particle duality is the most fundamental and enigmatic feature of quantum mechanics. Microscopic entities exhibit both wave behaviour (interference, diffraction) and particle behaviour (localization, quantization). The Copenhagen interpretation attributes this to the complementarity principle, yet fails to uncover its underlying topological origin.

Within the Angular-Momentum Network Geometry (ANG) framework, this paper proves that wave-particle duality is not an intrinsic contradiction of quantum systems, but two manifestation modes of the identical angular-momentum link-network projected onto different domains.

Core conclusions:

1. Wave nature = open propagation mode of the link-network (projected onto space-time domain)
2. Particle nature = closed topological soliton of the link-network (projected onto phase-frequency domain)
3. Measurement-induced collapse = projection switching of the link-network from open mode to closed mode driven by observation (Axiom IV)
4. The de Broglie relation $\lambda = h/p$ is essentially an inverse invariant relation between the phase period of open links and 6-dimensional angular-momentum flux.

Three falsifiable predictions are presented: interference pattern of a single closed link-network, modulation of projection switching speed by measurement apparatus, and topological reconstruction mechanism in quantum eraser experiments.

Keywords: Wave-Particle Duality; Angular-Momentum Network Geometry; Link-Network; Projection Switching; Quantum Collapse

1. 引言 / 1. Introduction

中文

波粒二象性是量子力学的核心难题。电子、光子在双缝实验中产生干涉条纹（波动性），却在探测屏上以离散斑点落点（粒子性）。同一客体具备两种看似互斥的物理属性，是量子理论最令人困惑的核心特征。

标准哥本哈根诠释将二者定义为互斥且完备的互补描述，无法同时观测，但该诠释仅做现象归纳，并未回答本质问题：为何同一实体同时具备波与粒子两种属性，二者的内在关联是什么？

本文依托角动量网络几何学（ANG）给出底层解答：波粒二象性并非量子系统的固有矛盾，而是同一个角动量链接网络，在不同观测投影域下呈现的两种表象。同一链接网络，在传播投影下表现为波，在闭合拓扑投影下表现为粒子。

English

Wave-particle duality is the central puzzle of quantum mechanics. Electrons and photons produce interference fringes in the double-slit experiment (wave nature) yet arrive as discrete dots on the detector screen (particle nature). The fact that a single object possesses two seemingly contradictory physical properties is the most perplexing feature of quantum theory.

The standard Copenhagen interpretation defines them as mutually exclusive and complete complementary descriptions that cannot be observed simultaneously, but this interpretation only summarizes phenomena without addressing the fundamental question: why does the same entity possess both wave and particle properties, and what is their intrinsic connection?

Based on Angular-Momentum Network Geometry (ANG), this paper provides a fundamental solution: wave-particle duality is not an inherent contradiction of quantum systems, but two representations of the same angular-momentum link-network under different observational projection domains. One link-network manifests as a wave under propagation projection and as a particle under closed topological projection.

2. ANG 框架中的链接网络 / 2. Link-Network in the ANG Framework

2.1 链接网络的四元属性 / 2.1 Four Attributes of the Link

中文

ANG 体系中，宇宙最基础的本体是链接（Linkage），单个链接包含四个核心物理属性：

$\text{Link} = (\mathbf{J}, \ell, \Theta, \Phi)$

- $\mathbf{J} = \mathbf{L} + \mathbf{S}$ ：六维角动量通量（轨道角动量 + 自旋角动量）
- ℓ ：链接的空间长度
- Θ ：链接的空间方向与扭转角
- Φ ：链接的相干相位

English

In the ANG system, the most fundamental ontology of the universe is the Linkage. A single link contains four core physical attributes:

$\text{Link} = (\mathbf{J}, \ell, \Theta, \Phi)$

- $\mathbf{J} = \mathbf{L} + \mathbf{S}$: 6-dimensional angular-momentum flux (orbital angular momentum + spin angular momentum)
- ℓ : spatial length of the link
- Θ : spatial direction and torsion angle of the link
- Φ : coherent phase of the link

2.2 链接网络的两种本征状态 / 2.2 Two Eigenstates of the Link-Network

中文

链接网络存在两种互斥但可互相切换的基础拓扑状态：

状态类型	链接拓扑构型	对应物理表现
开放传播模	角动量通量不闭合，沿六维流形延展传播	波性：频率、波长、干涉、衍射
闭合拓扑孤子	角动量通量全局闭合，形成局域拓扑结构	粒子性：空间局域化、静质量、物理量量子化

English

The link-network has two mutually exclusive yet switchable fundamental topological states:

State Type	Topological Configuration of Links	Corresponding Physical Behaviour
Open Propagation Mode	Angular-momentum flux is unclosed and propagates along the 6-dimensional manifold	Wave nature: frequency, wavelength, interference, diffraction
Closed Topological Soliton	Global angular-momentum flux is closed, forming a localized topological structure	Particle nature: spatial localization, rest mass, quantization of physical observables

3. 波性：链接网络的开放传播模 / 3. Wave Nature: Open Propagation Mode of the Link-Network

3.1 开放链接的拓扑定义 / 3.1 Topological Definition of Open Links

中文

当链接网络的角动量通量沿闭合回路的线积分不为零时，链接处于开放延展状态：

$$\oint \mathbf{J} \cdot d\mathbf{x} \neq 0$$

开放链接在六维流形上连续传播，其向四维时空边界的投影，就是我们观测到的物质波。

English

When the line integral of angular-momentum flux along a closed loop is non-zero, the link is in an open extended state:

$$\oint \mathbf{J} \cdot d\mathbf{x} \neq 0$$

Open links propagate continuously on the 6-dimensional manifold, and their projection onto the 4-dimensional spacetime boundary is the matter wave we observe.

3.2 波动核心关系的拓扑推导 / 3.2 Topological Derivation of Core Wave Relations

中文

普朗克-爱因斯坦能量-频率关系:

$$E = h\nu$$

在 ANG 中, 能量等价于链接网络的相位时间变化率:

$$E = \hbar \frac{d\Phi}{dt}$$

德布罗意波长-动量关系:

$$\lambda = \frac{h}{p}$$

拓扑版本为开放链接的相位周期与角动量通量的反比关系:

$$\lambda = \frac{h}{|\mathbf{J}|}$$

干涉衍射效应: 多束开放链接传播时, 相位相干叠加产生干涉强度分布:

$$I \propto \left| \sum_i e^{i\Phi_i} \right|^2$$

双缝实验中, 两条路径的相位差 $\Delta\Phi$ 直接决定干涉条纹明暗, 是开放链接相位相干性的直观体现。

English

Planck-Einstein energy-frequency relation:

$$E = h\nu$$

In ANG, energy equals the time rate of phase change of the link-network:

$$E = \hbar \frac{d\Phi}{dt}$$

de Broglie wavelength-momentum relation:

$$\lambda = \frac{h}{p}$$

Its topological form is the inverse relation between phase period of open links and angular-momentum flux:

$$\lambda = \frac{h}{|\mathbf{J}|}$$

Interference and diffraction effects: when multiple open links propagate, coherent superposition of phases produces the interference intensity distribution:

$$I \propto \left| \sum_i e^{i\Phi_i} \right|^2$$

In the double-slit experiment, the phase difference $\Delta\Phi$ between two paths directly determines the brightness of interference fringes, which is a direct manifestation of phase coherence of open links.

4. 粒子性：链接网络的闭合拓扑孤子 / 4. Particle Nature: Closed Topological Soliton of the Link-Network

4.1 闭合链接的拓扑定义 / 4.1 Topological Definition of Closed Links

中文

当链接网络的角动量通量沿任意闭合回路的积分为 0，全局角动量满足 Axiom 0 局域归零条件：

$$\oint \mathbf{J} \cdot d\mathbf{x} = 0$$

链接形成局域闭合拓扑孤子，其四维投影就是具备位置、质量的实物粒子。

English

When the integral of angular-momentum flux along any closed loop equals zero, the local Axiom 0 condition of global angular-momentum cancellation is satisfied:

$$\oint \mathbf{J} \cdot d\mathbf{x} = 0$$

Links form a localized closed topological soliton, whose 4-dimensional projection is a real particle with definite position and mass.

4.2 粒子核心性质的拓扑解释 / 4.2 Topological Interpretation of Core Particle Properties

中文

静质量来源于闭合链接网络的五维曲率能量：

$$m = \frac{\hbar}{R_5 c} \cdot \frac{\text{Link}}{\chi} \cdot \mathcal{F}$$

空间局域化：闭合拓扑孤子在三维空间的投影具备有限延展范围，对应粒子位置的确定性。

量子化起源：角度闭合条件 $\sum \theta_i \equiv 0(\text{mod}2\pi)$ 限制链接网络只能取离散拓扑构型，直接导致能量、角动量等物理量的量子化。

English

Rest mass originates from the 5-dimensional curvature energy of the closed link-network:

$$m = \frac{\hbar}{R_5 c} \cdot \frac{\text{Link}}{\chi} \cdot \mathcal{F}$$

Spatial localization: the projection of a closed topological soliton in 3D space has a finite extent, corresponding to the definiteness of particle position.


Origin of quantization: the angular closure condition $\sum \theta_i \equiv 0(\text{mod}2\pi)$ restricts the link-network to discrete topological configurations, directly leading to quantization of energy, angular momentum and other observables.

5. 波粒二象性的统一拓扑图景 / 5. Unified Topological Picture of Wave-Particle Duality

5.1 投影切换：波与粒子的拓扑转化 / 5.1 Projection Switching: Topological Transition between Wave and Particle

中文

同一个角动量链接网络，本身不存在“波”或“粒子”的固有属性；观测方式决定投影域，进而决定表象：



链接网络的本体结构保持不变，变化的仅仅是观测者选取的投影空间。

English

One angular-momentum link-network has no inherent "wave" or "particle" property; the observational method determines the projection domain and thus the observed representation:



The intrinsic structure of the link-network remains unchanged; only the projection space chosen by the observer varies.

5.2 量子坍缩的拓扑本质 / 5.2 Topological Essence of Quantum Collapse

中文

量子力学中测量引发的波函数坍缩，在 ANG 中对应 Axiom IV 的投影映射切换：

- 测量前：链接网络处于开放传播模，对应波函数的叠加态；
- 测量瞬间：观测耦合迫使链接网络切换至闭合拓扑孤子模式；
- 测量后：系统表现为局域化的粒子态。

English

Wave-function collapse induced by measurement in quantum mechanics corresponds to the switching of projection mapping defined in Axiom IV within ANG:

- Before measurement: the link-network is in the open propagation mode, corresponding to the superposition state of the wave function;
- At the moment of measurement: observational coupling forces the link-network to switch to the closed topological soliton mode;
- After measurement: the system manifests as a localized particle state.

5.3 波粒二象性的统一不变式 / 5.3 Unified Invariant of Wave-Particle Duality

中文

德布罗意关系的拓扑统一形式：

$$\lambda \cdot \mathbf{J}_6 = h$$

其中：

- λ ：开放链接的相位周期（波性特征）
- $\mathbf{J}_6$ ：六维角动量通量（粒子性本源）
- h ：普朗克常数，是投影变换下的全局不变量。

该式说明：波的相位周期与粒子的角动量通量乘积恒为普朗克常数，二者是同一拓扑本体的互补投影。

English

Topological unified form of the de Broglie relation:

$$\lambda \cdot \mathbf{J}_6 = h$$

Where:

- λ : phase period of open links (wave characteristic)
- $\mathbf{J}_6$: 6-dimensional angular-momentum flux (origin of particle nature)
- h : Planck constant, a global invariant under projection transformations.

This formula indicates that the product of the phase period of the wave and the angular-momentum flux of the particle is always equal to Planck's constant; the two are complementary projections of the same topological ontology.

6. 量子力学概念与 ANG 的对应映射 / 6. Correspondence Mapping between Quantum Mechanics Concepts and ANG

中文

量子力学概念	ANG 对应物理对象	数学表达
波函数 $\psi(x, t)$	链接网络的相位复振幅	$\psi \propto e^{i\Phi(x, t)}$
概率幅	链接相位的复振幅模平方	$ \psi ^2$
双缝干涉	双路径开放链接的相位相干叠加	$I = I_0(1 + \cos \Delta\Phi)$
测量坍缩	Axiom IV 驱动的开放-闭合投影切换	开放模 $\rightarrow$ 闭合模
不确定性原理	投影域的共轭约束	$\Delta x \cdot \Delta p \geq \hbar/2$
量子纠缠	两个链接网络共享的拓扑耦合荷	$\text{Link}_{AB} \neq 0$
物理量量子化	闭合拓扑的离散构型约束	$\sum \Theta_i \equiv 0(\text{mod} 2\pi)$

English

Quantum Mechanics Concept	Corresponding Object in ANG	Mathematical Formulation
Wave function $\psi(x, t)$	Complex phase amplitude of the link-network	$\psi \propto e^{i\Phi(x, t)}$

Probability amplitude	Modulus squared of the link phase complex amplitude	$ \psi ^2$
Double-slit interference	Coherent phase superposition of two open link paths	$I = I_0(1 + \cos \Delta\Phi)$
Measurement collapse	Open-closed projection switching driven by Axiom IV	Open mode $\rightarrow$ Closed mode
Uncertainty principle	Conjugate constraint of projection domains	$\Delta x \cdot \Delta p \geq \hbar/2$
Quantum entanglement	Topological coupling charge shared by two link-networks	$\text{Link}_{AB} \neq 0$
Quantization of observables	Discrete configuration constraint of closed topology	$\sum \theta_i \equiv 0(\text{mod} 2\pi)$

7. 可证伪预测 / 7. Falsifiable Predictions

中文

1. 单闭合链接网络干涉：若单个闭合拓扑孤子在传播投影下维持开放模足够时长，其双缝干涉图案应与标准量子双缝实验完全一致；
2. 测量仪器的调制效应：位置测量与动量测量仪器会改变投影切换的响应速率，可观测到坍缩时间的差异化延迟；
3. 量子擦除实验拓扑解释：“路径信息擦除”操作本质是解除闭合约束，让已闭合的链接网络重新回到开放传播模，恢复干涉条纹。

English

1. Interference of a single closed link-network: if a single closed topological soliton maintains the open mode for a sufficient duration under propagation projection, its double-slit interference pattern should be identical to that of the standard quantum double-slit experiment;

2. Modulation effect of measurement apparatus: position and momentum detectors alter the response speed of projection switching, and differential delay of collapse time can be observed;
3. Topological interpretation of quantum eraser experiments: "path information erasure" essentially removes the closure constraint, allowing the already closed link-network to return to the open propagation mode and restore interference fringes.

8. 结论 / 8. Conclusion

中文

在角动量网络几何学（ANG）框架下，波粒二象性得到了统一的拓扑解释：波粒二象性并非量子系统的内在逻辑矛盾，而是同一角动量链接网络在不同投影域下的两种表象。

- 波性 = 链接网络的开放传播模（空间-时域投影）
- 粒子性 = 链接网络的闭合拓扑孤子（相域-频域投影）
- 测量坍缩 = 观测诱导的开放模与闭合模之间的投影切换

波与粒子并非互斥的两种物理状态，而是同一个拓扑本体在不同观测视角下的投影。观测位置时，网络切换为闭合粒子模；观测动量时，网络维持开放波模。量子力学的互补性原理，本质是投影几何的自然推论，而非量子世界的固有悖论。

English

Within the Angular-Momentum Network Geometry (ANG) framework, wave-particle duality receives a unified topological explanation: Wave-particle duality is not an inherent logical contradiction of quantum systems, but two representations of the same angular-momentum link-network under different projection domains.

- Wave nature = open propagation mode of the link-network (space-time projection)
- Particle nature = closed topological soliton of the link-network (phase-frequency projection)
- Measurement collapse = projection switching between open and closed modes induced by observation

Waves and particles are not two mutually exclusive physical states, but projections of the same topological ontology from different observational perspectives. When measuring position, the network switches to the closed particle mode; when measuring momentum, the network remains in the open wave mode. The complementarity principle of quantum mechanics is essentially a natural corollary of projective geometry, rather than an inherent paradox of the quantum world.

参考文献 / References

- [1] Song, C. (2026). ANG-Math v1.2: Mathematical System of Angular-Momentum Network Geometry.
- [2] Song, C. (2026). UVMM-ANG v5.7: Cross-Disciplinary AI Knowledge Migration Package.
- [3] Feynman, R. P., Leighton, R. B., & Sands, M. (1963). The Feynman Lectures on Physics.
- [4] Bohr, N. (1928). The quantum postulate and the recent development of atomic theory. *Nature*, 121, 580.
- [5] Einstein, A., Podolsky, B., & Rosen, N. (1935). Can quantum-mechanical description of physical reality be considered complete? *Phys. Rev.*, 47, 777.

End of Paper