

# COSCO Syncon Hub API Specification for Cross Booking

---

## COSCO Syncon Hub API Specification for Cross Booking

### Port Information Query Interface

1. Information
2. Request parameters
3. Request sample
4. Response parameters
5. Response sample
6. Error sample
7. Error Code Specification

### Cross Booking Inventory Query Interface

1. Information
2. Request parameters
3. Request sample
4. Response parameters
5. Response sample
6. Error sample
7. Error Code Specification

### Cross Booking Schedule Query Interface

1. Information
2. Request parameters
3. Request sample
4. Response parameters
5. Response sample
6. Error sample
7. Error Code Specification

### Cross Booking Booking Interface

1. Information
2. Request parameters
3. Request sample
4. Response parameters
5. Response sample
6. Error sample
7. Error Code Specification

### Cross Booking History Query Interface

1. Information
2. Request parameters
3. Request sample
4. Response parameters
5. Response sample
6. Error sample
7. Error Code Specification

### Cross Booking History Detail Query Interface

1. Information
2. Request parameters
3. Request sample
4. Response parameters
5. Response sample
6. Error sample
7. Error Code Specification

## Port Information Query Interface

Fuzzy query of the port information maintained by the platform based on the keywords of the port name

## 1. Information

- **Path:** /service/synconhub/common/port/search
- **Method:** POST

## 2. Request parameters

Name	Type	Required	Description	Remarks
keywords	String	yes	port name keywords	
page	Integer	no	page size	default:1, minimum:1
size	Integer	no	record size	default:30, minimum:1, maximum:

### 3. Request sample

```
{
  "keywords": "yantian",
  "page": 1,
  "size": 30
}
```

#### 4. Response parameters

Name	Description
code	status code
message	detail message
data	Paging query results (sorted by port name)

## 5. Response sample

```
{
  "code": 0,
  "message": "",
  "data": {
    "content": [
      {
        "id": "349645770723388",
        "portName": "Yantian",
        "portCode": "YTN",
        "portFullNameEn": "Yantian",

```

```

        "portFullNameCn": "盐田",
        "city": {
            "id": "738872886233057", // city id
            "unlocode": "CNSZN", // port code
            "cityName": "Shenzhen",
            "cntyName": "Shenzhen", // county name
            "stateName": "Guangdong",
            "stateCode": "GD",
            "ctryRegionName": "China", // country / region name
            "ctryRegionCode": "CN", // country / region code
            "cityFullNameEn": "Shenzhen",
            "cityFullNameCn": "深圳"
        }
    },
    "number": 1,
    "size": 30,
    "totalPages": 1,
    "totalElements": 1,
    "first": true, // is first page
    "last": true, // is last page
    "empty": false
}
}

```

## 6. Error sample

```

{
    "code": 20041,
    "message": "the page size should be between 0 and 30."
}

```

## 7. Error Code Specification

Please refer to the [General Error Codes](#) .

# Cross Booking Inventory Query Interface

## 1. Information

- **Path:** /service/synconhub/crossBooking/inventory/search
- **Method:** POST

## 2. Request parameters

Name	Type	Required	Description	Remarks
contractNumber	String	yes	contract number	
dateFrom	ISODate	yes	effective date range of the contract	ISO format in GMT by default, like: '2020-07-20T08:00:00.000Z'
dateTo	ISODate	no	effective date range of the contract	ISO format in GMT by default, like: '2020-07-31T12:00:00.000Z'
service	String	no	service code	
polId	String	no	pol port id	
page	Integer	no	page number	<b>default: 1,min: 1</b>
size	Integer	no	page size	<b>default: 20, range: [1, 50]</b>

### 3. Request sample

```
{
  "contractNumber": "ATE20001",
  "dateFrom": "2020-07-20T00:00:00.000Z",
  "dateTo": "2020-08-20T00:00:00.000Z",
  "service": "SEA",
  "podId": "349645770723388",
  "page": 1,
  "size": 20
}
```

### 4. Response parameters

Name	Description
code	status code
message	detail message
data	pagination to return inventory information that meets the query condition. (sorted by week number)

### 5. Response sample

```
{
  "code": 0,
  "message": "",
  "data": {
    "content": [
      {
        "weekNo": "202033", // week number
        "inventoryId": "8a5e110e7494c338017494d22fc00009", // inventory
ID of the contract
      }
    ]
  }
}
```

```

        "contractNumber": "ATE20001",
        "services": ["SEA", "AEU1"],
        "pols": [ // pol port infos, for the specific structure, please
refer to "Port Information Query Interface"
            {
                "id": "349645770723388",
                "portName": "Yantian",
                "portCode": "YTN",
                "portFullNameEn": "Yantian",
                "portFullNameCn": "盐田",
                "city": {
                    "id": "738872886233057",
                    "unlocode": "CNSZN",
                    "cityName": "Shenzhen",
                    "cntyName": "Shenzhen",
                    "stateName": "Guangdong",
                    "stateCode": "GD",
                    "ctryRegionName": "China",
                    "ctryRegionCode": "CN",
                    "cityFullNameEn": "Shenzhen",
                    "cityFullNameCn": "深圳"
                }
            }
        ],
        "used": 10,
        "available": 20,
        "total": 30
    }
],
"number": 1,
"size": 20,
"totalPages": 1,
"totalElements": 1,
"first": true, // is first page
"last": true, // is last page
"empty": false
}
}

```

## 6. Error sample

```

{
    "code": 20000,
    "message": "cannot identify the user, please contact support for help"
}

```

## 7. Error Code Specification

Please refer to the [General Error Codes](#) .

# Cross Booking Schedule Query Interface

## 1. Information

- **Path:** /service/synconhub/crossBooking/schedule
- **Method:** POST

## 2. Request parameters

Name	Type	Required	Description	Remarks
inventoryId	String	yes	inventory Id of the contract No.	
originCityId	String	yes	por city id	
destinationCityId	String	yes	fnd city id	
cargoNature	String	no	cargo nature, e.g.: GC, RF, DG, AW	<b>default:</b> GC
page	Integer	no	page number	<b>default:</b> 1, <b>min:</b> 1
size	Integer	no	page size	<b>default:</b> 20, <b>range:</b> [1, 50]

## 3. Request sample

```
{
  "inventoryId": "8a5e110e7494c338017494d22fc00009", // the inventory id of the
contract no.
  "cargoNature": "GC",
  "page": 1,
  "size": 20,
  "destinationCityId": "738872886233842",
  "originCityId": "738872886232873",
  "weekNo": "202037"
}
```

## 4. Response parameters

Name	Description
code	status code
message	detail message
data	pagination to return schedule information that meets the query condition.

## 5. Response sample

```
{
  "code": 0,
  "message": "",
  "data": {
    "content": [
```

```
{
  "origin": {
    "id": "738872886232873",
    "unlocode": "CNSHA",
    "cityName": "Shanghai",
    "cntyName": "Shanghai",
    "stateName": "Shanghai",
    "stateCode": "SH",
    "cityFullNameEn": "Shanghai",
    "cityFullNameCn": "上海",
    "ctryRegionName": "China",
    "ctryRegionCode": "CN"
  },
  "destination": {
    "id": "738872886233842",
    "unlocode": "PKKAR",
    "cityName": "Karachi",
    "cntyName": null,
    "stateName": "Sindh",
    "stateCode": null,
    "cityFullNameEn": "Karachi",
    "cityFullNameCn": "卡拉奇",
    "ctryRegionName": "Pakistan",
    "ctryRegionCode": "PK"
  },
  "porFacilityCode": "SHA04",
  "fndFacilityCode": "KHI02",
  "legs": [
    {
      "carrier": null,
      "service": {
        "serviceCode": "PMX",
        "serviceId": null
      },
      "vessel": {
        "vesselName": "GREENWICH BRIDGE",
        "vesselId": null,
        "vesselCode": "SRL"
      },
      "voyageCode": "126",
      "internalVoyageNumber": "126",
      "externalVoyageNumber": "126W",
      "pol": {
        "port": {
          "id": "349657045012458",
          "portName": "Shanghai",
          "portCode": "SHA",
          "portFullNameEn": "Shanghai",
          "portFullNameCn": "上海",
          "city": null
        },
        "etd": "2020-09-16 11:00",
        "atd": null,
        "eta": "2020-09-15 13:00",
        "ata": null,
        "facilityCode": "SHA04"
      },
      "pod": {
```

```

        "port": {
            "id": "349645770723431",
            "portName": "Karachi",
            "portCode": "KHI",
            "portFullNameEn": "Karachi",
            "portFullNameCn": "Karachi",
            "city": null
        },
        "etd": "2020-10-07 20:00",
        "atd": null,
        "eta": "2020-10-05 22:00",
        "ata": null,
        "facilityCode": "KHI02"
    },
    "legSequence": 1,
    "direction": "W",
    "transportMode": "Feeder"
}
],
"cutOffLocalDate": "2020-09-16 00:00",
"estimatedTransitTimeInDays": 19,
"etaAtFnd": "2020-10-05 22:00",
"etdAtPor": "2020-09-16 11:00",
"serviceCode": "PMX",
"vesselName": "GREENWICH BRIDGE",
"direction": "W",
"voyageNo": "126",
"signature": "2c9fbad696f7a0c4ffcaef2325621c75"
},
{
    "origin": {
        "id": "738872886232873",
        "unlocode": "CNSHA",
        "cityName": "Shanghai",
        "cntyName": "Shanghai",
        "stateName": "Shanghai",
        "stateCode": "SH",
        "cityFullNameEn": "Shanghai",
        "cityFullNameCn": "上海",
        "ctryRegionName": "China",
        "ctryRegionCode": "CN"
    },
    "destination": {
        "id": "738872886233842",
        "unlocode": "PKKAR",
        "cityName": "Karachi",
        "cntyName": null,
        "stateName": "Sindh",
        "stateCode": null,
        "cityFullNameEn": "Karachi",
        "cityFullNameCn": "卡拉奇",
        "ctryRegionName": "Pakistan",
        "ctryRegionCode": "PK"
    },
    "porFacilityCode": "SHA04",
    "fndFacilityCode": "KHI03",
    "legs": [
        {

```



```

        "carrier": null,
        "service": {
            "serviceCode": "PMX",
            "serviceId": null
        },
        "vessel": {
            "vesselName": "GREENWICH BRIDGE",
            "vesselId": null,
            "vesselCode": "SRL"
        },
        "voyageCode": "126",
        "internalVoyageNumber": "126",
        "externalVoyageNumber": "126W",
        "pol": {
            "port": {
                "id": "349657045012458",
                "portName": "Shanghai",
                "portCode": "SHA",
                "portFullNameEn": "Shanghai",
                "portFullNameCn": "上海",
                "city": null
            },
            "etd": "2020-09-16 11:00",
            "atd": null,
            "eta": "2020-09-15 13:00",
            "ata": null,
            "facilityCode": "SHA04"
        },
        "pod": {
            "port": {
                "id": "349645770723431",
                "portName": "Karachi",
                "portCode": "KHI",
                "portFullNameEn": "Karachi",
                "portFullNameCn": "Karachi",
                "city": null
            },
            "etd": "2020-10-08 22:00",
            "atd": null,
            "eta": "2020-10-07 22:00",
            "ata": null,
            "facilityCode": "KHI03"
        },
        "legSequence": 1,
        "direction": "W",
        "transportMode": "Feeder"
    },
    "cutOffLocalDate": "2020-09-16 00:00",
    "estimatedTransitTimeInDays": 21,
    "etaAtFnd": "2020-10-07 22:00",
    "etdAtPor": "2020-09-16 11:00",
    "serviceCode": "PMX",
    "vesselName": "GREENWICH BRIDGE",
    "direction": "W",
    "voyageNo": "126",
    "signature": "d8682e7a4f71380c45016c48a1d8a997"
}

```

```
    ],  
    "number": 1,  
    "size": 20,  
    "totalElements": 2,  
    "totalPage": 1,  
    "totalPages": 1,  
    "first": true,  
    "last": true,  
    "empty": false  
  }  
}
```

## 6. Error sample

```
{  
  "code": 20000,  
  "message": "cannot identify the user, please contact support for help"  
}  
  
{  
  "code": 20043,  
  "message": "Cross Booking库存无效"  
}
```

## 7. Error Code Specification

Please refer to the [General Error Codes](#) .

# Cross Booking Booking Interface

---

## 1. Information

- **Path:** /service/synconhub/crossBooking/shipment/new
- **Method:** POST

## 2. Request parameters

Name	Type	Required	Description	Remarks
contractNumber	String	yes	contract number	
inventoryId	String	yes	the inventory Id of the contract No.	
cargoNature	String	no	cargo nature, e.g.: GC, RF, DG, AW	<b>default:</b> GC
channelCode	String	no		<b>default:</b> GENERAL
bookingContainers	Object	yes	booking container type and quantity	
scheduleData	Object	yes	schedule info	
bookingParties	Object	yes	booking parties info	
shipperInfo	Object	no	shipper info	
consigneeInfo	Object	no	consignee info	
notifyPartyInfo	Object	no	notify party info	
emergencyContactInfo	Object	yes	emergency contact info	
cargoInfo	Object	yes	cargo info	
remarks	String	no		
page	Integer	no	page number	<b>default:</b> 1, <b>min:</b> 1
size	Integer	no	page size	<b>default:</b> 20, <b>range:</b> [1, 50]

### 3. Request sample

```
{
  "inventoryId": "8a5e110e7494c338017494d22fc00009", // the inventory Id of the
  contract No.
  "cargoNature": "GC",
  "channelCode": "GENERAL",
  "bookingContainers": [
    {
      "cntrType": "40GP",
      "quantity": 1
    }
  ],
  "scheduleData": {
    "origin": {
      "id": "738872886232873",
      "unlocode": "CNSHA",
      "cityName": "Shanghai",
      "cntyName": "Shanghai",

```

```
    "stateName": "Shanghai",
    "stateCode": "SH",
    "cityFullNameEn": "Shanghai",
    "cityFullNameCn": "上海",
    "ctryRegionName": "China",
    "ctryRegionCode": "CN"
  },
  "destination": {
    "id": "738872886233842",
    "unlocode": "PKKAR",
    "cityName": "Karachi",
    "cntyName": null,
    "stateName": "Sindh",
    "stateCode": null,
    "cityFullNameEn": "Karachi",
    "cityFullNameCn": "卡拉奇",
    "ctryRegionName": "Pakistan",
    "ctryRegionCode": "PK"
  },
  "porFacilityCode": "SHA04",
  "fndFacilityCode": "KHI02",
  "legs": [
    {
      "carrier": null,
      "service": {
        "serviceCode": "PMX",
        "serviceId": null
      },
      "vessel": {
        "vesselName": "OOCL AMERICA",
        "vesselId": null,
        "vesselCode": "RMJ"
      },
      "voyageCode": "035",
      "internalVoyageNumber": "035",
      "externalVoyageNumber": "035N",
      "pol": {
        "port": {
          "id": "349657045012458",
          "portName": "Shanghai",
          "portCode": "SHA",
          "portFullNameEn": "Shanghai",
          "portFullNameCn": "上海",
          "city": null
        },
        "etd": "2020-09-16 11:00",
        "atd": null,
        "eta": "2020-09-15 13:00",
        "ata": null,
        "facilityCode": "SHA04"
      },
      "pod": {
        "port": {
          "id": "349645770723431",
          "portName": "Karachi",
          "portCode": "KHI",
          "portFullNameEn": "Karachi",
          "portFullNameCn": "Karachi",

```

```

        "city": null
    },
    "etd": "2020-10-07 20:00",
    "atd": null,
    "eta": "2020-10-05 22:00",
    "ata": null,
    "facilityCode": "KHI02"
    },
    "legSequence": 1,
    "direction": "W",
    "transportMode": "Feeder"
    }
    ],

    "serviceCode": "PMX",
    "vesselName": "OOCL AMERICA",
    "direction": "N",
    "voyageNo": "035",
    "signature": "2c9fbad696f7a0c4ffcaef2325621c75" // the signature
of the scheduled data, which is to identify the schedule data is from the
official provider.
    },
    "bookingParties": {
        "name": "OOCL",
        "addressLine1": "CN",
        "addressLine2": "Room 507, Huale building, Shennan E",
        "carrierCustomerCode": "6421568001",
        "phone": "4564654234",
        "fax": "1123123123",
        "identityNo": "",
        "email": ""
    },
    "shipperInfo": {
        "name": "shipper",
        "addressLine1": "Shenzhen",
        "addressLine2": "ZHUHAIXIANGZHOU",
        "carrierCustomerCode": "",
        "phone": "+86112223311",
        "fax": "",
        "identityNo": "",
        "email": ""
    },
    "consigneeInfo": {
        "name": "consignee",
        "addressLine1": "SHANGHAI",
        "addressLine2": "SHANGHAIPUDONG",
        "carrierCustomerCode": "",
        "phone": "+86112223311",
        "fax": "",
        "identityNo": "",
        "email": ""
    },
    "notifyPartyInfo": {
        "name": "notifyParty",
        "addressLine1": "SHANGHAI",
        "addressLine2": "SHANGHAIPUDONG",
        "carrierCustomerCode": "",
        "phone": "+86112223311",

```

```

        "fax": "",
        "identityNo": "",
        "email": ""
    },
    "emergencyContactInfo": {
        "name": "",
        "email": "test@OOCL.COM",
        "mobile": "",
        "phone": "",
        "address": ""
    },
    "cargoInfo": {
        "desc": "ASD",
        "packageType": "JL",
        "packageTypeName": "JUMBO ROLL",
        "quantity": 1,
        "weight": 324,
        "volume": 43,
        "remarks": ""
    },
    "remarks": "ASD"
}

```

## 4. Response parameters

Name	Description
code	status code
message	detail message
data	return booking request number

## 5. Response sample

```

{
  "code": 0,
  "message": "",
  "data": {
    "brNo": "4880701060"
  }
}

```

## 6. Error sample

```

{
  "code": 20000,
  "message": "cannot identify the user, please contact support for help"
}

{
  "code": 20044,
  "message": "Cross Booking船期信息有误"
}

```

```

{
  "code": 20045,
  "message": "Cross Booking库存不足"
}

{
  "code": 20045,
  "message": "Cross Booking 找不到货类箱型"
}

```

## 7. Error Code Specification

Please refer to the [General Error Codes](#) .

## Cross Booking History Query Interface

### 1. Information

- **Path:** /service/synconhub/crossBooking/shipment/search
- **Method:** POST

### 2. Request parameters

Name	Type	Required	Description	Remarks
bookingStatus	String	no	status	
brNo	String	no	booking request number	
bookingTimeFrom	ISODate	no	booking date range	ISO format in GMT by default, like: '2020-07-20T08:00:00.000Z'
bookingTimeTo	ISODate	no	booking date range	ISO format in GMT by default, like: '2020-07-20T08:00:00.000Z'
contractNo	String	no	contract number	
pol	String	no	pol port id	
por	String	no	por city id	
fnd	String	no	fnd city id	
page	Integer	no	page number	<b>default: 1,min: 1</b>
size	Integer	no	page size	<b>default: 20, range: [1, 50]</b>

### 3. Request sample

```
{
  "bookingStatus": "",
  "brNo": "4880701100",
  "bookingTimeFrom": "2020-08-15T00:00:00.000z",
  "bookingTimeTo": "2020-08-31T23:23:59.999z",
  "contractNo": "",
  "po1": "",
  "por": "",
  "fnd": "",
  "page": "1",
  "size": "30"
}
```

### 4. Response parameters

Name	Description
code	status code
message	detail message
data	pagination to return crossBooking history information that meets the query condition.(sorted by week number)

### 5. Response sample

```
{
  "code": 0,
  "message": "",
  "data": {
    "content": [
      {
        "brNo": "4880701100",
        "bookingStatus": "NEW",
        "contractNo": "jarvan-test",

```



```

        "scheduleData": "{ \"cutOffLocalDate\": \"2020-09-16
00:00\", \"destination\": { \"cityFullNameCn\": \"卡拉奇
\", \"cityFullNameEn\": \"Karachi\", \"cityName\": \"Karachi\", \"id\": \"738872886233
842\", \"stateName\": \"Sindh\", \"unlocode\": \"PKKAR\" }, \"direction\": \"W\", \"esti
matedTransitTimeInDays\": 21, \"etaAtFnd\": \"2020-10-07
22:00\", \"etdAtPor\": \"2020-09-16 11:00\", \"fndFacilityCode\": \"KHI03\", \"legs\":
[ { \"direction\": \"W\", \"externalVoyageNumber\": \"126W\", \"internalVoyageNumber\"
: \"126\", \"legSequence\": 1, \"pod\": { \"eta\": \"2020-10-07 22:00\", \"etd\": \"2020-
10-08 22:00\", \"facilityCode\": \"KHI03\", \"port\":
{ \"id\": \"349645770723431\", \"portCode\": \"KHI\", \"portFullNameCn\": \"Karachi\",
\", \"portFullNameEn\": \"Karachi\", \"portName\": \"Karachi\" }, \"portId\": \"3496457707
23431\" }, \"pol\": { \"eta\": \"2020-09-15 13:00\", \"etd\": \"2020-09-16
11:00\", \"facilityCode\": \"SHA04\", \"port\":
{ \"id\": \"349657045012458\", \"portCode\": \"SHA\", \"portFullNameCn\": \"上海
\", \"portFullNameEn\": \"Shanghai\", \"portName\": \"Shanghai\" }, \"portId\": \"34965
7045012458\" }, \"service\":
{ \"serviceCode\": \"PMX\", \"transportMode\": \"Feeder\", \"vessel\":
{ \"vesselCode\": \"SRL\", \"vesselName\": \"GREENWICH
BRIDGE\" }, \"voyageCode\": \"126\" } ], \"origin\": { \"cityFullNameCn\": \"上海
\", \"cityFullNameEn\": \"Shanghai\", \"cityName\": \"Shanghai\", \"cntyName\": \"Shan
ghai\", \"id\": \"738872886232873\", \"stateCode\": \"SH\", \"stateName\": \"Shanghai
\", \"unlocode\": \"CNSHA\" }, \"porFacilityCode\": \"SHA04\", \"serviceCode\": \"PMX\",
\", \"vesselName\": \"GREENWICH BRIDGE\", \"voyageNo\": \"126\" }",
        "weekNo": "202037"
    }
],
    "number": 1,
    "size": 20,
    "totalElements": 1,
    "totalPage": 1,
    "totalPages": 1,
    "first": true,
    "last": true,
    "empty": false
}
}

```

## 6. Error sample

```

{
    "code": 20000,
    "message": "cannot identify the user, please contact support for help"
}

{
    "code": 20040,
    "message": "查询参数的page必须大于0"
}

{
    "code": 20041,
    "message": "查询参数的size必须大于0且小于30"
}

{
    "code": 20042,
    "message": "参数校验错误"
}

```

```
}
```

## 7. Error Code Specification

Please refer to the [General Error Codes](#).

# Cross Booking History Detail Query Interface

## 1. Information

- **Path:** /service/synconhub/crossBooking/shipment/{brNo}
- **Method:** GET

## 2. Request parameters

Name	Type	Required	Description	Remarks
brNo	String	yes	booking request number	

## 3. Request sample

```
GET /service/synconhub/order/detail/E00144631
```

## 4. Response parameters

Name	Description
code	status code
message	detail message
data	return crossBooking history detail information that meets the query condition. (sorted by week number)

## 5. Response sample

```
{
  "code": 0,
  "message": "",
  "data": {
    "contractNo": "jarvan-test",
    "brNo": "4880701060",
    "remarks": "ASD",
    "cargoNature": "GC",
    "routeschedule": {
      "origin": {
        "id": "738872886232873",
        "unlocode": "CNSHA",
        "cityName": "Shanghai",
        "cntyName": "Shanghai",
        "stateName": "Shanghai",
        "stateCode": "SH",
```

```
    "cityFullNameEn": "Shanghai",
    "cityFullNameCn": "上海",
    "ctryRegionName": null,
    "ctryRegionCode": null
  },
  "destination": {
    "id": "738872886233842",
    "unlocode": "PKKAR",
    "cityName": "Karachi",
    "cntyName": null,
    "stateName": "Sindh",
    "stateCode": null,
    "cityFullNameEn": "Karachi",
    "cityFullNameCn": "卡拉奇",
    "ctryRegionName": null,
    "ctryRegionCode": null
  },
  "porFacilityCode": "SHA04",
  "fndFacilityCode": "KHI02",
  "legs": [
    {
      "carrier": null,
      "service": {
        "serviceCode": "PMX",
        "serviceId": null
      },
      "vessel": {
        "vesselName": "OOCL AMERICA",
        "vesselId": null,
        "vesselCode": "RMJ"
      },
      "voyageCode": "035",
      "internalVoyageNumber": "035",
      "externalVoyageNumber": "035N",
      "pol": {
        "port": {
          "id": "349657045012458",
          "portName": "Shanghai",
          "portCode": "SHA",
          "portFullNameEn": "Shanghai",
          "portFullNameCn": "上海",
          "city": null
        },
        "etd": "2020-09-16 11:00",
        "atd": null,
        "eta": "2020-09-15 13:00",
        "ata": null,
        "facilityCode": "SHA04"
      },
      "pod": {
        "port": {
          "id": "349645770723431",
          "portName": "Karachi",
          "portCode": "KHI",
          "portFullNameEn": "Karachi",
          "portFullNameCn": "Karachi",
          "city": null
        }
      }
    }
  ],
}
```

```

        "etd": "2020-10-07 20:00",
        "atd": null,
        "eta": "2020-10-05 22:00",
        "ata": null,
        "facilityCode": "KHI02"
    },
    "legSequence": 1,
    "direction": "W",
    "transportMode": "Feeder"
}
],
"cutOffLocalDate": null,
"estimatedTransitTimeInDays": 0,
"etaAtFnd": null,
"etdAtPor": null,
"serviceCode": "PMX",
"vesselName": "OOCL AMERICA",
"direction": "N",
"voyageNo": "035",
"signature": null
},
"bookingContainerList": [
    {
        "bookingNo": null,
        "status": null,
        "cntrType": "40GP",
        "count": 0
    }
],
"bookingParties": [
    {
        "name": "CHENGYUNREN",
        "addressLine1": "Shenzhen",
        "addressLine2": "ZHUHAIXIANGZHOU",
        "phone": "+86112223311",
        "email": null
    },
    {
        "name": "TONGZHIREN",
        "addressLine1": "SHANGHAI",
        "addressLine2": "SHANGHAIPUDONG",
        "phone": "+86112223311",
        "email": null
    },
    {
        "name": "alibaba",
        "addressLine1": "CN",
        "addressLine2": "Room 507, Huale building, Shennan E",
        "phone": "4564654234",
        "email": null
    },
    {
        "name": "SHOUHUOREN",
        "addressLine1": "SHANGHAI",
        "addressLine2": "SHANGHAIPUDONG",
        "phone": "+86112223311",
        "email": null
    }
]

```

```
    ],
    "cargoInfoDTO": {
      "desc": "ASD",
      "packageType": "JL",
      "quantity": 1,
      "weight": 324,
      "volume": 43,
      "remarks": null
    },
    "emergencyContactInfo": {
      "name": null,
      "email": "ZHANGJA20@OOCL.COM",
      "mobile": null,
      "phone": null,
      "address": null
    }
  }
}
```

## 6. Error sample

```
{
  "code": 20000,
  "message": "cannot identify the user, please contact support for help"
}
```

## 7. Error Code Specification

Please refer to the [General Error Codes](#) .