COSCO Syncon Hub API Specification for Spot Rate

COSCO Syncon Hub API Specification for Spot Rate

Update Logs

Http Header

City Information Query Interface

- 1. Informations
- 2. Request parameters
- 3. Request sample
- 4. Response parameters
- 5. Response sample
- 6. Error sample

Spot Rate Query Interface

- 1. Informations
- 2. Request parameters
- 3. Request sample
- 4. Response parameters
- 5. Response sample
- 6. Error sample

Intermodal Service Query Interface

- 1.Informations
- 2. Path parameters
- 3. Request sample
- 4. Response parameters
- 5. Response sample
- 6. Error sample

Spot Rate Details Query Interface

- 1. Informations
- 2. Path parameters
- 3. Query parameters
- 4. Request sample
- 5. Response parameters
- 6. Response sample
- 7. Error sample

Surcharge Query Interface

- 1. Informations
- 2. Path parameters
- 3. Query parameters
- 4. Request sample
- 5. Response parameters
- 6. Response sample
- 7. Error sample

Update Logs

v1.2.0 (2021-04-28)

1. A Added the API Intermodal Service Query to search product supported transfer services.

Details.

- 2. U Updated the spot rate detail query support search product detail with intermodal services. Details.
- 3. U Updated the surcharge query support search product surcharge with intermodal services. Details.

Http Header

HTTP header information description

HTTP Header	Туре	Required	Description	Remarks
X-Consumer-Forwarder- ID	String	no	Forwarder company sapld	

• X-Consumer-Forwarder-ID

If you want to submit an order/booking for your subsidiary, add this header to the request. The value is sapid of the subsidiary

X-Consumer-Forwarder-ID: 1234567890

City Information Query Interface

Fuzzy query of the city information maintained by the platform based on the keywords of the city name. The returned city id can be used as the origin / destination location id for the Spot Rate query interface.

1. Informations

• Path: /service/synconhub/common/city/search

• Method: POST

2. Request parameters

Name	Туре	Required	Description	Remarks	
keywords	String	yes	city name keywords		
page	Integer	no	page number	default:1,minimum:1	
size	Integer	no	page size	default:30, minimum:1, maximum:	
4					

3. Request sample

```
{
    "keywords": "shenzhen",
    "page": 1,
    "size": 30
}
```

4. Response parameters

Name	Description	
code	status code	
message	detail message	
data	Paging query results (sorted by city name)	

5. Response sample

```
{
   "code": 0,
   "message": "",
   "data": {
        "content": [
            {
                "id": "738872886233057", // city id
                "unlocode": "CNSZN", // port code
                "cityName": "Shenzhen",
                "cntyName": "Shenzhen", // county name
                "stateName": "Guangdong",
                "stateCode": "GD",
                "ctryRegionName": "China", // country / region name
                "ctryRegionCode": "CN", // country / region code
                "cityFullNameEn": "Shenzhen",
                "cityFullNameCn": "深圳"
        ],
        "number": 1,
        "size": 30,
        "totalPages": 1,
        "totalElements": 1,
        "first": true, // is first page
        "last": true, // is last page
        "empty": false
   }
}
```

6. Error sample

```
{
   "code": 20041,
   "message": "the page size should be between 0 and 30."
}
```

Spot Rate Query Interface

1. Informations

• **Path**: /service/synconhub/product/instantBooking/search

• Method: POST

2. Request parameters

Name	Туре	Required	Description	Remarks
startDate	ISODate	yes	the start date of sailing date scope	
endDate	ISODate	no	the end of Sailing date scope	
porCityId	string	yes	por city id	
fndCityId	string	yes	fnd city id	
page	integer	yes	page size	default:1,minimum:1
size	integer	yes	record size	default:20,range:[1, 50]

3. Request sample

```
{
   "startDate": "2020-06-01T00:00:00.000z",
   "endDate": "2020-07-30T00:00:00.000z",
   "fndCityId": "738872886233842",
   "porCityId": "738872886232873",
   "page": 1,
   "size": 20
}
```

4. Response parameters

Name	Description
code	status code
message	detail message
data	pagination to return product information that meets the query conditions. (sorted by ETD by default)

```
{
    "code": 0,
    "message": "",
    "data": {
        "content": [
            {
                "id": "8a80cb817321ad030173221c880101d2",
                "tradeLaneCode": "AEU",
                "serviceCode": "AEM5",
                "tradeArea": "ETD",
                "vesselName": "COSCO YANTIAN",
                "voyageNo": "020",
                "direction": "W",
                "porFacilityCode": null,
                "porFacilityName": null,
                "porFacilityNameCn": null,
                "fndFacilityName": null,
                "fndFacilityNameCn": null,
                "fndFacilityCode": null,
                "haulageType": "CY-CY",
                "estimatedTransitTimeInDays": 30,
                "effectiveStartDate": "2020-07-05T00:00:00.000Z",
                "effectiveEndDate": "2020-12-23T23:59:59.000Z",
                "eta": "2020-09-07 00:00",
                "etd": "2020-08-04 00:00",
                "inventory": 717,
                "polTsMode": null, // pol transit mode
                "podTsMode": null, // pod transit mode
                "porCity": { // por city info, for the specific structure, please
refer to 'City information query interface'
                    "id": "738872886233044",
                    "unlocode": "CNSHE",
                    "cityName": "Shekou"
                    "cntyName": "Shenzhen",
                    "stateName": "Guangdong",
                    "stateCode": "GD",
                    "ctryRegionName": "China",
                    "ctryRegionCode": "CN",
                    "cityFullNameEn": "Shekou",
                    "cityFullNameCn": "蛇口"
                },
                "fndCity": {
                    "id": "738872886271836",
                    "unlocode": "ZADUR",
                    "cityName": "Durban",
                    "cntyName": null,
                    "stateName": "KwaZulu-Natal",
                    "stateCode": null,
                    "ctryRegionName": "South Africa",
                    "ctryRegionCode": "ZA",
                    "cityFullNameEn": "Durban",
                    "cityFullNameCn": "德班"
                },
                "polPort": {
                    "id": "349645770723389",
```

```
"portName": "Shekou",
    "portCode": "SHK",
    "portFullNameEn": "Shekou",
    "portFullNameCn": "蛇口",
    "city": {
        "id": "738872886233044",
        "unlocode": "CNSHE",
        "cityName": "Shekou",
        "cntyName": "Shenzhen",
        "stateName": "Guangdong",
        "stateCode": "GD",
        "ctryRegionName": "China",
        "ctryRegionCode": "CN",
        "cityFullNameEn": "Shekou",
        "cityFullNameCn": "蛇口"
    }
},
"podPort": {
    "id": "349647918206992",
    "portName": "Durban",
    "portCode": "DUR",
    "portFullNameEn": "Durban",
    "portFullNameCn": "Durban",
    "city": {
        "id": "738872886271836",
        "unlocode": "ZADUR",
        "cityName": "Durban",
        "cntyName": null,
        "stateName": "KwaZulu-Natal",
        "stateCode": null,
        "ctryRegionName": "South Africa",
        "ctryRegionCode": "ZA",
        "cityFullNameEn": "Durban",
        "cityFullNameCn": "德班"
    }
},
"firstPolPort": {
    "id": "349645770723389",
    "portName": "Shekou",
    "portCode": "SHK",
    "portFullNameEn": "Shekou",
    "portFullNameCn": "蛇口",
    "city": {
        "id": "738872886233044",
        "unlocode": "CNSHE",
        "cityName": "Shekou",
        "cntyName": "Shenzhen"
        "stateName": "Guangdong",
        "stateCode": "GD",
        "ctryRegionName": "China",
        "ctryRegionCode": "CN",
        "cityFullNameEn": "Shekou",
        "cityFullNameCn": "蛇口"
    }
},
"lastPodPort": {
    "id": "349647918206992",
    "portName": "Durban",
```

```
"portCode": "DUR",
    "portFullNameEn": "Durban",
    "portFullNameCn": "Durban",
    "city": {
        "id": "738872886271836",
        "unlocode": "ZADUR",
        "cityName": "Durban",
        "cntyName": null,
        "stateName": "KwaZulu-Natal",
        "stateCode": null,
        "ctryRegionName": "South Africa",
        "ctryRegionCode": "ZA",
        "cityFullNameEn": "Durban",
        "cityFullNameCn": "德班"
    }
},
"scheduleData": {
    "origin": {
        "id": "738872886233044",
        "unlocode": "CNSHE",
        "cityName": "Shekou",
        "cntyName": "Shenzhen",
        "stateName": "Guangdong",
        "stateCode": "GD",
        "ctryRegionName": "China",
        "ctryRegionCode": "CN",
        "cityFullNameEn": "Shekou",
        "cityFullNameCn": "蛇口"
    },
    "destination": {
        "id": "738872886271836",
        "unlocode": "ZADUR",
        "cityName": "Durban",
        "cntyName": null,
        "stateName": "KwaZulu-Natal",
        "stateCode": null,
        "ctryRegionName": "South Africa",
        "ctryRegionCode": "ZA",
        "cityFullNameEn": "Durban",
        "cityFullNameCn": "德班"
    },
    "porFacilityCode": null,
    "fndFacilityCode": null,
    "legs": [
        {
            "carrier": null,
            "service": {
                "serviceCode": "AEM5",
                "serviceId": null
            },
            "vessel": {
                "vesselName": "COSCO YANTIAN",
                "vesselId": null,
                "vesselCode": null
            },
            "voyageCode": null,
            "internalVoyageNumber": "020",
            "externalVoyageNumber": "020w",
```

```
"pol": {
                                 "port": {
                                     "id": "349645770723389",
                                     "portName": "Shekou",
                                     "portCode": "SHK",
                                     "portFullNameEn": "Shekou",
                                     "portFullNameCn": "蛇口",
                                     "city": null
                                },
                                 "etd": "2020-08-04 00:00",
                                 "atd": null,
                                 "eta": null,
                                 "ata": null,
                                 "facilityCode": null
                            },
                            "pod": {
                                 "port": {
                                     "id": "349647918206992",
                                     "portName": "Durban",
                                     "portCode": "DUR",
                                     "portFullNameEn": "Durban",
                                     "portFullNameCn": "Durban",
                                     "city": null
                                },
                                 "etd": null,
                                 "atd": null,
                                 "eta": "2020-09-07 00:00",
                                 "ata": null,
                                "facilityCode": null
                            },
                            "legSequence": 0,
                            "direction": "W",
                            "transportMode": null
                        }
                    ],
                    "cutOffLocalDate": null,
                    "estimatedTransitTimeInDays": 30,
                    "etaAtFnd": "2020-09-07 00:00",
                    "etdAtPor": "2020-08-04 00:00",
                    "serviceCode": "AEM5",
                    "vesselname": "COSCO YANTIAN",
                    "direction": "W",
                    "voyageNo": "020"
                },
                "routeProductPricingList": [
                        "cntrType": "20GP",
                        "price": 2.00,
                        "tradePrice": 0.50, //tradePrice = price - promotions -
discounts
                        "currency": "USD",
                    }
                ],
                "promotions": {
                    "detail": [
                        {
                             "promotionType": "OFF",
                            "remnantInventory": 40,
```

```
"summary": "订单下箱型20GP、40GP、40HQ每UNIT立减1USD。",
                            "priority": 1
                        }
                    ]
                "companyDiscountsInfoDTO": [
                        "channelCntr": "20GP",
                        "amount": 0.5,
                        "currencyType": "USD"
                    }
                ]
            }
        ],
        "number": 1,
        "size": 20,
        "totalPages": 1,
        "totalElements": 1,
        "first": true, // is first page
        "last": true, // is last page
        "empty": false
    }
}
```

```
{
   "code": 20000,
   "message": "cannot identify the user, please contact support for help"
}
```

Intermodal Service Query Interface

1.Informations

• Path: /service/synconhub/common/intermodalService/{productId}

• Method: GET

2. Path parameters

Name	Туре	Required	Description
productId	string	yes	product id

3. Request sample

GET /service/synconhub/common/intermodalService/8a5e11157351b2df01735562622a0000

4. Response parameters

Name	Description
code	status code
message	detail message
data	response data

```
{
    "code": 0,
    "message": "",
    "data": {
        "loadingServices": [ // loading port list
                "transshipmentModel": "TRUCK+RAIL", // Transport Way eg:
['FEEDER', 'RAIL', 'TRUCK', 'BARGE', 'TRUCK+RAIL']
                "cityUUID": "738872886232847",
                "cityFullName": "青岛",
                "cityFullNameEn": "Qingdao",
                "ctryCode": "CN",
                "facilityCode": null,
                "facilityName": null,
                "bound": "O", // bound type,loading->O , discharge->I
                "transportTerms": "CY", // Traffic Mode
                "bargeDay": 3,
                "transitDay": 4,
                "containerInfoDTOList": [ // Supported cntr type and weight
config
                    {
                        "cntrSizeType": "20GP",
                        "cntrPrice": 100,
                        "currencyType": "USD",
                        "minWeight": null,
                        "maxWeight": null,
                        "weightUnit": null
                    },
                        "cntrSizeType": "40GP",
                        "cntrPrice": 300,
                        "currencyType": "USD",
                        "minWeight": null,
                        "maxWeight": null,
                        "weightUnit": null
                    },
                    {
                        "cntrSizeType": "40HQ",
                        "cntrPrice": 300,
                        "currencyType": "USD",
                        "minWeight": null,
                        "maxWeight": null,
                        "weightUnit": null
                    }
```

```
],
                "intermodalServiceNo": "8a5e112478d41b380178d951babe0032" //
intermodal ServiceNo
            },
            {
                "transshipmentModel": "RAIL",
                "cityUUID": "738872886232873",
                "cityFullName": "上海",
                "cityFullNameEn": "Shanghai",
                "ctryCode": "CN",
                "facilityCode": "NGB05",
                "facilityName": "Ningbo Yuandong Terminals Limited",
                "bound": "0",
                "transportTerms": "CY",
                "bargeDay": 2,
                "transitDay": 3,
                "containerInfoDTOList": [
                    {
                        "cntrSizeType": "20GP",
                        "cntrPrice": 100,
                        "currencyType": "USD",
                        "minWeight": null,
                        "maxWeight": null,
                        "weightUnit": null
                    },
                    {
                        "cntrSizeType": "40GP",
                        "cntrPrice": 200,
                        "currencyType": "USD",
                        "minWeight": null,
                        "maxWeight": null,
                        "weightUnit": null
                    },
                    {
                        "cntrSizeType": "40HQ",
                        "cntrPrice": 200,
                        "currencyType": "USD",
                        "minWeight": null,
                        "maxWeight": null,
                        "weightUnit": null
                    }
                ],
                "intermodalServiceNo": "8a5e112478d41b380178d946dac1001c"
            },
            {
                "transshipmentModel": "TRUCK",
                "cityUUID": "738872886232847",
                "cityFullName": "青岛",
                "cityFullNameEn": "Qingdao",
                "ctryCode": "CN",
                "facilityCode": null,
                "facilityName": null,
                "bound": "0",
                "transportTerms": "CY",
                "bargeDay": 2,
                "transitDay": 4,
                "containerInfoDTOList": [
```

```
// If cargo weight information is configured, The same cntr
type will have multiple data
                    {
                        "cntrSizeType": "20GP",
                        "cntrPrice": 100,
                        "currencyType": "USD",
                        "minWeight": 0, // min cargo weight
                        "maxWeight": 20, // max cargo weight
                        "weightUnit": "TON" // weight unit eg: "TON"
                        // If the weight of the cargo is between 0-20 tons, the
loading service fee is 100 USD
                    },
                    {
                        "cntrSizeType": "20GP",
                        "cntrPrice": 150,
                        "currencyType": "USD",
                        "minWeight": 20,
                        "maxWeight": 40,
                        "weightUnit": "TON"
                        // If the weight of the cargo is between 20-40 tons, the
loading service fee is 150 USD
                    },
                    {
                        "cntrSizeType": "20GP",
                        "cntrPrice": 200,
                        "currencyType": "USD",
                        "minWeight": 40,
                        "maxWeight": null,
                        "weightUnit": "TON"
                        // If the weight of the cargo is more than 40 tons, the
loading service fee is 100 USD
                    },
                    {
                        "cntrSizeType": "40GP",
                        "cntrPrice": 300,
                        "currencyType": "USD",
                         "minWeight": null,
                        "maxWeight": null,
                        "weightUnit": "TON"
                    },
                    {
                        "cntrSizeType": "40HQ",
                        "cntrPrice": 300,
                        "currencyType": "USD",
                        "minWeight": null,
                        "maxWeight": null,
                        "weightUnit": "TON"
                    }
                ],
                "intermodalServiceNo": "8a5e112478d41b380178d9516714002b"
            }
        ],
        "dischargeServices": [ // discharge port list
                "transshipmentModel": "BARGE",
                "cityUUID": "738874496843873",
                "cityFullName": "Gwadar",
                "cityFullNameEn": "Gwadar",
```

```
"ctryCode": "PK",
                "facilityCode": null,
                "facilityName": null,
                "bound": "I",
                "transportTerms": "FOR",
                "bargeDay": 19,
                "transitDay": 5,
                "containerInfoDTOList": [
                    {
                        "cntrSizeType": "20GP",
                        "cntrPrice": 300,
                        "currencyType": "USD",
                        "minWeight": null,
                        "maxWeight": null,
                        "weightUnit": null
                    },
                    {
                        "cntrSizeType": "40GP",
                        "cntrPrice": 400,
                        "currencyType": "USD",
                        "minWeight": null,
                        "maxWeight": null,
                        "weightUnit": null
                    },
                    {
                        "cntrSizeType": "40HQ",
                        "cntrPrice": 400,
                        "currencyType": "USD",
                        "minWeight": null,
                        "maxWeight": null,
                        "weightUnit": null
                    }
                ],
                "intermodalServiceNo": "8a5e112478d41b380178d94e5a4e0026"
            }
        ]
    }
}
```

```
{
    "code": 20002,
    "message": "The product cannot be found"
}
```

Spot Rate Details Query Interface

1. Informations

• **Path**: /service/synconhub/product/instantBooking/{productId}

• Method: GET

2. Path parameters

Name	Туре	Required	Description
productId	string	yes	product id

3. Query parameters

Name	Туре	Required	Description
loadingServiceNo	String	no	intermodalServiceNo from intermodal service query results. Get the spot rate details with loading service
dischargeServiceNo	String	no	intermodalServiceNo from intermodal service query results. Get the spot rate details with discharge service

4. Request sample

GET /service/synconhub/product/instantBooking/8a5e11157351b2df01735562622a0000

GET /service/synconhub/product/instantBooking/8a5e11157351b2df01735562622a0000?
loadingServiceNo=8a5e112478d41b380178d4551a33000a

 $\label{lem:gen_gen} \textbf{GET /service/synconhub/product/instantBooking/8a5e11157351b2df01735562622a0000?} \\ loadingServiceNo=8a5e112478d41b380178d4551a33000a\&dischargeServiceNo=8a5e112478c4eed60178c51cca9f0001$

5. Response parameters

Name	Description	
code	status code	
message	detail message	
data	product detail info	

```
{
    "code": 0,
    "message": "",
    "data": {
        "id": "8a5e11157351b2df01735562622a0000",
        "tradeLaneCode": "AEU",
        "serviceCode": "AEU2",
        "tradeArea": "ETD",
        "vesselName": "APL VANDA",
        "voyageNo": "022",
        "direction": "W",
        "porFacilityCode": "SHA08",
        "porFacilityName": "Shanghai Shengdong (I), Yangshan",
        "porFacilityNameCn": null,
        "fndFacilityName": "Eurogate Terminal",
        "fndFacilityNameCn": null,
        "fndFacilityCode": "HAM02",
        "haulageType": "CY-CY",
        "estimatedTransitTimeInDays": 30,
        "effectiveStartDate": "2020-07-05T00:00:00.000Z",
        "effectiveEndDate": "2020-12-23T23:59:59.000Z",
        "eta": "2020-09-16 00:00",
        "etd": "2020-08-12 00:00",
        "inventory": 396,
        "polTsMode": null, // pol transit mode
        "podTsMode": null, // pod transit mode
        "porCity": { // por city info, for the specific structure, please refer
to 'City information query interface'
            "id": "738872886232873",
            "unlocode": "CNSHA",
            "cityName": "Shanghai",
            "cntyName": "Shanghai",
            "stateName": "Shanghai",
            "stateCode": "SH",
            "ctryRegionName": "China",
            "ctryRegionCode": "CN",
            "cityFullNameEn": "Shanghai",
            "cityFullNameCn": "上海"
        },
        "fndCity": {
            "id": "738872886254648",
            "unlocode": "DEHAM",
            "cityName": "Hamburg",
            "cntyName": null,
            "stateName": "Hamburg",
            "stateCode": "HH",
            "ctryRegionName": "Germany",
            "ctryRegionCode": "DE",
            "cityFullNameEn": "Hamburg",
            "cityFullNameCn": "汉堡"
        },
        "polPort": {
            "id": "349657045012458",
            "portName": "Shanghai",
            "portCode": "SHA",
```

```
"portFullNameEn": "Shanghai",
    "portFullNameCn": "上海",
    "city": {
        "id": "738872886232873",
        "unlocode": "CNSHA",
        "cityName": "Shanghai",
        "cntyName": "Shanghai",
        "stateName": "Shanghai",
        "stateCode": "SH",
        "ctryRegionName": "China",
        "ctryRegionCode": "CN",
        "cityFullNameEn": "Shanghai",
        "cityFullNameCn": "上海"
    }
},
"podPort": {
    "id": "349645770723600",
    "portName": "Hamburg",
    "portCode": "HAM",
    "portFullNameEn": "Hamburg",
    "portFullNameCn": "Hamburg",
    "city": {
        "id": "738872886254648",
        "unlocode": "DEHAM",
        "cityName": "Hamburg",
        "cntyName": null,
        "stateName": "Hamburg",
        "stateCode": "HH",
        "ctryRegionName": "Germany",
        "ctryRegionCode": "DE",
        "cityFullNameEn": "Hamburg",
        "cityFullNameCn": "汉堡"
    }
},
"firstPolPort": {
    "id": "349657045012458",
    "portName": "Shanghai",
    "portCode": "SHA",
    "portFullNameEn": "Shanghai",
    "portFullNameCn": "上海",
    "city": {
        "id": "738872886232873",
        "unlocode": "CNSHA",
        "cityName": "Shanghai",
        "cntyName": "Shanghai",
        "stateName": "Shanghai",
        "stateCode": "SH",
        "ctryRegionName": "China",
        "ctryRegionCode": "CN",
        "cityFullNameEn": "Shanghai",
        "cityFullNameCn": "上海"
    }
},
"lastPodPort": {
    "id": "349645770723600",
    "portName": "Hamburg",
    "portCode": "HAM",
    "portFullNameEn": "Hamburg",
```

```
"portFullNameCn": "Hamburg",
    "city": {
        "id": "738872886254648",
        "unlocode": "DEHAM",
        "cityName": "Hamburg",
        "cntyName": null,
        "stateName": "Hamburg",
        "stateCode": "HH",
        "ctryRegionName": "Germany",
        "ctryRegionCode": "DE",
        "cityFullNameEn": "Hamburg",
        "cityFullNameCn": "汉堡"
    }
},
"scheduleData": {
    "origin": {
        "id": "738872886232873",
        "unlocode": "CNSHA",
        "cityName": "Shanghai",
        "cntyName": "Shanghai",
        "stateName": "Shanghai",
        "stateCode": "SH",
        "ctryRegionName": "China",
        "ctryRegionCode": "CN",
        "cityFullNameEn": "Shanghai",
        "cityFullNameCn": "上海"
    },
    "destination": {
        "id": "738872886254648".
        "unlocode": "DEHAM",
        "cityName": "Hamburg",
        "cntyName": null,
        "stateName": "Hamburg",
        "stateCode": "HH",
        "ctryRegionName": "Germany",
        "ctryRegionCode": "DE",
        "cityFullNameEn": "Hamburg",
        "cityFullNameCn": "汉堡"
    },
    "porFacilityCode": "SHA08",
    "fndFacilityCode": "HAM02",
    "legs": [
        {
            "carrier": null,
            "service": {
                "serviceCode": "AEU2",
                "serviceId": null
            },
            "vessel": {
                "vesselName": "APL VANDA",
                "vesselId": null,
                "vesselCode": null
            },
            "voyageCode": null,
            "internalVoyageNumber": "022",
            "externalVoyageNumber": "022W",
            "pol": {
                "port": {
```

```
"id": "349657045012458",
                    "portName": "Shanghai",
                    "portCode": "SHA",
                    "portFullNameEn": "Shanghai",
                    "portFullNameCn": "上海",
                    "city": null
                "etd": "2020-08-12 00:00",
                "atd": null,
                "eta": null,
                "ata": null,
                "facilityCode": "SHA08"
            },
            "pod": {
                "port": {
                    "id": "349645770723600",
                    "portName": "Hamburg",
                    "portCode": "HAM",
                    "portFullNameEn": "Hamburg",
                    "portFullNameCn": "Hamburg",
                    "city": null
                },
                "etd": null,
                "atd": null,
                "eta": "2020-09-16 00:00",
                "ata": null,
                "facilityCode": "HAM02"
            },
            "legSequence": 0,
            "direction": "W",
            "transportMode": null
        }
    ],
    "cutOffLocalDate": null,
    "estimatedTransitTimeInDays": 30,
    "etaAtFnd": "2020-09-16 00:00",
    "etdAtPor": "2020-08-12 00:00",
    "serviceCode": "AEU2",
    "vesselName": "APL VANDA",
    "direction": "W",
    "voyageNo": "022"
},
"routeProductPricingList": [
        "cntrType": "20GP",
        "price": 2.00,
        "tradePrice": 0.50,
        "currency": "USD"
    }
],
"promotions": {
    "detail": [
        {
            "promotionType": "OFF",
            "remnantInventory": 51,
            "summary": "订单下箱型20GP、40GP、40HQ每UNIT立减1USD。",
            "priority": 1, // usage priority
        }
```

```
},
        "companyDiscountsInfoDTO": [
                "channelCntr": "20GP",
                "amount": 0.5,
                "currencyType": "USD",
        ],
        "couponInfos": [
                "couponId": "8a5e11227152917a017152b6049f0002",
                "inventory": 10,
                "displayName": "test",
                "value": 1,
                "currency": "USD",
                "minOceanFee": 1, // minimum use interval of ocean fee
                "maxOceanFee": 10, // maximum use interval of ocean fee
                "maxUseLimit": 2, // use limit
                "usageUnit": "UNIT"
            }
        ],
    }
}
```

```
{
   "code": 20000,
   "message": "cannot identify the user, please contact support for help"
}
```

Surcharge Query Interface

Get the surcharge details of a specific product.

1. Informations

- **Path**: /service/synconhub/common/extraChargeFee/\${productId}
- Method: GET

2. Path parameters

Name	Туре	Required	Description
productId	String	yes	product id

3. Query parameters

Name	Туре	Required	Description
loadingServiceNo	String	no	intermodal Service No from intermodal service query results. Get the surcharge details of a specific product with loading service
dischargeServiceNo	String	no	intermodal Service No from intermodal service query results. Get the surcharge details of a specific product with discharge service

4. Request sample

GET /service/synconhub/common/extraChargeFee/8a80cb817321ad030173221c880101d2

 $\label{lem:GET service} \textbf{GET /service/synconhub/common/extraChargeFee/8a80cb817321ad030173221c880101d2?} \\ \textbf{loadingServiceNo=8a5e11127467f02501747218e25c0001} \\ \textbf{GET /service/synconhub/common/extraChargeFee/8a80cb817321ad030173221c880101d2?} \\ \textbf{loadingServiceNo=8a5e11127467f02501747218e25c0001} \\ \textbf{GET /service/synconhub/common/extraChargeFee/8a80cb817321ad030173221c880101d2?} \\ \textbf{loadingServiceNo=8a5e11127467f02501747218e25c0001} \\ \textbf{GET /serviceNo=8a5e11127467f02501747218e25c0001} \\ \textbf{GET /serviceNo=8a5e112746767601} \\ \textbf{GET /serviceNo=8a5e1127467601} \\ \textbf{GET /serviceNo=8a5e1127467601} \\ \textbf{GET /serviceNo=8a5e1127467601} \\ \textbf{GET /serviceNo=8a5e1127601} \\ \textbf{GET /serviceNo=8a5e112760$

GET /service/synconhub/common/extraChargeFee/8a80cb817321ad030173221c880101d2? loadingServiceNo=8a5e11127467f02501747218e25c0001&dischargeServiceNo=8a5e1124786 6fbec0178681acd3a0008

5. Response parameters

Name	Description
code	status code
message	detail message
data	response data

```
"price": 666,
                            "currency": "USD",
                            "category": null // charge category
                        }
                    ]
                },
                {
                    "chargeModel": "CNTR",
                    "cntrSize": "20GP",
                    "chargeDetail": [
                        {
                            "chargeCode": "255",
                            "chargeName": "工本费",
                            "chargeType": "CNTR_LOCAL",
                            "chargeTag": "POR",
                            "price": 10,
                            "currency": "USD",
                            "category": "EXTRA_CHARGE"
                        }
                    ]
                }
            ]
}
```

```
{
    "code": 20001,
    "message": "cannot proceed the request, please retry later or contact
support for help"
}
```

```
{
   "code": 20059,
   "message": "Wrong bound type of intermodal service"
}
```

```
{
    "code": 20060,
    "message": "The intermodal service does not exist"
}
```