

APPENDIX

Table A1 Summary of UAM travel demand studies

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Acharya et al. (2026) (Airport shuttle)	Not applicable	New York, US	Trip data: TLC (2023) Travel cost: Uber Elevate (2016) Travel time: TLC (2023), Uber Elevate (2016) VOT: FRED (n.d.) Reliability cost: Culotta et al. (2019)	Behaviour modelling: MNL Demand prediction: Based on the demand prediction data basis and the behaviour model
Alsaleh et al. (2026) (Intercity trip)	SP (25 November, 2025 to 1 January, 2026, n=213)	United Arab Emirates	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Cai et al. (2026) (Not specified)	Survey (n=20)	China	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Dou et al. (2026) (Intracity)	SP (27 September to November 5, 2023, n=561)	Shanghai, China	Not applicable	Behaviour modelling: Latent class hybrid choice model Demand prediction: Not applicable
Hu et al. (2026) (Not specified)	Social network (January 2024 to April 2025, n=46,208) Survey (20 to 27 October 2025, n=519)	China	Not applicable	Behaviour modelling: LDA and SEM Demand prediction: Not applicable
Jiang et al. (2026) (Intracity trip)	SP (May 2025, n=646)	China	Not applicable	Behaviour modelling: ICLV Demand prediction: Not applicable
Kim et al. (2026) (Not specified)	SP (August 2024, n=511)	Seoul, South Korea	Not applicable	Behaviour modelling: Mixed logit model Demand prediction: Not applicable
Ko et al. (2026) (Not specified)	Survey (August 2024, n= 510)	South Korea	Not applicable	Behaviour modelling: Contingent valuation method, Spike model Demand prediction: Not applicable
Kwon et al. (2026) (Airport shuttle)	SP (24 to 26 February 2021, n=1,586)	South Korea	Not applicable	Behaviour modelling: Best-worst scaling MNL Demand prediction: Not applicable

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Lee et al. (2026a) (Not specified)	SP (11 to 15 May, 2023, n=500)	South Korea	Not applicable	Behaviour modelling: Mixed logit model, Seemingly unrelated regression model Demand prediction: Not applicable
Lee et al. (2026b) (Airport shuttle)	Survey (19 to 26 February, 2025, n=600)	Jeju Island, South Korea	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Lee and Kim (2026) (Intracity and airport shuttle)	Survey (16 to 27 January, 2023, n=419)	Seoul, South Korea	Not applicable	Behaviour modelling: Latent class model Demand prediction: Not applicable
Li et al. (2026) (Not specified)	Survey (n=412)	China	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Mehrabani et al. (2026) (Airport shuttle)	Survey (2023, n=5,365)	Brussels, Belgium	Synthetic population data Travel time and travel cost: Hader et al. (2024), Google Maps API (n.d.)	Behaviour modelling: Nested logit model Demand prediction: Based on the demand prediction data basis and the behaviour model
Miniaoui et al. (2026) (Not specified)	Survey(n=409)	United Arab Emirates	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Nazari et al. (2026) (Airport shuttle)	SP (November to December 2022, n=443)	Chicago, US	Not applicable	Behaviour modelling: Hybrid choice model Demand prediction: Not applicable
Said et al. (2026) (Intracity)	SP (February 2024 to May 2025, n=886)	Los Angeles, Houston, USA Brisbane, Australia, Tokyo, Japan	Not applicable	Behaviour modelling: Hybrid choice model Demand prediction: Not applicable
Su et al. (2026) (Airport shuttle)	Survey (April 2023, n=625)	Seoul, South Korea	Not applicable	Behaviour modelling: SEM, Latent class ordered logit model Demand prediction: Not applicable
Subedi and Singleton (2026) (Airport shuttle)	SP (May to June 2024, n=904)	Northern Utah, US	Demographic data: US Census Bureau (2025) Airport travel data: Wasatch Front Regional Council (2019) Travel cost: Johnston et al. (2020), US Energy Information Administration (2023), Salt Lake Express (2025), Travel time: Google maps distance matrix API (n.d.)	Behaviour modelling: MNL and Mixed logit model Demand prediction: Based on the demand prediction data basis and the behaviour model

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Sun (2026) (Not specified)	Survey (January to March 2025)	China	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Wu et al. (2026) (Intracity and Intercity)	SP (January 2025, n=552)	Jinan, China	Not applicable	Behaviour modelling: Hybrid choice model Demand prediction: Not applicable
Xie and Liao (2026) (Not specified)	Survey (July 10 to August 3, 2024, n=626)	Netherlands	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Zhang et al. (2026a) (Intracity)	SP (2024, n=410)	Chengdu, China	Not applicable	Behaviour modelling: Latent class model, Mixed logit model Demand prediction: Not applicable
Zhang et al. (2026b) (Airport shuttle)	SP (24-26 February, 2021, n=1250)	South Korea	Not applicable	Behaviour modelling: Automated machine learning model, Binary logit model Demand prediction: Not applicable
Zhao et al. (2026) (Not specified)	Survey (August 28 to September 28, 2025, n=612)	China	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Appel et al. (2025) (Not applicable)	Survey (n=20)	Germany	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Adamidis et al. (2025) (Airport shuttle)	SP (March 2023, n=218)	Germany and Austria	Not applicable	Behaviour modelling: Mixed logit model Demand prediction: Not applicable
Belgiawan et al. (2025) (Intracity)	SP (April to June 2023, n=2,200)	Indonesia	Not applicable	Behaviour modelling: Structural equation model (SEM), Mixed logit model Demand prediction: Not applicable
Bencheikroun et al. (2025) (Intercity)	Not applicable	Northeast Corridor, US	County-to-County travel data: FHWA (2024) Demographic and income Data: ACS (2024), Airport network data: BTS (2020) Travel time and distance data: Openrouteservice (2024)	Behaviour modelling: Not applicable Demand prediction: DBSCAN, agglomerative clustering, descriptive

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Bi et al. (2025) (Intracity)	SP (28 September to 25 October, 2024, n=1,500)	Major Chinese cities	Smart card transaction data from the Shenzhen metro system	Behaviour modelling: MNL Demand prediction: Based on the demand prediction data basis and the behaviour model
Chan et al. (2025) (Not specified)	Survey (November to December 2023, n=988)	China	Not applicable	Behaviour modelling: Structural equation model (SEM) Demand prediction: Not applicable
Chen et al. (2025) (Not specified)	Survey (February to March, n=3,742)	Chengdu, China	EHANG (2022), Ministry of Transport of the People's Republic of China (n.d.)	Behaviour modelling: Nested logit model, Berry-Levinson-Pakes model Demand prediction: Based on the demand prediction data basis and the behaviour model
Coppola et al. (2025) (Intracity, Intercity and airport shuttle)	Stated preference (SP) survey, From late 2021 to early 2022, n=2145)	Milan, Italy	Road network information: OpenStreetMap (n.d.) Public transport information: General Transit Feed Specification dataset (n.d.) Daily OD trip data: Lombardy Region open dataset (2019) UAM parameter: Rimjha et al. (2021a)	Behaviour modelling: Multinomial logit model (MNL) Demand prediction: Based on the demand prediction data basis and the behaviour model
Decaro et al. (2025) (Not specified)	Survey (n=24)	Germany	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Eißfeldt and Biella (2025) (Intracity, Intercity and airport shuttle)	Survey (September to November 2022, n=1,001)	Germany	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Garrow et al. (2025) (Intracity)	Survey (April to June 2018, n=2,499)	Atlanta, Boston, Dallas–Ft. Worth, San Francisco, and Los Angeles, US	Not applicable	Behaviour modelling: Factor analysis, Cluster analysis Demand prediction: Not applicable
Hu et al. (2025) (Not specified)	Survey (March to June 2023, n=553)	Guangdong, China	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Jang et al. (2025) (Airport shuttle)	SP (12-17 May 2022, n=2,604)	South Korea	Not applicable	Behaviour modelling: Mixed logit model Demand prediction: Not applicable

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Jin and Chambers (2025) (Not specified)	Survey (n=254)	US	Not applicable	Behaviour modelling: One-way ANOVA Demand prediction: Not applicable
Johnson (2025) (Not specified)	Survey (2025, n=407)	US	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Kim et al. (2025) (Airport shuttle)	SP (24 to 26 February 2021, n=1,634)	South Korea	Not applicable	Behaviour modelling: Double-bounded dichotomous choice model Demand prediction: Not applicable
Kim and Zhang (2025) (Airport shuttle)	SP (n=1,613)	South Korea	Not applicable	Behaviour modelling: Ordered logit model Demand prediction: Not applicable
Li et al. (2025) (Not specified)	Survey (Early 2023, n=427)	China	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Liao et al. (2025a) (Not specified)	Survey (15 to 30 March, 2024, n=695)	China	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Liao et al. (2025b) (Not specified)	Survey (15 May to 30 May, 2024, n=295)	China	Not applicable	Behaviour modelling: SEM, Fussy set qualitative comparative analysis Demand prediction: Not applicable
Liu and Liu (2025) (Not specified)	Survey (3 June to 9 June, 2024, n=495)	Guangzhou, China	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Subedi et al. (2025) (Airport shuttle)	Survey (May to June 2024, n=910)	US	Not applicable	Behaviour modelling: Structural mean model, SEM Demand prediction: Not applicable
Sunitiyoso et al. (2025) (Airport shuttle)	SP (May to June 2023, n=1,000)	Jakarta, Indonesia	Not applicable	Behaviour modelling: SEM, Mixed logit model Demand prediction: Not applicable

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Trapsilawati et al. (2025) (Not specified)	Survey (n=434)	Indonesia	Not applicable	Behaviour modelling: SEM, MNL Demand prediction: Not applicable
Tang et al. (2025) (Not mentioned)	Survey (1 July to 29 August 2024, n=891)	China	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Volakakis et al. (2025) (Airport shuttle)	Chicago Metropolitan Agency (2018)	Illinois, US	Airport passenger volume data: U.S. Bureau of Transportation Statistics (2024) Travel cost: Goyal et al. (2018) Speed: Bacchini and Cestino (2019) Access/Egress time and waiting time: Al Haddad et al. (2020a)	Behaviour modelling: Logistic model Demand prediction: Based on the demand prediction data basis and the behaviour model
Zhao and Feng (2025) (Intracity)	SP (April to June 2023, n=467)	Beijing, China	Not applicable	Behaviour modelling: MNL and Mixed logit model Demand prediction: Not applicable
Zhao et al. (2025a) (Intracity)	SP (April to June 2023, n=467)	Beijing, China	Not applicable	Behaviour modelling: Random parameter error component model Demand prediction: Not applicable
Zhao et al. (2025b) (Intracity)	SP (April to June 2023, n=535)	Beijing, China	Not applicable	Behaviour modelling: MNL and Hybrid choice model Demand prediction: Not applicable
Ahmed et al. (2024) (Intracity)	Not applicable	New York city, US	Taxi trips: New York City (NYC) Taxi and Limousine Commission data (2022) Air taxi demand ratio: Rajendran et al. (2021)	Behaviour modelling: Not applicable Demand prediction: Deep learning
Appel et al. (2024) (Not specified)	Survey (September 2022, n=51)	Seoul, South Korea	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Asmer et al. (2024) (Intracity)	Wardman et al. (2016)	990 cities worldwide	Total demand: Analysen zum Radverkehr und Fußverkehr Mobilität in Deutschland – MiD (2019), INRIX (2019a), Bocarejo et al. (2017), Bureau of Transportation Statistics (2011) Socio-demographics: Demographia (2022), S&P Global (2022), OECD and E. Commission (2020) Travel cost: ADAC (2022) Maibach et al. (2006) Travel time: Viegutz and Krajzewicz (2019)	Behaviour modelling: MNL Demand prediction: Four-step model
Boddupalli et al. (2024) (Intracity)	SP (April to June 2018, n=2,499)	Atlanta, Boston, Dallas–Ft. Worth, Los Angeles, and San Francisco, US	Not applicable	Behaviour modelling: MNL, Mixed logit model Demand prediction: Not applicable
Chae et al. (2024) (Intracity and airport shuttle)	SP (February 2023, n=717)	Seoul, South Korea	Not applicable	Behaviour modelling: MNL, Mixed logit model Demand prediction: Not applicable
Chen et al. (2024) (Intracity and intercity)	A Chicago choice experiment study, Fan et al. (2016), Song et al. (2019) and Fu et al. (2019)	Two North American cities	Vertiport design: Vascik (2020) Vehicle parameter: Electric VTOL News (2022), CityAirbus NextGen (2022) and The Electric VTOL News (2021) Travel cost: Goyal et al. (2018) Road network: OpenStreetMap (2020) Public transit network: General Transit Feed Specification dataset (n.d.) Demographic data: Census Bureau (2020a), Census Bureau (2020b)	Behaviour modelling: MNL, Binary logit model Demand prediction: Agent-based model
Coppola et al. (2024a) (Intracity and airport shuttle)	SP (November 2021 to January 2022, n=2,145)	Milan, Italy	Not applicable	Behaviour modelling: MNL, Mixed logit model Demand prediction: Not applicable

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Coppola et al. (2024b) (Airport shuttle)	SP (From late 2021 to early 2022, n=1,048)	Milan, Italy	Not applicable	Behaviour modelling: MNL, mixed logit model, hybrid choice model Demand prediction: Not applicable
Coppola et al. (2024c) (Intracity and airport shuttle)	SP (November 2021 to January 2022, n=2,145)	Milan, Italy	Not applicable	Behaviour modelling: Hybrid ordered choice model (with latent variable considered) Demand prediction: Not applicable
Geleceği et al. (2024) (Not specified)	Survey (n=408)	Gaziantep, Turkey	Not applicable	Behaviour modelling: Independent sample T-test and one-way ANOVA Demand prediction: Not applicable
Gerardus et al. (2024) (Airport shuttle)	Synthetic value of travel time (VOT) Travel time: Alodhaibi et al. (2019), TomTom Traffic Index (2024) Travel cost: Bureau of Transportation Statistics (2022), Office of Energy Efficiency and Renewable Energy (2024) Vehicle parameter: Howard et al. (2021)	Jakarta, Indonesia	Demand data: Jakarta POI dataset, FlightRadar24 (2024)	Behaviour modelling: Linear utility function model Demand prediction: Based on the demand prediction data basis and the behaviour model
Han (2024) (Emergency)	Survey (July 2023, n=500)	South Korea	Not applicable	Behaviour modelling: Spike-contingent valuation method Demand prediction: Not applicable
Ison (2024a) (Not specified)	Survey (n=975)	US	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Ison (2024b) (Airport shuttle)	Survey (n=1,622)	US	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Janotta and Hogreve (2024) (Not specified)	Survey (n=261 for study 1, n=341 for study 2)	A Western European country	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Karami et al. (2024) (Intracity)	Survey (11 June, 2021 to 22 August, 2021, n=828)	Tehran, Iran	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Karimi et al. (2024) (Intracity)	SP (July to September 2022, n=507)	Tehran, Iran	Not applicable	Behaviour modelling: SEM, MNL with latent variables Demand prediction: Not applicable
Kim et al. (2024) (Not specified)	Survey (April 2022, n=380)	China	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Mostofi et al. (2024) (Not specified)	Focus group (Autumn 2019) Survey (Early 2020, n=819)	Berlin, Stuttgart, and Erfurt, Germany (focus group); Germany (survey)	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Park and Lee (2024) (Not specified)	Survey (August 2022, 1,496)	South Korea	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Qu et al. (2024) (Intracity)	Travel cost: Jiang (2019) Travel time: Holden and Goel (2016) Utility function coefficients: Synthetic	Chengdu, China	Traffic flow data: monitoring equipment (17 July, 2020, 16:30-18:30)	Behaviour modelling: Nested logit model, MNL Demand prediction: Four step model
Radic et al. (2024) (Not specified)	Survey (April 2022, n=377 in the US and n=387 in China)	US and China	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Riza et al. (2024) (Intracity)	Survey (n=1,074)	Dresden, Germany	Not applicable	Behaviour modelling: Descriptive, Price sensitivity measurement (PSM) Demand prediction: Not applicable

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Samadzad et al. (2024) (Intercity and airport shuttle)	SP (June to July 2022, n=214 for weekly business trips, 323 for airport access trips, 239 for regional tourism trips)	Iran	Not applicable	Behaviour modelling: MNL with latent variables, Nested logit model with latent variables Demand prediction: Not applicable
Smith et al. (2024) (Intracity)	Virtural reality (VR) experiment (June and November 2023, n=116)	Southbourne, Boscombe and Coventry, UK	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Song et al. (2024) (Intercity)	SP (n=2,419)	Dallas-Fort Worth and Los Angeles; US	Not applicable	Behaviour modelling: Latent class choice model, Two-layer latent class model, Two-layer latent variable latent class model Demand prediction: Not applicable
Suo et al. (2024) (Scenic area)	Survey (April 2023, n=450)	Mogan Mountain Scenic Area, China	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Vizioli et al. (2024) (Not specified)	Survey (January 2024, n=28 for wave 1 and April 2024, n=9 for wave 2)	Ireland	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Vongvit et al. (2024) (Not specified)	Survey (February 2023, n=573)	South Korea	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Wu et al. (2024) (Not specified)	Survey (Summer break 2023, n=723)	China	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Yao et al. (2024) (Not specified)	Survey (January to February 2023, n=544)	29 provinces, China	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Yavuz (2024) (Not specified)	Survey (14 April to 7 June, 2021, n=369)	Turkey	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Appel et al. (2023) (Airport shuttle)	Three workshops (August 2022, n=21)	Ingolstadt, Germany	Not applicable	Behaviour: Descriptive Demand prediction: Not applicable

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Ariza-Montes et al. (2023) (Not specified)	Survey (April 2022, n=400 in China and n=411 in the US)	China and US	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Babetto et al. (2023a) (Not specified)	Survey (December 2022, n=370)	Nine European countries	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Babetto et al. (2023b) (Not specific)	Survey (n=578)	Europe, Asia, and US	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Bridgelall (2023a) (Intercity)	Not applicable	US	Trip generation: USCB (2022), Kooti et al. (2017), Reinhart (2018), Uber Elevate (2016) Vehicle parameters: Bridgelall et al. (2023), Uber Elevate (2016), Rajendran et al. (2021)	Behaviour modelling: Ridesharing trips longer than 36 mins will switch Demand prediction: Four step model
Bridgelall (2023b) (Not applicable)	Not applicable	204 Nations	Vehicle parameters: Vertical Flight Society (2022), CAA (2022) Economic: UN-WPP (2022), WB-WDI (2022), WB-GEP (2022), WB-SDG (2022) Environment: Social Progress Index (2022), WB-WDI (2022); Governance: Worldwide Governance Indicators (WGI) (2022), ICAO (2022), IATA (2022) Land use: WB-Jobs (2022), WB-WDI (2022), WB-SDG (2022), Google Technology development: WB-DB (2022), WB-Jobs (2022) Transport: WB-WDI (2022)	Behaviour modelling: Not applicable Demand prediction: 12 machine learning models
Brunelli et al. (2023) (Airport shuttle)	Revealed preference (RP) survey and SP (April to June 2022, n=197)	Online survey in European Union (EU), and face-to-face survey at Bologna Airport (Italy)	Not applicable	Behaviour modelling: MNL, Mixed logit model Demand prediction: Not applicable
Çınar and Tuncal (2023a) (Not specified)	Survey (n=518)	Istanbul and Ankara, Turkey	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Çınar and Tuncal (2023b) (Not specified)	Survey (n=82)	Istanbul and Ankara, Turkey	Not applicable	Behaviour modelling: Thematic analysis Demand prediction: Not applicable
Duca et al. (2023) (Not specified)	Semi-structured interview (July 2021, n=34)	Europe	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Hwang and Hong (2023) (Short, long intracity and intercity trips)	SP (17 to 23 July, 2021, n=279)	Seoul, South Korea	Not applicable	Behaviour: MNL Demand: Not applicable
Kalakou et al. (2023) (Not specified)	Survey (July to November 2020, n=485)	Lisbon, Portugal	Not applicable	Behaviour modelling: Cluster analysis Demand prediction: Not applicable
Kim et al. (2023) (Not specified)	Survey (May to June 2021, n=450)	South Korea	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Kim and Yee (2023) (Intracity, intercity, and airport shuttle)	Not applicable	Seoul, South Korea	Total demand: Traffic data in Seoul, Korea Civil Aviation Development Association (2021) Travel time: SK open API (n.d.), Google Cloud Platform (n.d.) Travel cost: Korea Research Institute of Transportation Industries (KRITI) (2022), Seoul (n.d.) Income: Korea National Tax Service (n.d.), Seoul (2021), Seongnam (2021), Uijeongbu (2021), Bucheon (2021), Goyang (2021), Sumon (2021)	Behaviour modelling: A commuter switches if travel time savings are at least 20% of the trip time and his/her income beyond the income threshold Demand prediction: Based on the demand prediction data basis and the behaviour model
Lee et al. (2023) (Not specified)	Survey (24 to 29 November, 2021, n=1,168)	South Korea	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Lopes and Silva (2023) (Intracity and airport shuttle)	Survey (September to October 2021, n=192)	São Paulo, Brazil	Not applicable	Behaviour: Descriptive Demand: Not applicable
Lotz et al. (2023) (Intracity)	SP (August 2022, n=135)	Germany	Not applicable	Behaviour: Latent class segmentation Demand: Not applicable

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Norte et al. (2023) (Intercity)	From Balac et al. (2019a)	Ile-de-France region, France	UAM speed: Bulusu et al. (2021) Travel cost: Savage (2016), Global Petrol Prices (2022), and Balac et al. (2019a)	Behaviour: MNL, sourced from Balac et al. (2019) Demand: Four-step model
Papenfuss et al. (2023) (Intracity)	VR experiment (n=30)	Hamburg, Germany	Not applicable	Behaviour: Descriptive Demand: Not applicable
Stolz et al. (2023) (Not specified)	VR experiment (n=21), team task and group discussion	Brunswick, Germany	Not applicable	Behaviour: Descriptive Demand: Not applicable
Yavas et al. (2023) (Not specified)	Survey (1 April to 15 May, 2021, n=348)	Turkey	Not applicable	Behaviour: SEM Demand: Not applicable
Ahmed et al. (2022) (Not specified)	Survey (March 2017, n=584)	US	Not applicable	Behaviour: Bivariate probit model and univariate binary probit model Demand: Not applicable
Çetin et al. (2022) (Intercity)	Literature	Global	Not applicable	Behaviour: Descriptive Demand: Not applicable
Chen (2022) (Intracity trip)	From Fan et al. (2016), Fu et al. (2019), and Song et al. (2019)	North America	Total demand: City-Data (n.d.) and IndexMundi (n.d.) Aircraft parameter: CityAirbus NextGen (2022), The Electric VTOL News (2021), The Electric VTOL News (n.d.), and Electric VTOL News (2022) Travel cost: Goyal et al. (2018) Vertiport design: Vascik (2020)	Behaviour: MNL Demand: Agent-base model
Cho and Kim (2022) (Intracity and airport shuttle)	SP (16 April to 7 May, 2020, n=1,011 for intracity; 22 October to 6 November, 2020, n=699 for airport shuttle)	Seoul, South Korea	Korea Transport Database (KTDB) (2019) and Korea Airport Corporation (2022)	Behaviour: MNL Mixed logit Demand: Based on the demand prediction data basis and the behaviour model

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Jha et al. (2022) (Intracity trip)	Not provided	Chicago and, Atlanta, US	Total demand: US Census Bureau Center for Economic Studies (2021) Socio-economics: ACS (2021)	Behaviour: Utility-based choice model Demand: Based on the demand prediction data basis and the behaviour model
Johnson et al. (2022) (Not specified)	SP (14 February to 4 March 2021, n=407)	US	Not applicable	Behaviour: Ordered logit model Demand: Not applicable
Rice et al. (2022) (Not specified)	Survey (n=578 in the US, n=547 in India)	US and India	Not applicable	Behaviour: Descriptive Demand: Not applicable
Rothfeld (2022) (Intercity and airport shuttle)	From Rimjha et al. (2021c)	Île-de-France, France	Total demand: ADP (2020), CRT (2019), Hörl and Balac (2021a), Hörl and Balac (2021b), and Hörl and Balac (2021c)	Behaviour: Utility-based choice model Demand: Four-step model
Stolz and Laudien (2022) (Not specified)	VR experiment (Summer 2021, n=47)	Germany	Not applicable	Behaviour: Descriptive Demand: Not applicable
Tahmid (2022) (Not specified)	Twitter	Global	Not applicable	Behaviour modelling: Topic modelling, sentiment analysis Demand prediction: Not applicable
Zaps and Chankov (2022) (Intracity, intercity, and airport shuttle)	SP (1 to 15 May, 2022, n=260)	Germany	Not applicable	Behaviour: MNL Demand: Not applicable
Ahmed et al. (2021) (Not specified)	Survey (March 2017, n=692)	Mainly from US and India	Not applicable	Behaviour: Bivariate probit model Demand: Not applicable
Anand et al. (2021) (Intracity)	Not applicable	542 cities, Global	Total demand: INRIX (2019b), LTA (2014), Dixon et al. (2018), ITF Transport Outlook (2019), Davis et al. (2011) Travel cost: Global Parking Index (2017), AAA (2017b) Income: PWC (2020)	Behaviour: Binary choice model Demand: Based on the demand prediction data and behaviour model

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Bagratuni (2021) (Airport shuttle)	Survey (16 to 27 October 2020, n=369)	Stuttgart, Germany	Not applicable	Behaviour: Linear regression Demand: Not applicable
Bulusu et al. (2021) (intercity)	Not applicable	San Francisco Bay Area, US	Total demand: SFCTA Champ 6 model (177,629 od pairs) Uncongested travel time: Google Maps API (n.d.)	Behaviour: A commuter switches if travel time savings are at least 25% of the car trip time Demand: Based on the demand prediction data basis and the above mode switching rule
EASA (2021) (Not specified)	SP (n=3,690 in Part 1); Interview (n=40); Noise test (April 2021, n=20)	Europe	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Goyal et al. (2021) (Intracity and airport shuttle)	ACS and Shaheen et al. (2018)	US	Commuting travel demand: ACS (2016) Discretionary travel demand: NHTS (2017) Airport access/egress trips: U.S. Bureau of Transportation Statistics (BTS) T-100 Market Data (2018) Existing infrastructure: Federal Aviation Administration (FAA) (n.d.)	Behaviour: MNL Demand: Four-step model
Haan et al. (2021) (Intracity trip)	SP (26 March to 10 May, 2019, n=1405)	40 cities in the US	Commuting demand: Cell phone data Ground travel time and distance: Microsoft Bing Map (2018) Driving cost per mile: AAA (2017b) and Bösch et al. (2017) Existing vertiport locations: Federal Aviation Administration (FAA) (2020)	Behaviour: Mixed logit model Demand: Based on the demand prediction data and mode choice model proposed in this study
Leonard et al. (2021) (Intracity)	SP (8 January to 14 June, 2021, n=2,820)	Atlanta, Boston, Chicago, Dallas-Ft. Worth, New York City, San Francisco Bay Area and Los Angeles, US	Not applicable	Behaviour modelling: Not applicable Demand prediction: Not applicable
Park (2021) (Intercity)	Survey (16 to 20 April and 29 April to 7 May, 2020, n=1,011) Interview (28 October, 2020, n=44)	Seoul, South Korea	Not applicable	Behaviour modelling: ANOVA test, T-test, Linear regression Demand prediction: Not applicable

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Pukhova et al. (2021) (Intercity)	From Fu et al. (2019)	Munich, Germany	Passenger counts at Munich airport in 2016	Behaviour modelling: MNL Demand prediction: Agent-based simulation
Rajendran et al. (2021) (Not specified)	Not applicable	New York City, US	From Rajendran and Zack (2019)	Behaviour modelling: Not applicable Demand prediction: Machine learning
Reiche et al. (2021) (Not specified)	Focus group (June 2018) Survey (August 2018, n=1,702)	Los Angeles and Washington D.C., US (focus group), Houston, Los Angeles, New York, the San Francisco Bay Area, and Washington, D.C, US (Survey)	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Rimjha et al. (2021a) (Intercity)	Ground transport: NHTS (2017) UAM: Boddupalli (2019)	North California, US	Travel time: OpenStreetMap (n.d.), OpenTripPlanner (n.d.), Urban Mobility Report (2018), FHWA (2017) Travel cost: OpenTripPlanner (n.d.), AAA (2019), and ParkWhiz (2019) Socio-economic data: Census Bureau (2015), ACS (2017)	Behaviour modelling: Mixed logit model Demand prediction: Based on the demand prediction data basis and mode choice model proposed in this study
Rimjha et al. (2021b) (Airport shuttle)	2015 originating passenger survey	Dallas-Fort Worth, US	Total demand: 2015 originating passenger survey Travel time: OpenTripPlanner (2019) Travel cost: Standard Mileage Rates (2020), AAA (2019), Yellow Cab Taxi Rate Information (2020), Moor (2015), DART Fares (n.d.), and Uber price estimator (n.d.)	Behaviour modelling: MNL Demand prediction: Based on the demand prediction data basis and mode choice model proposed in this study
Rimjha et al. (2021c) (Airport shuttle)	Mode choice: LAWA (2020)	Los Angeles, US	Total demand: U.S. Bureau of Transportation Statistics (BTS) T-100 Market Data (2018), LAWA (2020), LAWA (2019) Travel time: Open Street Routing Machine (2019), OpenTripPlanner (2019), and TTI (2018) Travel cost: Standard Mileage Rates (2020), AAA (2019), LA Yellow Cab (2020), Flyaway Fares (n.d.), MTA Fares (n.d.), and Uber price estimator (n.d.)	Behaviour modelling: Mixed logit model Demand prediction: Based on the demand prediction data basis and mode choice model proposed in this study

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Rothfeld et al. (2021) (Intercity)	Mobilität in Deutschland (n.d.), Hörl and Balać (2020), and California Household Travel Survey (2012)	Munich, Germany Paris, France San Francisco Bay Area, US	Transport network: OpenStreetMap (2020) Total demand: Moeckel et al. (2020), Hörl and Balać (2020), Balać and Hörl (2020)	Behaviour modelling: Nested logit model, MNL Demand prediction: Agent-base model
Roy et al. (2021) (Airport shuttle)	VOT: from White (2016)	New York City, Los Angeles, and Atlanta, US	Socio-economic data: ACS (2018) Travel cost: Internal Revenue Service (2019) and Brinckerhof (2017) Ground-transport travel time and distance: Microsoft Bing Map (2019) Vertiport data: Federal Aviation Administration (FAA) (2019)	Behaviour modelling: MNL Demand prediction: Based on the demand prediction data basis and the behaviour model
Straubinger et al. (2021) (Intracity, intercity and airport shuttle)	Not applicable	Global	Total demand: United Nations (2020), UITP database (2015) Income: World Bank (2018), World Bank (2019)	Behaviour modelling: Not applicable Demand prediction: Based on the total travel demand and assumed UAM penetration rate
Wai et al. (2021) (Intracity)	Not mentioned	Singapore	Demand data: Singapore Tourism Board (2025), Grab (2016) UAM parameter: The Business Times - Transport (2019)	Behaviour modelling: Not mentioned Demand prediction: Not mentioned
Ward et al. (2021) (Not specified)	Survey (n=484 in US, n=527 in India for Study 1; n=468 in US, n=1,048 in India for Study 2)	US and India	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Zapico et al. (2021) (Intracity)	Not applicable	Chicago, US	Total demand: Chicago Traffic Report (2020), Longitudinal Employer-Household Dynamics (2018), CMAP (2018) Travel cost: Operational cost of driving (2017), Uber Elevate (2016) Population data: Blocks population (2010) Income data: ACS (2018) Travel time: Open Trip Planner (2020), CMAP (2018)	Behaviour modelling: Effective cost model Demand prediction: Based on the demand prediction data basis and the behaviour model

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Al Haddad et al. (2020a) (Intracity and airport shuttle)	SP (July to September 2018, n=221)	Most in Europe	Not applicable	Behaviour modelling: MNL Ordered logit model Demand prediction: Not applicable
Al Haddad et al. (2020b) (Not specified)	Focus group (n=10)	Upper Bavaria, Germany	From Fu et al. (2020)	Behaviour modelling: Multi-criteria decision analysis Demand prediction: Not applicable
Behme and Planing (2020) (Not specified)	Interview (11 to 19 April 2019, n=11)	Germany	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Chancey (2020) (Not specified)	Survey (n=240 in Experiment 1; n=200 in Experiment 2)	US	Not applicable	Behaviour modelling: SEM Demand prediction: Not applicable
Edwards and Price (2020)	Interview (n=7)	US	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Eker et al. (2020a) (Not specified)	Survey (March 2017, n=692)	Mostly US	Not applicable	Behaviour modelling: Bivariate probit model Demand prediction: Not applicable
Eker et al. (2020b) (Not specified)	Survey (March 2017, n=692)	Mostly US	Not applicable	Behaviour modelling: Bivariate probit model Demand prediction: Not applicable
Ferreira (2020) (Not specified)	Survey (n=391)	Portugal	Not applicable	Behaviour modelling: Pearson's correlation, t-test, ANOVA, Kruskal-Wallis method Demand prediction: Not applicable

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Fu et al. (2020) (Intracity, Intercity and airport shuttle)	From Fu et al. (2019)	Five cities in Germany	Scenario setting: Ploetner et al. (2020) Population: Bayerisches Landesamt für Statistik (2019) Vehicle parameter: Baur et al. (2018) and Shamiyeh et al. (2018) Travel cost: Ploetner et al. (2020), Rothfeld et al. (2018a), Balac et al. (2019a)	Behaviour modelling: Nested logit model Demand prediction: Agent-based simulation
Garrow et al. (2020) (Not specified)	Survey (26 March to 10 May, 2019, n=1,405)	Atlanta, Boston, Dallas-Ft. Worth, San Francisco, Los Angeles; US	Not applicable	Behaviour modelling: Factor analysis, Chi-square and ANOVA analysis, Cluster analysis Demand prediction: Not applicable
Mayakonda et al. (2020) (Intracity)	From Belenky (2011) and Sirirojvisuth et al. (2020)	31 cities, global	Trip data: ITF Transport Outlook (2019), NHTS (2017), INRIX (2019b), Land Transportation Authority Academy (2014) Income data: World Bank Group (2020), PWC (2020), and WorldEconomic Outlook (2020) Travel cost: Hamilton (2018), Uber Elevate (2016), AAA (2014), NASA (2018) Vehicle speed: Uber Elevate (2016)	Behaviour modelling: Traveller choose UAM when its cost is lower than their willingness to pay (WTP) Demand prediction: Four-step model
Ploetner et al. (2020) (Intracity, intercity and airport shuttle)	From Fu et al. (2019)	Munich, Germany	Moreno and Moeckel (2018), Moeckel (2017) and annual survey by the Munich Airport	Behaviour modelling: MNL Demand prediction: Agent-base model
Ragbir et al. (2020) (Not specified)	Survey (n=496 in US, n=286 in India)	US and India	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Rautray et al. (2020) (Intracity)	Survey (n=224)	India	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Winter et al. (2020) (Not specified)	Survey (n=243 in Stage 1, and n=243 in Stage 2)	US	Not applicable	Behaviour modelling: Linear regression Demand prediction: Not applicable
Balac et al. (2019a) (Intracity, intercity, and airport shuttle)	From Hörl et al. (2016) and Axhausen et al. (2008)	Zurich, Switzerland	Total demand: Federal Statistical Office (2015), Rothfeld et al. (2018b) Airport access demand and cost elasticities: Platten et al. (2018) and Zurich Airport (2017)	Behaviour modelling: MNL Demand prediction: Agent-based model

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Balac et al. (2019b) (Intracity and intercity)	Based on Switzerland National Travel Diary and Weis et al. (2016)	Zurich, Switzerland	Total demand: Bösch et al. (2016) Travel cost: Uber Black prices in Zurich	Behaviour modelling: MNL Demand prediction: Agent-based model
Boddupalli (2019) (Intracity)	SP (n=2,500)	Atlanta, Boston, Dallas–Ft. Worth, Los Angeles, and San Francisco, US	Not applicable	Behaviour modelling: MNL, Mixed logit model, Latent class model Demand prediction: Not applicable
Eker et al. (2019) (Not specified)	Survey (March 2017, n=584)	US	Not applicable	Behaviour modelling: Binary probit model, Random binary probit model Demand prediction: Not applicable
Fu et al. (2019) (Intracity)	SP (February to April 2018, n=248)	Munich, Germany	Not applicable	Behaviour modelling: MNL, Mixed logit model Demand prediction: Not applicable
Garrow et al. (2019) (Intracity)	SP (March to May 2019, n=1,405)	Atlanta, Boston, Dallas–Ft. Worth, San Francisco Bay Area and Los Angeles, US	Not applicable	Behaviour modelling: Not applicable Demand prediction: Not applicable
Hasan (2019) (Intracity)	Survey (>2,000 consumers)	New York City, Dallas, Washington, DC, San Francisco, and Detroit, US	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Planing and Pinar (2019) (Airport shuttle)	Survey (14 to 15 September 2019, n=1,203)	Stuttgart, Germany	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Yedavalli and Mooberry (2019) (Not specified)	Survey (n=1,540)	Los Angeles, US Mexico City, Mexico New Zealand Switzerland	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Al Haddad (2018) (Intracity and airport shuttle)	SP (July to September 2018, n=221)	Munich, Germany	Not applicable	Behaviour modelling: MNL, Ordinal logit model, Nested logit model Demand prediction: Not applicable
Becker et al. (2018) (Intercity)	Not applicable	4,435 cities around the world	Passenger demand: Sabre Airline Solutions (2017) Socio-economic data: MaxMind (2017), World Bank (2017), United Nations (2017) Aerial network: OpenFlights (2017) Language: Auswärtiges Amt (2018) Touristic city: Google.Destination (2018)	Behaviour modelling: Not applicable Demand prediction: Gravity model
Binder et al. (2018) (Intracity)	SP (April to June 2018, n=2,500)	Atlanta, Boston, Dallas-Ft. Worth, San Francisco Bay Area and Los Angeles, US	Not applicable	Not applicable
Reiche et al. (2018) (Intracity and airport shuttle)	SP (August 2018, n=1,700)	Houston, Los Angeles, New York, San Francisco Bay Area, Washington, D.C., US	Total demand: ACS (2016), NHTS (2017), U.S. Bureau of Transportation Statistics (BTS) T-100 Market Data (2018)	Behaviour modelling: Ordinal logit model, Binary logit model Demand prediction: Four-step model
Rothfeld et al. (2018a) (Intracity)	Not applicable	Sioux Falls, US	Scenario: Hörl (2016) UAM network: Rothfeld and Moeckel (2018) and Rodrigue et al. (2017) Vertiport location: OpenStreetMap (n.d.) and TripAdvisor (n.d.) Vehicle speed: Shamiyeh et al. (2017) Population data: Hörl (2016), U.S. Department of Commerce (2016)	Behaviour modelling: Not applicable Demand prediction: Agent-based simulation
Shaheen et al. (2018) (Intracity and airport shuttle)	SP (August 2018, n=1,700)	Houston, Los Angeles, New York, San Francisco Bay Area, Washington, D.C., US	Not applicable	Behaviour modelling: Ordinal logit model, Binary logit model Demand prediction: Not applicable

Table A1 (cont'd)

Study (Intended use in parentheses)	Behaviour modelling data source	Location	Demand prediction data basis	Model
Sivak and Schoettle (2017) (Not specified)	Survey (April 2017, n=508)	US	Not applicable	Behaviour modelling: Descriptive Demand prediction: Not applicable
Kreimeier et al. (2017) (Intercity)	Not applicable	Germany	Total demand: Ergebnisse (2011) Usable airfields: Jeppesen (2007) Travel cost: ADAC (2017), Kreimeier and Stumpf (2017), Flughafenverband ADV (2016), Kreimeier et al. (2016), Stoll et al. (2016), BDL (2015), Pu et al. (2014), Moore et al. (2013), Moore (2012), Transver GmbH (2002), European Conference of Ministers of Transport (1998) Travel speed: Stoll et al. (2014)	Behaviour modelling: Opportunity cost-based model Demand prediction: Gravity model
Syed et al. (2017a) (Intercity)	NHTS (2009)	Northern California, US	Vertiport location: LODES (2010), ACS (2016) Travel time: Microsoft Bing Map (2015), TTI (2015) Travel cost: AAA (2016), Parking in America (2010) Auto occupancy rate: NHTS (2009)	Behaviour modelling: MNL Demand prediction: Based on the demand prediction data basis and the behaviour model
Syed et al. (2017b) (Intercity)	NHTS (2009)	17 counties in the US	Total demand: LODES (2010) Socio-economic data: ACS (2016) Travel time: Microsoft Bing Map (2015) Travel cost: AAA (2016), Parking in America (2010)	Behaviour modelling: MNL Demand prediction: Based on the demand prediction data basis and the behaviour model

Table A2 Summary of supply side assumptions

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Acharya et al. (2026)	Travel cost: 5-15 USD/mile (3.11-9.32 USD/km)	×	×	×	Cruise speed: 125-175 mph (201.16-281.63 km/h)	Public	×
Alsaleh et al. (2026)	×	×	×	Both	×	Public	×
Cai et al. (2026)	×	×	×	×	Cruise speed: 180 km/h Altitude: 300 m	×	Y
Dou et al. (2026)	Travel cost: 1-4 CNY/km (0.14-0.57 USD/km) Access and Egress time: 5-20 mins	Presence of a safety operator	×	Both	Cruise speed: 150 km/h	Public	Y
Hu et al. (2026)	×	×	×	×	×	×	×
Jiang et al. (2026)	Travel cost: 3.33-6.25 CNY/km (0.49-0.92 USD/km)	×	×	×	Cruise speed: 70-150 km/h	Public	×
Kim et al. (2026)	Travel cost: 3500 KRW/km (2.56 USD/km)	Fatality rate: At the automobile level, at the train level, at the airplane level	×	×	×	Public	Both
Ko et al. (2026)	×	×	×	×	×	×	×
Kwon et al. (2026)	×	×	×	Sharing with other passengers	×	Public	×
Lee et al. (2026a)	Travel cost: 3,000 KRW/km (1.97 USD/km) in Route-based system, 3,600 KRW/km (2.36 USD/km) in Demand-responsive system Access and Egress time: 12-30 mins Waiting time: 3-7 mins or over 7 mins	×	×	×	Cruise speed: 80-200 km/h	Public	Both
Lee et al. (2026b)	Travel cost: 3000 KRW/km (2.03 USD/km)	×	×	×	×	Public	×
Lee and Kim (2026)	Travel cost: 957.55-1,224.81 KRW/km (0.63-0.80 USD/km) in commuting trips, 1,244.81-1,422.64 KRW/km (0.82-0.93 USD/km) Departure interval: 5 mins in commuting trips, 20 mins in airport shuttles Waiting time: None in commuting trips, 10 mins in airport shuttle	×	×	×	×	Public	Both

Table A2 (cont'd)

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Li et al. (2026)	×	×	×	×	×	×	Y
Mehrabani et al. (2026)	Waiting and boarding time: 10 mins Travel cost: 5 EUR/km (5.75 USD/km)	×	×	Y	Cruise speed: 100-150 km/h	Public	×
Miniaoui et al. (2026)	×	×	×	×	×	Public	Y
Nazari et al. (2026)	Travel cost: 75-125 USD/journey (0.64-1.78 USD/km) Access time: 5 mins walking	Twice safer than helicopters	×	×	Cruise speed: 150-200 mph (241-322 km/h) Capacity: 4	Public	Y
Said et al. (2026)	×	×	×	×	×	Public	Y
Subedi and Singleton (2026)	Travel cost: 0.5-2.5 USD/mile (0.31-1.55USD/km) Frequency: Every 2-6 hours Access time: 15-25 mins	×	×	×	Cruise speed: 174 mph (280.02 km/h)	Public	Both
Su et al. (2026)	×	×	×	×	×	Public	×
Sun (2026)	×	×	×	×	×	×	×
Wu et al. (2026)	Travel cost: 3-5 CNY/km (0.44-0.74 USD/km) Access and egress time: 5-15 mins for intracity trip, 5-25 for intercity trip Waiting time (shared UAM): 5-15 mins for intracity trip, 5-25 mins for intercity trip	×	×	Both	Cruise speed: 130-200 km/h Capacity: 4 Range: 200 km	Both	×
Xie and Liao (2026)	×	×	×	×	×	Public	×
Zhang et al. (2026a)	Travel cost: 2.2-2.4 CNY/km (0.32-0.35 USD/km) Out-vehicle travel time: 10-25 mins	×	×	×	×	Public	×
Zhang et al. (2026b)	×	×	×	×	×	Public	×
Zhao et al. (2026)	×	×	×	×	×	Public	×
Appel et al. (2025)	×	×	×	×	×	×	N
Adamidis et al. (2025)	Transfer time: 5 mins Travel cost: 4-10 EUR/km (4.47-11.18 USD/km)	As safe as traditional aviation	×	×	Cruise speed: 120 km/h Capacity: 2 Range: 80 km	Public	Y

Table A2 (cont'd)

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Belgiawan et al. (2025)	Travel cost: 62-187 USD/journey (2.56-7.69 USD/km) Waiting time: 5-15 mins Access/Egress time: 0-10 mins	×	×	×	Cruise speed: 120 km/h	Public	×
Bencheikroun et al. (2025)	Access/Egress time: 15 mins by car Processing time: 15 mins	×	×	×	×	Public	×
Bi et al. (2025)	Travel cost: 10 CNY base fare + 1 CNY/km unit fare (1.45 USD base fare + 0.14 USD/km unit fare) Boarding/Deboarding time: 5 mins	×	×	×	Cruise speed: 150 km/h Capacity: 5-40	Public	Y
Chen et al. (2025)	Travel cost: 4-9 CNY/km (0.57-1.28 USD/km) Waiting time: 1-11 mins	×	×	×	Cruise speed: 80-130 km/h Capacity: 2	Public	Y
Chan et al. (2025)	×	×	×	×	×	×	×
Coppola et al. (2025)	Number of vertiports: 4-17 Travel cost: 3-3.5 EUR/km (3.21-3.75 USD/km) Waiting/Boarding time: 5-15 mins Access/Egress time: 5-20 mins	×	×	×	Cruise speed: 150 km/h	Public	×
Decaro et al. (2025)	×	×	×	×	Cruise speed: 100 km/h Altitude: 1000-2000 ft (304.8-609.6 m)	×	×
Eißfeldt and Biella (2025)	×	×	×	×	×	Public	Both
Garrow et al. (2025)	×	×	×	×	Cruise speed: 150 mph (241 km/h) Capacity: 2-4	Public	N
Hu et al. (2025)	×	×	×	×	×	Private	Y
Jang et al. (2025)	Number of lines: 2 Number of vertiports: 4 Number of airfields: 4 Number of aprons: 16 Boarding/Deboarding time: 4 mins Transfer frequency: 0-2 s Access + Egress time: 20-40 mins Travel cost: 3000 KRW/km (2.42 USD/km)	×	×	×	Cruise speed: 150 km/h Range: 100 km	Public	N

Table A2 (cont'd)

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Jin and Chambers (2025)	×	×	×	×	×	×	×
Johnson (2025)	×	×	×	×	Capacity: 1-4	Public	Y
Kim et al. (2025)	Travel cost: 3000 KRW/km (2.46 USD/km) in initial period, 1000 KRW/km (0.82 USD/km) in maturity period	×	×	×	Cruise speed: 150 km/h	Public	×
Kim and Zhang (2025)	×	×	×	×	Cruise speed: 150-300 km/h Range: 100-300 km	Public	Both
Li et al. (2025)	×	×	×	×	×	×	×
Liao et al. (2025a)	×	×	×	×	×	×	×
Liao et al. (2025b)	×	×	×	×	×	×	×
Liu and Liu (2025)	×	×	×	×	×	×	×
Subedi et al. (2025)	×	×	×	×	×	Public	×
Sunitiyoso et al. (2025)	Waiting time: 5-15 mins Travel cost: 300-900 IDR/journey (0.00-0.00 USD/km)	×	×	×	×	Public	×
Tang et al. (2025)	×	×	×	×	×	×	×
Trapsilawati et al. (2025)	×	×	×	×	Cruise speed: 100 km/h Capacity: 2 Altitude: 3000 m Range: 35 km Maximum Payload: 220 kg	Public	Y
Volakakis et al. (2025)	Travel cost: 11.2 USD/mile (7.16 USD/km) in pessimistic scenario, 8.7 USD/mile (5.56 USD/km) in intermediate scenario, 5.3 USD/mile (3.39 USD/km) in optimistic scenario Access + Egress time: 10-30 mins Waiting time: 5-15 mins	×	×	×	Cruise speed: 100 mph (161 km/h) in pessimistic scenario, 140 mph (225 km/h) in intermediate scenario, 180 mph (290 km/h) in optimistic scenario Range: 150 mile (241 km)	Public	N

Table A2 (cont'd)

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Zhao and Feng (2025)	Access distance: 0.2-3 km Travel cost: 1.84 USD per mile (1.18 USD/km)	×	×	×	Cruise speed: 160 km/h Capacity: 1-4	Public	N
Zhao et al. (2025a)	Access/Egress distance: 1 or 3 km by bikesharing, public transport (PT), Taxi or Car Walking + Waiting time: 2-6 mins in Bikesharing+UAM and Car+UAM scenarios, 6-14 mins in PT+UAM scenario, 4-10 mins in Taxi+UAM scenario. Travel cost: 1.84 USD per mile (1.18 USD/km)	×	×	Whether sharing with other passengers	Cruise speed: 160 km/h Capacity: 1-4	Public	N
Zhao et al. (2025b)	Access/Egress distance: 1 or 3 km by Bike, public transport (PT), Taxi or Car Walking + Waiting time: 2-6 mins in Bikesharing+UAM and Car+UAM scenarios, 6-14 mins in PT+UAM scenario, 4-10 mins in Taxi+UAM scenario. Travel cost: 1.84 USD/mile (1.18 USD/km)	×	×	Whether sharing with other passengers	Cruise speed: 160 km/h Capacity: 1-4	Public	N
Ahmed et al. (2024)	×	×	×	×	×	Public	×
Appel et al. (2024)	×	×	×	×	×	Public	Both
Appel et al. (2024)	×	×	×	×	×	Public	Both
Asmer et al. (2024)	Vertiport density: 0.01-0.04 vertiport/km ² Travel cost: 2.5-6 EUR/km (2.85-6.84 USD/km) Boarding/Deboarding time: 3 mins	×	×	×	Taking off and landing: 2 mins Cruise speed: 100 km/h Capacity: 4 Average seat load factor: 50%	Public	×
Boddupalli et al. (2024)	Access + Egress time: 10-20 mins, did not specify mode Travel cost: 0.50-1.50 USD/mile (0.33-0.98 USD/km)	×	Ride guarantee	×	Cruise speed: ~150mph (241 km/h) Capacity: 2-4	Public	N

Table A2 (cont'd)

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Chae et al. (2024)	Transfer time: 0-15 mins Travel cost: 39.5-71.1 USD/journey (0.35-1.87 USD/km) in urban trips; 39.5-55.3 USD/journey (0.53-1.46 USD/km) in airport shuttle trips Catchment area radius: 1.5 km	×	×	×	Cruise speed: 200 km/h Capacity: 4	Public	Y
Chen et al. (2024)	Number of vertiports: 23 and 19 in the near term, and 61 and 56 in the long term Travel cost: 2.05-7.17 USD/km in the near term, and 0.82-2.86 USD/km in the long term Vertiport size: 500 ft × 200 ft or 300 ft × 300 ft Vertiport topology: Satellite or Linear Waiting time: 2.5 mins	×	×	×	Cruise speed: 120-322 km/h Capacity: 3-4 Range: 80-250 km	Public	N
Coppola et al. (2024a)	Access/Egress time: 5-20 mins, did not specify mode Waiting/Boarding time: 5-15 mins Travel cost: 3.5 EUR/km (3.99 USD/km)	×	×	Travel alone or not, included in the SP background	Cruise speed: 150km/h	Public	×
Coppola et al. (2024b)	Access/Egress time: 5-20 mins, did not specify mode Waiting/Boarding time: 5-15 mins Travel cost: 40-80 EUR/journey (0.59-2.36 USD/km) for <60 mins group travel; 75-125 EUR/journey (0.74-1.84 USD/km) for >60 mins group travel; 90-150 EUR/journey (1.32-4.42 USD/km) for <60 mins single travel; 150-250 EUR/journey (1.47-3.68 USD/km) for >60 mins single travel	×	×	Travel alone or not, included in the SP background	×	Public	×
Coppola et al. (2024c)	×	×	×	×	×	Public	×
Geleceği et al. (2024)	×	×	×	×	×	Public	×
Gerardus et al. (2024)	Number of vertiports: 15 Access/Egress time: estimated by the access/egress distance, assuming the access mode is car and its speed is 26 km/h Operation cost: 550 USD/h	×	×	×	Range: 250 miles (402 km)	Public	×
Han (2024)	×	×	×	×	×	Public	N
Ison (2024a)	×	×	×	×	×	Public	×
Ison (2024b)	×	×	×	×	×	Public	N

Table A2 (cont'd)

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Janotta and Hogreve (2024)	×	×	×	Sharing with three other passengers	Capacity: 4	Public	Both
Karami et al. (2024)	×	×	×	×	×	×	×
Karimi et al. (2024)	Access time: 10-20 mins, did not specify mode Travel cost: 200-400 thousand IRR/journey (0.05-0.25 USD/km)	×	×	×	×	Public	Y
Kim et al. (2024)	×	×	×	×	×	×	×
Mostofi et al. (2024)	×	×	×	×	×	Public	Y
Park and Lee (2024)	×	×	×	×	×	Public	×
Qu et al. (2024)	Boarding time: 1 min Travel cost: 35 cent/mile (0.23 USD/km) Flight Distance: 0-50 km Headway: 20 mins	×	×	The number of passengers share with, considered in the demand forecasting model	Cruise speed: 60 km/h Capacity: 5 Altitude: above 90 m Vertical climbing time: 30 s Climbing and vertical drop rate and time: 0.5 m/s, 30s Diagonal climbing rate and time: 4 m/s, 16s Flight mode transition: 30s	Public	×
Radic et al. (2024)	×	×	×	×	×	Public	Y
Riza et al. (2024)	×	×	×	×	×	Public	×
Samadzad et al. (2024)	Walking + Waiting time: 5-10 mins by walking Travel cost: 5.77-14.63 thousand IRR/km (0.22-0.55 USD/km)	×	×	×	Cruise speed: 150-200 km/h Capacity: 4	Public	Y
Smith et al. (2024)	×	×	×	×	Cruise speed: 150 mph (241 km/h) Altitude: 150 m Capacity: 4 Range: 100 miles (161 km)	×	N

Table A2 (cont'd)

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Song et al. (2024)	Access/Egress time: 9 mins on average by car or walking Travel cost: 1.54 USD/km on average	×	×	Whether mind pooling with other passengers on eVTOL flights, included in the attitudinal questions	×	Public	Y
Suo et al. (2024)	×	×	×	×	×	Public	×
Vizioli et al. (2024)	×	×	×	×	×	Public	Both
Vongvit et al. (2024)	×	×	×	×	×	Public	×
Wu et al. (2024)	×	×	×	×	×	×	×
Yao et al. (2024)	×	×	×	×	Capacity: 2-4	×	Y
Yavuz (2024)	×	×	×	×	×	×	Y
Appel et al. (2023)	×	×	×	×	×	Public	×
Ariza-Montes et al. (2023)	×	×	×	×	×	×	×
Babetto et al. (2023a)	×	×	×	×	×	×	×
Babetto et al. (2023b)	×	×	×	×	×	×	×
Bridgelall (2023a)	Distance: 100-400 miles (161-644 km) Operating hours: 6 am to 8 pm	×	×	Need to share space with three other passengers	Range: 91 miles (146 km) Cruise speed: 125 mph (201 km/h) Capacity: 4 Vertical lift time: 1 min Vertical descent time: 1 min Battery charge time: 30 mins	Public	N

Table A2 (cont'd)

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Bridgelall (2023b)	×	×	×	×	×	×	×
Brunelli et al. (2023)	Travel cost: 0.67-2.00 EUR/km (0.77-2.30 USD/km)	×	×	Private or sharing with other passengers, included as an attribute of the SP survey	Cruise speed: 120-200 km/h Capacity: 3	Public	Both
Çınar and Tuncal (2023a)	×	×	×	×	×	×	×
Çınar and Tuncal (2023b)	×	×	×	×	×	×	Y
Duca et al. (2023)	×	×	×	×	×	×	Both
Hwang and Hong (2023)	Access time: 4, 14, 24 mins by walking Waiting time: 0-7 mins Travel cost: 0.5-3 thousand won/km (0.41-2.48 USD/km) Operational mode: air metro, air taxi	×	×	Whether shared with other passengers, included as a binary attribute of the SP survey	Cruise speed: 150 km/h, Capacity: 4 Altitude: 600m Vertical taking off and landing speed: 10 m/s	Public	Both
Kalakou et al. (2023)	×	×	×	×	×	×	Y
Kim et al. (2023)	×	×	×	×	×	×	×
Kim and Yee (2023)	Number of vertiports: 9 Demand radius of each vertiport: 5 km Transfer time: 10 mins Travel cost: 4.02 USD/mile (2.72 USD/km) in the initial stage, 2.68 USD/mile (1.81 USD/km) in the growth stage, and 1.34 USD/mile (0.91 USD/km) in the maturity stage	×	×	×	Cruise speed: 150 km/h	Public	×
Lee et al. (2023)	×	×	×	×	×	Public	×

Table A2 (cont'd)

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Lopes and Silva (2023)	×	×	×	×	×	Public	Both
Lotz et al. (2023)	Number of vertiports: 100 Minimum turnaround time: 3 mins Travel cost: 1.5 EUR/km (1.80 USD/km)	×	×	×	Cruise speed: 150 km/h Capacity: 2 Take-off and landing: 60 s	Public	Both
Norte et al. (2023)	Access/Egress time: 10 mins by walking Travel cost: 1.8 EUR/km (2.13 USD/km)	×	×	×	Cruise speed: 44.44 m/s (160 km/h)	Public	×
Papenfuss et al. (2023)	×	×	×	Share with another person	Altitude: 150 m Cruise speed: 120 km/h	Public	×
Stolz et al. (2023)	×	×	×	×	Altitude: 10-20 m	Public	×
Yavas and Tez (2023)	×	×	×	×	×	×	×
Ahmed et al. (2022)	×	×	×	×	×	×	Y
Çetin et al. (2022)	×	×	×	×	×	×	×
Chen (2022)	Number of vertiports: 23 and 19 in the near term, and 61 and 56 in the long term Number of FATOs: 3 or 6 Number of gates: 9 or 16 Vertiport size: 500 ft × 200 ft or 300 ft × 300 ft Vertiport topology: Satellite or Linear Travel cost: 2.20-7.69 USD/km per passenger in the near term, and 0.88-3.07 USD/km per passenger in long term Waiting time: 2.5 mins	×	×	×	Cruise speed: 120-322 km/h Capacity: 3-4 Range: 250 kms Charging time required: 15 mins to 80%, and 30 mins to be fully charged	Public	N
Cho and Kim (2022)	Number of vertiports: 12 Fleet size: 4-216 Travel cost: 24000-36000 won/journey (20.88-31.32 USD/journey) in airport travel, and 28000-42000 won/journey (24.36-36.54 USD/journey) in urban trips	×	×	×	×	Public	×
Jha et al. (2022)	Number of vertiports: 20 for Atlanta and 30 in Chicago Travel cost: 2.97 USD/mile (2.09 USD/km) in the initial scenario, 0.98 USD/mile (0.69 USD/km) in the near-term scenario, and 0.47 USD/mile (0.33 USD/km) in the long-term scenario	×	×	×	Range: 150 mile (241 km) Cruise speed: 207 mph (207 km/h) Capacity: 4 Payload weight: 1100 lbs (499 kg)	Public	×

Table A2 (cont'd)

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Johnson et al. (2022)	×	×	×	×	Capacity: 4	Public	Both
Rice et al. (2022)	×	Security measures at vertiports; Safety items in the vehicle	×	×	×	Public	×
Rothfeld (2022)	Number of UAM routes: 18-118 Headway: 10-30 mins Access/Egress time: 5-10 mins by walking Other non-flying time: 6-12 mins Travel cost: 0-200 EUR (0.00-241.90 USD) base fare + 0-9 EUR/km (0.00-10.89 USD/km) unit fare	×	×	×	Cruise speed: 60-80 km/h Capacity: 2	Public	×
Stolz and Laudien (2022)	×	×	×	×	Altitude: 200 m	Public	×
Tahmid (2022)	×	×	×	×	×	Public	×
Zaps and Chankov (2022)	Travel cost: 0.33-2 EUR/km (0.36-2.21 USD/km) in intracity trips, 0.28-1.71 EUR/km (0.31-1.89 USD/km) in airport shuttles, 0.28-1.83 EUR/km (0.31-2.02 USD/km) in intercity trips	×	×	×	Cruise speed: 112.5-300 km/h in intracity trips, 191-350 km/h in airport shuttles, and 198-304 km/h in intercity trips Capacity: 4	Public	×
Ahmed et al. (2021)	×	×	×	×	×	Public	Both
Anand et al. (2021)	Vertiport density: 300 km ² /vertiport in the low demand scenario, and 120 km ² /vertiport in the high demand scenario Access/Egress distance: 8 km in the low demand scenario, and 5 km in the high demand scenario, Boarding time: 5 mins Deboarding time: 2 mins Travel cost: 0.61-9.17 USD/km	×	×	×	Cruise speed: 120 km/h in the low demand scenario, and 240 km/h in the high demand scenario Occupancy: 2.5 persons Range: 60 km in the low demand scenario, and 120km in the high demand scenario	Public	×
Bagratuni (2021)	×	×	×	×	×	Public	Y
Bulusu et al. (2021)	Number of vertiports: 0-60 Vertiport throughput: 12,000 passengers per day Headway: 0.5 mins, assuming the vertiport operates 24h per day and each vehicle takes 4 passengers Boarding/Deboarding time (5-15 mins)	×	×	×	Cruise speed: 100 mph (161 km/h) Capacity: 4	Public	×

Table A2 (cont'd)

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
EASA (2021)	×	Pedestrian hitting likelihood vs cars	×	×	×	Public	Both
Goyal et al. (2021)	Boarding time: 3-5 mins Deboarding time: 2-3 mins Flight time: 20-30 mins Deadhead trip ratio: 25%-50% Travel cost: 3.13-9.37 USD/mile (2.38-7.12 USD/km) Annual number of flights: 1000-2000 h for 2+ seats aircrafts, and 500-1600 h for 2- seats aircrafts Passenger load factor: 50%-80% Capital and insurance cost: 12k-15k USD/flight hour, 5%-10% depreciation rate and 5%-10% finance rate Crew cost: 50 k-90 k USD/year for pilots, and 20 k-30 k USD/year for ground crew Infrastructure cost: 200 k-300 k USD/supercharger, or 10 k-20 k USD/regular charger	×	×	×	Altitude: 500-5000 ft (152-1524 m) Capacity: 1-5 Battery depth of discharge: 50%-80% Maintain cost: 60-100 USD/h, 0.25-1 maintenance manhours per flight hour Energy and battery cost: 300-400 Wh/kg, 200-250 USD/kWh battery capacity specific cost, 90%-98% energy conversion efficiency	Public	N
Haan et al. (2021)	Access/Egress time: Not provided, but the modes are private cars or ridesharing Waiting time: 4 mins Deadhead trip ratio: 25% Operating cost: 463-861 USD/h	×	Ride guarantee	×	Cruise speed: 125-175 mph (201-282 km/h) Range: 30-90 miles (48-145 km) Capacity: 3 Non-cruise distance/time: 8.78 miles (14.13 km), 8.58 mins	Public	N
Leonard et al. (2021)	Access + Egress time: 5-10 mins, didn't specify modes Travel cost: 50-125 USD per journey (0.76-7.60 USD/km) for 0-10 miles, 50-125 USD per journey (0.61-7.60 USD/km) for 11-20 miles, 75-150 USD per journey (0.76-4.56 USD/km) for 21-40 miles, 75-150 USD per journey (0.65-3.04 USD/km) for 41+ miles On-time performance: 90%-99.9%	×	Ride guarantee	×	Cruise speed: 150 mph (241 km/h) Capacity: 2-4 Range: 50 miles (80.45 km)	Public	Both
Park (2021)	×	×	×	×	×	×	Both

Table A2 (cont'd)

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Pukhova et al. (2021)	Number of vertiports: 74 Number of vehicles per station: 10-50 Travel cost: 5 EUR (6.93 USD) base fare + 1-7 EUR/km (1.39-9.70 USD/km) unit fare Throughput: 11,300 take-offs and 11,500 landings per day per vertiport Boarding time: 10-60 mins	×	×	×	Cruise speed: 100 km/h. Capacity: 1	Public	×
Rajendran et al. (2021)	Number of vertiports: 5-20	×	×	×	×	Public	×
Reiche et al. (2021)	×	×	×	×	×	×	×
Rimjha et al. (2021a)	Number of vertiports: 50-400 Processing + Boarding/Deboarding time: 5 mins Access/Egress time: Access mode is walking if the walking distance is within 0.4 miles, otherwise taxi Waiting time: 0-10 mins Travel cost: 2.2 USD base fare + 1-3 USD/mile (0.76-2.28 USD/km) unit fare	×	×	×	Cruise speed: 120 mph (193 km/h)	Public	×
Rimjha et al. (2021b)	Number of vertiports: 50-100 Arrivals and departures: 617 respectively Access time: Estimated by Open Street Routing Network. The access mode is walking if the distance is less than 0.1 mile (0.16 km), otherwise ridesharing Processing time + Boarding/Deboarding time: 5 mins Minimum Trip Distance for UAM Eligibility: 10 miles (16.09 km) Travel cost: 15 USD base fare+ 10-20 USD landing cost per UAM + 2.40-4.00 USD/mile (1.82-3.04 USD/km) unit fare	×	×	×	Cruise speed: 120 mph (193 km/h) Capacity: 4 Average occupancy: 2.4	Public	×
Rimjha et al. (2021c)	Number of vertiports: 50-100 Processing + Boarding/Deboarding time: 5 mins Access time: Estimated by Open Street Routing Network. The access mode is walking if the distance is less than 0.2 miles (0.32 km), otherwise ridesharing Travel cost: 15 USD base fare+ 20 USD landing cost per UAM + 1.40-3.00 USD/mile (1.06-2.28 USD/km) unit fare	×	×	×	Cruise speed: 120 mph (193 km/h) Range: 150 miles (241 km)	Public	×

Table A2 (cont'd)

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Rothfeld et al. (2021)	Number of vertiports: 4-130 All non-flying time 0-30 mins	×	×	×	Cruise speed: 80-300 km/h Vertical climbing time: 2 mins	Public	Y
Roy et al. (2021)	Operating cost: 662 USD/h Catchment area radius: 60-120 miles (97-193 km) Deadhead trip ratio: 15%-35%	×	×	×	Cruise speed: 100-200 mph (161-322 km/h) Capacity: 1-4 Range: 60 miles (96 km)	Public	×
Straubinger et al. (2021)	×	×	×	×	×	×	×
Wai et al. (2021)	Travel cost: 8.4 SGD/km (7.55 USD/km)	×	×	×	Cruise speed: 100 km/h	Public	Y
Ward et al. (2021)	×	×	×	×	×	×	Y
Zapico et al. (2021)	Travel cost: 5.73 USD per mile (4.35 USD/km) in the initial term, 1.86 USD per mile (1.41 USD/km) in the mid-term, 0.44 USD per mile (0.33 USD/km) in the long term All non-flying time (except for access/egress): 5-20 mins	×	×	×	Cruise speed: 150 mph (241 km/h)	Public	×
Al Haddad et al. (2020a)	Boarding + Deboarding time: 5 mins Waiting time: 5 mins on average Access time: Not provided	×	×	×	Cruise speed: 150 km/h Capacity: 4	Public	Y
Al Haddad et al. (2020b)	Number of vehicles per station: 10-100 All non-flying time: 10-30 mins Travel cost: 0-10 EUR (0.00-15.70 USD) base fare + 1-5 EUR/km (1.57-7.85 USD/km) unit fare	A key performance indicator	×	×	Cruise speed: 50-300 km/h Capacity: 2-4	Public	Y
Behme and Planing (2020)	×	×	×	×	×	×	Both
Chancey (2020)	×	×	×	×	×	×	Both
Edwards and Price (2020)	×	×	×	×	×	×	Both
Eker et al. (2020a)	×	×	×	×	×	Private	×
Eker et al. (2020b)	×	×	×	×	×	Private	×

Table A2 (cont'd)

Study		Assumptions mapped to this study's classification					
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Ferreira (2020)	×	×	×	×	×	Public	Y
Fu et al. (2020)	Number of vertiports: 24-130 Fleet size: 10-100 vehicles per vertiport All non-flying time: 10-30 mins Travel cost: 0-10 EUR (0.00-14.00 USD) base fare + 1-5 EUR/km (1.40-7.00 USD/km) unit fare	×	×	×	Cruise speed: 50-300 km/h Capacity: 2-4	Public	×
Garrow et al. (2020)	×	×	×	×	×	×	×
Mayakonda et al. (2020)	Vertiport density: 150-450 km ² /vertiport Access/Egress time: Not provided; the mode is ridesharing Boarding time: 5 mins Deboarding time: 2 mins Travel cost: 0.38-9.21 USD/km	×	×	×	Cruise speed: 240 km/h	Public	×
Ploetner et al. (2020)	Number of vertiports: 24-130 Fleet size: 10-1000 vehicles per vertiport Vertiport size: 4160 m ² (small) and above 20000 m ² (large) All non-flying time: 10-30 mins Travel cost: 0-10 EUR (0.00-14.33 USD) base fare + 1-5 EUR/km (1.43-7.17 USD/km) unit fare	×	×	×	Cruise speed: 50-350 km/h Altitude: 800 m maximum	Public	×
Ragbir et al. (2020)	×	×	×	×	×	Public	Y
Rautray et al. (2020)	×	×	×	×	×	Both	Y
Winter et al. (2020)	×	×	×	×	×	Public	Y
Balac et al. (2019a)	Number of vertiports: 10 All non-flying time (except for access/egress time): 0-12 mins Travel cost: 3-60 CHF base fare (3.95-79.03 USD) + 0.6-4.2 CHF/km (0.79-5.53 USD/km) unit fare	×	×	Ridesharing disabled	Cruise speed: 60-240 km/h Capacity: 1 Altitude: 600 m Vertical climbing time: 60 s	Public	×

Table A2 (cont'd)

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Balac et al. (2019b)	Access time: 2-10 mins, didn't specify access/egress modes Travel cost: 4 CHF (5.37 USD) base fare + 2-4 CHF/km (2.68-5.37 USD/km)	×	×	Ridesharing disabled	Cruise speed: 72-108 km/h Capacity: 1 Liftoff time: 120-600 s	Public	Both
Boddupalli (2019)	×	×	Ride guarantee	×	×	Public	×
Eker et al. (2019)	×	×	×	×	×	×	×
Fu et al. (2019)	Walking + Waiting time: 5-10 mins Travel cost: 1-5 EUR/km (1.56-7.81 USD/km)	Safety level compared to driving as an attribute in SP survey	×	×	×	Public	Y
Garrow et al. (2019)	Access/Egress time: 10-20 mins, didn't specify modes Travel cost: 5-10 USD per journey (0.04-0.17 USD/km for 0-24 miles travel distance, 5-20 USD per journey (0.04-0.35 USD/km for 25-39 miles, 40-54 USD per journey (0.05-0.52 USD/km for 40-54 miles, 20-45 USD per journey (0.09-0.47 USD/km) for 55+ miles	×	Ride guarantee	Sharing space with strangers or not, included as an attribute of the SP survey	Cruise speed: 170-200 mph (274-322 km/h) Capacity: 2-4	Public	N
Hasan (2019)	×	×	×	×	Capacity: 2-5 Payload: ~1,000 pounds (453.59 kg) Range: 10-70 miles (16.09-112.65 km)	Public	Y
Planing and Pinar (2019)	×	×	×	×	×	Public	Y
Yedavalli and Mooberry (2019)	×	×	×	×	Altitude: 800-1000 ft (243.84-304.80 m)	Public	Y
Al Haddad (2018)	Boarding + Deboarding time: 5 mins	×	×	×	Cruise speed: 150 km/h Capacity: 4	Public	Y

Table A2 (cont'd)

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Becker et al. (2018)	×	×	×	×	×	×	×
Binder et al. (2018)	Access/Egress time: 10-20 mins, didn't specify modes Travel cost: 5-10 USD per journey (0.04-0.17 USD/km) for 0-24 miles travel distance, 5-20 USD per journey (0.04-0.36 USD/km) for 25-39 miles, 40-54 USD per journey (0.05-0.53 USD/km) for 40-54 miles, 20-45 USD per journey (0.09-0.47 USD/km) for 55+ miles	×	Ride guarantee	Sharing space with strangers or not, included as an attribute of the SP survey	Cruise speed: 150 mph (241 km/h) Capacity: 2-4	Public	N
Reiche et al. (2018)	Load factor: 50%-80% Boarding/Deboarding time: 3-5 mins/2-3 mins Outside of mission time: 20-30 mins Deadhead trip ratio: 25%-50% Annual number of flights: 1000-2000 h for 2+ seats aircrafts, and 500-1600 h for 2- seats aircrafts Detour factor: 5%-15% Infrastructure cost: 200 k-300 k USD/supercharger, or 10 k-20 k USD/regular charger Capital and insurance cost: 12k-15k USD/flight hour, 5%-10% depreciation rate and 5%-10% finance rate Crew cost: 50 k-90 k USD/year for pilot salary, and 20 k-30 k USD/year for ground crew salary Travel cost: 5 USD/mile (4.10 USD/km)	×	×	Whether prefer to share space with other passengers is included in attitude questions	Capacity: 1-5 Altitude: 500-5000 ft (152-1524 m) Battery depth of discharge: 50%-80% Maintain cost: 60-100 USD/h, 0.25-1 maintenance manhours per flight hour Energy and battery cost: 300-400 Wh/kg, 200-250 USD/kWh, 90%-98% energy conversion efficiency	Public	Both
Rothfeld et al. (2018a)	Fleet size: 50-300 vehicles Number of vertiports: 4-10 Processing + Boarding/Deboarding time: 0.5-20 mins	×	×	×	Cruise speed: 50-450 km/h lift/descending speed: 5-20 m/s Capacity: 1-12 Altitude: 250-1000 m	Public	×
Shaheen et al. (2018)	Travel cost: 5 USD/mile (4.10 USD/km)	×	×	Whether prefer to share space passengers is included in attitude questions	×	Public	Both
Sivak and Schoettle (2017)	×	×	×	×	×	Both	Both

Table A2 (cont'd)

Study	Assumptions mapped to this study's classification						
	System and service	Safety	Reliability	Sharing with other passengers	Vehicle design parameters	Private vs public transport	Autonomous or not
Kreimeier et al. (2017)	Access/Egress time: Did not specify time. The access/egress modes are car or ridesharing Travel cost: 0.2-0.4 EUR/km (0.29-0.58 USD/km) Transition time: 10 mins Taxiing time: 10 mins	×	×	×	Cruise speed: 250-400 km/h Capacity: 4	Public	Y
Syed et al. (2017a)	Number of vertiports: 200-1000 Waiting + Deboarding time: 0-14 mins Access time: Walking if the distance is greater than 0.25 miles (0.4 km), and otherwise ridehailing Travel cost: 15 USD base fare + 0.15 USD/mile (0.13 USD/km) landing fee + 0.75-1.63 USD/mile (0.63-1.37 USD/km) unit fare	×	×	×	Cruise speed: 130 mph (209 km/h) Capacity: 2-4	Public	Both
Syed et al. (2017b)	Number of vertiports: 200-1000 Waiting + Deboarding time: 10-14 mins Access time: Walking if the distance is greater than 0.25 miles (0.4 km), and otherwise ridehailing Travel cost: 15 USD base fare +0.15 USD/mile (0.13 USD/km) landing fare + 0.75-1.63 USD/mile (0.63-1.37 USD/km) unit fare	×	×	×	Cruise speed: 130 mph (209 km/h) Capacity: 2-4	Public	Both

Table A3 Summary of VOT and WTP by studies

Region	Study	VOT
Spatial pattern: Intracity; Trip purpose: Commute/Business; Income level: Not specified		
Asia	Jiang et al. (2026)	94.28 CNY/h (13.90 USD/h)
	Bi et al. (2025)	29.07 CNY/h (4.20 USD/h)
	Zhao and Feng (2025)	9.90 CNY/h (1.43 USD/h) (Commuting time: 15 mins, Commuting cost: 80 CNY)
	Zhao et al. (2025a)	101.98 CNY/h (14.71 USD/h) (Bike + UAM)
		102.80 CNY/h (14.83 USD/h) (PT + UAM)
		145.88 CNY/h (21.04 USD/h) (Taxi + UAM)
		90.03 CNY/h (12.99 USD/h) (Car + UAM)
Australia	Said et al. (2026)	57.19 USD/h
Europe	Coppola et al. (2025)	44 EUR/h (47.11 USD/h)
	Coppola et al. (2024a)	51 EUR/h (58.10 USD/h)
	Fu et al. (2020)	44.68 EUR/h (62.56 USD/h)
	Ploetner et al. (2020)	44.68 EUR/h (64.03 USD/h)
	Fu et al. (2019)	44.68 EUR/h (69.48 USD/h)

Table A3 (cont'd)

Region	Study	VOT
US	Said et al. (2026)	80.71 USD/h
	Said et al. (2026)	94.06 USD/h
	Boddupalli et al. (2024)	27.67 USD/h
	Chen et al. (2024)	44.68 EUR/h (52.84 USD/h)
	Goyal et al. (2021)	×
	Haan et al. (2021)	31.42 USD/h (for income 100k USD/year)
	Boddupalli (2019)	32.15 USD/h
	Hasan (2019)	×
	Reiche et al. (2018)	×
	Shaheen et al. (2018)	×
Global	Anand et al. (2021)	80% to 100% of earnings per unit time
	Mayakonda et al. (2020)	80% to 100% of earnings per unit time
Spatial pattern: Intracity; Trip purpose: Non business/commute; Income level: Not specified		
Asia	Dou et al. (2026)	3968.28 USD/h
	Jiang et al. (2026)	33.90 CNY/h (5.00 USD/h)
Europe	Coppola et al. (2025)	34 EUR/h (36.40 USD/h)
	Coppola et al. (2024a)	39 EUR/h (44.43 USD/h)
	Zaps and Chankov (2022)	26.47 EUR/h (29.21 USD/h)
	Fu et al. (2019)	44.68 EUR/h (69.48 USD/h)

Table A3 (cont'd)

Region	Study	VOT
US	Chen et al. (2024)	44.68 EUR/h (52.84 USD/h)
	Goyal et al. (2021)	×
	Hasan (2019)	×
	Reiche et al. (2018)	×
	Shaheen et al. (2018)	×
Global	Anand et al. (2021)	35%-60% of earnings per unit time
	Mayakonda et al. (2020)	35%-60% of earnings per unit time
Spatial pattern: Intracity; Trip purpose: Not specified; Income level: Not specified		
Aisa	Wu et al. (2026)	859 CNY/h (126.60 USD/h) for shared UAM service 923 CNY/h (136.04 USD/h) for non-shared UAM service
	Zhao et al. (2026)	140 CNY/h (20.28 USD/h)
	Chae et al. (2024)	39.19 USD/h
	Karimi et al. (2024)	795,000 IRR/h (29.98 USD/h)
	Hwang and Hong (2023)	6.86 thousand KRW/h (5.55 USD/h) for short-distance
		40.33 thousand KRW/h (32.62 USD/h) for long-distance
	Cho and Kim (2022)	34.45 thousand KRW/h (29.96 USD/h)

Table A3 (cont'd)

Region	Study	VOT
Europe	Riza et al. (2024)	×
	Balac et al. (2019a)	9.04 CHF/h (16.06 USD/h)
	Balac et al. (2019b)	20.90 CHF/h (28.04 USD/h)
US	Chen (2022)	23.55 USD/h
Global	Asmer et al. (2024)	Determined by GDP per capita
Spatial pattern: Intercity; Trip purpose: Commute/business; Income level: Low income		
Europe	Rothfeld (2022)	7 EUR/h (8.47 USD/h)
US	Rimjha et al. (2021a)	10.97 USD/h
Spatial pattern: Intercity; Trip purpose: Commute/business; Income level: Median income		
US	Rimjha et al. (2021a)	12.80 USD/h
Spatial pattern: Intercity; Trip purpose: Commute/business; Income level: High income		
Europe	Rothfeld (2022)	21 EUR/h (25.40 USD/h)
US	Rimjha et al. (2021a)	20.58 USD/h
Spatial pattern: Intercity; Trip purpose: Commute/business; Income level: Not specified		
Asia	Samadzad et al. (2024)	1,338.31 thousand IRR/h (50.48 USD/h)
Europe	Norte et al. (2023)	8.10 EUR/h (9.57 USD/h)
	Fu et al. (2020)	44.68 EUR/h (62.56 USD/h)
	Ploetner et al. (2020)	44.68 EUR/h (64.03 USD/h)

Table A3 (cont'd)

Region	Study	VOT
US	Chen et al. (2024)	44.68 EUR/h (52.84 USD/h)
	Syed et al. (2017b)	34.18 USD/h
Spatial pattern: Intercity; Trip purpose: Non business/commute trip; Income level: Low income		
Europe	Rothfeld (2022)	5 EUR/h (6.05 USD/h)
Spatial pattern: Intercity; Trip purpose: Non business/commute; Income level: High income		
Europe	Rothfeld (2022)	16 EUR/h (19.35 USD/h)
Spatial pattern: Intercity; Trip purpose: Non business/commute; Income level: Not specified		
Asia	Samadzad et al. (2024)	Travel time not significant
US	Chen et al. (2024)	44.68 EUR/h (52.84 USD/h)
Spatial pattern: Intercity; Trip purpose: Not specified; Income level: Not specified		
Asia	Wu et al. (2026)	859 CNY/h (126.60 USD/h) for shared UAM service 923 CNY/h (136.04 USD/h) for non-shared UAM service
	Hwang and Hong (2023)	29.62 thousand KRW/h (23.96 USD/h)
Europe	Zaps and Chankov (2022)	Not significant
	Balac et al. (2019a)	9.04 CHF/h (16.06 USD/h)
	Balac et al. (2019b)	20.90 CHF/h (28.04 USD/h)
US	Song et al. (2024)	21.91 USD/h

Table A3 (cont'd)

Region	Study	VOT
Spatial pattern: Airport shuttle; Trip purpose: Business; Income level: Low income		
Europe	Rothfeld (2022)	50 EUR/h (60.47 USD/h)
US	Roy et al. (2021)	80%-120% of hourly income (2.08-3.12 USD/h)
Spatial pattern: Airport shuttle; Trip purpose: Business; Income level: Middle income		
US	Roy et al. (2021)	80%-120% of hourly income (8.86-13.30 USD/h)
Spatial pattern: Airport shuttle; Trip purpose: Business; Income level: High income		
Europe	Rothfeld (2022)	147 EUR/h (177.80 USD/h)
US	Roy et al. (2021)	80%-120% of hourly income (28.30-42.46 USD/h)
Spatial pattern: Airport shuttle; Trip purpose: Business; Income level: Not specified		
Europe	Coppola et al. (2025)	69 EUR/h (73.88 USD/h)
	Coppola et al. (2024a)	105 EUR/h (119.62 USD/h)
	Coppola et al. (2024b)	95 EUR/h (112.35 USD/h)
US	Rimjha et al. (2021b)	69.01 USD/h for residents, 70.30 USD/h for visitors
	Rimjha et al. (2021c)	63.57 USD/h

Table A3 (cont'd)

Region	Study	VOT
Spatial pattern: Airport shuttle; Trip purpose: Non business/commute; Income level: Low income		
US	Roy et al. (2021)	60%-90% of hourly income (1.56-2.34 USD/h)
Spatial pattern: Airport shuttle; Trip purpose: Non business/commute; Income level: Middle income		
US	Roy et al. (2021)	60%-90% of hourly income (6.65-9.98 USD/h)
Spatial pattern: Airport shuttle; Trip purpose: Non business/commute; Income level: High income		
US	Roy et al. (2021)	60%-90% of hourly income (21.22-31.85 USD/h)
Spatial pattern: Airport shuttle; Trip purpose: Non business/commute; Income level: Not specified		
Europe	Coppola et al. (2025)	48 EUR/h (51.39 USD/h)
	Coppola et al. (2024a)	72 EUR/h (82.02 USD/h)
	Coppola et al. (2024b)	71.25 EUR/h (84.26 USD/h)
	Rothfeld (2022)	37.50 EUR/h (45.36 USD/h) for non-residents 25 EUR/h (30.24 USD/h) for residents
US	Rimjha et al. (2021b)	39.78 USD/h for residents, and 44.48 USD/h for visitors
	Rimjha et al. (2021c)	26.90 USD/h

Table A3 (cont'd)

Region	Study	VOT
Spatial pattern: Airport shuttle; Trip purpose: Not specified; Income level: Not specified		
Asia	Kwon et al. (2026)	42.20 USD/h
	Belgiawan et al. (2025)	33.867 thousand IDR/journey (2.15 USD/h)
	Jang et al. (2025)	18.07 thousand KRW/h (12.62 USD/h)
	Chae et al. (2024)	39.19 USD/h
	Samadzad et al. (2024)	482.14 thousand IRR/h (29.98 USD/h)
	Cho and Kim (2022)	33.35 thousand KRW/h (29.01 USD/h)
	Gerardus et al. (2024)	79.20-528.02 USD/h
Europe	Mehrabani et al (2026)	18.79 EUR/h (22.23 USD/h)
	Adamidis et al. (2025)	70 EUR/h (78.29 USD/h)
	Zaps and Chankov (2022)	×
	Appel et al. (2023)	×
	Brunelli et al. (2023)	28 EUR/h (32.25 USD/h) in the base model
		32.29 EUR/h (37.09 USD/h) (in the model considering affinity to automation
		42.18 EUR/h (48.58 USD/h) in the model considering car availability and travel reason
	Fu et al. (2020)	44.68 EUR/h (62.56 USD/h)
	Ploetner et al. (2020)	44.65 EUR/h (64.03 USD/h)
	Balac et al. (2019a)	9.04 CHF/h (16.06 USD/h)

Table A3 (cont'd)

Region	Study	VOT
US	Nazari et al. (2026)	72.74 USD/h
	Subedi and Singleton (2026)	87.03 USD/h
	Reiche et al. (2018)	×
	Shaheen et al. (2018)	×
Spatial pattern: Not specified; Trip purpose: Not specified; Income level: Not specified		
Asia	Chen et al. (2025)	<i>Equals to passengers' income per hour</i>

Note: *Italicised* values represent assumptions made in the studies, not results derived from behavioural analysis models.

Table A4 Summary of VOT and WTP by region, trip purpose and income level

Region	VOT_mean (USD/h)	VOT_std (USD/h)	VOT_median (USD/h)	VOT_IQR (USD/h)	Sample size of VOT
Spatial pattern: Intracity; Trip purpose: Commute/business; Income level: Not specified					
Asia	11.87	6.76	13.90	6.18	7
Australia	57.19	N/A	57.19	0.00	1
Europe	59.31	7.29	62.56	5.93	5
US	53.14	28.27	42.50	42.14	6
Spatial pattern: Intracity; Trip purpose: Non business/commute; Income level: Not specified					
Asia	5.00	N/A	5.00	0.00	1
Europe	43.70	15.35	40.42	14.91	4
US	52.84	N/A	52.84	0.00	1
Spatial pattern: Intracity; Trip purpose: Not specified; Income level: Not specified					
Asia	51.28	50.48	31.29	40.84	8
Europe	22.05	8.47	22.05	5.99	2
US	23.55	N/A	23.55	0.00	1
Spatial pattern: Intercity; Trip purpose: Commute/business; Income level: Low income					
Europe	8.47	N/A	8.47	0.00	1
US	10.97	N/A	10.97	0.00	1
Spatial pattern: Intercity; Trip purpose: Commute/business; Income level: Middle income					
US	12.80	N/A	12.80	0.00	1
Spatial pattern: Intercity; Trip purpose: Commute/business; Income level: High income					
Europe	25.40	N/A	25.40	0.00	1
US	20.58	N/A	20.58	0.00	1
Spatial pattern: Intercity; Trip purpose: Commute/business; Income level: Not specified					
Asia	33.65	N/A	33.65	0.00	1
Europe	45.39	22.81	62.56	27.23	3
US	43.51	13.19	43.51	9.33	2

Table A4 (cont'd)

Region	VOT_mean (USD/h)	VOT_std (USD/h)	VOT_median (USD/h)	VOT_IQR (USD/h)	Sample size of VOT
Spatial pattern: Intercity; Trip purpose: Non business/commute; Income level: Low income					
Europe	6.05	N/A	6.05	0.00	1
Spatial pattern: Intercity; Trip purpose: Non business/commute; Income level: High income					
Europe	19.35	N/A	19.35	0.00	1
Spatial pattern: Intercity; Trip purpose: Non business/commute; Income level: Not specified					
US	52.84	N/A	52.84	0.00	1
Spatial pattern: Intercity; Trip purpose: Not specified; Income level: Not specified					
Asia	95.53	62.16	126.60	56.04	3
Europe	22.05	8.47	22.05	5.99	2
US	21.91	N/A	21.91	0.00	1
Spatial pattern: Airport shuttle; Trip purpose: Commute/Business; Income level: Low income					
Europe	60.47	N/A	60.47	0.00	1
US	2.60	N/A	2.60	0.00	1
Spatial pattern: Airport shuttle; Trip purpose: Commute/Business; Income level: Middle income					
US	11.08	N/A	11.08	0.00	1
Spatial pattern: Airport shuttle; Trip purpose: Commute/Business; Income level: High income					
Europe	177.80	N/A	177.80	0.00	1
US	35.38	N/A	35.38	0.00	1
Spatial pattern: Airport shuttle; Trip purpose: Commute/Business; Income level: Not specified					
Europe	101.95	24.58	112.35	22.87	3
US	67.63	3.57	69.01	3.37	3

Table A4 (cont'd)

Region	VOT_mean (USD/h)	VOT_std (USD/h)	VOT_median (USD/h)	VOT_IQR (USD/h)	Sample size of VOT
Spatial pattern: Airport shuttle; Trip purpose: Non business/commute; Income level: Low income					
US	1.95	N/A	1.95	0.00	1
Spatial pattern: Airport shuttle; Trip purpose: Non business/commute; Income level: Middle income					
US	8.32	N/A	8.32	0.00	1
Spatial pattern: Airport shuttle; Trip purpose: Non business/commute; Income level: High income					
US	26.54	N/A	26.54	0.00	1
Spatial pattern: Airport shuttle; Trip purpose: Non business/commute; Income level: Not specified					
Europe	58.65	23.66	51.39	36.66	5
US	37.05	9.10	39.78	8.79	3
Spatial pattern: Airport shuttle; Trip purpose: Not specified; Income level: Not specified					
Asia	62.99	107.14	29.01	28.33	7
Europe	45.70	22.96	42.84	33.18	8
US	79.89	10.10	79.89	7.15	2

Table A5 Summary of the coefficients and odd-ratios of socio-economic factors (UAM compare to car)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Acharya et al. (2026)	×	×	×	×	×	×	×
Alsaleh et al. (2026)	×	Trip purpose: Not significant Trip congestion: Positive Trip distance: Mixed Day of travel (weekday/weekend): Not significant	×	×	×	×	×
Cai et al. (2026)	×	×	×	×	×	×	×
Dou et al. (2026)	×	×	×	×	Class membership model only	Class membership model only	×
Hu et al. (2026)	Safety concern (perceived risk): Negative	×	×	×	×	×	×
Jiang et al. (2026)	×	Discretionary activity: Car ownership: -0.406 (0.666) Daily travel cost: 0.689 (1.992) Mandatory activity: Car ownership: -0.777 (0.460) Daily travel cost: 0.614 (1.848)	Discretionary activity: 0.386 (1.471) Mandatory activity: Not significant	Discretionary activity: Male: 0.458 (1.581) Mandatory activity: Not significant	Discretionary activity: 0.469 (1.598) Mandatory activity: 0.605 (1.831)	×	Discretionary activity: Not significant Mandatory activity: 0.646 (1.908)
Kim et al. (2026)	×	×	×	×	×	×	×
Ko et al. (2026)	×	×	Positive	×	Positive	×	×
Kwon et al. (2026)	×	×	×	×	×	×	×

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Lee et al. (2026a)	×	×	×	×	×	×	×
Lee et al. (2026b)	Perceived safety (Trust in service): Positive	×	×	Mixed	×	×	×
Lee and Kim (2026)	Safety concern: Negative	Airport shuttle: Travel mode: Car: Positive, PT: Mixed Travel distance: Positive Commuting trip: Travel mode: Car: Positive, PT: Negative Travel distance: Positive	Airport shuttle: Negative Commuting trip: Mixed	Male: Positive	Positive	×	Airport shuttle: Negative Commuting trip: Positive
Li et al. (2026)	Perceived risk: Not significant	×	Not significant	×	Positive	×	Not significant
Mehrabani et al. (2026)	×	Cabin class: 0.139 (1.150) Smaller party size: 0.912 (2.489)	18-34: -0.147 (0.863)	×	×	×	×
Miniaoui et al. (2026)	Safety concern: Not significant	×	×	×	×	×	×
Nazari et al. (2026)	Safety concern (Acrophobia): -0.151 (0.860)	Primary driver of household vehicles: 0.88 (2.399) Air travel experience: Frequent in premium first class: 0.53 (1.70), Frequent in economy class: 0.30 (1.36), Non-frequent in premium economy/business/first class: 0.24 (1.27)	×	Not significant	Low income level (<\$75K): -0.21 (0.81) High income level (≥\$150K): 0.71 (2.04)	×	<bachelor's degree: 0.49 (1.63) >bachelor's degree: Not significant

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Said et al. (2026)	Perceived safety: Positive	×	Negative	×	Positive	×	×
Su et al. (2026)	Perceived risk: Negative	×	Mixed	Mixed	Mixed	×	×
Subedi and Singleton (2026)	×	×	×	×	×	×	×
Sun (2026)	Safety concern (perceived risk): Negative	×	×	×	×	×	×
Wu et al. (2026)	×	×	Negative to shared UAM	Male: Negative to shared UAM	Negative to shared UAM	×	×
Xie and Liao (2026)	Safety concern (perceived risk): Negative	Experience of electric micromobility-sharing service: Not significant Experience of electric car-sharing services: Not significant	Negative	Not significant	Positive	×	Not significant
Zhang et al. (2026a)	Safety concern (perceived risk): Negative	Trip frequency: Negative Car ownership: Positive	Negative	Not significant	Positive	Student: Negative	Negative
Zhang et al. (2026b)	×	Trip purpose: Business trip: Negative Leisure trip: Positive Cabin class: Business or 1st: Positive Car ownership: Negative	Negative	×	Mixed	×	Positive

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Zhao et al. (2026)	Safety concern (perceived risk): Negative	×	×	×	×	×	×
Adamidis et al. (2025)	×	Car ownership: -1.28 (0.28) Driving license: Not significant Current travel mode (car): Not significant Current travel mode (PT): 1.98 (7.24) Usual trip purpose business: 1.83 (6.23)	≥ 50: -0.94 (0.39)	Not significant	<3000 EUR/month: -0.76 (0.47) ≥ 7000 EUR/month: 3.33 (27.94)	×	×
Appel et al. (2025)	Perceived safety: Positive	×	×	×	×	×	×
Belgiawan et al. (2025)	Perceived safety: Positive	×	Negative	Not significant	Mixed	×	×
Benchebkroun et al. (2025)	×	×	×	×	×	×	×
Bi et al. (2025)	×	×	×	×	×	×	×
Chan et al. (2025)	×	×	×	×	×	×	×
Chen et al. (2025)	×	Car ownership: Not significant	0.226 (1.254)	Not significant	-0.442 (0.643)	×	×

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Coppola et al. (2025)	×	×	Intracity trip: >45: not significant Airport shuttle: >45: -0.20 (0.82)	×	Intracity trip: >120K EUR/year: not significant Airport shuttle: >120K EUR/year: 1.37 (3.91)	Intracity trip: Employed: 0.35 (1.42) Airport shuttle: Employed: not significant	×
Decaro et al. (2025)	×	×	×	×	×	×	×
Eißfeldt and Biella (2025)	×	×	×	×	×	×	×
Garrow et al. (2025)	×	Congestion: Positive Air travel frequency: Positive Commuting time: Positive	Less likely to be 65+	Male: Positive	×	×	Negative
Hu et al. (2025)	Safety concern: Negative	Driving license: Positive	Perceived usefulness, perceived ease of use, initial trust and personal innovativeness: Positive Perceived safety risk: Positive	Male: Positive	×	Freelancer: Positive	Negative

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Jang et al. (2025)	×	Usual mode for daily life: Private car: base; PT: -1.24 (-0.29); Taxi: 1.29 (3.63); Micromobility: 1.18 (3.25); Walk: -0.83 (0.44); Other: -2.27 (0.10) Time to arrive at airport before flight: <1 h: 0.60 (1.83); 1-2 h: base; 2-3 h: -0.98 (0.38); >3 h: -0.65 (0.52) Purpose of using airport: Travels: base; Business: -0.17 (0.85); Others: 0.29 (1.33) International flight frequency: <=1: base; >1: 0.43 (1.53) Experience of business or first class seats: Only business: 0.49 (1.62); Both business and first class: 1.21 (3.35); No experience: base Most-utilised airline type: Full-service: 0.02 (1.02); Low-cost: - 0.16 (0.85); Foreign airlines: base	20-30s: 0.72 (2.05) 40-50s: 0.69 (1.99) >60s: base	Not significant	<5 millions KRW: base ≥ 5 millions KRW: 0.50 (1.65)	×	High school: base Bachelor: -0.69 (0.50) Master or higher: - 0.97 (0.38)
Jin and Chambers (2025)	×	Air travel frequency: positive	×	×	×	×	×
Johnson (2025)	×	Commuting time: Negative	Positive	Male: Positive	×	×	Positive

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Kim et al. (2025)	×	Car ownership: Not significant Mode for airport access: Private car: 0.29 (1.34) Public transport: Not significant Taxi: 0.68 (1.97) Cost of airport access: 0.23 (1.26) Number of companions: 0.07 (1.08) Type of airline: Not significant Purpose of using airport: Work: 0.33 (1.38) Air travel frequency: 0.05 (1.05) Helicopter experience: 0.21 (1.24)	-0.01 (0.99)	Not significant	3-5 million KRW: -0.26 (0.77) 5-7 million KRW: -0.27 (0.76) ≥ 7 million KRW: -0.29 (0.75)	×	Not significant
Kim and Zhang (2025)	×	Manned control: Air travel frequency: Positive Mode for airport access: PT: not significant Travel time to airport: Positive Trip purpose: Leisure trips: Positive, Business trips: Positive Remotely piloted: Air travel frequency: Positive Mode for airport access: Not significant Travel time to airport: Not significant Trip purpose: Not significant Fully autonomous: Air travel frequency: Positive Mode for airport access: Not significant Travel time to airport: Not significant Trip purpose: Not significant	Manned control: Not significant Remotely piloted: 30-39: -0.308 (0.735), 40-49: -0.351 (0.704), 50-59: Not significant, 60 and above: -0.41 (0.664) Fully autonomous: 30-39: -0.314 (0.731), -0.333 (0.717), 50-59: -0.285 (0.752), 60 and above: -0.398 (0.672)	Manned control: Not significant Remotely piloted: Female: -0.367 (0.693) Fully autonomous: -0.614 (0.541)	Manned control: Not significant Remotely piloted: Not significant Fully autonomous: Not significant	×	Manned control: Not significant Remotely piloted: Not significant Fully autonomous: Not significant

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Li et al. (2025)	Perceived safety: Positive	×	×	×	×	×	×
Liao et al. (2025a)	Safety concern: Negative	×	×	×	×	×	×
Liao et al. (2025b)	Safety concern: Negative	Autonomous vehicle experience: Positive	×	×	×	×	×
Liu and Liu (2025)	Safety concern (perceived risk): Negative	×	×	×	×	×	×
Subedi et al. (2025)	×	×	×	×	×	×	×
Sunitiyoso et al. (2025)	Perceived safety: Positive	Air travel frequency: Positive Driving alone: Positive	Positive	×	×	Full time workers: Positive	×
Tang et al. (2025)	Perceived risk: Positive	×	×	×	×	×	×
Trapsilawati et al. (2025)	Perceived safety: Positive	Flying experience: Positive Accident history: Not significant Car ownership/Driving license: Positive Driving experience: Not significant	Not significant	Not significant	Positive	Not significant	×
Volakakis et al. (2025)	×	×	×	×	×	×	×

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Zhao and Feng (2025)	×	×	×	×	×	×	×
Zhao et al. (2025a)	×	Car ownership: Bike + UAT: Pay-as-you-go (PAYG): 1.02 (2.76); Mobility-as-a-Service (MaaS): 0.46 (1.59) PT + UAT: PAYG: 1.09 (2.96); MaaS: Not significant Taxi + UAT: PAYG: 0.64 (1.90); Subscribe: 0.46 (1.59) Car + UAT: PAYG: 0.98 (2.66); MaaS: 0.57 (1.77) Current travel mode (car): Bike + UAT: PAYG: Not significant; MaaS: 0.36 (1.44) PT + UAT: PAYG: 0.53 (1.69); MaaS: 0.37 (1.45) Taxi + UAT: PAYG: 0.87 (2.38); MaaS: 0.42 (1.52) Car + UAT: PAYG: 0.58 (1.79); MaaS: 0.47 (1.60) Helicopter experience: 0.58 (1.79) for all scenarios	18-44: Bike + UAT: PAYG: -0.62 (0.54); MaaS: -0.42 (0.66) PT + UAT: PAYG: -0.71 (0.49); MaaS: -0.33 (0.72) Taxi + UAT: PAYG: -0.66 (0.52); MaaS: -0.29 (0.75) Car + UAT: PAYG: -0.64 (0.53); MaaS: -0.38 (0.69)	Male: Bike + UAT: PAYG: -0.46 (0.63); PT + UAT: PAYG: -0.30 (0.74); Taxi + UAT: PAYG: -0.59 (0.55); Car + UAT: PAYG: -0.33 (0.72); Not significant for all MaaS scenarios	<150,000 CNY/year: Bike + UAT: PAYG: Not significant; MaaS: -0.48 (0.62) PT + UAT: PAYG: -0.38 (0.68); MaaS: -0.53 (0.59) Taxi + UAT: PAYG: -0.80 (0.45); MaaS: -0.58 (0.56) Car + UAT: PAYG: -0.62 (0.54); MaaS: -0.80 (0.45)	Manager: Bike + UAT: PAYG: 0.88 (2.41); PT + UAT: PAYG: 0.57 (1.76); Taxi + UAT: PAYG: 0.45 (1.57); Car + UAT: PAYG: 0.52 (1.68); Not significant for all MaaS scenarios	×
Zhao et al. (2025b)	Safety concern: Negative Perceived safety: Positive	×	18-34: Negative 35-44: Positive	Male: Mixed	<100,000 CNY/year: Negative 100,000–200,000 CNY/year: Positive	Manager and non-managerial staff: Negative	Bachelor's degree or below: Negative
Ahmed et al. (2024)	×	×	×	×	×	×	×

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Appel et al. (2024)	Perceived safety: Positive	×	×	×	×	×	×
Asmer et al. (2024)	×	×	×	×	×	×	×
Boddupalli et al. (2024)	×	Rideshare frequency: 1 × a year or less & never: base Once a week or more: 1.79 (5.989) Two or three a month: 1.51 (4.527) About once a month: 1.2 (3.320) About 4 to 11 × a year: 0.782 (2.186) About 2 or 3 × a year: 0.499 (1.647) Once a month or less (compared to transit): 0.915 (2.497)	18-34: 0.177 (1.194) 35-64: 0.331 (1.392) 65+ (compared to transit): -2.94 (0.053)	Male: 0.301 (1.351)	×	×	×
Chae et al. (2024)	Most considerable factor is safety: -4.27 (0.01); Factors not to want to use UAM is safety: not significant	Weekly taxi travel frequency: <2: -0.37 (0.69); 2-4 and >4: not significant Car ownership: Owned: -0.87 (0.42); Not owned: 0.72 (2.05)	<30: -0.52 (0.60) 30-39: 0.31 (1.36) 40-49: 0.30 (1.35) >49: not significant	Female: -0.37 (0.69)	Annual income (USD): <15.8k: -1.24 (0.29) 15.8-31.5k: not significant 31.5-47.2k: -0.38 (0.68) 47.2-63k: 1.02 (2.78) >63k: 0.55 (1.73)	×	×
Chen et al. (2024)	×	Main mode of transport: PT/carpool: -3.19 (0.04) Walking/bike: -4.23 (0.01)	46-65: -2.38 (0.09) >65: -3.70 (0.02)	×	>8,262 USD/month: 1.68 (5.37)	×	×
Coppola et al. (2024a)	×	×	Not significant	Not significant	>120K EUR: 2.00 (7.46) for airport shuttles, not significant for urban trips	Employed: 0.40 (1.49) in airport shuttles, 0.84 (2.32) in urban trips	×

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Coppola et al. (2024b)	Perceived UAM safety: 0.08 (1.08)	Travel expense refund available: - 0.04 (0.96) Milano Malpensa airport as origin/destination: 0.12 (1.122)	×	×	>120K EUR: 0.13 (1.14)	×	≥Master's degree: - 0.14 (0.87)
Coppola et al. (2024c)	Safety concern: - 0.63 (0.53)	Using taxis for daily travels: Taxi: 0.17 (1.18) Trip purpose: Business trip: 0.32 (1.38)	×	Female: -0.16 (0.85)	×	×	×
Geleceği et al. (2024)	×	×	Not significant	Not significant	Positive	×	Not significant
Gerardus et al. (2024)	×	×	×	×	×	×	×
Han (2024)	×	Frequency of visits to mountainous areas: Positive Frequency of visits to island areas: Negative	Not significant	Male: Negative	Positive	Not significant	Positive
Ison (2024a)	Perceived safety: Positive	×	Negative	Male: Positive	Highest in group 50,000-74,999 USD/year group	Employed: Positive	Not significant
Ison (2024b)	×	×	Negative	Not significant	Negative	Not significant	Not significant
Janotta and Hogreve (2024)	Perceived safety: Positive for adoption intention; not significant for WTP	×	×	×	×	×	×

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Karami et al. (2024)	Perceived safety:Positive	×	×	×	×	×	×
Karimi et al. (2024)	Perceived safety:Positive	Average daily trip duration: not significant Most used travel mode: not significant	18-24 male: not significant 18-24 female: 1.02 (2.77) 25-34 male: 0.61 (1.831) 25-34 female: not significant 35-44 male: not significant 35-44 female: 0.96 (2.62) 45-54 male: 0.51 (1.67) 45-54 female: not significant 55-64 male: not significant 55-64 female: −3.74 (0.024) More than 65 male: not significant More than 65 female: base	Much above: 0.95 (2.59) Above: 1.09 (2.97) Equal to public: not significant Below: not significant Much below: base	Unemployed: base Employed: Not significant Housewife: -0.53 (0.59) University student: not significant Retired: not significant	Unfinished high school: -0.54 (0.59) Highschool: not significant Associate degree: not significant Bachelor degree: 0.41 (1.51) Master of science degree: not significant PhD: base	

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Kim et al. (2024)	×	×	×	×	×	×	×
Mostofi et al. (2024)	Expected risk: negative	×	×	×	×	×	×
Park and Lee (2024)	User safety risk: Not significant	×	×	×	×	×	×
Qu et al. (2024)	×	×	×	×	×	×	×
Radic et al. (2024)	×	×	×	×	×	×	×
Riza et al. (2024)	×	×	Not significant	×	×	×	×

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Samadzad et al. (2024)	Safe guy: negative	Weekly business trip: Main mode: Car, Bike, Ride-hailing: not significant; Walking: 2.56 (12.94) Ride-hailing frequency: not significant Airport shuttle: Main mode: Car: -0.90 (0.41); PT: -0.35 (0.71); Ride-hailing: not significant Alternative mode of transport: Car: not significant; Ride-hailing: 0.35 (1.42) Number of days out of home mandatory activity: -0.51 (0.60) Walking time to PT station Less than 15 min: not significant 15-30 min: -0.35 (0.71) Ride-hailing frequency: Less than once a month: -0.71 (0.49); Once a month: -0.56 (0.57); Once a week: -0.61 (0.54); More than once a week: -0.50 (0.61) Trip purpose of using ride-hailing: not significant Car ownership: not significant Flight frequency: not significant Commuting time: not significant Tourism trip: Alternative mode of transport: not significant Ride-hailing usage frequency: Once a month or once a month: not significant More than once a week: 0.70 (2.0) Frequency of international flight per year: 3 or less: -0.74 (0.48)	Weekly business trip: 25-34: -2.26 (0.10) 35-44: -1.23 (0.29) 45-54: not significant Airport shuttle: 18-24: -0.35 (0.71) Tourism trip: not significant	Weekly business trip: not significant Airport shuttle: not significant Tourism trip: not significant	Weekly business trip: not significant Airport shuttle: not significant Tourism trip: Household monthly income: 20-30 million tomans: -0.48 (0.62)	Weekly business trip: not significant Airport shuttle: not significant Tourism trip: not significant	×

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Smith et al. (2024)	×	×	×	×	×	×	×
Song et al. (2024)	×	The number of ride-sourcing companies used in the past: 0: -0.85 (0.42); 1: 0.67 (1.96); 2: 5.23 (186.05) Experience of delay in trips: 0.20 (1.22) Car ownership: -0.09 (0.91)	-1.19 (0.31)	Female: -0.66 (0.52)	0.21 (1.23)	×	×
Suo et al. (2024)	Perceived safety: positive	×	×	×	×	×	×
Vizioli et al. (2024)	Safety is the primary concern	×	×	×	×	×	×
Vongvit et al. (2024)	Perceived usefulness (including safety): positive	×	×	×	×	×	×
Wu et al. (2024)	Perceived risk: negative	Number of private cars: Not significant	Higher on effort expectancy, hedonic motivation, and perceived risk; Lower on performance expectancy, social influence, and trust	Not significant	Not significant	×	Not significant
Yao et al. (2024)	Perceived risk: negative	×	×	Not significant	×	×	×
Yavuz (2024)	Perceived safety: positive	×	×	×	×	×	×

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Appel et al. (2023)	×	×	×	×	×	×	×
Ariza-Montes et al. (2023)	Perceived safety: not significant	×	×	×	×	×	×
Babetto et al. (2023a)	Safety is a main concern	×	×	×	×	×	×
Babetto et al. (2023b)	×	×	×	×	×	×	×
Bridgelall (2023a)	×	×	×	×	×	×	×
Bridgelall (2023b)	×	×	×	×	×	×	×
Brunelli et al. (2023)	×	Model with affinity to automation: Air travel frequency: 1.22 (3.39) Model with occupation, car availability and travel reason: Car ownership: -0.69 (0.50) Main air travel reason: Leisure: -0.51 (0.60) Mixed logit model: Air travel frequency: 1.25 (3.49)	Model with affinity to automation: <35: 1.19 (3.29) Model with occupation, car availability and travel reason: <35: 1.14 (3.13) Base mixed logit model: <35: 1.24 (3.46)	×	×	Model with occupation, car availability and travel reason: 0.50 (1.65)	×
Çınar and Tuncal (2023a)	Safety is a main concern	Benefits: PT usage: Positive Challenges: PT usage: Not significant	Benefits: Not significant Challenges: Negative	Benefits: Male: Positive Challenges: Not significant	Benefit: Not significant Challenges: Not significant	×	Benefit: Not significant Challenges: Not significant

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Çınar and Tuncal (2023b)	Safety is a main concern	×	×	×	×	×	×
Duca et al. (2023)	Safety is a main concern	×	×	×	×	×	×
Hwang and Hong (2023)	×	Short-distance intracity trip: Car ownership: not significant Main mode of transport: Subway: 1.26 (3.53); Car: -2.71 (0.07); Bus and taxi: not significant Cost for commuting (1,000 won): 0.21 (1.23) Time for commuting (min): not significant Long-distance intracity trip: Car ownership: not significant Main mode of transport: Subway and taxi: not significant; Bus: 1.45 (4.26); Car: 1.26 (3.52) Cost for commuting (1,000 won): not significant Time for commuting (min): not significant Intercity trip: Car ownership: not significant Main mode of transport: Subway and bus: not significant Taxi: 19.64 (3.38*10 ⁸) Car: -1.36 (0.26) Cost for commuting (1,000 won): not significant Time for commuting (min): not significant	Short-distance intracity trip: ≥60: 1.81 (6.09) Long-distance intracity trip: ≥60: 1.04 (2.82) Intercity trip: ≥60: -1.61 (0.20)	Short-distance intracity trip: Female: not significant Long-distance intracity trip: Female: not significant Intercity trip: Female: not significant	Short-distance intracity trip: ≥5,000,000 won: -1.22 (0.29) Long-distance intracity trip: ≥5,000,000 won: not significant Intercity trip: ≥5,000,000 won: not significant	Short-distance intracity trip: Student: not significant Long-distance intracity trip: Student: not significant Intercity trip: Student: not significant	Short-distance intracity trip: ≥University: not significant Long-distance intracity trip: ≥University: 0.70 (2.01) Intercity trip: ≥University: not significant

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Kalakou et al. (2023)	Possible vehicle collision: Not significant	Car Ownership and usage: Positive PT, usage: Negative Bike, shared vehicle, walking, taxi: Not significant driving licence: Not significant Car accident history: Not significant Major car accident: Positive	Positive	Male: Positive	Positive	Not significant	Not significant
Kim et al. (2023)	Perceived safety: Positive	×	×	×	×	×	×
Kim and Yee (2023)	×	×	×	×	×	×	×
Lee et al. (2023)	Perceived safety: Positive	×	×	×	×	×	×
Lopes and Silva (2023)	Safety is a main concern	×	×	×	Many people with no prior knowledge think UAM is only for high income	×	×
Lotz et al. (2023)	×	×	Not significant	Male: Positive	×	×	×
Norte et al. (2023)	×	×	×	×	Positive	×	×
Papenfuss et al. (2023)	×	×	×	×	×	×	×
Stolz et al. (2023)	Safety is a main concern	×	×	×	×	×	×

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Yavas et al. (2023)	General reliability: Positive	×	×	×	×	×	×
Ahmed et al. (2022)	×	×	Negative for relocation with the introduction of UAM	×	×	×	×
Çetin et al. (2022)	Safety is a main concern	×	×	×	×	×	×
Chen (2022)	×	Main mode of transport: PT/carpool: -3.19 (0.04); Walk/bike: -4.23 (0.01)	46-65: -2.38 (0.09) >65: -3.7 (0.02)	×	>8,600 USD/month: 1.68 (5.37)	×	×
Cho and Kim (2022)	Airport shuttle: -0.70 (0.50) Urban trip: -1.72 (0.18)	Airport shuttle: Reasons for experiencing helicopter: Leisure: 0.54 (1.72); Military duty: 0.55 (1.74) Business: 0.84 (2.32); Emergency: 2.99 (19.93) Urban trip: Reason of experiencing helicopter: Leisure: 0.40 (1.50) Military duty: 0.76 (2.13) Business: 0.44 (1.56) Emergency: 0.66 (1.94) Air Travel purpose: Commuting: -0.19 (0.83) Business: -0.28 (0.75) Leisure: 0.15 (0.116) Visiting relatives: -0.50 (0.61)	Airport shuttle: not significant Urban trip: not significant	Airport shuttle: Male: -0.35 (0.70) Urban trips: Male: not significant	Airport shuttle: Low income: -0.87 (0.42) High income: -0.37 (0.69) Urban trips: Low income: -0.47 (0.62) High income: -0.26 (0.78)	×	×
Jha et al. (2022)	×	×	×	×	×	×	×

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Johnson et al. (2022)	Higher trust in risky situations: Positive	Short commute time to work: Positive	Positive	Not significant	×	×	Negative
Rice et al. (2022)	×	×	×	×	×	×	×
Rothfeld (2022)	×	×	×	×	Higher income, higher VoT	×	×
Stolz and Laudien (2022)	Considered in the experiment	×	×	×	×	×	×
Tahmid (2022)	Safety is among the highest mentioned topic	×	×	×	×	×	×
Zaps and Chankov (2022)	×	×	×	×	×	×	×
Ahmed et al. (2021)	Safety concern: Mixed	Experienced at least two or more non-severe accidents in the last five years: Positive Vehicle maintenance cost: Positive Car ownership: Negative for willing to pay between \$3 and \$5 per mile more than the current taxi rate Annual mileage: Negative for pay between \$5 and \$10 per mile more than the current taxi rate Driving experience: Mixed	Negative	Willingness to use: Female: Positive for human operated UAM Willing to pay: not significant	Mixed	×	Willingness to use: College degree and mid income: Negative Willingness to use: College degree and high income: Negative

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Anand et al. (2021)	×	×	×	×	VOT is a function of income	×	×
Bagrutuni (2021)	Safety concern: Negative	×	×	×	×	×	×
Bulusu et al. (2021)	×	×	×	×	×	×	×
EASA (2021)	Safety is a main concern	×	Negative	Male: Positive	Positive	×	Negative
Goyal et al. (2021)	×	×	×	×	×	×	×
Haan et al. (2021)	×	Autonomous vehicle ownership: 0.25 (1.28)	×	×	VOT is a function of income	×	×
Leonard et al. (2021)	×	×	×	×	×	×	×
Park (2021)	Safety is a main concern in the interview	Main mode of transport: PT: Positive for willingness to use UAM services in traditional helicopter phase	×	Male: Positive for willingness to use UAM service in remotely piloted aviation system and fully automated system phase	Not significant for willingness to use UAM service in remotely piloted aviation system and fully automated system phase	×	×
Pukhova et al. (2021)	×	×	×	×	×	×	×
Rajendran et al. (2021)	×	×	×	×	×	×	×

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Reiche et al. (2021)	Improving safety due to adverse weather conditions is important	×	×	×	×	×	×
Rimjha et al. (2021a)	×	×	×	×	VOT is a function of income	×	×
Rimjha et al. (2021b)	×	×	×	×	×	×	×
Rimjha et al. (2021c)	×	×	×	×	×	×	×
Rothfeld et al. (2021)	×	×	×	×	×	×	×
Roy et al. (2021)	×	×	×	×	VOT is a function of income	×	×
Straubinger et al. (2021)	×	×	×	×	×	×	×
Wai et al. (2021)	×	×	×	×	×	×	×
Ward et al. (2021)	×	×	×	×	×	×	×
Zapico et al. (2021)	×	×	×	×	×	×	×

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Al Haddad et al. (2020a)	Safety concern: Early and late adopters: -0.34 (0.71)	Previous crash with injuries: immediate adopters: -2.42 (0.09) later and unsure adopters: -1.89 (0.15) PT as commuting mode: late adopters: 0.85 (2.34)	×	Female: -2.94 (0.05)	High income, late adopters: -1.42 (0.24)	Full time employment, earlier adopters: 0.63 (1.88)	PhD, earlier adopters: -1.43 (0.24)
Al Haddad et al. (2020b)	×	×	×	×	×	×	×
Behme and Planing (2020)	Safety concern: Negative	×	Negative	×	×	×	×
Chancey (2020)	Perceived risk: Negative for lower levels of automation	×	×	×	×	×	×
Edwards and Price (2020)	Perceived safety is important	×	×	×	×	×	×
Eker et al. (2020a)	Safety concern: Negative	Annual mileage: Mixed Accident history indicator: Mixed	Negative	Male: Positive	Mixed	×	Mixed
Eker et al. (2020b)	×	Annual mileage: Higher expectations regarding lower travel time; Lower expectations regarding lower fuel expense and CO ₂ emission; Higher concern about interaction with other vehicles on the roadway. Accident history: Higher concern about interaction with other vehicles on the airway; Lower concern about learning to use	Higher expectations regarding reliable travel time and lower CO ₂ emission. Higher concern about interaction with other vehicles on the roadway and airway, and performance in poor weather.	Male: Lower concern about interaction with other vehicles on the roadway and airway.	Higher expectations regarding lower travel time; Lower expectations regarding lower fuel expense and CO ₂ emissions; Higher concern about learning to use; Lower concern about interaction with other vehicles on the airway	×	×

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Ferreira (2020)	Safety concern: Negative	Adoption of shared mobility services: Positive Accident history: Positive	Not significant	Male: Positive	Not significant	×	×
Fu et al. (2020)	×	×	×	×	×	×	×
Garrow et al. (2020)	×	Ride-share frequency: Positive Air travel frequency: Positive Congestion in commuting trip: Positive Car ownership: Positive Hybrid car with HOV usage: Positive	Negative	Male: Positive	×	×	×
Mayakonda et al. (2020)	×	×	×	×	WTP is a function of income	×	×
Ploetner et al. (2020)	×	×	×	×	×	×	×
Ragbir et al. (2020)	×	×	×	×	×	×	×
Rautray et al. (2020)	Safety is a main concern	Regularly travel in congested traffic: Positive	Negative	×	×	×	×
Winter et al. (2020)	Fear new technology: Negative	×	×	×	×	×	×
Balac et al. (2019a)	×	×	×	×	Sensitivity to cost is a function of income	×	×

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Balac et al. (2019b)	×	×	×	×	×	×	×
Boddupalli (2019)	×	Air travel frequency: 1-6 trips/year: -0.137 (0.872) Congestion in commuting trips: 0.09 (1.094)	×	Not significant	150-199k USD/year: -0.026 (0.974)	×	×
Eker et al. (2019)	×	Driving experience: Mixed Annual mileage: Mixed	Negative	×	Mixed	×	Mixed
Fu et al. (2019)	×	Car ownership: Not owned: 0.06 (1.06) Main mode of transport: Car: base; PT: 0.14 (1.15) Cycling and walking: -0.35 (0.70)	18-45: base 46-55: not significant compared to PT 56-65: -0.42 (0.657) >65: -0.05 (0.951)	Not significant (compared to PT)	Compare to PT: <500: not significant 500-1000: 0.75 (2.12) 1000-2000: 0.5 (1.65) 2000-3000: 0.52 (1.68) 3000-6000: base; 6000-7000: -1.05 (0.35) >7000: 0.79 (2.20)	Working people: base Student: 0.13 (1.139)	×
Garrow et al. (2019)	×	×	×	×	×	×	×
Hasan (2019)	Safety is a main concern	Commuting/non-commuting trip time: Positive	×	×	Positive	×	×
Planing and Pinar (2019)	Safety is a main concern	×	×	×	×	×	×
Yedavalli and Mooberry (2019)	Safety is a main concern	Commute time: Positive Main mode of transport: PT and ridesharing: Positive; Biking: Negative; Driving and walking: Not significant	Negative	Male: Positive	Positive	×	Positive

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Al Haddad (2018)	Safety concern: -0.26 (0.77) for early and late adoption	Previous crashes with injuries: -2.59 (0.08) for early adoption; -2.01 (0.13) for late adoption Commuting mode: PT: 1.04 (2.83) for late adoption	Not significant	Female: -3.22 (0.04) for early adoption, and -3.00 (0.05) for late adoption	High income (3000-7000 EUR): -1.18 (0.31) for late adoption	Full-time employment: 0.771 (2.16) for early adoption	Doctorate: -1.47 (0.23) for second and third years adoption
Becker et al. (2018)	×	×	×	×	×	×	×
Binder et al. (2018)	×	×	×	×	×	×	×
Reiche et al. (2018)	Most respondent are neutral towards the safety of UAM aircraft	Commute distance: 0.01 (1.01)	-2.27*10 ⁻² (0.98)	Male: 0.30 (1.34)	1.97*10 ⁻⁶ (1.00)	×	Less than high school: base High school: -0.30 (0.74) High school GED: 0.12 (1.12) Currently in 2-year college: -0.12 (0.88); 2-year college degree: -0.42 (0.66) Currently in 4-year college: -0.25 (0.78); 4-year college degree: -0.39 (0.68) Currently in post-graduate: -0.02 (0.99); Post-graduate degree: -0.29 (0.75)

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Rothfeld et al. (2018a)	×	×	×	×	×	×	×
Shaheen et al. (2018)	Most respondent are neutral towards the safety of UAM aircraft	Commute distance: 0.01 (1.01)	-2.27*10 ⁻² (0.98)	Male: 0.30 (1.34)	1.97*10 ⁻⁶ (1.00)	×	Less than high school: base; High school: -0.30 (0.74); High school GED: 0.12 (1.12) Currently 2-year college: -0.12 (0.88); 2-year college degree: -0.42 (0.66) Currently 4-year college: -0.25 (0.78); 4-year college degree: -0.39 (0.68) Currently post-graduate: -0.02 (0.99); Post-graduate degree: -0.29 (0.75)
Sivak and Schoettle (2017)	Safety is a main concern	×	Negative	Male: positive	×	×	×
Kreimeier et al. (2017)	×	×	×	×	×	×	×
Syed et al. (2017a)	×	×	×	×	×	×	×

Table A5 (cont'd)

Study	Results mapped to this study's classification						
	Safety	Travel habits	Socio-economic factors				
			Age	Gender	Income	Job	Education level
Syed et al. (2017b)	×	×	×	×	×	×	×

Table A6 The collection of travel habits considering in the UAM demand papers

Attribute (travel habit)	Number of papers considered this attribute	Studies considered this attribute
Car ownership	18	Jiang et al. (2026) Zhang et al. (2026a) Zhang et al. (2026b) Adamidis et al. (2025) Chen et al. (2025) Kim et al. (2025) Zhao et al. (2025a) Chae et al. (2024) Samadzad et al. (2024) Song et al. (2024) Wu et al. (2024) Brunelli et al. (2023) Hwang and Hong (2023) Kalakou et al. (2023) Ahmed et al. (2021) Haan et al. (2021) Garrow et al. (2020) Fu et al. (2019)
Current travel pattern (PT)	16	Lee and Kim (2026) Adamidis et al. (2025) Jang et al. (2025) Kim et al. (2025) Chen et al. (2024) Karimi et al. (2024) Samadzad et al. (2024) Çınar and Tuncal (2023a) Hwang and Hong (2023) Kalakou et al. (2023) Chen (2022) Park (2021) Al Haddad et al. (2020a) Fu et al. (2019) Yedavalli and Mooberry (2019) Al Haddad (2018)

Table A6 (cont'd)

Attribute (travel habit)	Number of papers considered this attribute	Studies considered this attribute
Current travel pattern (taxi/ridehailing)	12	Jang et al. (2025) Kim et al. (2025) Boddupalli et al. (2024) Chae et al. (2024) Chen et al. (2024) Coppola et al. (2024c) Samadzad et al. (2024) Hwang and Hong (2023) Kalakou et al. (2023) Chen (2022) Garrow et al. (2020) Yedavalli and Mooberry (2019)
Air travel frequency	12	Nazari et al. (2026) Garrow et al. (2025) Jang et al. (2025) Jin and Chambers (2025) Kim et al. (2025) Kim and Zhang (2025) Sunitiyoso et al. (2025) Trapsilawati et al. (2025) Samadzad et al. (2024) Brunelli et al. (2023) Garrow et al. (2020) Boddupalli (2019)
Current travel pattern (car)	11	Lee and Kim (2026) Adamidis et al. (2025) Zhao et al. (2025a) Jang et al. (2025) Kim et al. (2025) Karimi et al. (2024) Samadzad et al. (2024) Hwang and Hong (2023) Kalakou et al. (2023) Fu et al. (2019) Yedavalli and Mooberry (2019)

Table A6 (cont'd)

Attribute (travel habit)	Number of papers considered this attribute	Studies considered this attribute
Commuting time/distance	11	Alsaleh et al. (2026) Lee and Kim (2026) Johnson (2025) Garrow et al. (2025) Samadzad et al. (2024) Hwang and Hong (2023) Johnson et al. (2022) Hasan (2019) Yedavalli and Mooberry (2019) Reiche et al. (2018) Shaheen et al. (2018)
Accident history	8	Trapsilawati et al. (2025) Kalakou et al. (2023) Ahmed et al. (2021) Al Haddad et al. (2020a) Eker et al. (2020a) Eker et al. (2020b) Ferreira (2020) Al Haddad (2018)
Current travel pattern (micromobility)	8	Jang et al. (2025) Chen et al. (2024) Karimi et al. (2024) Samadzad et al. (2024) Kalakou et al. (2023) Chen (2022) Fu et al. (2019) Yedavalli and Mooberry (2019)
Current travel pattern (walking)	8	Jang et al. (2025) Chen et al. (2024) Karimi et al. (2024) Samadzad et al. (2024) Kalakou et al. (2023) Chen (2022) Fu et al. (2019) Yedavalli and Mooberry (2019)

Table A6 (cont'd)

Attribute (travel habit)	Number of papers considered this attribute	Studies considered this attribute
Main air travel purpose	8	Alsaleh et al. (2026) Zhang et al. (2026b) Adamidis et al. (2025) Jang et al. (2025) Kim et al. (2025) Kim and Zhang (2025) Brunelli et al. (2023) Cho and Kim (2022)
Experience of delay/congestion in trips	6	Alsaleh et al. (2026) Garrow et al. (2025) Song et al. (2024) Garrow et al. (2020) Rautray et al. (2020) Boddupalli (2019)
Annual mileage	4	Ahmed et al. (2021) Eker et al. (2020a) Eker et al. (2020b) Eker et al. (2019)
Driving experience	4	Sunitiyoso et al. (2025) Trapsilawati et al. (2025) Ahmed et al. (2021) Eker et al. (2019)
Driving license	4	Adamidis et al. (2025) Hu et al. (2025) Trapsilawati et al. (2025) Kalakou et al. (2023)
Experience of business or first class seats	3	Mehrabani et al. (2026) Zhang et al. (2026b) Jang et al. (2025)
Experience of taking helicopter	3	Kim et al. (2025) Zhao et al. (2025a) Cho and Kim (2022)

Table A6 (cont'd)

Attribute (travel habit)	Number of papers considered this attribute	Studies considered this attribute
Commuting cost	2	Jiang et al. (2026) Hwang and Hong (2023)
Most utilised airline type	2	Jang et al. (2025) Kim et al. (2025)
Time to arrive at airport before flight	2	Jang et al. (2025) Kim and Zhang (2025)
Adoption of shared mobility services	1	Ferreira (2020)
Alternative mode of transport	1	Samadzad et al. (2024)
Autonomous vehicle experience	1	Liao et al. (2025b)
Average daily trip duration	1	Karimi et al. (2024)
Cost of airport access	1	Kim et al. (2025)
Experience of electric car-sharing service	1	Xie and Liao (2026)
Frequency of visits to island areas	1	Han (2024)
Frequency of visits to mountainous areas	1	Han (2024)
Mode for airport access	1	Kim and Zhang (2025)
Non-commuting trip time	1	Hasan (2019)
Number of companions	1	Kim et al. (2025)
Number of days out of home mandatory activity	1	Samadzad et al. (2024)
Travel party size	1	Mehrabani et al. (2026)
Purpose of using ride-hailing	1	Samadzad et al. (2024)

Table A6 (cont'd)

Attribute (travel habit)	Number of papers considered this attribute	Studies considered this attribute
The number of ride-sourcing companies used in the past	1	Song et al. (2024)
Travel expense refund available	1	Coppola et al. (2024c)
Vehicle maintenance cost	1	Ahmed et al. (2021)
Walking time to PT station	1	Samadzad et al. (2024)




Figure A1 Summary of assumptions on the access/egress time by year of publication

Note 1: 1: Dou et al. (2026); 2: Lee et al. (2026a); 3: Nazari et al. (2026); 4: Subedi and Singleton (2026); 5: Wu et al. (2026); 6: Belgiawan et al. (2025); 7: Benchechrout et al. (2025); 8: Coppola et al. (2025); 9: Volakakis et al. (2025); 10: Boddupalli et al. (2024); 11: Coppola et al. (2024a); 12: Coppola et al. (2024b); 13: Karimi et al. (2024); 14: Song et al. (2024); 15: Hwang and Hong (2023); 16: Norte et al. (2023); 17: Rothfeld (2022); 18: Haan et al. (2021); 19: Leonard et al. (2021); 20: Balac et al. (2019b); 21: Garrow et al. (2019); 22: Binder et al. (2018).

Note 2: Zhang et al. (2026), Jang et al. (2025), Zhao et al. (2025a), Zhao et al. (2025b), Samadzad et al. (2024), Rothfeld et al. (2021b), Al Haddad et al. (2020b), Fu et al. (2020), Ploetner et al. (2020) and Fu et al. (2019) did not distinguish access time from time spent at the airport. Zhao and Feng (2025) and Anand et al. (2021) provided the access/egress distance, but not the access/egress travel mode speed, so they are excluded from the figure.




Figure A2 Summary of assumptions of travel cost by year of publication

Note 1: 1: Acharya et al. (2026); 2: Dou et al. (2026); 3: Jiang et al. (2026); 4: Kim et al. (2026); 5: Lee et al. (2026a); 6: Lee et al. (2026b); 7: Lee and Kim (2026); 8: Mehrabani et al. (2026); 9: Nazari et al. (2026); 10: Subedi and Singleton (2026); 11: Wu et al. (2026); 12: Zhang et al. (2026a); 13: Adamidis et al. (2025); 14: Belgiawan et al. (2025); 15: Bi et al. (2025); 16: Chen et al. (2025); 17: Coppola et al. (2025); 18: Jang et al. (2025); 19: Kim et al. (2025); 20: Sunitiyoso et al. (2025); 21: Volakakis et al. (2025); 22: Zhao and Feng (2025); 23: Zhao et al. (2025a); 24: Zhao et al. (2025b); 25: Asmer et al. (2024); 26: Boddupalli et al. (2024); 27: Chae et al. (2024); 28: Chen et al. (2024); 29: Coppola et al. (2024a); 30: Coppola et al. (2024b); 31: Karimi et al. (2024); 32: Qu et al. (2024); 33: Samadzad et al. (2024); 34: Song et al. (2024); 35: Brunelli et al. (2023); 36: Hwang and Hong (2023); 37: Kim et al. (2023); 38: Lotz et al. (2023); 39: Norte et al. (2023); 40: Chen (2022); 41: Jha et al. (2022); 42: Rothfeld (2022); 43: Zaps and Chankov (2022); 44: Anand et al. (2021); 45: Goyal et al. (2021); 46: Leonard et al. (2021); 47: Pukhova et al. (2021); 48: Rimjha et al. (2021a); 49: Rimjha et al. (2021b); 50: Rimjha et al. (2021c); 51: Wai et al. (2021); 52: Zapico et al. (2021); 53: Al Haddad et al. (2020b); 54: Fu et al. (2020); 55: Mayakonda et al. (2020); 56: Ploetner et al. (2020); 57: Balac et al. (2019a); 58: Balac et al. (2019b); 59: Fu et al. (2019); 60: Garrow et al. (2019); 61: Binder et al. (2018); 62: Reiche et al. (2021); 63: Shaheen et al. (2018); 64: Kreimeier et al. (2017); 65: Syed et al. (2017a); 66: Syed et al. (2017b).

Note 2: Karimi et al. (2024) reported the per-journey cost as 133.28–266.56 thousand IRR (4.76–9.52 USD), but did not provide details on travel distance, travel time, or speed.

Note 3: Bond font indicated that the cost was derived by calculating the total cost as base fare + unit fare × travel distance. For studies that did not provide a range for UAM vehicles (e.g., Rimjha et al. (2021a) and Rimjha et al. (2021c)), we used the following distance levels: 10 km, 50 km, 100 km, 150 km, and 200 km. For studies that provided a range (e.g., Rimjha et al. (2021c), with a range of 241 km), we used quantiles of the reported range. A detailed breakdown of the calculations will be made available via online archives or as supplementary files upon acceptance of the paper.




Figure A3 Summary of assumptions of vertiport spatial density, by year of publication

Note: 1: Coppola et al. (2025); 2: Jang et al. (2025); 3: Asmer et al. (2024); 4: Gerardus et al. (2024); 5: Kim et al. (2023); 6: Lotz et al. (2023); 7: Cho and Kim (2022); 8: Jha et al. (2022); 9: Anand et al. (2021); 10: Bulusu et al. (2021); 11: Pukhova et al. (2021); 12: Rajendran et al. (2021); 13: Rimjha et al. (2021a); 14: Rimjha et al. (2021b); 15: Rimjha et al. (2021c); 16: Rothfeld et al. (2021); 17: Al Haddad et al. (2020b); 18: Fu et al. (2020); 19: Mayakonda et al. (2020); 20: Ploetner et al. (2020); 21: Balac et al. (2019a); 22: Rothfeld et al. (2018a); 23: Syed et al. (2017a); 24: Syed et al. (2017b).




Figure A4 Summary of assumptions of time spent at vertiports, by year of publication

Note 1: 1: Lee et al. (2026a); 2: Lee and Kim (2026); 3: Mehrabani et al. (2026); 4: Wu et al. (2026); 5: Adamidis et al. (2025); 6: Belgiawan et al. (2025); 7: Bencheikroun et al. (2025); 8: Bi et al. (2025); 9: Chen et al. (2025); 10: Coppola et al. (2025); 11: Jang et al. (2025); 12: Sunitiyoso et al. (2025); 13: Volakakis et al. (2025); 14: Asmer et al. (2024); 15: Chae et al. (2024); 16: Chen et al. (2024); 17: Coppola et al. (2024a); 18: Coppola et al. (2024b); 19: Qu et al. (2024); 20: Hwang and Hong (2023); 21: Kim et al. (2023); 22: Chen (2022); 23: Rothfeld (2022); 24: Anand et al. (2021); 25: Bulusu et al. (2021); 26: Goyal et al. (2021); 27: Haan et al. (2021); 28: Pukhova et al. (2021); 29: Rimjha et al. (2021a); 30: Rimjha et al. (2021b); 31: Rimjha et al. (2021c); 32: Zapico et al. (2021); 33: Al Haddad et al. (2020a); 34: Mayakonda et al. (2020); 35: Balac et al. (2019a); 36: Al Haddad (2018); 37: Reiche et al. (2021); 38: Rothfeld et al. (2018a); 39: Syed et al. (2017a); 40: Syed et al. (2017b).

Note 2: Zhang et al. (2026), Jang et al. (2025), Zhao et al. (2025a), Zhao et al. (2025b), Samadzad et al. (2024), Rothfeld et al. (2021b), Al Haddad et al. (2020b), Fu et al. (2020), Ploetner et al. (2020) and Fu et al. (2019) did not distinguish access time from time spent at the airport, so they were excluded from this figure.




Figure A5 Summary of assumptions of operating speed of UAM vehicles, by year of publication

Note: 1: Acharya et al. (2026); 2: Cai et al. (2026); 3: Dou et al. (2026); 4: Jiang et al. (2026); 5: Lee et al. (2026a); 6: Mehrabani et al. (2026); 7: Nazari et al. (2026); 8: Subedi and Singleton (2026); 9: Wu et al. (2026); 10: Adamidis et al. (2025); 11: Belgiawan et al. (2025); 12: Bi et al. (2025); 13: Chen et al. (2025); 14: Coppola et al. (2025); 15: Decaro et al. (2025); 16: Garrow et al. (2025); 17: Jang et al. (2025); 18: Kim et al. (2025); 19: Kim et al. (2025); 20: Trapsilawati et al. (2025); 21: Volakakis et al. (2025); 22: Zhao and Feng (2025); 23: Zhao et al. (2025a); 24: Zhao et al. (2025b); 25: Asmer et al. (2024); 26: Boddupalli et al. (2024); 27: Chae et al. (2024); 28: Chen et al. (2024); 29: Coppola et al. (2024a); 30: Qu et al. (2024); 31: Samadzad et al. (2024); 32: Smith et al. (2024); 33: Bridgelall (2023a); 34: Brunelli et al. (2023); 35: Hwang and Hong (2023); 36: Kim et al. (2023); 37: Lotz et al. (2023); 38: Norte et al. (2023); 39: Papenfuss et al. (2023); 40: Chen (2022); 41: Jha et al. (2022); 42: Rothfeld (2022); 43: Zaps and Chankov (2022); 44: Anand et al. (2021); 45: Bulusu et al. (2021); 46: Haan et al. (2021); 47: Leonard et al. (2021); 48: Pukhova et al. (2021); 49: Rimjha et al. (2021a); 50: Rimjha et al. (2021b); 51: Rimjha et al. (2021c); 52: Rothfeld et al. (2021); 53: Roy et al. (2021); 54: Wai et al. (2021); 55: Zapico et al. (2021); 56: Al Haddad et al. (2020a); 57: Al Haddad et al. (2020b); 58: Fu et al. (2020); 59: Mayakonda et al. (2020); 60: Ploetner et al. (2020); 61: Balac et al. (2019a); 62: Balac et al. (2019b); 63: Garrow et al. (2019); 64: Al Haddad (2018); 65: Binder et al. (2018); 66: Rothfeld et al. (2018a); 67: Kreimeier et al. (2017); 68: Syed et al. (2017a); 69: Syed et al. (2017b).




Figure A6 Summary of assumptions of seating capacity of UAM vehicles, by year of publication

Note: 1: Nazari et al. (2026); 2: Wu et al. (2026); 3: Adamidis et al. (2025); 4: Bi et al. (2025); 5: Chen et al. (2025); 6: Garrow et al. (2025); 7: Johnson (2025); 8: Trapsilawati et al. (2025); 9: Zhao and Feng (2025); 10: Zhao et al. (2025a); 11: Zhao et al. (2025b); 12: Asmer et al. (2024); 13: Boddupalli et al. (2024); 14: Chae et al. (2024); 15: Chen et al. (2024); 16: Janotta and Hogreve (2024); 17: Qu et al. (2024); 18: Samadzad et al. (2024); 19: Smith et al. (2024); 20: Yao et al. (2024); 21: Bridgelall (2023a); 22: Brunelli et al. (2023); 23: Hwang and Hong (2023); 24: Lotz et al. (2023); 25: Chen (2022); 26: Jha et al. (2022); 27: Johnson et al. (2022); 28: Rothfeld (2022); 29: Zaps and Chankov (2022); 30: Bulusu et al. (2021); 31: Goyal et al. (2021); 32: Haan et al. (2021); 33: Leonard et al. (2021); 34: Pukhova et al. (2021); 35: Rimjha et al. (2021b); 36: Roy et al. (2021); 37: Al Haddad et al. (2020a); 38: Al Haddad et al. (2020b); 39: Fu et al. (2020); 40: Balac et al. (2019a); 41: Balac et al. (2019b); 42: Garrow et al. (2019); 43: Hasan (2019); 44: Al Haddad (2018); 45: Binder et al. (2018); 46: Reiche et al. (2021); 47: Rothfeld et al. (2018a); 48: Kreimeier et al. (2017); 49: Syed et al. (2017a); 50: Syed et al. (2017b).




Figure A7 Summary of assumptions of cruising altitude of UAM vehicles, by year of publication

Note: 1: Cai et al. (2026); 2: Decaro et al. (2025); 3: Trapsilawati et al. (2025); 4: Qu et al. (2024); 5: Smith et al. (2024); 6: Hwang and Hong (2023); 7: Papenfuss et al. (2023); 8: Stolz et al. (2023); 9: Stolz and Laudien (2022); 10: Goyal et al. (2021); 11: Ploetner et al. (2020); 12: Balac et al. (2019a); 13: Yedavalli and Mooberry (2019); 14: Reiche et al. (2021); 15: Rothfeld et al. (2018a).




Figure A8 Summary of assumptions of the range of UAM vehicles, by year of publication

Note: 1: Wu et al. (2026); 2: Adamidis et al. (2025); 3: Jang et al. (2025); 4: Kim et al. (2025); 5: Trapsilawati et al. (2025); 6: Volakakis et al. (2025); 7: Chen et al. (2024); 8: Gerardus et al. (2024); 9: Smith et al. (2024); 10: Bridgelall (2023a); 11: Chen (2022); 12: Jha et al. (2022); 13: Anand et al. (2021); 14: Haan et al. (2021); 15: Leonard et al. (2021); 16: Rimjha et al. (2021c); 17: Roy et al. (2021); 18: Hasan (2019).




Figure A9 Summary of the specifications of Value of Time, by year of publication

Note 1: 1: Jiang et al. (2026); 2: Kwon et al. (2026); 3: Mehrabani et al. (2026); 4: Nazari et al. (2026); 5: Said et al. (2026); 6: Subedi and Singleton (2026); 7: Wu et al. (2026); 8: Zhang et al. (2026a); 9: Adamidis et al. (2025); 10: Belgiawan et al. (2025); 11: Bi et al. (2025); 12: Coppola et al. (2025); 13: Jang et al. (2025); 14: Zhao and Feng (2025); 15: Zhao et al. (2025a); 16: Boddupalli et al. (2024); 17: Chae et al. (2024); 18: Chen et al. (2024); 19: Coppola et al. (2024a); 20: Coppola et al. (2024b); **21: Gerardus et al. (2024)**; 22: Karimi et al. (2024); 23: Samadzad et al. (2024); 24: Song et al. (2024); 25: Brunelli et al. (2023); 26: Hwang and Hong (2023); 27: Norte et al. (2023); 28: Chen (2022); 29: Cho and Kim (2022); **30: Rothfeld (2022)**; 31: Zaps and Chankov (2022); 32: Haan et al. (2021); 33: Rimjha et al. (2021a); 34: Rimjha et al. (2021b); 35: Rimjha et al. (2021c); **36: Roy et al. (2021)**; 37: Fu et al. (2020); 38: Ploetner et al. (2020); 39: Balac et al. (2019a); 40: Balac et al. (2019b); 41: Boddupalli (2019); 42: Fu et al. (2019); 43: Syed et al. (2017b).

Note 2: Bold fonts indicate the value was calculated using the second approach described in the second paragraph of Section 4.2.1.

REFERENCES

- AAA, 2019. YOUR DRIVING COSTS How Much Are You Really Paying to Drive?
- AAA, 2017. AAA Reveals True Cost of Vehicle Ownership [WWW Document]. URL https://cn.bing.com/search?q=http%3A%2F%2Fnewsne-aaa.+iprsoftware.com%2Fnews%2Freleases-20170823&cvid=0e33a95f7fd046deb1fccdcbb7fc7230&gs_lcrp=EgRlZGdlKgYlABBFGDkyBggAEEUYOTIGCAEQRRg60gEHNzc5ajBqNKgCCLACAQ&FORM=ANAB01&PC=ASTS (accessed 2.15.25).
- AAA, 2016. Cost per mile from AAA [WWW Document]. URL https://westerncentralnyaaa.com/files/news-%20room/aaa_yourdrivingcosts_2017.pdf (accessed 2.15.25).
- AAA, 2014. Your Driving Costs [WWW Document]. URL <https://newsroom.aaa.com/2014/05/owning-and-operating-your-vehicle-just-got-a-little-cheaper-aaas-2014-your-driving-costs-study-archive/> (accessed 2.18.25).
- Acharya, K., Vasiloff, K., Wang, Z., Song, H., Sun, L., 2026. Urban Air Mobility Flight Demand Modeling for Airports in New York City, in: AIAA SCITECH 2026 Forum. American Institute of Aeronautics and Astronautics, Reston, Virginia. <https://doi.org/10.2514/6.2026-1475>
- ACS, 2024. American Community Survey Data [WWW Document]. URL <https://www.census.gov/programs-surveys/acs/data.html> (accessed 10.26.25).
- ACS, 2021. ACS-American Community Survey 5-Year Data [WWW Document]. URL <https://www.usa.gov/census-data> (accessed 2.15.25).
- ACS, 2018. American Community Survey (ACS) [WWW Document]. URL <https://www.census.gov/programs-surveys/acs/> (accessed 2.15.25).
- ACS, 2017. 2013-2017 ACS 5-year Estimates [WWW Document]. URL https://www.census.gov/programs-surveys/acs/technical-documentation/table-and-geography-changes/2017/5-year.html#par_textimage_1 (accessed 2.15.25).
- ACS, 2016. American Community Survey (ACS) [WWW Document]. URL <https://www.census.gov/programs-surveys/acs/> (accessed 2.15.25).
- ADAC, 2022. Übersicht: Autokosten von A bis Z [WWW Document]. URL <https://www.adac.de/rund-ums-fahrzeug/auto-kaufen-verkaufen/autokosten/uebersicht/> (accessed 2.14.25).
- ADAC, 2017. German Automobile Club [WWW Document]. URL <https://www.adac.de/> (accessed 2.20.25).
- Adamidis, F., Ditta, C.C., Wu, H., Postorino, M.N., Antoniou, C., 2025. Urban air mobility for airport access: Mode choice preferences and pricing considerations.

- 1 Transp. Policy (Oxf). 171, 1025–1040.
- 2 <https://doi.org/10.1016/j.tranpol.2025.07.027>
- 3 ADP, G., 2020. Paris Aéroport | Site officiel des aéroports Paris-CDG et Paris-Orly
- 4 [WWW Document]. URL <https://www.parisaeroport.fr/> (accessed 2.15.25).
- 5 Ahmed, F., Memon, M.A., Rajab, K., Alshahrani, H., Abdalla, M.E., Rajab, A., Houe,
- 6 R., Shaikh, A., 2024. Demand prediction for urban air mobility using deep
- 7 learning. *PeerJ Comput. Sci.* 10, 1–27. <https://doi.org/10.7717/peerj-cs.1946>
- 8 Ahmed, S., Fountas, G., Eker, U., Still, S.E., Anastasopoulos, P.C., 2021. An
- 9 exploratory empirical analysis of willingness to hire and pay for flying taxis and
- 10 shared flying car services. *J. Air Transp. Manag.* 90, 101963.
- 11 <https://doi.org/10.1016/j.jairtraman.2020.101963>
- 12 Ahmed, S.S., Fountas, G., Eker, U., Ch Anastasopoulos, P., 2022. Are We Willing to
- 13 Relocate with the Future Introduction of Flying Cars? An Exploratory Empirical
- 14 Analysis of Public Perceptions in the United States.
- 15 Al Haddad, C., 2018. Identifying the Factors Affecting the Use and Adoption of
- 16 Urban Air Mobility.
- 17 Al Haddad, C., Chaniotakis, E., Straubinger, A., Plötner, K., Antoniou, C., 2020a.
- 18 Factors affecting the adoption and use of urban air mobility. *Transp. Res. Part A*
- 19 *Policy Pract.* 132, 696–712. <https://doi.org/10.1016/j.tra.2019.12.020>
- 20 Al Haddad, C., Fu, M., Straubinger, A., Plötner, K., Antoniu, C., 2020b. Choosing
- 21 Suitable Indicators for the Assessment of Urban Air Mobility: A Case Study of
- 22 Upper Bavaria, Germany. *European Journal of Transport and Infrastructure*
- 23 *Research* 20, 214–232. <https://doi.org/10.18757/EJTIR.2020.20.4.4464>
- 24 Alodhaibi, S., Burdett, R.L., Yarlagadda, P.K.D.V., 2019. Impact of Passenger-Arrival
- 25 Patterns in Outbound Processes of Airports. *Procedia Manuf.* 30, 323–330.
- 26 <https://doi.org/10.1016/J.PROMFG.2019.02.046>
- 27 Alsaleh, N., Alsaleh, T., Moutassem, F., Falis, N., Islam, Z., 2026. Exclusive and
- 28 Shared Electric Flying Taxis: Evidence on Modal Shares, Stated Reasons, and
- 29 Modal Shifts.
- 30 Analysen zum Radverkehr und Fußverkehr Mobilität in Deutschland – MiD, 2019.
- 31 Anand, A., Kaur, H., Justin, C.Y., Zaidi, T.A., Mavris, D.N., 2021. A scenario-based
- 32 evaluation of global urban air mobility demand, in: *AIAA Scitech 2021 Forum*.
- 33 pp. 1–20. <https://doi.org/10.2514/6.2021-1516>
- 34 Appel, P.B., Böck, H., Hompf, F.V.F., Plümer, K.S., Russ, S., Riener, A., 2025.
- 35 Understanding Bystander Preferences for Medical Emergency Support Measures
- 36 in VR-Simulated eVTOL Flights. *Proceedings of the Mensch und Computer*
- 37 2025 755–760. <https://doi.org/10.1145/3743049.3748549>

- 1 Appel, P.B., Böck, H., Riener, A., 2023. What would you expect ? Insights from a
2 customer journey analysis of passenger drone flights, in: Proceedings of the
3 Human Factors and Ergonomics Society Europe Chapter 2023 Annual
4 Conference. pp. 1–12.
- 5 Appel, P.B., Song, Y.E., Riener, A., 2024. Investigating eVTOL Passenger Preferences
6 in South Korea : Safety , Vertiport Location , and Weight. 2024 IEEE Intelligent
7 Vehicles Symposium (IV) 3269–3275.
8 <https://doi.org/10.1109/IV55156.2024.10588875>
- 9 Ariza-Montes, A., Quan, W., Radic, A., Koo, B., Kim, J.J., Chua, B.L., Han, H., 2023.
10 Understanding the behavioral intention to use urban air autonomous vehicles.
11 Technol. Forecast. Soc. Change 191, 122483.
12 <https://doi.org/10.1016/J.TECHFORE.2023.122483>
- 13 Asmer, L., Jaksche, R., Pak, H., Kokus, P., 2024. A city-centric approach to estimate
14 and evaluate global Urban Air Mobility demand. CEAS Aeronaut. J.
15 <https://doi.org/10.1007/s13272-024-00742-w>
- 16 Auswärtiges Amt, 2018. Länderinformationen [WWW Document]. URL
17 <https://www.auswaertiges-amt.de/de/service/laender> (accessed 2.18.25).
- 18 Axhausen, K., Hess, S., König, A., Abay, G., 2008. Income and distance elasticities of
19 values of travel time savings: New Swiss results. Elsevier.
20 <https://doi.org/10.1016/j.tranpol.2008.02.001>
- 21 Babetto, L., Kirste, A., Deng, J., Husemann, M., Stumpf, E., 2023a. Adoption of the
22 Urban Air Mobility System: Analysis of technical, legal and social aspects from a
23 European perspective. Journal of the Air Transport Research Society 1, 152–174.
24 <https://doi.org/10.59521/C97BE694514DD2FE>
- 25 Babetto, L., Ronja, K., Jochen, F., Eike, S., 2023b. STUDY ON PUBLIC
26 ACCEPTANCE OF EVTOL: SAFETY & NOISE.
27 <https://doi.org/10.25967/610319>
- 28 Bacchini, A., Cestino, E., 2019. Electric VTOL Configurations Comparison.
29 Aerospace 2019, Vol. 6, Page 26 6, 26.
30 <https://doi.org/10.3390/AEROSPACE6030026>
- 31 Bagratuni, M., 2021. An Empirical Investigation on the Influence of Temporal
32 Distance on the Acceptance of Innovations-Using the Example of Urban Air
33 Mobility.
- 34 Balać, M., Hörl, S., 2020. Synthetic population for the state of California based on
35 open data Examples of the San Francisco Bay Area and San Diego County
36 Conference Paper Synthetic population for the state of California based on open
37 data: Examples of the San Francisco Bay Area and San Diego County.
38 <https://doi.org/10.3929/ethz-b-000481954>

- 1 Balac, M., Rothfeld, R.L., Horl, S., 2019a. The Prospects of on-demand Urban Air
2 Mobility in Zurich, Switzerland, in: 2019 IEEE Intelligent Transportation
3 Systems Conference, ITSC 2019. Institute of Electrical and Electronics
4 Engineers Inc., pp. 906–913. <https://doi.org/10.1109/ITSC.2019.8916972>
- 5 Balac, M., Vetrella, A.R., Rothfeld, R., Schmid, B., 2019b. Demand Estimation for
6 Aerial Vehicles in Urban Settings. *IEEE Intelligent Transportation Systems*
7 *Magazine* 11, 105–116. <https://doi.org/10.1109/MITS.2019.2919500>
- 8 Baur, S., Schickram, S., Homulenko, A., Martinez, N., Dyskin, A., 2018. Urban Air
9 Mobility: The Rise of A New Mode of Transportation.
- 10 Bayerisches Landesamt für Statistik, 2019. Bundesministerium für Arbeit und
11 Soziales [WWW Document]. URL <https://www.statistik.bayern.de/> (accessed
12 2.15.25).
- 13 BDL, 2015. Luftfahrt aktuell 1|2015: Fakten und Hintergründe zum deutschen
14 Luftverkehr.
- 15 Becker, K., Terekhov, I., Niklaß, M., Gollnick, V., 2018. A global gravity model for air
16 passenger demand between city pairs and future interurban air mobility markets
17 identification, in: 2018 Aviation Technology, Integration, and Operations
18 Conference. American Institute of Aeronautics and Astronautics Inc, AIAA.
19 <https://doi.org/10.2514/6.2018-2885>
- 20 Behme, J., Planing, P., 2020. Air taxis as a mobility solution for cities - empirical
21 research on customer acceptance of urban air mobility, in: *Innovations for*
22 *Metropolitan Areas: Intelligent Solutions for Mobility, Logistics and*
23 *Infrastructure Designed for Citizens*. Springer Berlin Heidelberg, pp. 93–103.
24 https://doi.org/10.1007/978-3-662-60806-7_8
- 25 Belenky, P., 2011. Revised Departmental Guidance on Valuation of Travel.
- 26 Belgiawan, P.F., Nurliyana, C., Wirayat, M.Y.F., Syarif, A.T., Safira, M., Sunitiyoso,
27 Y., Irawan, M.Z., 2025. Exploring urban air mobility as a feeder to high-speed
28 rail: Evidence from Jakarta–Bandung, Indonesia. *Research in Transportation*
29 *Business and Management* 61. <https://doi.org/10.1016/j.rtbm.2025.101414>
- 30 Benchekroun, M., Justin, C.Y., Mavris, D., 2025. Uncovering New Opportunities for
31 Ultra Short Takeoff and Landing Aircraft for Regional Air Mobility Services.
32 American Institute of Aeronautics and Astronautics (AIAA).
33 <https://doi.org/10.2514/6.2025-3348>
- 34 Bi, W., Lyu, Y., Shen, Y., Ji, Y., Du, Y., 2025. Understanding the potential of urban air
35 mobility in alleviating rail transit oversaturation: a divertible demand driven
36 analysis. *Transportation Letters*. <https://doi.org/10.1080/19427867.2025.2550486>
- 37 Binder, R.B., Garrow, L.A., German, B.J., Mokhtarian, P.L., Daskilewicz, M.J.,
38 Douthat, T.H., 2018. If you fly it, will commuters come? Predicting demand for

1 evtol urban air trips, in: 2018 Aviation Technology, Integration, and Operations
2 Conference. <https://doi.org/10.2514/6.2018-2882>

3 Blocks population, 2010. Population by 2010 Census Block | City of Chicago | Data
4 Portal [WWW Document]. URL [https://data.cityofchicago.org/widgets/5yjb-](https://data.cityofchicago.org/widgets/5yjb-v3mj)
5 v3mj (accessed 2.19.25).

6 Bocarejo, J.P., Guzman, L.A., Portilla, I., Meléndez, D., Gómez, A.M., Rivera, C.,
7 2017. Access as a determinant variable in the residential location choice of low-
8 income households in Bogotá. *Transportation Research Procedia* 25, 5121–5143.
9 <https://doi.org/10.1016/J.TRPRO.2018.02.042>

10 Boddupalli, S.S., 2019. ESTIMATING DEMAND FOR AN ELECTRIC VERTICAL
11 LANDING AND TAKEOFF (EVTOL) AIR TAXI SERVICE USING
12 DISCRETE CHOICE MODELING In Partial Fulfillment of the Requirements
13 for the Degree MASTERS in the SCHOOL OF CITY AND REGIONAL
14 PLANNING AND SCHOOL OF CIVIL AND EN.

15 Boddupalli, S.S., Garrow, L.A., German, B.J., Newman, J.P., 2024. Mode choice
16 modeling for an electric vertical takeoff and landing (eVTOL) air taxi
17 commuting service. *Transp. Res. Part A Policy Pract.* 181.
18 <https://doi.org/10.1016/j.tra.2024.104000>

19 Bösch, P.M., Becker, F., Becker, H., Axhausen, K.W., 2017. Cost-based analysis of
20 autonomous mobility services Working Paper. [https://doi.org/10.3929/ethz-b-](https://doi.org/10.3929/ethz-b-000128144)
21 000128144

22 Bösch, P.M., Müller, K., Ciari, F., 2016. The IVT 2015 baseline scenario Conference
23 Paper. <https://doi.org/10.3929/ethz-b-000117938>

24 Bridgelall, R., 2023a. Forecasting market opportunities for urban and regional air
25 mobility. *Technol. Forecast. Soc. Change* 196.
26 <https://doi.org/10.1016/j.techfore.2023.122835>

27 Bridgelall, R., 2023b. Predicting Advanced Air Mobility Adoption Globally by
28 Machine Learning. *Standards* 3, 70–83.
29 <https://doi.org/10.3390/standards3010007>

30 Bridgelall, R., Askarzadeh, T., Tolliver, D.D., 2023. Introducing an efficiency index to
31 evaluate eVTOL designs. *Technol. Forecast. Soc. Change* 191.
32 <https://doi.org/10.1016/j.techfore.2023.122539>

33 Brinckerhof, 2017. Activity-Based Model Calibration Report Coordinated Travel-
34 Regional Activity Based Modeling Platform (CT-RAMP).

35 Brunelli, M., Ditta, C.C., Postorino, M.N., 2023. SP surveys to estimate Airport
36 Shuttle demand in an Urban Air Mobility context. *Transp. Policy (Oxf)*. 141,
37 129–139. <https://doi.org/10.1016/j.tranpol.2023.07.019>

- 1 BTS, 2020. “Airports | BTS Data Inventory [WWW Document]. URL
2 https://data.bts.gov/Aviation/Airports-Citizen-Connect/kfcv-nyy3/about_data
3 (accessed 10.26.25).
- 4 Bucheon, 2021. Report on the Social Survey in Bucheon City (In Korean) [WWW
5 Document]. URL
6 [https://stat.bucheon.go.kr/site/program/board/webzineboard/list?boardtypeid=62](https://stat.bucheon.go.kr/site/program/board/webzineboard/list?boardtypeid=6233&menuid=092003005&searchcategor%20y=%EC%82%AC%ED%9A%8C%EC%A7%80%ED%91%9C)
7 33&menuid=092003005&searchcategor%20y=%EC%82%AC%ED%9A%8C%
8 EC%A7%80%ED%91%9C (accessed 3.6.25).
- 9 Bulusu, V., Onat, E.B., Sengupta, R., Yedavalli, P., MacFarlane, J., 2021. A Traffic
10 Demand Analysis Method for Urban Air Mobility. *IEEE Transactions on*
11 Intelligent Transportation Systems 22, 6039–6047.
12 <https://doi.org/10.1109/TITS.2021.3052229>
- 13 Bureau of Transportation Statistics, 2022. Transportation Economic Trends:
14 Transportation Spending - Per Vehicle Mile | BTS Data Inventory [WWW
15 Document]. URL [https://data.bts.gov/stories/s/Transportation-Economic-Trends-](https://data.bts.gov/stories/s/Transportation-Economic-Trends-Transportation-Spen/bzt6-t8cd/)
16 Transportation-Spen/bzt6-t8cd/ (accessed 2.14.25).
- 17 Bureau of Transportation Statistics, 2011. Daily Passenger Travel [WWW Document].
18 URL
19 [https://www.bts.gov/archive/publications/highlights_of_the_2001_national_hous](https://www.bts.gov/archive/publications/highlights_of_the_2001_national_household_travel_survey/section_02)
20 ehold_travel_survey/section_02 (accessed 3.10.25).
- 21 CAA, 2022. Civil Aviation Authority [WWW Document]. URL
22 <https://www.caa.co.uk/home/> (accessed 3.5.25).
- 23 Cai, C., Gou, B., Jiang, Y., Li, B., Feng, Y., 2026. Dual Mediators of Trust: How
24 Information Transparency Shapes Passenger Trust in Urban Air Mobility, in:
25 Lecture Notes in Computer Science. Springer Science and Business Media
26 Deutschland GmbH, pp. 157–176. [https://doi.org/10.1007/978-3-032-30038-](https://doi.org/10.1007/978-3-032-30038-6_10)
27 6_10
- 28 California Household Travel Survey [WWW Document], 2012. URL
29 [https://www.nrel.gov/transportation/secure-transportation-data/tsdc-california-](https://www.nrel.gov/transportation/secure-transportation-data/tsdc-california-travel-survey.html)
30 travel-survey.html (accessed 2.15.25).
- 31 Census Bureau, 2020a. Census Data Tables [WWW Document]. URL
32 <https://www.census.gov/data/tables.html> (accessed 2.14.25).
- 33 Census Bureau, 2020b. PUMS Data [WWW Document]. URL
34 <https://www.census.gov/programs-surveys/acs/microdata/access.html> (accessed
35 2.14.25).
- 36 Census Bureau, 2015. Data - Longitudinal Employer-Household Dynamics [WWW
37 Document]. URL <https://lehd.ces.census.gov/data/> (accessed 2.15.25).

- 1 Çetin, E., Cano, A., Deransy, R., Tres, S., Barrado, C., 2022. Implementing
2 Mitigations for Improving Societal Acceptance of Urban Air Mobility. *Drones* 6.
3 <https://doi.org/10.3390/drones6020028>
- 4 Chae, M., Kim, Sang Ho, Kim, M., Park, H.T., Kim, Sang Hyun, 2024. Potential
5 market based policy considerations for urban air mobility. *J. Air Transp. Manag.*
6 119. <https://doi.org/10.1016/j.jairtraman.2024.102654>
- 7 Chan, E.T.H., Elle, T., Schwanen, T., 2025. Psychology and Behaviour Societal
8 acceptance of advanced aerial mobility in China ' s Greater Bay Area among
9 young- and middle-aged adults. *Transportation Research Part F: Psychology and*
10 *Behaviour* 110, 88–103. <https://doi.org/10.1016/j.trf.2025.02.008>
- 11 Chancey, E.T., 2020. Effects of Concepts of Operation Factors on Public Acceptance
12 and Intention to Use Urban Air Mobility (UAM)-Trust and Technology
13 Acceptance Modeling.
- 14 Chen, J., Wang, Q., Zheng, S., Yi, H., Liu, Y., 2025. Forecasting Demand for Urban
15 Air Mobility Based on the Random Coefficient Logit Model: A Case Study of
16 Provincial Capital Cities in China. *Transp. Res. Rec.*
17 <https://doi.org/10.1177/03611981251324190>
- 18 Chen, K., 2022. Analysis of Potential Demand of On-Demand Urban Air Mobility Via
19 Agent-Based Simulation.
- 20 Chen, K., Shamshiripour, A., Seshadri, R., Hasnine, M.S., Yoo, L., Guan, J., Alho,
21 A.R., Feldman, D., Ben-Akiva, M., 2024. Potential short- to long-term impacts
22 of on-demand urban air mobility on transportation demand in North America.
23 *Transp. Res. Part A Policy Pract.* 190. <https://doi.org/10.1016/j.tra.2024.104288>
- 24 Chicago Traffic Report [WWW Document], 2020. URL
25 <https://www.tomtom.com/traffic-index//chicago-traffic/> (accessed 2.19.25).
- 26 Cho, S.H., Kim, M., 2022. Assessment of the environmental impact and policy
27 responses for urban air mobility: A case study of Seoul metropolitan area. *J.*
28 *Clean. Prod.* 360, 132139. <https://doi.org/10.1016/J.JCLEPRO.2022.132139>
- 29 CityAirbus NextGen [WWW Document], 2022. URL
30 [https://www.airbus.com/en/innovation/energy-transition/hybrid-and-electric-](https://www.airbus.com/en/innovation/energy-transition/hybrid-and-electric-flight/cityairbus-nextgen)
31 [flight/cityairbus-nextgen](https://www.airbus.com/en/innovation/energy-transition/hybrid-and-electric-flight/cityairbus-nextgen) (accessed 2.14.25).
- 32 City-Data, n.d. Income, earnings, and wages data in the US [WWW Document]. URL
33 <https://www.city-data.com/income/> (accessed 2.15.25).
- 34 Çınar, E., Tuncal, A., 2023a. A Comprehensive Analysis of Society's Perspective on
35 Urban Air Mobility. *Journal of Aviation* 7, 353–364.
36 <https://doi.org/10.30518/JAV.1324997>

- 1 Çınar, E., Tuncal, A., 2023b. The Future of UAVs in Urban Air Mobility: Public
2 Perception and Concerns 5, 50–58. <https://doi.org/10.51534/tiha>.
- 3 CMAP, 2018. Travel trends.
- 4 Coppola, P., De Fabiis, F., Silvestri, F., 2025. Urban Air Mobility demand forecasting:
5 modeling evidence from the case study of Milan (Italy). *European Transport*
6 *Research Review* 17, 2. <https://doi.org/10.1186/s12544-024-00700-x>
- 7 Coppola, P., De Fabiis, F., Silvestri, F., 2024a. Urban Air Mobility (UAM): Airport
8 shuttles or city-taxis? *Transp. Policy (Oxf)*. 150, 24–34.
9 <https://doi.org/10.1016/J.TRANPOL.2024.03.003>
- 10 Coppola, P., Fabiis, F. De, Silvestri, F., 2024b. Urban Air Mobility Passengers’
11 Profiling: Evidence from Milan Airports, Italy. *Transp. Res. Rec.*
12 <https://doi.org/10.1177/03611981241287537>
- 13 Coppola, P., Silvestri, F., De Fabiis, F., 2024c. Heterogeneity in users’ intention-to-use
14 Urban Air Mobility services, in: 25th Euro Working Group on Transportation
15 Meeting. pp. 460–466. <https://doi.org/10.1016/j.trpro.2024.02.058>
- 16 CRT, 2019. Île-de-France tourists statistics. Comité Régional du Tourisme Paris Île-
17 de-France. Von [WWW Document]. URL [https://www.iledefrance.fr/comite-](https://www.iledefrance.fr/comite-regional-du-tourisme-paris-%C3%8Ele-%20de-France-crt%20abgerufen)
18 [regional-du-tourisme-paris-%C3%8Ele-%20de-France-crt%20abgerufen](https://www.iledefrance.fr/comite-regional-du-tourisme-paris-%C3%8Ele-%20de-France-crt%20abgerufen)
19 (accessed 2.18.25).
- 20 Culotta, K., Fang, V., Habtemichael, F., Pape, D., 2019. Does Travel Time Reliability
21 Matter?
- 22 DART Fares [WWW Document], n.d. URL [https://www.dart.org/fare/general-fares-](https://www.dart.org/fare/general-fares-and-overview/fares)
23 [and-overview/fares](https://www.dart.org/fare/general-fares-and-overview/fares) (accessed 2.15.25).
- 24 Davis, M.G., Fox, K.R., Hillsdon, M., Coulson, J.C., Sharp, D.J., Stathi, A.,
25 Thompson, J.L., 2011. Getting out and about in older adults: The nature of daily
26 trips and their association with objectively assessed physical activity.
27 *International Journal of Behavioral Nutrition and Physical Activity* 8.
28 <https://doi.org/10.1186/1479-5868-8-116>
- 29 Decaro, G., Bogarin Heurich, S., Appel, P.B., Kul, S., Riener, A., 2025. Too Close for
30 Comfort? The Impact of eVTOL-Overflights in Residential Areas on Non-Users’
31 Acceptance. *Association for Computing Machinery (ACM)*, pp. 744–748.
32 <https://doi.org/10.1145/3743049.3748548>
- 33 Demographia, 2022. DEMOGRAPHIA: Demographics Development Impacts Market
34 Research & Urban Policy [WWW Document]. URL
35 <https://www.demographia.com/> (accessed 2.14.25).

- 1 Dixon, S., Irshad, H., Bornstein, J., 2018. The Deloitte City Mobility Index [WWW
2 Document]. URL [https://www2.deloitte.com/cn/en/pages/consumer-
4 business/articles/city-mobility-index-2018.html](https://www2.deloitte.com/cn/en/pages/consumer-
3 business/articles/city-mobility-index-2018.html) (accessed 2.15.25).
- 5 Dou, X., Pan, X., Feng, T., 2026. Competition of ridesharing autonomous vehicles: a
6 stated preference analysis of air and ground mobility alternatives. *Transportation
Letters* 1–18. <https://doi.org/10.1080/19427867.2026.2639046>
- 7 Duca, G., Trincone, B., Dziugiel, B., Liberacki, A., Russo, R., Sangermano, V.,
8 Witkowska-Konieczny, A., 2023. Urban Air Mobility in the next future: main
9 findings from a technical survey. *Transportation Research Procedia* 72, 965–972.
10 <https://doi.org/10.1016/J.TRPRO.2023.11.524>
- 11 EASA, 2021. Study on the societal acceptance of Urban Air Mobility in Europe 1–
12 162.
- 13 Edwards, T., Price, G., 2020. eVTOL Passenger Acceptance.
- 14 EHANG, 2022. EHang Receives Pre-order for 50 Units of EH216 in Japan [WWW
15 Document]. URL <https://www.ehang.com/cn/news/855.html> (accessed 6.14.25).
- 16 Eißfeldt, H., Biella, M., 2025. What people think of air taxis: pros and cons as
17 reported in a German survey. *Transportation Research Procedia* 88, 47–57.
18 <https://doi.org/10.1016/j.trpro.2025.05.006>
- 19 Eker, U., Ahmed, S.S., Fountas, G., Anastasopoulos, P.C., 2019. An exploratory
20 investigation of public perceptions towards safety and security from the future
21 use of flying cars in the United States. *Anal. Methods Accid. Res.* 23.
22 <https://doi.org/10.1016/j.amar.2019.100103>
- 23 Eker, U., Fountas, G., Anastasopoulos, P.C., 2020a. An exploratory empirical analysis
24 of willingness to pay for and use flying cars. *Aerosp. Sci. Technol.* 104, 105993.
25 <https://doi.org/10.1016/j.ast.2020.105993>
- 26 Eker, U., Fountas, G., Anastasopoulos, P.C., Still, S.E., 2020b. An exploratory
27 investigation of public perceptions towards key benefits and concerns from the
28 future use of flying cars. *Travel Behav. Soc.* 19, 54–66.
29 <https://doi.org/10.1016/j.tbs.2019.07.003>
- 30 Electric VTOL News, 2022. Autoflight Prosperity 1 V1500M (prototype) [WWW
31 Document]. URL <https://evtol.news/autoflight-v1500m> (accessed 2.18.25).
- 32 Ergebnisse, E., 2011. Zensus 2011 Bevölkerung nach Geschlecht, Alter,
33 Staatsangehörigkeit, Familienstand und Religionszugehörigkeit.
- 34 European Conference of Ministers of Transport, 1998. Efficient transport for Europe :
35 policies for internalisation of external costs. ECMT : Distributed by the OECD
36 Publications Service, Paris.

- 1 Fan, Y., Guthrie, A., Levinson, D., 2016. Waiting time perceptions at transit stops and
2 stations: Effects of basic amenities, gender, and security. *Transp. Res. Part A*
3 *Policy Pract.* 88, 251–264. <https://doi.org/10.1016/J.TRA.2016.04.012>
- 4 Federal Aviation Administration (FAA), 2020. Airport data contact information.
5 [WWW Document]. URL
6 https://www.faa.gov/airports/airport_safety/airportdata_5010/#importers.
7 (accessed 2.18.25).
- 8 Federal Aviation Administration (FAA), 2019. Airport Data & Contact Information
9 [WWW Document]. URL
10 https://www.faa.gov/airports/airport_safety/airportdata_5010/ (accessed 3.5.25).
- 11 Federal Aviation Administration (FAA), n.d. FAA: AEDT Support Website [WWW
12 Document]. URL <https://aedt.faa.gov/> (accessed 3.5.25).
- 13 Federal Statistical Office, 2015. Mobility and transport microcensus [WWW
14 Document]. URL <https://www.bfs.admin.ch/news/en/2017-0076> (accessed
15 2.15.25).
- 16 Ferreira, T., 2020. The uptake of unmanned aerial vehicles in the urban environment
17 Tomás Lencastre Megre Ferreira.
- 18 FHWA, 2024. Exploring National Long Distance Passenger Travel Demand Modeling
19 and Simulation - Policy | Federal Highway Administration [WWW Document].
20 URL <https://www.fhwa.dot.gov/policyinformation/analysisframework/02.cfm>
21 (accessed 10.26.25).
- 22 FHWA, 2017. Traffic Congestion and Reliability: Linking Solutions to Problems
23 [WWW Document]. URL
24 https://ops.fhwa.dot.gov/congestion_report_04/appendix_C.htm#content
25 (accessed 3.5.25).
- 26 FlightRadar24, 2024. Jakarta Soekarno Hatta International Airport (CGK/WIII) |
27 Arrivals, Departures & Routes | Flightradar24 [WWW Document]. URL
28 <https://www.flightradar24.com/data/airports/cgk> (accessed 2.14.25).
- 29 Flughafenverband ADV, 2016. ADV-Faktenpapier zum innerdeutschen Luftverkehr.
30 Flyaway Fares [WWW Document], n.d. URL [https://www.flylax.com/en/flyaway-](https://www.flylax.com/en/flyaway-bus#Fare/Buy-%20Tickets)
31 [bus#Fare/Buy-%20Tickets](https://www.flylax.com/en/flyaway-bus#Fare/Buy-%20Tickets) (accessed 2.15.25).
- 32 FRED, n.d. Average Hourly Earnings of All Employees: Total Private in New York
33 City [WWW Document]. URL
34 <https://fred.stlouisfed.org/series/SMU369356105000000003> (accessed 5.17.26).
- 35 Fu, M., Rothfeld, R., Antoniou, C., 2019. Exploring Preferences for Transportation
36 Modes in an Urban Air Mobility Environment: Munich Case Study. *Transp. Res.*
37 *Rec.*

1 https://doi.org/10.1177/0361198119843858/ASSET/IMAGES/LARGE/10.1177_
2 0361198119843858-FIG3.JPEG

3 Fu, M., Straubinger, A., Schaumeier, J., 2020. Scenario-based demand assessment of
4 urban air mobility in the greater munich area, in: AIAA AVIATION 2020
5 FORUM. American Institute of Aeronautics and Astronautics Inc, AIAA.
6 <https://doi.org/10.2514/6.2020-3256>

7 Garrow, L.A., Mokhtarian, P.L., German, B.J., Boddupalli, S.S., 2020. Commuting in
8 the age of the jetsons: A market segmentation analysis of autonomous ground
9 vehicles and air taxis in five large U.S. cities, in: AIAA AVIATION 2020
10 FORUM. American Institute of Aeronautics and Astronautics Inc, AIAA.
11 <https://doi.org/10.2514/6.2020-3258>

12 Garrow, L.A., Mokhtarian, P.L., German, B.J., Glodek, J.J., Boddupalli, S.S., 2019. A
13 survey to model demand for evtol urban air trips and competition with
14 autonomous ground vehicles, in: AIAA Aviation 2019 Forum.
15 <https://doi.org/10.2514/6.2019-2871>

16 Garrow, L.A., Mokhtarian, P.L., German, B.J., “Jack” S. Glodek, J., Leonard, C.E.,
17 2025. Market segmentation of an electric vertical takeoff and landing (eVTOL)
18 air taxi commuting service in five large U.S. cities. Transp. Res. Part A Policy
19 Pract. 191. <https://doi.org/10.1016/j.tra.2024.104267>

20 Geleceği, S., Hava, K., Kabulüne, H., Bir, Y., Mermertaş, Ç.F., Karakan, H.İ., 2024.
21 The Future of Travel: A Study on Urban Air Mobility Acceptance. Süleyman
22 Demirel Üniversitesi İktisadi ve İdari Bilimler Fakültesi Dergisi.

23 General Transit Feed Specification dataset [WWW Document], n.d. URL
24 <https://mobilitydatabase.org/> (accessed 2.14.25).

25 Gerardus, J., Edsel, A., Gunady, N.I., DeLaurentis, D.A., 2024. Assessing Urban Air
26 Mobility Attractiveness in Jakarta-A Case Study. [https://doi.org/10.2514/6.2024-](https://doi.org/10.2514/6.2024-3557)
27 3557

28 Global Parking Index [WWW Document], 2017. URL [https://www.numbeo.com/cost-](https://www.numbeo.com/cost-of-living/)
29 of-living/ (accessed 2.18.25).

30 Global Petrol Prices, 2022. France gasoline prices, 10-Feb-2025 |
31 GlobalPetrolPrices.com [WWW Document]. URL
32 https://www.globalpetrolprices.com/France/gasoline_prices/ (accessed 2.15.25).

33 Google Cloud Platform, n.d. Welcome – Google Cloud console [WWW Document].
34 URL <https://console.cloud.google.com/welcome/new?pli=1> (accessed 2.15.25).

35 Google Maps API, n.d. Google Maps Platform [WWW Document]. URL
36 <https://mapsplatform.google.com/pricing/> (accessed 2.18.25).

- 1 Google maps distance matrix API, n.d. Distance Matrix Service [WWW Document].
2 URL
3 <https://developers.google.com/maps/documentation/javascript/examples/distance>
4 [-matrix](https://developers.google.com/maps/documentation/javascript/examples/distance-matrix) (accessed 8.15.26).
- 5 Google.Destination, 2018. Reiseführer [WWW Document]. URL
6 <https://www.google.de/destination>. (accessed 2.18.25).
- 7 Goyal, R., Reiche, C., Fernando, C., Cohen, A., 2021. Advanced air mobility:
8 Demand analysis and market potential of the airport shuttle and air taxi markets.
9 Sustainability 13, 7421. <https://doi.org/10.3390/su13137421>
- 10 Goyal, R., Reiche, C., Fernando, C., Serrao, J., Kimmel, S., Cohen, A., Shaheen, S.,
11 2018. Urban Air Mobility (UAM) Market Study.
- 12 Goyang, 2021. Report on the Social Survey in Goyang-si (In Korean) [WWW
13 Document]. URL
14 [https://www.goyang.go.kr/www/user/bbs/BD_selectBbs.do?q_bbsCode=1053&q](https://www.goyang.go.kr/www/user/bbs/BD_selectBbs.do?q_bbsCode=1053&q_bbscttSn=20220117194336804&q_clC%20ode=8&q_pClCode=0)
15 [_bbscttSn=20220117194336804&q_clC%20ode=8&q_pClCode=0](https://www.goyang.go.kr/www/user/bbs/BD_selectBbs.do?q_bbsCode=1053&q_bbscttSn=20220117194336804&q_clC%20ode=8&q_pClCode=0) (accessed
16 3.6.25).
- 17 Grab, 2016. 2 Oct: Earn extra \$160 CASH during peak hours on top of the BEST
18 guarantees in SG! [WWW Document]. URL
19 [https://www.grab.com/sg/blog/driver/2-oct-earn-extra-160-cash-during-peak-](https://www.grab.com/sg/blog/driver/2-oct-earn-extra-160-cash-during-peak-hours-on-top-of-the-best-guarantees-in-sg/)
20 [hours-on-top-of-the-best-guarantees-in-sg/](https://www.grab.com/sg/blog/driver/2-oct-earn-extra-160-cash-during-peak-hours-on-top-of-the-best-guarantees-in-sg/) (accessed 2.20.25).
- 21 Haan, J., Garrow, L.A., Marzuoli, A., Roy, S., Bierlaire, M., 2021. Are commuter air
22 taxis coming to your city? A ranking of 40 cities in the United States. Transp.
23 Res. Part C Emerg. Technol. 132, 103392.
24 <https://doi.org/10.1016/j.trc.2021.103392>
- 25 Hader, M., Kopera, S., Baur, S., Schunck, K., Pertz, J., Niklaß, M., Swaid, M.,
26 Gollnick, V., 2024. Advanced Air Mobility on the runway to commercialization -
27 A close look at eVTOL unit economics.
- 28 Hamilton, B., 2018. UAM Market Study - Technical Out Brief [WWW Document].
29 URL
30 [https://scholar.google.com/scholar?hl=en&as_sdt=0%2C5&q=UAM+Market+St](https://scholar.google.com/scholar?hl=en&as_sdt=0%2C5&q=UAM+Market+Study+-+Technical+Out+Brief&btnG=)
31 [udy+-+Technical+Out+Brief&btnG=](https://scholar.google.com/scholar?hl=en&as_sdt=0%2C5&q=UAM+Market+Study+-+Technical+Out+Brief&btnG=) (accessed 2.15.25).
- 32 Han, J., 2024. Study on social benefit and cost of Emergency Urban Air Mobility
33 adoption. Seoul National University, Seoul.
- 34 Hasan, S., 2019. Urban air mobility (UAM) market study.
- 35 Holden, J., Goel, N., 2016. Holden: Fast-forwarding to a future of on-demand... -
36 Google Scholar [WWW Document]. URL
37 [https://scholar.google.com/scholar_lookup?title=Fast-](https://scholar.google.com/scholar_lookup?title=Fast-forwarding%20to%20a%20future%20of%20on-)
38 [forwarding%20to%20a%20future%20of%20on-](https://scholar.google.com/scholar_lookup?title=Fast-forwarding%20to%20a%20future%20of%20on-)

1 demand%20urban%20air%20transportation&author=J.%20Holden&publication
2 _year=2016 (accessed 2.14.25).

3 Hörl, S., 2016. Implementation of an autonomous taxi service in a multi-modal traffic
4 simulation using MATSim Master thesis in Complex Adaptive Systems.

5 Hörl, S., Balac, M., 2021a. Synthetic population and travel demand for Paris and Île-
6 de-France based on open and publicly available data. Transp. Res. Part C Emerg.
7 Technol. 130, 103291. <https://doi.org/10.1016/J.TRC.2021.103291>

8 Hörl, S., Balac, M., 2021b. Open synthetic travel demand for Paris and Île-de-France:
9 Inputs and output data. Data Brief 39, 107622.
10 <https://doi.org/10.1016/J.DIB.2021.107622>

11 Hörl, S., Balac, M., 2021c. GitHub - eqasim-org/ile-de-france: An open synthetic
12 population of Île-de-France for agent-based transport simulation [WWW
13 Document]. URL <https://github.com/eqasim-org/ile-de-france> (accessed 2.15.25).

14 Hörl, S., Balać, M., 2020. Reproducible scenarios for agent-based transport
15 simulation: A case study for Paris and Île-de-France.
16 <https://doi.org/10.3929/ETHZ-B-000412979>

17 Hörl, S., Becker, F., Dubernet, T., Axhausen, K.W., 2016. Induzierter Verkehr
18 durch autonome Fahrzeuge: Eine Abschätzung.

19 Howard, R.J., Wright, E.C., Mudumba, S. V, Gunady, N.I., Sells, B.E., Maheshwari,
20 A., Delaurentis, D.A., Crossley, W.A., 2021. Urban Air Mobility Vehicle Dataset.
21 <https://doi.org/10.4231/2XTS-M551>

22 Hu, S., Huang, Z., Wang, K., Lin, H., Pei, M., 2025. Modeling the Adoption of Urban
23 Air Mobility Based on Technology Acceptance and Risk Perception Theories: A
24 Case Study on Flying Cars. Multimodal Transportation 100200.
25 <https://doi.org/10.1016/j.multra.2025.100200>

26 Hu, S., Zhang, Z., Zhou, Y., Wang, X., 2026. What drives the upcoming utopia? A
27 mixed-methods inquiry into public acceptance of flying cars in China. Cities 176.
28 <https://doi.org/10.1016/j.cities.2026.107256>

29 Hwang, J.H., Hong, S., 2023. A study on the factors influencing the adoption of urban
30 air mobility and the future demand: Using the stated preference survey for three
31 UAM operational scenarios in South Korea. J. Air Transp. Manag. 112.
32 <https://doi.org/10.1016/j.jairtraman.2023.102467>

33 IATA, 2022. Unmanned Aircraft Systems (UAS) - Drones [WWW Document]. URL
34 <https://www.iata.org/en/programs/ops-infra/air-traffic-management/drones/>
35 (accessed 3.5.25).

36 ICAO, 2022. International Civil Aviation Organization (ICAO) [WWW Document].
37 URL <https://www.icao.int/pages/links.aspx> (accessed 2.18.25).

1 IndexMundi, n.d. United States - Average Commute Time by State [WWW
2 Document]. URL [https://www.indexmundi.com/facts/united-states/quick-](https://www.indexmundi.com/facts/united-states/quick-facts/all-states/average-commute-time#map)
3 [facts/all-states/average-commute-time#map](https://www.indexmundi.com/facts/united-states/quick-facts/all-states/average-commute-time#map) (accessed 2.15.25).

4 INRIX, 2019a. Welcome to the INRIX Global Traffic Scorecard.

5 INRIX, 2019b. INRIX Trips Report.

6 Internal Revenue Service, 2019. IRS issues standard mileage rates for 2019 | Internal
7 Revenue Service [WWW Document]. URL [https://www.irs.gov/newsroom/irs-](https://www.irs.gov/newsroom/irs-issues-standard-mileage-rates-for-2019)
8 [issues-standard-mileage-rates-for-2019](https://www.irs.gov/newsroom/irs-issues-standard-mileage-rates-for-2019) (accessed 2.15.25).

9 Ison, D., 2024. Collegiate Aviation Review International Consumer Willingness to Fly
10 on Advanced Air Mobility (AAM) Electric Vertical Takeoff and Landing
11 (eVTOL) Aircraft.

12 Ison, D.C., 2024. Taking Flight or Taking a Pass? Exploring Factors Influencing
13 Consumer Willingness to Pay for eVTOL Travel. *International Journal of*
14 *Aviation, Aeronautics, and Aerospace* 11, 1–24. [https://doi.org/10.58940/2374-](https://doi.org/10.58940/2374-6793.1894)
15 [6793.1894](https://doi.org/10.58940/2374-6793.1894)

16 ITF Transport Outlook, 2019. . ITF Transport Outlook.
17 https://doi.org/10.1787/TRANSP_OUTLOOK-EN-2019-EN

18 Jang, H., Kwon, Y., Jang, K., Kim, S., 2025. Urban air mobility for airport access:
19 Mode choice preference associated with socioeconomic status and airport usage
20 behavior. *J. Air Transp. Manag.* 124.
21 <https://doi.org/10.1016/j.jairtraman.2024.102719>

22 Janotta, F., Hogreve, J., 2024. Ready for take-off? The dual role of affective and
23 cognitive evaluations in the adoption of Urban Air Mobility services. *Transp.*
24 *Res. Part A Policy Pract.* 185, 104122.
25 <https://doi.org/10.1016/J.TRA.2024.104122>

26 Jeppesen, 2007. Electronic Airport Directory [WWW Document]. URL
27 <https://jeppesen-electronic-airport-directory.software.informer.com/> (accessed
28 2.15.25).

29 Jha, A., Prabhakar, N., Karbowski, D., German, B., 2022. Urban Air Mobility: A
30 preliminary case study for Chicago and Atlanta. 2022 IEEE Transportation
31 Electrification Conference and Expo, ITEC 2022 300–306.
32 <https://doi.org/10.1109/ITEC53557.2022.9814052>

33 Jiang, 2019. Jiang: Urban Public Transit System Accessibility... - Google Scholar
34 [WWW Document]. URL
35 [https://scholar.google.com/scholar_lookup?title=Urban%20public%20transit%20](https://scholar.google.com/scholar_lookup?title=Urban%20public%20transit%20system%20accessibility%20evaluation%20and%20optimization%20method&author=Jiang-Shixiong&publication_year=2019)
36 [system%20accessibility%20evaluation%20and%20optimization%20method&aut](https://scholar.google.com/scholar_lookup?title=Urban%20public%20transit%20system%20accessibility%20evaluation%20and%20optimization%20method&author=Jiang-Shixiong&publication_year=2019)
37 [hor=Jiang-Shixiong&publication_year=2019](https://scholar.google.com/scholar_lookup?title=Urban%20public%20transit%20system%20accessibility%20evaluation%20and%20optimization%20method&author=Jiang-Shixiong&publication_year=2019) (accessed 2.14.25).

- 1 Jiang, G., Chen, A., He, Z., Zhao, W., Jiang, J., 2026. Analysis of the acceptance of
2 Urban Air Mobility in China: The Integrated Choice and Latent Variable (ICLV)
3 model. *Travel Behav. Soc.* 45, 101312.
4 <https://doi.org/10.1016/J.TBS.2026.101312>
- 5 Jin, S., Chambers, K.O., 2025. Analysis of Public Acceptance of Urban Air Mobility
6 (UAM) Based on Air Travel Frequency. *Journal of Aviation/Aerospace Education*
7 & Research 34. <https://doi.org/10.58940/2329-258X.2090>
- 8 Johnson, R.A., 2025. Evaluating and Enhancing User Trust in Urban Air Mobility
9 Autonomous Passenger Systems.
- 10 Johnson, R.A., Miller, E.E., Conrad, S., 2022. Technology Adoption and Acceptance
11 of Urban Air Mobility Systems: Identifying Public Perceptions and Integration
12 Factors. *International Journal of Aerospace Psychology* 32, 240–253.
13 [https://doi.org/10.1080/24721840.2022.2100394/ASSET/5002579F-CC3C-4856-](https://doi.org/10.1080/24721840.2022.2100394/ASSET/5002579F-CC3C-4856-B8A7-5F592FBA04C2/ASSETS/IMAGES/HIAP_A_2100394_F0004_OC.JPG)
14 [B8A7-5F592FBA04C2/ASSETS/IMAGES/HIAP_A_2100394_F0004_OC.JPG](https://doi.org/10.1080/24721840.2022.2100394/ASSET/5002579F-CC3C-4856-B8A7-5F592FBA04C2/ASSETS/IMAGES/HIAP_A_2100394_F0004_OC.JPG)
- 15 Johnston, T., Riedel, R., Sahdev, S., 2020. To take off, flying vehicles first need places
16 to land.
- 17 Kalakou, S., Marques, C., Prazeres, D., Agouridas, V., 2023. Citizens' attitudes
18 towards technological innovations: The case of urban air mobility. *Technol.*
19 *Forecast. Soc. Change* 187, 122200.
- 20 Karami, H., Abbasi, M., Samadzad, M., Karami, A., 2024. Unraveling behavioral
21 factors influencing the adoption of urban air mobility from the end user's
22 perspective in Tehran – A developing country outlook. *Transp. Policy (Oxf)*. 145,
23 74–84.
- 24 Karimi, S., Karami, H., Samadzad, M., 2024. The role of travel satisfaction and
25 attitudes toward travel modes in the prospect of adoption of urban air taxis:
26 Evidence from a stated preference survey in Tehran. *Transportation Research*
27 *Part A* 179. <https://doi.org/10.1016/j.tra.2023.103885>
- 28 Kim, H., Yee, K., 2023. Potential UAM demand forecast and analysis: application to
29 Seoul metropolitan area, in: *AIAA AVIATION Forum*. pp. 1–13.
30 <https://doi.org/10.2514/6.2023-4210>
- 31 Kim, J.J., Radic, A., Ariza-Montes, A., Chua, B.-L., Koo, B., Kim, S., Han, H., 2024.
32 Cars are Ready to Fly: Urban Air Mobility and Psychological Process of
33 Sustainable Travel Mode Choices. *The International Journal of Aerospace*
34 *Psychology* 1–21. <https://doi.org/10.1080/24721840.2024.2384377>
- 35 Kim, S., Yeo, J., Kwon, Y., 2025. Understanding determinants of willingness to pay
36 for airport shuttle service of urban air mobility. *Research in Transportation*
37 *Business and Management* 62. <https://doi.org/10.1016/j.rtbm.2025.101444>

1 Kim, S., Zhang, K., 2025. Willingness to use urban air mobility (UAM) as an airport
2 shuttle across levels of automation. *Journal of Urban Mobility* 8, 100162.
3 <https://doi.org/10.1016/J.URBMOB.2025.100162>

4 Kim, W., Jin, H., Maeng, K., 2026. Facilitating sustainable urban air mobility: Social
5 influence and human oversight. *Transp. Res. D Transp. Environ.* 157, 105411.
6 <https://doi.org/10.1016/J.TRD.2026.105411>

7 Kim, Y.W., Lim, C., Ji, Y.G., 2023. Exploring the User Acceptance of Urban Air
8 Mobility: Extending the Technology Acceptance Model with Trust and Service
9 Quality Factors. *Int. J. Hum. Comput. Interact.* 39, 2893–2904.
10 <https://doi.org/10.1080/10447318.2022.2087662>

11 Ko, S., Kim, S., Cho, J., Maeng, K., 2026. Measuring public willingness to pay for
12 Urban Air Mobility: A national contingent valuation study in South Korea.
13 *Transp. Policy (Oxf.)* 179, 104007.
14 <https://doi.org/10.1016/J.TRANPOL.2026.104007>

15 Kooti, F., Djuric, N., Grbovic, M., Radosavljevic, V., Aiello, L.M., Lerman, K., 2017.
16 Analyzing uber’s ride-sharing economy. 26th International World Wide Web
17 Conference 2017, *WWW 2017 Companion* 574–582.
18 <https://doi.org/10.1145/3041021.3054194>

19 Korea Airport Corporation, 2022. KAC Korea Airports Corporation (Korean) Main
20 [WWW Document]. URL <https://www.airport.co.kr/www/index.do> (accessed
21 2.15.25).

22 Korea Civil Aviation Development Association, 2021. Report on air passenger
23 behavior characteristics [WWW Document]. URL
24 <https://www.airportal.go.kr/knowledge/od/main/main.jsp> (accessed 3.6.25).

25 Korea National Tax Service, n.d. Data Details | Public Data Portal [WWW
26 Document]. URL <https://www.data.go.kr/data/15082063/fileData.do> (accessed
27 2.15.25).

28 Korea Research Institute of Transportation Industries (KRITI), 2022. Main - Korea
29 Transport Institute [WWW Document]. URL
30 <https://www.kriti.re.kr/main/main.php> (accessed 2.15.25).

31 Korea Transport Database (KTDB), 2019. Passenger Travel Surveys [WWW
32 Document]. URL <https://www.ktdb.go.kr/eng/contents.do?key=244> (accessed
33 2.15.25).

34 Kreimeier, M., Gottschalk, D., Stumpf, E., 2016. Economical assessment of Air
35 Mobility on demand concepts with focus on Germany. 16th AIAA Aviation
36 Technology, Integration, and Operations Conference.
37 <https://doi.org/10.2514/6.2016-3304>

1 Kreimeier, M., Mondorf, A., Stumpf, E., 2017. Market volume estimation of thin-haul
2 on-demand air mobility services in Germany. 17th AIAA Aviation Technology,
3 Integration, and Operations Conference, 2017. [https://doi.org/10.2514/6.2017-](https://doi.org/10.2514/6.2017-3282)
4 3282

5 Kreimeier, M., Stumpf, E., 2017. Benefit evaluation of hybrid electric propulsion
6 concepts for CS-23 aircraft. CEAS Aeronaut. J. 8, 691–704.
7 <https://doi.org/10.1007/S13272-017-0269-9>

8 Kwon, Y., Kim, S., Yeo, J., 2026. Prioritizing service attributes to enhance social
9 acceptance of urban air mobility for airport shuttle. Travel Behav. Soc. 42,
10 101135. <https://doi.org/10.1016/j.tbs.2025.101135>

11 LA Yellow Cab [WWW Document], 2020. URL <https://layellowcab.com/rates.html>
12 (accessed 2.15.25).

13 Land Transportation Authority Academy, 2014. Passenger Transport Mode Shares in
14 World Cities. JOURNEYS 12, 54–64.

15 LAWA, 2020. LAX Survey Final Report 2019.

16 LAWA, 2019. LAX Fiscal Year Annual Report.

17 Lee, C., Bae, B., Lee, Y.L., Pak, T.Y., 2023. Societal acceptance of urban air mobility
18 based on the technology adoption framework. Technol. Forecast. Soc. Change
19 196, 122807. <https://doi.org/10.1016/J.TECHFORE.2023.122807>

20 Lee, J., Chae, H., Bang, W., Lee, D., Oh, M., Shin, J., Kim, K., 2026. Understanding
21 consumer preferences for Urban Air Mobility: A choice-based conjoint analysis
22 approach with the case of South Korea. Travel Behav. Soc. 43, 101236.
23 <https://doi.org/10.1016/J.TBS.2026.101236>

24 Lee, J.H., Kim, D.G., 2026. User-oriented planning for UAM in Seoul: a spatial
25 approach using latent class analysis and location quotient analysis based on
26 travel purpose. International Journal of Urban Sciences.
27 <https://doi.org/10.1080/12265934.2026.2657603>

28 Leonard, C.E., Garrow, L.A., Newman, J.P., 2021. A Survey to Model Demand for
29 eVTOL Trips to Airports, in: AIAA Aviation and Aeronautics Forum and
30 Exposition, AIAA AVIATION Forum 2021. American Institute of Aeronautics
31 and Astronautics Inc, AIAA. <https://doi.org/10.2514/6.2021-3180>

32 Li, H., Yang, Y., He, D., 2026. Public Acceptance of Autonomous Electric Vertical
33 Take-Off and Landing Aircraft: Analysis Based on the Extended Technology
34 Acceptance Model. Transp. Res. Rec.
35 <https://doi.org/10.1177/03611981261419008>

1 Li, X., Dang, A., Chen, M., 2025. Green, safe, and Cost-Effective? An integrated
2 structural analysis of public acceptance of urban air mobility. *Transp. Policy*
3 (Oxf). 173. <https://doi.org/10.1016/j.tranpol.2025.103795>

4 Liao, C., Shen, Y., Guo, R., Yu, Z., 2025a. Exploring the Impact of Innovation
5 Resistance on Public Adoption of Urban Air Mobility: Environmental Concern
6 and Innovativeness as Moderators. *J. Adv. Transp.* 2025.
7 <https://doi.org/10.1155/atr/4424886>

8 Liao, C., Wang, S., Guo, R., Lin, S., 2025b. Why Consumers Resist Urban Air
9 Mobility: A Hybrid SEM-fsQCA Approach. *IEEE Access*.
10 <https://doi.org/10.1109/ACCESS.2025.3555411>

11 Liu, W., Liu, Y., 2025. Electric vertical takeoff and landing and consumer intention:
12 An empirical test under a theoretical framework. *J. Air Transp. Manag.* 124.
13 <https://doi.org/10.1016/j.jairtraman.2025.102759>

14 LODES, 2010. LEHD Origin-Destination Employment Statistics (LODES) [WWW
15 Document]. URL <https://lehd.ces.census.gov/data/> (accessed 2.15.25).

16 Lombardy Region open dataset [WWW Document], 2019. URL
17 [https://www.dati.lombardia.it/Mobilit-e-trasporti/Matrice-OD2030-](https://www.dati.lombardia.it/Mobilit-e-trasporti/Matrice-OD2030-Passeggeri/sht7-5jd5/about_data)
18 [Passeggeri/sht7-5jd5/about_data](https://www.dati.lombardia.it/Mobilit-e-trasporti/Matrice-OD2030-Passeggeri/sht7-5jd5/about_data) (accessed 2.14.25).

19 Longitudinal Employer-Household Dynamics [WWW Document], 2018. URL
20 <https://lehd.ces.census.gov/data/> (accessed 2.19.25).

21 Lopes, D., Silva, J., 2023. Urban air mobility (UAM) in the metropolitan region of
22 São Paulo: Potential and threats. *Journal of Airline and Airport Management* 13,
23 1–11. <https://doi.org/10.3926/jairm.345>

24 Lotz, V., Kirste, A., Lidynia, C., Stumpf, E., Ziefle, M., 2023. User Acceptance
25 of Urban Air Mobility (UAM) for Passenger Transport: A Choice-Based Conjoint
26 Study. *Lecture Notes in Computer Science (including subseries Lecture Notes in*
27 *Artificial Intelligence and Lecture Notes in Bioinformatics)* 14048 LNCS, 296–
28 315. https://doi.org/10.1007/978-3-031-35678-0_20/FIGURES/6

29 LTA, 2014. Passenger Transport Mode Shares in World Cities.

30 Maibach, M., Peter, M., Sutter, D., 2006. Analysis of operating cost in the EU and the
31 US. Annex 1 to Final Report of COMPETE Analysis of the contribution of
32 transport policies to the competitiveness of the EU economy and comparison
33 with the United States.

34 MaxMind, 2017. Free World Cities Database [WWW Document]. URL
35 https://www.maxmind.com/de/free-world-cities-database?pkitt_lang=de
36 (accessed 12.11.17).

- 1 Mayakonda, M.P., Justin, C.Y., Anand, A., Weit, C.J., Wen, J.T., Zaidi, T.A., Mavris,
2 D.N., 2020. A top-down methodology for global urban air mobility demand
3 estimation, in: AIAA AVIATION 2020 FORUM. American Institute of
4 Aeronautics and Astronautics Inc, AIAA, pp. 1–17.
5 <https://doi.org/10.2514/6.2020-3255>
- 6 Mehrabani, B.B., Henrion, V., Hörl, S., Ivanov, N., Mirkovic, B., Blasco, J., Bossaert,
7 E., 2026. Modelling future of airport accessibility: synthetic population and
8 discrete choice model approach to UAM and CCAM demand at Brussels airport.
9 Case Stud. Transp. Policy 23, 101654.
10 <https://doi.org/10.1016/J.CSTP.2025.101654>
- 11 Microsoft Bing Map, 2019. Bing Maps Controls Deprecation | Microsoft Azure Maps
12 [WWW Document]. URL [https://www.microsoft.com/en-us/maps/bing-](https://www.microsoft.com/en-us/maps/bing-maps/discontinued-services)
13 [maps/discontinued-services](https://www.microsoft.com/en-us/maps/bing-maps/discontinued-services) (accessed 2.15.25).
- 14 Microsoft Bing Map, 2018. Calculate a Distance Matrix - Bing Maps [WWW
15 Document]. URL [https://learn.microsoft.com/en-us/bingmaps/rest-](https://learn.microsoft.com/en-us/bingmaps/rest-services/routes/calculate-a-distance-matrix)
16 [services/routes/calculate-a-distance-matrix](https://learn.microsoft.com/en-us/bingmaps/rest-services/routes/calculate-a-distance-matrix) (accessed 2.15.25).
- 17 Microsoft Bing Map, 2015. Mapping Software | Alternatives to MapPoint | Bing Maps
18 [WWW Document]. URL [https://www.microsoft.com/en-us/maps/bing-](https://www.microsoft.com/en-us/maps/bing-maps/mappoint-alternatives?msocid=3a6af6d6bb90600921e9e222ba19615c)
19 [maps/mappoint-alternatives?msocid=3a6af6d6bb90600921e9e222ba19615c](https://www.microsoft.com/en-us/maps/bing-maps/mappoint-alternatives?msocid=3a6af6d6bb90600921e9e222ba19615c)
20 (accessed 2.18.25).
- 21 Miniaoui, S., Almuraqab, N.A.S., Raees, R. Al, S., P.B., V., M.K.M., 2026. Modeling
22 Service Experience and Sustainable Adoption of Drone Taxi Services in the
23 UAE: A Behavioral Framework Informed by TAM and UTAUT. Sustainability
24 2026, Vol. 18, Page 922 18, 922. <https://doi.org/10.3390/SU18020922>
- 25 Ministry of Transport of the People’s Republic of China, n.d. Ministry of Transport of
26 the People’s Republic of China [WWW Document]. URL
27 <https://www.mot.gov.cn/> (accessed 6.14.25).
- 28 Mobilität in Deutschland [WWW Document], n.d. URL [https://www.mobilitaet-in-](https://www.mobilitaet-in-deutschland.de/)
29 [deutschland.de/](https://www.mobilitaet-in-deutschland.de/) (accessed 2.15.25).
- 30 Moeckel, R., 2017. Constraints in household relocation: Modeling land-use/transport
31 interactions that respect time and monetary budgets. JSTORR MoeckelJournal of
32 Transport and Land Use, 2017•JSTOR. <https://doi.org/10.5198/jtlu.2015.810>
- 33 Moeckel, R., Kuehnel, N., Llorca, C., Moreno, A.T., Rayaprolu, H., 2020. Agent-
34 Based Simulation to Improve Policy Sensitivity of Trip-Based Models.
35 <https://doi.org/10.1155/2020/1902162>
- 36 Moor, T., 2015. How Much Does It Cost to Rent a Car? [WWW Document]. URL
37 <https://www.angi.com/articles> (accessed 2.15.25).

1 Moore, M.D., 2012. Concept of Operations for Highly Autonomous Electric Zip
2 Aviation.

3 Moore, M.D., Goodrich, K., Viken, J., Smith, J., Fredericks, B., Trani, T.,
4 Barraclough, J., German, B., Patterson, M., 2013. High-speed mobility through
5 on-demand aviation. 2013 Aviation Technology, Integration, and Operations
6 Conference. <https://doi.org/10.2514/6.2013-4373>

7 Moreno, A.T., Moeckel, R., 2018. Population synthesis handling three geographical
8 resolutions. *mdpi.com* AT Moreno, R Moeckel ISPRS International Journal of
9 Geo-Information, 2018•mdpi.com. <https://doi.org/10.3390/ijgi7050174>

10 Mostofi, H., Biehle, T., Kellermann, R., Dienel, H.L., 2024. Modelling public attitude
11 towards air taxis in Germany. *Transp. Res. Interdiscip. Perspect.* 24.
12 <https://doi.org/10.1016/j.trip.2024.101045>

13 MTA Fares [WWW Document], n.d. URL <https://www.metro.net/riding/fares/>
14 (accessed 2.15.25).

15 NASA, 2018. URBAN AIR MOBILITY (UAM) MARKET STUDY.

16 Nazari, F., Noruzoliaee, M., Nurul Habib, K., 2026. Assessing public acceptance of
17 urban air mobility: Behavioral insights. *J. Air Transp. Manag.* 131.
18 <https://doi.org/10.1016/j.jairtraman.2025.102907>

19 New York City (NYC) Taxi and Limousine Commission data [WWW Document],
20 2022. URL <https://www.nyc.gov/site/tlc/about/tlc-trip-record-data.page> (accessed
21 2.14.25).

22 NHTS, 2017. National Household Travel Survey [WWW Document]. URL
23 <https://nhts.ornl.gov/> (accessed 2.15.25).

24 NHTS, 2009. National Household Travel Survey database [WWW Document]. URL
25 <https://nhts.ornl.gov/introduction.shtml> (accessed 2.18.25).

26 Norte, M., Fulton, M., Harvey, A., Plevier, C., Oosterholt, L., Mendez Garcia, M.,
27 Wichers, F., van Vliet, L., Ottens, J., Bootsma, S., Li, L., 2023. Modelling Urban
28 Air Mobility Demand: the Example of the Île-de-France Region, in: AIAA
29 AVIATION 2023 Forum. pp. 1–23. <https://doi.org/10.2514/6.2023-4105>

30 OECD and E. Commission, 2020. Cities in the World, OECD Urban Studies. OECD.
31 <https://doi.org/10.1787/d0efcbda-en>

32 Office of Energy Efficiency and Renewable Energy, 2024. Model Year 2021 All-
33 Electric Vehicles Had a Median Driving Range about 60% That of Gasoline
34 Powered Vehicles [WWW Document]. URL
35 <https://www.energy.gov/eere/vehicles/articles/fotw-1221-january-17-2022-model-year-2021-all-electric-vehicles-had-median> (accessed 2.18.25).
36

- 1 Open Street Routing Machine [WWW Document], 2019. URL [http://project-](http://project-osrm.org/)
2 [osrm.org/](http://project-osrm.org/) (accessed 2.15.25).
- 3 Open Trip Planner [WWW Document], 2020. URL
4 <https://docs.opentripplanner.org/en/latest/> (accessed 2.19.25).
- 5 OpenFlights, 2017. Airport, Airline and Route Data. [WWW Document]. URL
6 <https://openflights.org/data.html> (accessed 2.18.25).
- 7 Openrouteservice [WWW Document], 2024. URL <https://openrouteservice.org/>
8 (accessed 10.26.25).
- 9 OpenStreetMap [WWW Document], 2020. URL
10 <https://www.openstreetmap.org/#map=5/38.01/-95.84> (accessed 2.14.25).
- 11 OpenStreetMap [WWW Document], n.d. URL
12 <https://www.openstreetmap.org/#map=5/38.01/-95.84> (accessed 2.14.25a).
- 13 OpenStreetMap [WWW Document], n.d. URL
14 https://wiki.openstreetmap.org/wiki/Downloading_data. (accessed 2.15.25b).
- 15 OpenTripPlanner [WWW Document], 2019. URL <https://www.opentripplanner.org/>
16 (accessed 2.18.25).
- 17 OpenTripPlanner [WWW Document], n.d. URL
18 <https://docs.opentripplanner.org/en/latest/> (accessed 2.15.25).
- 19 Operational cost of driving [WWW Document], 2017. URL [https://www.irs.gov/tax-](https://www.irs.gov/tax-professionals/standard-mileage-rates)
20 [professionals/standard-mileage-rates](https://www.irs.gov/tax-professionals/standard-mileage-rates) (accessed 2.19.25).
- 21 Papenfuss, A., Stolz, M., Riedesel, N., Dunkel, F., Ernst, J., Laudien, T., Lenz, H.,
22 End, A., Schuchardt, B., 2023. Experiencing Urban Air Mobility: How
23 Passengers Evaluate a Simulated Flight with an Air Taxi, in: 3rd Urban Air
24 Mobility Symposium. p. 1.
- 25 Park, A., Lee, S., 2024. Analysis of Factors Influencing Public Acceptance of Air
26 Taxis in South Korea. J. Adv. Transp. 2024.
27 <https://doi.org/10.1155/2024/6555597>
- 28 Park, S.W., 2021. Social acceptability of urban air mobility by aircraft category and
29 autonomous phases.
- 30 Parking in America, 2010. Parking in America: 3rd Annual Review of Parking Rates
31 in America (2010) - National Parking Association [WWW Document]. URL
32 <https://weareparking.org/store/ViewProduct.aspx?nonssl=1&id=2918295>
33 (accessed 2.15.25).
- 34 ParkWhiz, 2019. ParkWhiz: Find and Book Parking Anywhere [WWW Document].
35 URL <https://www.parkwhiz.com/> (accessed 2.15.25).

- 1 Planing, P., Pinar, Y., 2019. Acceptance of air taxis A field study during the first flight
2 of an air taxi in a European city.
- 3 Platten, F., Attinger, F., Mischke, L., 2018. Passenger flow. Zurich.
- 4 Ploetner, K.O., Al Haddad, C., Antoniou, C., Frank, F., Fu, M., Kabel, S., Llorca, C.,
5 Moeckel, R., Moreno, A.T., Pukhova, A., Rothfeld, R., Shamiyeh, M.,
6 Straubinger, A., Wagner, H., Zhang, Q., 2020. Long-term application potential of
7 urban air mobility complementing public transport: an upper Bavaria example.
8 CEAS Aeronaut. J. 11, 991–1007. <https://doi.org/10.1007/s13272-020-00468-5>
- 9 Pu, D., Trani, A., Hinze, N., 2014. Zip vehicle commuter aircraft demand estimate: A
10 multinomial logit mode choice model. AIAA AVIATION 2014 -14th AIAA
11 Aviation Technology, Integration, and Operations Conference.
12 <https://doi.org/10.2514/6.2014-2411>
- 13 Pukhova, A., Llorca, C., Moreno, A., Staves, C., Zhang, Q., Moeckel, R., 2021. Flying
14 taxis revived: Can Urban air mobility reduce road congestion? Journal of Urban
15 Mobility 1, 100002. <https://doi.org/10.1016/J.URBMOB.2021.100002>
- 16 PWC, 2020. Global Economy Watch - Projections.
- 17 Qu, W., Huang, J., Li, C., Liao, X., 2024. A demand forecasting model for urban air
18 mobility in Chengdu, China. Green Energy and Intelligent Transportation 3.
19 <https://doi.org/10.1016/j.geits.2024.100173>
- 20 Radic, A., Quan, W., Ariza-Montes, A., Koo, B., Kim, J.J., Chua, B.L., Gil-Marín, M.,
21 Han, H., 2024. Do Tourists Dream of Urban Air Mobility? Psychology and the
22 Unified Theory of Acceptance and Use of Technology. Journal of China Tourism
23 Research. <https://doi.org/10.1080/19388160.2024.2326950>
- 24 Ragbir, N., Rice, S., Winter, S., Choy, E., Milner, M., 2020. How Weather, Distance,
25 Flight Time, and Geography Affect Consumer Willingness to Fly in Autonomous
26 Air Taxis. Collegiate Aviation Review International 38.
27 <https://doi.org/10.22488/okstate.20.100205>
- 28 Rajendran, S., Srinivas, S., Grimshaw, T., 2021. Predicting demand for air taxi urban
29 aviation services using machine learning algorithms. J. Air Transp. Manag. 92,
30 102043. <https://doi.org/10.1016/j.jairtraman.2021.102043>
- 31 Rajendran, S., Zack, J., 2019. Insights on strategic air taxi network infrastructure
32 locations using an iterative constrained clustering approach. Transp. Res. E
33 Logist. Transp. Rev. 128, 470–505. <https://doi.org/10.1016/J.TRE.2019.06.003>
- 34 Rautray, P., Mathew, D.J., Eisenbart, B., 2020. USERS’ SURVEY FOR
35 DEVELOPMENT OF PASSENGER DRONES. Proceedings of the Design
36 Society: DESIGN Conference 1, 1637–1646.
37 <https://doi.org/10.1017/DSD.2020.39>

- 1 Reiche, C., Cohen, A.P., Fernando, C., 2021. An Initial Assessment of the Potential
2 Weather Barriers of Urban Air Mobility. *IEEE Transactions on Intelligent*
3 *Transportation Systems* 22, 6018–6027.
4 <https://doi.org/10.1109/TITS.2020.3048364>
- 5 Reiche, Colleen, P., Goyal, R., Cohen, A., Serrao, J., Kimmel, Shawn, P., Fernando,
6 C., Shaheen, Susan, P., 2018. Urban Air Mobility Market Study.
7 <https://doi.org/10.7922/G2ZS2TRG>
- 8 Reinhart, 2018. Snapshot: Who Uses Ride-Sharing Services in the U.S.? [WWW
9 Document]. URL [https://news.gallup.com/poll/237965/snapshot-uses-ride-](https://news.gallup.com/poll/237965/snapshot-uses-ride-sharing-services.aspx)
10 [sharing-services.aspx](https://news.gallup.com/poll/237965/snapshot-uses-ride-sharing-services.aspx) (accessed 2.14.25).
- 11 Rice, S., Winter, S.R., Crouse, S., Ruskin, K.J., 2022. Vertiport and air taxi features
12 valued by consumers in the United States and India. *Case Stud. Transp. Policy*
13 10, 500–506. <https://doi.org/10.1016/j.cstp.2022.01.010>
- 14 Rimjha, M., Hotle, S., Trani, A., Hinze, N., 2021a. Commuter demand estimation and
15 feasibility assessment for Urban Air Mobility in Northern California. *Transp.*
16 *Res. Part A Policy Pract.* 148, 506–524. <https://doi.org/10.1016/j.tra.2021.03.020>
- 17 Rimjha, M., Hotle, S., Trani, A., Hinze, N., Smith, J., Dollyhigh, S., 2021b. Urban Air
18 Mobility: Airport Ground Access Demand Estimation, in: *AIAA Aviation and*
19 *Aeronautics Forum and Exposition, AIAA AVIATION Forum 2021*. American
20 Institute of Aeronautics and Astronautics Inc, AIAA.
21 <https://doi.org/10.2514/6.2021-3209>
- 22 Rimjha, M., Hotle, S., Trani, A., Hinze, N., Smith, J.C., 2021c. Urban air mobility
23 demand estimation for airport access: A Los Angeles international airport case
24 study, in: *Integrated Communications, Navigation and Surveillance Conference,*
25 *ICNS*. Institute of Electrical and Electronics Engineers Inc.
26 <https://doi.org/10.1109/ICNS52807.2021.9441659>
- 27 Riza, L., Bruehl, R., Fricke, H., Planing, P., 2024. Will air taxis extend public
28 transportation? A scenario-based approach on user acceptance in different urban
29 settings. *Transp. Res. Interdiscip. Perspect.* 23.
30 <https://doi.org/10.1016/j.trip.2023.101001>
- 31 Rodrigue, J.-P., Comtois, C., Slack, B., 2017. *The Geography of Transport Systems*.
- 32 Rothfeld, R., 2022. Flow-and Pricing-based Urban Air Mobility Demand Estimation
33 for Local and Non-Local Travellers An Île-de-France Case Study.
- 34 Rothfeld, R., Fu, M., Balać, M., Antoniou, C., 2021. Potential Urban Air Mobility
35 Travel Time Savings: An Exploratory Analysis of Munich, Paris, and San
36 Francisco. *Sustainability* 2021, Vol. 13, Page 2217 13, 2217.
37 <https://doi.org/10.3390/SU13042217>

- 1 Rothfeld, R., Moeckel, R., 2018. A GIS-based Analysis for Selecting Ground
2 Infrastructure Locations for Urban Air Mobility.
3 <https://doi.org/10.13140/RG.2.2.36386.15040>
- 4 Rothfeld, R.L., Balac, M., Ploetner, K.O., Antoniou, C., 2018a. Initial analysis of
5 urban air mobility's transport performance in sioux falls, in: 2018 Aviation
6 Technology, Integration, and Operations Conference.
7 <https://doi.org/10.2514/6.2018-2886>
- 8 Rothfeld, R.L., Balac, M., Zurich, E., Ploetner, K.O., Antoniou, C., 2018b. Agent-
9 based Simulation of Urban Air Mobility and Landing.
- 10 Roy, S., Herniczek, M.T.K., German, B.J., Garrow, L.A., 2021. User base estimation
11 methodology for a business airport shuttle air taxi service. *Journal of Air*
12 *Transportation* 29, 69–79. <https://doi.org/10.2514/1.D0216>
- 13 Sabre Airline Solutions, 2017. Aviation Data Intelligence. [WWW Document]. URL
14 https://www.sabreairlinesolutions.com/home/software_solutions/airports/
15 (accessed 2.15.25).
- 16 Said, M., Yedavalli, P., Wu, Z., Tripathi, A., 2026. Hybrid Choice Model Insights Into
17 Autonomous Urban Air Mobility Adoption in Los Angeles, Houston, Brisbane,
18 and Tokyo. *AIAA AVIATION 2026 Forum*. <https://doi.org/10.2514/6.2026-4067>
- 19 Salt Lake Express, 2025. Route Map [WWW Document]. URL
20 <https://saltlakeexpress.com/pickup-locations/route-map/> (accessed 5.17.26).
- 21 Samadzad, M., Ansari, F., Afshari Moez, M.A., 2024. Who will board urban air taxis?
22 An analysis of advanced air mobility demand and value of travel time for
23 business, airport access, and regional tourism trips in Iran. *J. Air Transp. Manag.*
24 119, 102636. <https://doi.org/10.1016/j.jairtraman.2024.102636>
- 25 Savage, J., 2016. France among Europe's priciest for train travel [WWW Document].
26 URL [https://www.thelocal.fr/20160905/france-among-europes-priciest-for-train-](https://www.thelocal.fr/20160905/france-among-europes-priciest-for-train-travel)
27 [travel](https://www.thelocal.fr/20160905/france-among-europes-priciest-for-train-travel) (accessed 2.15.25).
- 28 Seongnam, 2021. Report on the Social Survey in Seongnam-si (In Korean) [WWW
29 Document]. URL
30 [https://www.seongnam.go.kr/stat/statReport/statReport.do?menuIdx=1001716&r](https://www.seongnam.go.kr/stat/statReport/statReport.do?menuIdx=1001716&returnURL=%2Fmain.do&category=2)
31 [eturnURL=%2Fmain.do&category=2](https://www.seongnam.go.kr/stat/statReport/statReport.do?menuIdx=1001716&returnURL=%2Fmain.do&category=2) (accessed 3.6.25).
- 32 Seoul, 2021. 2021 Seoul Survey (In Korean) [WWW Document]. URL
33 <https://data.seoul.go.kr/dataList/OA-15564/F/1/datasetView.do> (accessed 3.6.25).
- 34 Seoul, n.d. Seoul Public Transportation Fare Status [WWW Document]. URL
35 <https://news.seoul.go.kr/traffic/archives/345> (accessed 3.10.25).

- 1 Shaheen, S., Cohen, A., Farrar, E., 2018. UC Berkeley Recent Work Title The
2 Potential Societal Barriers of Urban Air Mobility (UAM) Publication Date.
3 <https://doi.org/10.7922/G28C9TFR>
- 4 Shamiyeh, M., Bijewitz, J., Hornung, M., Luftfahrt, B., 2017. Aerospace Europe 6th
5 CEAS Conference A Review of Recent Personal Air Vehicle Concepts, CEAS.
- 6 Shamiyeh, M., Rothfeld, R., of, M.H.-P. of the 31st C., 2018, undefined, 2018. A
7 performance benchmark of recent personal air vehicle concepts for urban air
8 mobility. icas.orgM Shamiyeh, R Rothfeld, M HornungProceedings of the 31st
9 Congress of the International Council of the, 2018•icas.org.
- 10 Singapore Tourism Board, 2025. Tourism Statistics - Monthly International Visitor
11 Arrivals [WWW Document]. URL
12 [https://www.stb.gov.sg/content/stb/en/statistics-and-market-insights/tourism-](https://www.stb.gov.sg/content/stb/en/statistics-and-market-insights/tourism-statistics/international-visitorarrivals.html)
13 [statistics/international-visitorarrivals.html](https://www.stb.gov.sg/content/stb/en/statistics-and-market-insights/tourism-statistics/international-visitorarrivals.html) (accessed 2.20.25).
- 14 Sirirojvisuth, N., Briceno, S., Justin, C., 2020. Life-Cycle Economic Analysis and
15 Optimization for Urban Air Mobility (UAM). The Vertical Flight Society.
16 <https://doi.org/10.4050/>
- 17 Sivak, M., Schoettle, B., 2017. A Survey of Public Opinion about Flying Cars.
- 18 SK open API [WWW Document], n.d. URL <https://openapi.sk.com/> (accessed
19 2.15.25).
- 20 Smith, A., Dickinson, J.E., Nadeem, T., Snow, B., Permana, R., Cherrett, T.,
21 Drummond, J., 2024. Supporting inclusive debate on Advanced Air Mobility: An
22 evaluation. Transp. Res. D Transp. Environ. 136.
23 <https://doi.org/10.1016/j.trd.2024.104471>
- 24 Social Progress Index, 2022. Social Progress Imperative [WWW Document]. URL
25 <https://www.socialprogress.org/> (accessed 2.14.25).
- 26 Song, F., Hess, S., Dekker, T., 2024. Uncovering the link between intra-individual
27 heterogeneity and variety seeking: the case of new shared mobility.
28 Transportation (Amst). 51, 371–406. [https://doi.org/10.1007/s11116-022-10334-](https://doi.org/10.1007/s11116-022-10334-4)
29 4
- 30 Song, F., Hess, S., Thijs, 2019. Fancy sharing an air taxi ? Uncovering the impact of 1
31 variety seeking on the demand for new shared mobility 2 services.
- 32 S&P Global, 2022. Global Economic Outlook Q4 2022 | S&P Global Ratings [WWW
33 Document]. URL [https://www.spglobal.com/ratings/en/research-insights/special-](https://www.spglobal.com/ratings/en/research-insights/special-reports/global-economic-outlook-q4-2022)
34 [reports/global-economic-outlook-q4-2022](https://www.spglobal.com/ratings/en/research-insights/special-reports/global-economic-outlook-q4-2022) (accessed 2.14.25).
- 35 Standard Mileage Rates, 2020.
- 36 Stoll, A.M., Bevirt, J., Moore, M.D., Fredericks, W.J., Borer, N.K., 2014. Drag
37 Reduction Through Distributed Electric Propulsion.

- 1 Stoll, A.M., Veble, G., Mikić, M., 2016. Design Studies of Thin-Haul Commuter
2 Aircraft with Distributed Electric Propulsion 13–17.
- 3 Stolz, M., Laudien, T., 2022. Assessing Social Acceptance of Urban Air Mobility
4 using Virtual Reality, in: AIAA/IEEE Digital Avionics Systems Conference -
5 Proceedings. Institute of Electrical and Electronics Engineers Inc.
6 <https://doi.org/10.1109/DASC55683.2022.9925775>
- 7 Stolz, M., Papenfuss, A., de Albuquerque Richers, G.C., Bahn Müller, A., Syed, A.M.,
8 Gerndt, A., Fischer, M., Wegener, J., Lieb, T.J., Biella, M., 2023. A mixed-
9 method approach to investigate the public acceptance of drones. CEAS Aeronaut.
10 J. 1, 1–21. <https://doi.org/10.1007/S13272-023-00693-8/TABLES/10>
- 11 Straubinger, A., Helmchen, F., Plötner, K.O., Kaiser, J., 2021. Proposing a Scenario-
12 Based Estimation of Global Urban Air Mobility Demand. AIAA Aviation and
13 Aeronautics Forum and Exposition, AIAA AVIATION Forum 2021.
14 <https://doi.org/10.2514/6.2021-3207>
- 15 Su, J., Hong, D., Guo, M., Lee, E., Jang, S., 2026. Shaping air taxi adoption:
16 Unraveling the interplay of travel patterns and attitudes. Research in
17 Transportation Economics 116, 101724.
18 <https://doi.org/10.1016/j.retrec.2026.101724>
- 19 Subedi, A., Singleton, P.A., 2026. Forecasting electric air taxi demand and modal shift
20 for airport travel: a case study of northern Utah. Case Stud. Transp. Policy 23,
21 101716. <https://doi.org/10.1016/J.CSTP.2026.101716>
- 22 Subedi, A., Singleton, P.A., Gomer, B., Acharya, S., 2025. Role of Innovativeness in
23 US Electric Air Taxi Adoption Dynamics. Transport Findings 2025.
24 <https://doi.org/10.32866/001c.133789>
- 25 Sumon, 2021. Report on the Social Survey in Suwon-si (In Korean) [WWW
26 Document]. URL
27 [https://www.suwon.go.kr/web/1004/board/BD_board.list.do?bbsCd=1202&q_ctg](https://www.suwon.go.kr/web/1004/board/BD_board.list.do?bbsCd=1202&q_ctgCd=1004)
28 [Cd=1004](https://www.suwon.go.kr/web/1004/board/BD_board.list.do?bbsCd=1202&q_ctgCd=1004) (accessed 3.6.25).
- 29 Sun, X.F., 2026. Exploring key factors influencing urban air transport Acceptance: A
30 trust and Risk-Embedded UTAUT2 framework. Transp. Res. Part F Traffic
31 Psychol. Behav. 116. <https://doi.org/10.1016/j.trf.2025.103448>
- 32 Sunitiyoso, Y., Belgiawan, P.F., Susilo, Y., Rizki, M., Wirayat, M.Y.F., Ramadhan,
33 M.R., 2025. Public acceptance of urban air mobility: A study on factors
34 influencing adoption. Sustainable Futures 10.
35 <https://doi.org/10.1016/j.sfr.2025.100980>
- 36 Suo, Y., Li, C., Tang, L., Huang, L., 2024. Exploring AAM Acceptance in Tourism:
37 Environmental Consciousness's Influence on Hedonic Motivation and Intention
38 to Use. Sustainability (Switzerland) 16. <https://doi.org/10.3390/su16083324>

- 1 Syed, N., Rye, M., Ade, M., Trani, A., Hinze, N., Swingle, H., Smith, J.C., Dollyhigh,
2 S., Marien, T., 2017a. Preliminary Considerations for ODM Air Traffic
3 Management based on Analysis of Commuter Passenger Demand and Travel
4 Patterns for the Silicon Valley Region of California, in: AIAA AVIATION
5 Forum. pp. 1–20. <https://doi.org/10.2514/6.2017-3082>
- 6 Syed, N., Rye, M., Ade, M., Trani, A., Hinze, N., Swingle, H., Tech, V.,
7 Transportation, A., 2017b. ODM Commuter Aircraft Demand Estimation 1–20.
8 <https://doi.org/10.2514/6.2017-3082>
- 9 Tahmid, S.M.T., 2022. Comparison Study of Consumer’s Perception toward Urban
10 Air Mobility in the United States and Rest of the World Using Social Media
11 Information.
- 12 Tang, W., Tao, Y., Fu, M., Wu, L., Chen, J., Li, G., 2025. Factors influencing the
13 acceptance of flying cars among rural residents in China. *Transp. Res. Part F*
14 *Traffic Psychol. Behav.* 114, 320–336.
15 <https://doi.org/10.1016/J.TRF.2025.06.005>
- 16 The Business Times - Transport, 2019. A British company is building a hub for flying
17 taxis in Singapore - The Business Times [WWW Document]. URL
18 [https://www.businesstimes.com.sg/companies-markets/transport-logistics/british-](https://www.businesstimes.com.sg/companies-markets/transport-logistics/british-company-building-hub-flying-taxis-singapore)
19 [company-building-hub-flying-taxis-singapore](https://www.businesstimes.com.sg/companies-markets/transport-logistics/british-company-building-hub-flying-taxis-singapore) (accessed 2.20.25).
- 20 The Electric VTOL News, n.d. Lilium [WWW Document]. URL
21 <https://evtol.news/lilium/> (accessed 2.15.25).
- 22 The Electric VTOL News [WWW Document], 2021. URL
23 <https://www.jobyaviation.com/> (accessed 2.14.25).
- 24 TLC, 2023. TLC Trip Record Data - TLC [WWW Document]. URL
25 <https://www.nyc.gov/site/tlc/about/tlc-trip-record-data.page> (accessed 5.17.26).
- 26 TomTom Traffic Index, 2024. Jakarta traffic report | TomTom Traffic Index [WWW
27 Document]. URL <https://www.tomtom.com/traffic-index/jakarta-traffic/>
28 (accessed 2.14.25).
- 29 Transver GmbH, 2002. Der Flughafen München und sein Umland:
30 Grundlagenermittlung für einen Dialog, Teil 2 Verkehrsgutachten.
- 31 Trapsilawati, F., Hapsari, T., Fikri, I., Haniv, M.A., Sari, W., Harahap, Z.A., 2025.
32 Demographics, Technology Acceptance, and Willingness to Pay: A Pilot Study
33 on Urban Air Mobility Adoption in Indonesia. *Sustainable Futures* 100777.
34 <https://doi.org/10.1016/j.sftr.2025.100777>
- 35 TripAdvisor, n.d. Tripadvisor: Over a billion reviews & contributions for Hotels,
36 Attractions, Restaurants, and more [WWW Document]. URL
37 <https://www.tripadvisor.com/> (accessed 2.18.25).

- 1 TTI, 2018. Urban Mobility Report [WWW Document]. URL
2 <https://mobility.tamu.edu/umr/> (accessed 3.5.25).
- 3 TTI, 2015. Urban Mobility Report and Scorecard 2015 [WWW Document]. URL
4 <https://mobility.tamu.edu/umr/> (accessed 2.15.25).
- 5 Uber Elevate, 2016. Fast-Forwarding to a Future of On-Demand Urban Air
6 Transportation.
- 7 Uber price estimator [WWW Document], n.d. URL
8 <https://www.uber.com/global/en/price-estimate/> (accessed 2.15.25).
- 9 Uijeongbu, 2021. The 8th Uijeongbu-city Social Survey Report (In Korean) [WWW
10 Document]. URL <https://www.ui4u.go.kr/portal/contents.do?mId=0108080000>
11 (accessed 3.6.25).
- 12 UITP database [WWW Document], 2015. URL <https://www.uitp.org/data/> (accessed
13 2.15.25).
- 14 United Nations, 2020. World Urbanization Prospects [WWW Document]. URL
15 <https://population.un.org/wup/> (accessed 2.15.25).
- 16 United Nations, 2017. National Accounts Main Aggregates Database [WWW
17 Document]. URL
18 [https://www.bing.com/search?q=National%20Accounts%20Main%20Aggregates
19 %20Database](https://www.bing.com/search?q=National%20Accounts%20Main%20Aggregates%20Database) (accessed 2.15.25).
- 20 UN-WPP, 2022. United Nations World Population Prospects (UN-WPP) [WWW
21 Document]. URL <https://population.un.org/wpp/Download/%20Standard/CSV/>
22 (accessed 3.10.25).
- 23 Urban Mobility Report [WWW Document], 2018. URL
24 <https://mobility.tamu.edu/umr/> (accessed 2.15.25).
- 25 U.S. Bureau of Transportation Statistics, 2024. U.S. Bureau of Transportation
26 Statistics (BTS) T-100 Market Data [WWW Document]. URL
27 [https://geodata.bts.gov/datasets/usdot::t-100-domestic-market-and-segment-
28 data/about](https://geodata.bts.gov/datasets/usdot::t-100-domestic-market-and-segment-data/about) (accessed 8.15.26).
- 29 U.S. Bureau of Transportation Statistics (BTS) T-100 Market Data [WWW
30 Document], 2018. URL [https://www.bts.gov/browse-statistical-products-and-
31 data/bts-publications/data-bank-28dm-t-100-domestic-market-data](https://www.bts.gov/browse-statistical-products-and-data/bts-publications/data-bank-28dm-t-100-domestic-market-data) (accessed
32 2.15.25).
- 33 US Census Bureau, 2025. County Population Totals and Components of Change:
34 2020-2024.
- 35 US Census Bureau Center for Economic Studies, 2021. LEHD - Longitudinal
36 Employer-Household Dynamics.

- 1 U.S. Department of Commerce, 2016. U.S. Census Bureau QuickFacts: Sioux Falls
2 city, South Dakota; Brown County, South Dakota; United States [WWW
3 Document]. URL
4 <https://www.census.gov/quickfacts/fact/table/siouxfallscitysouthdakota,browncountysouthdakota,US/PST045216> (accessed 3.5.25).
- 6 US Energy Information Administration, 2023. US all grades all formulations retail
7 gasoline prices [WWW Document]. URL
8 <https://www.eia.gov/dnav/GenericErrorPage.aspx?aspxerrorpath=/dnav/pet/hist/LeafHandler.ashx> (accessed 5.17.26).
- 10 USCB, 2022. Population and Housing Unit Estimates.
- 11 Vascik, P.D., 2020. Systems analysis of urban air mobility operational scaling.
- 12 Vertical Flight Society, 2022. eVTOL Aircraft Directory [WWW Document]. URL
13 <https://evtol.news/aircraft> (accessed 2.15.25).
- 14 Viergutz, K., Krajzewicz, D., 2019. Analysis of the Travel Time of Various
15 Transportation Systems in Urban Context, in: Transportation Research Procedia.
16 Elsevier B.V., pp. 313–323. <https://doi.org/10.1016/j.trpro.2019.09.052>
- 17 Vizioli, A.D.B., Taurino, D., Portoghese, L., n.d. Social Acceptance of Innovative Air
18 Mobility in Ireland A qualitative study on stakeholders’ perspectives.
- 19 Volakakis, V., Cummings, C., Audenaerd, L., Viste, W.M., Mahmassani, H.S., 2025.
20 Demand Assessment and Integration Feasibility Analysis for Advanced and
21 Urban Air Mobility in Illinois. Applied Sciences (Switzerland) 15.
22 <https://doi.org/10.3390/app152211901>
- 23 Vongvit, R., Maeng, K., Chan Lee, S., 2024. Effects of trust and customer perceived
24 value on the acceptance of urban air mobility as public transportation. Travel
25 Behav. Soc. 36. <https://doi.org/10.1016/j.tbs.2024.100788>
- 26 Wai, C.W., Tan, K., Low, K.H., 2021. Preliminary study of transport pattern and
27 demand in Singapore for future urban air mobility, in: AIAA Scitech 2021
28 Forum. American Institute of Aeronautics and Astronautics Inc, AIAA, pp. 1–10.
29 <https://doi.org/10.2514/6.2021-1633>
- 30 Ward, K.A., Winter, S.R., Cross, D.S., Robbins, J.M., Mehta, R., Doherty, S., Rice, S.,
31 2021. Safety systems, culture, and willingness to fly in autonomous air taxis: A
32 multi-study and mediation analysis. J. Air Transp. Manag. 91.
33 <https://doi.org/10.1016/j.jairtraman.2020.101975>
- 34 Wasatch Front Regional Council, 2019. Origin-Destination Data for Special Generator
35 TAZs - StreetLight Data 2019 [WWW Document]. URL
36 <https://wfrc.utah.gov/special-generators-map/> (accessed 5.17.26).

- 1 WB-DB, 2022. Doing Business | DataBank [WWW Document]. URL
2 <https://databank.worldbank.org/source/doing-business> (accessed 2.14.25).
- 3 WB-GEP, 2022. Databank: Global Economic Prospects [WWW Document]. URL
4 <https://databank.worldbank.org/ddperror.aspx?aspxerrorpath=/reports.aspx>
5 (accessed 3.10.25).
- 6 WB-Jobs, 2022. Jobs | DataBank [WWW Document]. URL
7 <https://databank.worldbank.org/source/jobs> (accessed 2.14.25).
- 8 WB-SDG, 2022. Sustainable Development Goals (SDGs) | DataBank [WWW
9 Document]. URL [https://databank.worldbank.org/source/sustainable-](https://databank.worldbank.org/source/sustainable-development-goals-(sdgs))
10 [development-goals-\(sdgs\)](https://databank.worldbank.org/source/sustainable-development-goals-(sdgs)) (accessed 2.14.25).
- 11 WB-WDI, 2022. World Development Indicators | DataBank [WWW Document]. URL
12 <https://databank.worldbank.org/source/world-development-indicators> (accessed
13 2.14.25).
- 14 Weis, C., Vrtic, M., Axhausen, K.W., Balać, M., 2016. SP-Befragung 2015 zum
15 Verkehrsverhalten. Stated Preference Befragung.
- 16 White, V., 2016. Revised Departmental Guidance on Valuation of Travel Time in
17 Economic Anal- ysis.
- 18 Winter, S.R., Rice, S., Lamb, T.L., 2020. A prediction model of Consumer's
19 willingness to fly in autonomous air taxis. J. Air Transp. Manag. 89, 101926.
20 <https://doi.org/10.1016/j.jairtraman.2020.101926>
- 21 World Bank, 2019. GDP per capita (current US\$) | Data [WWW Document]. URL
22 <https://data.worldbank.org/indicator/NY.GDP.PCAP.CD> (accessed 2.15.25).
- 23 World Bank, 2018. Gini index | Data [WWW Document]. URL
24 <https://data.worldbank.org/indicator/SI.POV.GINI> (accessed 2.15.25).
- 25 World Bank, 2017. World Bank Open Data | Data [WWW Document]. URL
26 <https://data.worldbank.org/> (accessed 2.15.25).
- 27 World Bank Group, 2020. PovcalNet: an online analysis tool for global poverty
28 monitoring [WWW Document]. URL <https://www.worldbank.org/ext/en/home>
29 (accessed 3.5.25).
- 30 World Economic Outlook [WWW Document], 2020. URL
31 [https://www.imf.org/en/Publications/WEO/Issues/2020/09/30/world-economic-](https://www.imf.org/en/Publications/WEO/Issues/2020/09/30/world-economic-outlook-october-2020)
32 [outlook-october-2020](https://www.imf.org/en/Publications/WEO/Issues/2020/09/30/world-economic-outlook-october-2020) (accessed 2.15.25).
- 33 Worldwide Governance Indicators (WGI), 2022. Home | Worldwide Governance
34 Indicators [WWW Document]. URL
35 <https://www.worldbank.org/en/publication/worldwide-governance-indicators>
36 (accessed 2.14.25).

- 1 Wu, H., Adamidis, F., Abouelela, M., Sun, Y., Lyu, C., Antoniou, C., 2026. Beyond
2 solo UAM flights: Service preferences incorporating price sensitivity and user
3 behaviors. *Transp. Res. Part A Policy Pract.* 212, 105146.
4 <https://doi.org/10.1016/j.tra.2026.105146>
- 5 Wu, J., He, Q., Singh, A.K., Tian, L., 2024. What drives users to accept flying cars for
6 urban air mobility? Findings from an empirical study. *J. Air Transp. Manag.* 119,
7 102645. <https://doi.org/10.1016/J.JAIRTRAMAN.2024.102645>
- 8 Xie, S., Liao, F., 2026. User acceptance of urban air mobility sharing services:
9 Evidence from the Netherlands. *Transp. Policy (Oxf)*. 183.
10 <https://doi.org/10.1016/j.tranpol.2026.104146>
- 11 Yao, E., Guo, D., Liu, S., Zhang, J., 2024. The role of technology belief, perceived
12 risk and initial trust in users' acceptance of urban air mobility: An empirical case
13 in China. *Multimodal Transportation* 3.
14 <https://doi.org/10.1016/j.multra.2024.100169>
- 15 Yavas, V., Ozge, ", Yavas,yavas,tez, Y., 2023. Consumer intention over upcoming
16 utopia: Urban air mobility. *J. Air Transp. Manag.* 107, 102336.
17 <https://doi.org/10.1016/j.jairtraman.2022.102336>
- 18 Yavas, V., Tez, Ö.Y., 2023. Consumer intention over upcoming utopia: Urban air
19 mobility. *J. Air Transp. Manag.* 107.
20 <https://doi.org/10.1016/j.jairtraman.2022.102336>
- 21 Yavuz, Y.C., 2024. Exploring university students' acceptability of autonomous
22 vehicles and urban air mobility. *J. Air Transp. Manag.* 115, 102546.
23 <https://doi.org/10.1016/J.JAIRTRAMAN.2024.102546>
- 24 Yedavalli, P., Mooberry, J., 2019. An Assessment of Public Perception of Urban Air
25 Mobility (UAM).
- 26 Yellow Cab Taxi Rate Information [WWW Document], 2020. URL
27 <https://dallasyellowcab.com/taxi-cab-rates> (accessed 3.5.25).
- 28 Zapico, J.M., Crossley, W.A., Sun, D., 2021. Assessing potential urban air mobility
29 traffic density in a metropolitan area like Chicago, in: *AIAA Scitech 2021*
30 *Forum. American Institute of Aeronautics and Astronautics Inc, AIAA*, pp. 1–21.
31 <https://doi.org/10.2514/6.2021-1628>
- 32 Zaps, R., Chankov, S.M., 2022. Are Consumers Ready for Flying Taxis? A Choice-
33 based Conjoint Analysis of eVTOLs in Germany, in: *2022 IEEE International*
34 *Conference on Industrial Engineering and Engineering Management (IEEM)*.
35 IEEE, pp. 1337–1341. <https://doi.org/10.1109/IEEM55944.2022.9989956>
- 36 Zhang, H., Xue, X., Zhai, G., Yang, H., Lu, X., Cherry, C.R., 2026. Choice
37 Preferences for Urban Air Mobility: A Latent Class Discrete Choice Model with

1 Mixed Logit Extensions. *Travel Behav. Soc.* 43, 101229.
2 <https://doi.org/10.1016/J.TBS.2025.101229>

3 Zhang, K., Liu, X., Cui, Q., Gao, X., Cao, M., Kim, I., 2026. Social-psychological
4 determinants and nonlinear thresholds: behavioral insights into urban air mobility
5 adoption as an airport shuttle. *Transp. Res. Part A Policy Pract.* 205, 104856.
6 <https://doi.org/10.1016/J.TRA.2025.104856>

7 Zhao, T., Deng, Q., Wang, Y., 2026. Public acceptance of urban air mobility: A
8 configurational analysis integrating the socio-technical systems approach and
9 coolness theory. *Research in Transportation Business & Management* 67,
10 101711. <https://doi.org/10.1016/J.RTBM.2026.101711>

11 Zhao, Y., Feng, T., 2025. Commuter choice of UAM-friendly neighborhoods. *Transp.*
12 *Res. Part A Policy Pract.* 192. <https://doi.org/10.1016/j.tra.2024.104338>

13 Zhao, Y., Hu, Y., Feng, T., 2025a. Exploring the integration of urban air mobility into
14 Mobility-as-a-Service: A stated preference analysis of commuters. *Travel Behav.*
15 *Soc.* 39. <https://doi.org/10.1016/j.tbs.2025.100990>

16 Zhao, Y., Hu, Y., Feng, T., Zhang, A., 2025b. Assessment of passengers' safety and
17 risk attitudes on integrated urban air mobility and airline services. *Transp. Policy*
18 *(Oxf)*. 172. <https://doi.org/10.1016/j.tranpol.2025.103784>

19 Zurich Airport, 2017. Facts and figures 2017 [WWW Document]. URL
20 <https://report.flughafen-zuerich.ch/2017/ar/en/> (accessed 2.15.25).

21