EqualPath Testing Report

Detailed Local PostgreSQL Edition

Test date: 15 October 2026
Branch: feat/local-postgres
Commit: 6e17985

This report records the test work for the local EqualPath website. It uses a real test case format so another tester can repeat the checks. It uses simple English and keeps professional testing terms.

1 Test Summary

The local branch passed its automated checks, local PostgreSQL checks, and the main browser journey. Formal stakeholder sign-off is still pending. Map tiles, geocoding, and road routing use external services, so this application is not a fully offline map system.

Testing level	Cases in this report	Result	Main evidence
Unit Testing	6 detailed cases	PASS	398 Node tests passed.
Integration Testing	6 detailed cases	PASS	PostgreSQL import, runtime parity, image hashes, and 2 Python tests passed.
System Testing	8 detailed cases	PASS with one limit	Local browser journey and privacy screen checked.
Acceptance Testing	8 detailed cases	Ready for sign-off	Parent acceptance criteria checked; stakeholder approval pending.

2 Test Environment

Item	Value
Application	EqualPath childcare discovery web application
Branch and commit	feat/local-postgres / 6e17985
Website	http://127.0.0.1:4180
Database	Private local PostgreSQL instance
Data	3,539 catalogue; 11,501 reviews; 8,121 evidence; 98 photos
Media	276 local JPEG files; 282 photo associations
Tools	Node.js, Python, PostgreSQL, Vite, React
Production changes	None

The local website does not use Appwrite for search data or images. The cloud Telegram enquiry experiment is disabled. Internet is still needed for map tiles, address lookup, and route services.

3 Unit Testing

Unit Testing checks one function or small module without starting the whole website.

Template fields used

The detailed cases use the common test case fields: ID, requirement, priority, preconditions, data, steps, expected result, actual result, status, evidence, and defect ID.

Field	Why it is needed
Test Case ID	A unique name that can be traced in the report.
Requirement ID	The requirement or acceptance criterion being tested.
Priority	The order or risk level for execution.
Preconditions	What must be ready before the test starts.
Test data	The exact values or records used.
Test steps	The repeatable actions taken by the tester.
Expected result	What should happen.
Actual result	What really happened.
Status	PASS, FAIL, LIMITED, or PENDING.
Evidence / Defect ID	A log, screenshot, output, or linked defect.

Test cases

UT-001 Age range match

Requirement ID	REQ-AGE-01
Priority	P1
Preconditions	Unit test environment is ready.
Test data	Age 4; published range 1 to under 6.
Test steps	Call the age matching function with the age and provider range.
Expected result	The function returns a valid match.
Actual result	Age range tests passed.
Status	PASS
Evidence	npm test output; admission-ages tests
Defect ID	None

UT-002 Conflicting hours are not accepted

Requirement ID	REQ-HOURS-02
Priority	P1
Preconditions	Hours rules are loaded.
Test data	Start time before opening and a gap between care windows.
Test steps	Pass conflicting hours to the eligibility function.
Expected result	The result stays unknown or not accepted.
Actual result	Hours conflict tests passed.
Status	PASS
Evidence	npm test output; opening-eligibility tests
Defect ID	None

UT-003 Review source key is preserved

Requirement ID	REQ-REV-01
Priority	P1
Preconditions	A provider record has a review source.
Test data	provider_id and source_provider_id.
Test steps	Build the review lookup record.
Expected result	The source key is kept and can be used for lookup.
Actual result	Provider and review logic tests passed.
Status	PASS
Evidence	npm test output; profile-store tests
Defect ID	None

UT-004 Comparison order is stable

Requirement ID	REQ-CMP-01
Priority	P1
Preconditions	Two provider records are available.
Test data	Different distance and fee values.
Test steps	Sort the records using the comparison priority.
Expected result	The records follow the selected priority and tie rule.
Actual result	Comparison sort tests passed.
Status	PASS
Evidence	npm test output; family-comparison-sort tests

Defect ID	None

UT-005 Local chat stays with listed facts

Requirement ID	REQ-AI-01
Priority	P1
Preconditions	A provider listing is loaded.
Test data	A question about fees or hours.
Test steps	Pass the question through the answer guard.
Expected result	The answer uses listing facts and does not invent a place or price.
Actual result	Local answer guard tests passed.
Status	PASS
Evidence	npm test output; virtual-enquiry tests
Defect ID	None

UT-006 Full unit suite

Requirement ID	REQ-QA-01
Priority	P0
Preconditions	Dependencies are installed.
Test data	All repository Node test files.
Test steps	Run `npm test`.
Expected result	All tests pass.
Actual result	398 passed, 0 failed, 0 cancelled, 0 skipped.
Status	PASS
Evidence	Node test summary
Defect ID	None

4 Integration Testing

Integration Testing checks the connections between modules, the local API, PostgreSQL, runtime data, and local media.

Template fields used

The template keeps the source requirement and exact test data because an integration failure is difficult to repeat without the same records and environment.

Field	Why it is needed
Test Case ID	A unique name that can be traced in the report.
Requirement ID	The requirement or acceptance criterion being tested.
Priority	The order or risk level for execution.
Preconditions	What must be ready before the test starts.
Test data	The exact values or records used.
Test steps	The repeatable actions taken by the tester.
Expected result	What should happen.
Actual result	What really happened.
Status	PASS, FAIL, LIMITED, or PENDING.
Evidence / Defect ID	A log, screenshot, output, or linked defect.

Test cases

IT-001 Import snapshot into PostgreSQL

Requirement ID	REQ-DB-01
Priority	P0
Preconditions	PostgreSQL tools are on PATH.
Test data	Bundled gzip JSONL snapshot.
Test steps	Run `npm run local:setup`.
Expected result	The isolated database starts and all source rows load.
Actual result	Database started and snapshot load completed in the verified run.
Status	PASS
Evidence	local:setup output
Defect ID	None

IT-002 PostgreSQL runtime parity

Requirement ID	REQ-DB-02
Priority	P0
Preconditions	The local database has been loaded.
Test data	Short-care and regular-care runtime documents.
Test steps	Compare PostgreSQL store output with the prepared website store.
Expected result	The returned catalog and extras are equal.
Actual result	Runtime parity passed in the verified local run.
Status	PASS
Evidence	database/postgres/tests/runtime.mjs
Defect ID	None

IT-003 Imported fields match snapshot

Requirement ID	REQ-DB-03
Priority	P0
Preconditions	The source snapshot and database are available.
Test data	All eight local tables.
Test steps	Run `npm run local:verify`.
Expected result	Every field and count matches the snapshot.
Actual result	Field and count checks passed in the verified run.
Status	PASS
Evidence	local:verify JSON result
Defect ID	None

IT-004 Photo association hash check

Requirement ID	REQ-MEDIA-01
Priority	P1
Preconditions	The media directory is present.
Test data	276 JPEG files and 282 links.
Test steps	Check each file path, size, and SHA-256 value.
Expected result	Every linked file matches its media manifest.
Actual result	All 276 files and 282 associations passed.
Status	PASS
Evidence	local:verify image checks

Defect ID	None

IT-005 Exporter rejects duplicate IDs

Requirement ID	REQ-EXP-01
Priority	P1
Preconditions	Exporter test fixtures are available.
Test data	A page containing a duplicate record ID.
Test steps	Run the Python exporter regression tests.
Expected result	The duplicate is rejected instead of silently imported.
Actual result	Exporter regression tests passed.
Status	PASS
Evidence	2 Python tests passed
Defect ID	None

IT-006 API health and review lookup

Requirement ID	REQ-API-01
Priority	P0
Preconditions	PostgreSQL runtime store is ready.
Test data	Health request and a known provider ID.
Test steps	Call health and review actions through the local API.
Expected result	Health is true, review data is returned, and an unknown ID is rejected.
Actual result	All three checks passed in the verified local run.
Status	PASS
Evidence	database/postgres/tests/runtime.mjs
Defect ID	None

5 System Testing

System Testing checks the full application through the user interface. It is larger than an API test because it includes the browser, local API, database, data, and user actions.

Template fields used

The system template uses a user flow, requirement, preconditions, test data, repeatable steps, expected result, actual result, status, evidence, and defect reference.

Field	Why it is needed
Test Case ID	A unique name that can be traced in the report.
Requirement ID	The requirement or acceptance criterion being tested.
Priority	The order or risk level for execution.
Preconditions	What must be ready before the test starts.
Test data	The exact values or records used.
Test steps	The repeatable actions taken by the tester.
Expected result	What should happen.
Actual result	What really happened.
Status	PASS, FAIL, LIMITED, or PENDING.
Evidence / Defect ID	A log, screenshot, output, or linked defect.

Test cases

ST-001 Open the local website

Requirement ID	REQ-UI-01
Priority	P0
Preconditions	PostgreSQL data is loaded and port 4180 is free.
Test data	http://127.0.0.1:4180/#discover
Test steps	Run `npm run local:start` and open the URL.
Expected result	EqualPath opens without a server error.
Actual result	The local page loaded in the browser verification.
Status	PASS
Evidence	Browser accessibility snapshot
Defect ID	None

ST-002 Read and close privacy notice

Requirement ID	REQ-PRIV-01
Priority	P1
Preconditions	Fresh local browser origin.
Test data	Privacy notice dialog.
Test steps	Read the notice and select OK.
Expected result	The notice is visible and can be acknowledged.
Actual result	The notice and OK action were visible.
Status	PASS
Evidence	Browser accessibility snapshot
Defect ID	None

ST-003 Run a childcare search

Requirement ID	REQ-SEARCH-01
Priority	P0
Preconditions	Website is open.
Test data	Location, date, age, start time, and end time.
Test steps	Enter the search values and select Find childcare.
Expected result	The website returns suitable centres.
Actual result	Search controls and results were checked in the local journey.
Status	PASS
Evidence	Local browser journey
Defect ID	None

ST-004 Open provider details

Requirement ID	REQ-PROVIDER-01
Priority	P0
Preconditions	Search results are shown.
Test data	One provider result.
Test steps	Open the details view.
Expected result	Provider name, fees, hours, evidence, and care details are visible.
Actual result	Provider details were opened in the verified journey.
Status	PASS

Evidence	Local browser journey
Defect ID	None

ST-005 Open reviews

Requirement ID	REQ-REV-02
Priority	P1
Preconditions	Provider details are open.
Test data	Known provider with review profile.
Test steps	Open the parent reviews section.
Expected result	Review count and review content load without an API error.
Actual result	A provider detail view showed parent reviews in the verified journey.
Status	PASS
Evidence	Local browser journey
Defect ID	None

ST-006 Switch provider photos

Requirement ID	REQ-MEDIA-02
Priority	P1
Preconditions	Provider details contain local photos.
Test data	Two or more photo associations.
Test steps	Open the photo viewer and move to the next image.
Expected result	The next local image appears.
Actual result	Photo viewer and image switching were checked.
Status	PASS
Evidence	Local browser journey
Defect ID	None

ST-007 Compare centres

Requirement ID	REQ-CMP-02
Priority	P1
Preconditions	At least two results are available.
Test data	Two selected providers.
Test steps	Add both providers and open Compare.
Expected result	The comparison view shows both provider columns.
Actual result	Comparison opened and showed provider columns.
Status	PASS
Evidence	Local browser journey
Defect ID	None

ST-008 External map and routing behavior

Requirement ID	REQ-MAP-01
Priority	P1
Preconditions	Internet access is available.
Test data	Map tiles and a route request.
Test steps	Load the map and request a route.
Expected result	A route is shown when the external service responds; otherwise the UI says unavailable.
Actual result	Map and route services are external and can be unavailable.
Status	LIMITED
Evidence	System limitation recorded; no invented route time
Defect ID	L-001

6 Acceptance Testing

Acceptance Testing checks the product from a parent or stakeholder point of view. It links a user story to acceptance criteria and then to test cases.

Template fields used

The UAT template uses User Story, Acceptance Criterion, Test Case ID, Preconditions, Test Data, Steps, Expected Result, Actual Result, Status, Evidence, and Sign-off. This follows the user-story, acceptance-criteria, and test-case structure described in the Victoria UAT guide.

Field	Why it is needed
Test Case ID	A unique name that can be traced in the report.
Requirement ID	The requirement or acceptance criterion being tested.
Priority	The order or risk level for execution.
Preconditions	What must be ready before the test starts.
Test data	The exact values or records used.
Test steps	The repeatable actions taken by the tester.
Expected result	What should happen.
Actual result	What really happened.
Status	PASS, FAIL, LIMITED, or PENDING.
Evidence / Defect ID	A log, screenshot, output, or linked defect.

Test cases

AT-001 Enter a starting location

Requirement ID	AC-01
Priority	P0
Preconditions	The parent is on the Find childcare page.
Test data	A public Kuala Lumpur or Selangor location.
Test steps	Enter the starting point or use the map option.
Expected result	The starting point is accepted for the search.
Actual result	The local search form provided a location field and map option.
Status	PASS
Evidence	System test ST-003
Defect ID	None

AT-002 Set the child and care time

Requirement ID	AC-02
Priority	P0
Preconditions	A starting location is set.
Test data	Child age, date, start time, and end time.
Test steps	Set the child and visit details.
Expected result	The search has enough information to run.
Actual result	Date, child, start, and end controls were visible and usable.
Status	PASS
Evidence	System test ST-003
Defect ID	None

AT-003 See suitable centres

Requirement ID	AC-03
Priority	P0
Preconditions	The search form is complete.
Test data	Short-term care request.
Test steps	Run the search.
Expected result	The system shows suitable childcare centres and match reasons.
Actual result	The local runtime returned the short-care provider pool.
Status	PASS
Evidence	System test ST-003; API health result
Defect ID	None

AT-004 Check decision details

Requirement ID	AC-04
Priority	P0
Preconditions	A centre is selected.
Test data	Fee, hours, age fit, and evidence.
Test steps	Open details and review the facts.
Expected result	The parent can see the listed facts and their sources.

Actual result	Provider details showed fees, hours, evidence, and care information.
Status	PASS
Evidence	System test ST-004
Defect ID	None

AT-005 Read reviews and photos

Requirement ID	AC-05
Priority	P1
Preconditions	A centre has review and photo data.
Test data	Provider review profile and local image list.
Test steps	Open reviews and photos.
Expected result	The parent can read reviews and view the images.
Actual result	Reviews and photo switching passed the local journey.
Status	PASS
Evidence	System tests ST-005 and ST-006
Defect ID	None

AT-006 Compare options

Requirement ID	AC-06
Priority	P1
Preconditions	Two centres are selected.
Test data	Two provider results.
Test steps	Open the comparison view.
Expected result	The parent can compare the options.
Actual result	The comparison view showed provider columns.
Status	PASS
Evidence	System test ST-007
Defect ID	None

AT-007 Use evidence with clear limits

Requirement ID	AC-07
Priority	P1
Preconditions	The parent is reading provider facts.
Test data	Evidence labels and unresolved availability.
Test steps	Check the details and the confirmation message.
Expected result	The product does not promise a booking and tells the parent to confirm with the centre.
Actual result	The local UI keeps evidence labels and asks the parent to confirm details.
Status	PASS
Evidence	Provider detail and comparison journey
Defect ID	None

AT-008 Formal stakeholder sign-off

Requirement ID	AC-SIGNOFF
Priority	P0
Preconditions	All test results are available.
Test data	This report and evidence files.
Test steps	Product owner or client reviews the report and records a decision.
Expected result	A named stakeholder records Accept or Reject.
Actual result	No stakeholder sign-off was recorded in this test run.
Status	PENDING
Evidence	Sign-off is still required
Defect ID	L-004

7 Test Completion and Decision

The test execution shows that the local branch is suitable for local review. The automated and database checks passed. The browser journey passed for the local website. The only technical limitation is that map, geocoding, and routing depend on external services. The only approval still missing is formal stakeholder acceptance.

Decision item	Result
Unit exit criteria	Met: all 398 automated tests passed.
Integration exit criteria	Met: database, runtime, media, and exporter checks passed.
System exit criteria	Met for local website flows; external map behavior is limited.
Acceptance exit criteria	Functional criteria met; stakeholder sign-off pending.
Release decision	Suitable for local review; not a production approval.

8 Reproduce the Test Run

From the repository root on a new device, install the listed prerequisites, then run:

```
npm ci
npm run local:setup
npm run local:verify
npm test
python3 -m unittest discover -s database/postgres/tests -p "*_test.py"
npm run local:start
```

Open http://127.0.0.1:4180. Keep screenshots and logs with the executed test case IDs. Stop the local database with npm run local:stop.

9 References Used for the Template

ISTQB Test Report definition: https://istqb-glossary.page/test-report/

ISTQB glossary and test levels: https://github.com/imndb/istqb-certified-tester-v4/blob/main/glossary.md

Smartsheet test case templates: https://www.smartsheet.com/test-case-templates-examples

Victoria government UAT guide and templates: https://www.vic.gov.au/test-product-or-service

ISTQB CTFL syllabus information: https://www.rstqb.org/ru/istqb-downloads.html?cid=13629&file=files%2Fcontent%2Frstqb%2Fdownloads%2FISTQB+CTFL_Syllabus-v4.0.pdf