Tight Muon Reconstruction Efficiency

Xiaoning Wang (UIUC)

Nov 6, 2019

Overview

- Two methods can be used to compute reconstruction efficiency of muons of a specific quality (tight, medium, or loose, etc.).
  - Tag and probe method (see detail in slide 4-5) that approximates muon reconstruction efficiency $\varepsilon(\mu)$ using muon reconstruction efficiency with respect to inner detector $\varepsilon(\mu|\mathrm{ID})$, corrected by inner detector efficiency with respect to muon spectrometer $\varepsilon(\mathrm{ID}|\mathrm{MS})$.
    - $\varepsilon(\mu) = \varepsilon(\mu|\mathrm{ID})\times\varepsilon(\mathrm{ID}) \cong \varepsilon(\mu|\mathrm{ID})\times\varepsilon(\mathrm{ID}|\mathrm{MS})$
  - Truth match method that finds how many out of all truth muons have a reconstructed muon (of a specific quality, for example, tight or medium) located close to it in the same event.
    - Distance between truth muon and reco muon (dR) smaller than 0.2
    - This method is only applicable to MC.

- The results from the two methods do not agree for tight muon in PbPb MC (pp overlay), with the efficiency by truth match method being ~30% lower than T&P.
  - The efficiency is dependent on centrality, pT and eta, but the difference cannot be accounted by these factors.
  - The efficiency for loose and medium muons using truth match method is also low in PbPb MC.

- The results from the two methods agree within ~2% for tight muon in pp MC.
- Is there a problem with the tracks in overlay? Is there a work-around?

Plan and Progresses

- Verify that the methods work fine in pp MC
  - Tight muon efficiencies agree within ~2%. (see slide 6)
  - Will verify medium muon. (job running on the grid)
  - If both qualities of muons agree, will calculate for muon reco efficiency at data to use as a systematics. (job running the grid)
- Currently the two methods for $\varepsilon(\mu)$ do not agree in overlay, what can we do?
  - Try figure out which method gives correct answer (Either? Neither?)
  - Separate the two parts in T&P method: ($\varepsilon(\mathrm{ID}|\mathrm{MS})_{\mathrm{MC}}$ and $\varepsilon(\mu|\mathrm{ID})$)
    - A suspicion: there is a problem with ($\varepsilon(\mathrm{ID}|\mathrm{MS})_{\mathrm{MC}}$)
      - Check whether the $\varepsilon(\mathrm{ID}|\mathrm{MS})_{\mathrm{MC}}$ agrees with efficiency of ID by directly matching available ID track to truth muon.
    - Assuming $\varepsilon(\mathrm{ID}|\mathrm{MS})_{\mathrm{MC}}$ is the problem, a potential workaround to get $\varepsilon(\mu)$ in data (given that data has low statistics in MS):
      - Get $\varepsilon(\mu|\mathrm{ID})_{\mathrm{data}}$ (assumed to be fine)
      - Get $\varepsilon(\mu|\mathrm{ID})$ in data and $\varepsilon(\mu|\mathrm{ID})$ in MC, these are the un-corrected muon efficiency, both assumed to be fine with respect to ID, and calculate scale factor (SF)

Tag & Probe Method

- Used Tag & Probe method to calculate the reconstruction efficiency of tight muon.

$$\varepsilon(\mu) = \varepsilon(\mu|\mathrm{ID})\times\varepsilon(\mathrm{ID}) \cong \varepsilon(\mu|\mathrm{ID})\times\varepsilon(\mathrm{ID}|\mathrm{MS})$$

- $\varepsilon(\mu|\mathrm{ID})$ Muon Reconstruction efficiency with respect to inner detector.
- $\varepsilon(\mathrm{ID}|\mathrm{MS})$ Inner Detector efficiency with respect to muon chamber.
- Event Selection:
  - Trigger mu3 || mu8 || mu10
  - GRL
  - At least 1 primary vertex
- $\varepsilon(\mathrm{ID}|\mathrm{MS})$ match: MS track with an ID track dR < 0.2
- $\varepsilon(\mu|\mathrm{ID})$ match: ID track with a reconstructed muon dR < 0.01
- Probe tracks Selection:
  - Opposite charge with tag
  - ID tracks: Muon ID Selections (No TRT)
  - MS tracks: No Selections
- Invariant mass window
  - for data: J/ψ 2.6 -3.6 GeV
  - for mc: J/ψ 2.6 -3.6 GeV

- Data: 2018 Pb-Pb Hard Probe Stream Data at 5.02 TeV
- Monte Carlo:Pythia8B with Prompt J/psi to Muons with Heavy Ion Overlay. mc16_5TeV:mc16_5TeV.300000.Pythia8BPhotospp_A14_CTEQ6L1_pp_Jpsimu2p5mu2p5.merge.AOD.e4973_d1521_r11472_r11217

Tag & Probe Fitting

- Efficiency centroid values extraction
  - Invariant mass of matched and unmatched samples are fitted simultaneously (signal has same mean and sigma for matched and unmatched).
  - $N_{match} = N_{tot} * \varepsilon * Sig(mass) + N_{bkg1} * Bkg1(mass)$
  - $N_{unmatch} = N_{tot} * (1-\varepsilon) * Sig(mass) + N_{bkg2} * Bkg2(mass)$
  - The fitting outputs N_{tot} and ε.

Sig(mass): Gaus
Bkg(mass): Exponential





Results of Tight Muon in PbPb and pp MC





PbPb results are all centrality, unreweighted.
Reweighting needs debugging.

$\varepsilon(\mathrm{ID}|\mathrm{MS})$ in PbPb MC Tight Muon Using T&P (unreweighted)





$\varepsilon(\mathrm{ID}|\mathrm{MS})$





$\varepsilon(\mu|\mathrm{ID})$ in PbPb MC Tight Muon Using T&P (unreweighted)









PbPb MC Tight Muon using Truth match





- Peripheral efficiency slightly better than central.
- All much lower than T&P.