


# Shrinking Cone Algorithm

Xiaoning Wang

2020, March 5

# Shrinking Cone Algorithm

- $a = 0.239$ ,
- $b = -1.220$ ,
- $c = -1.64\text{e-}5$ ,
- Cone size =  $a + e^{b+c*p_T^{jet}}$ ,  $p_T^{jet}$  in unit MeV
- for each particle we find the closest jet
- if the closest jet is within the shrinking dR cone of that jet, it is considered "associated"
- [https://indico.cern.ch/event/648371/contributions/2672948/attachments/1499875/2335427/TrackJets vs CaloJets Study1.pdf](https://indico.cern.ch/event/648371/contributions/2672948/attachments/1499875/2335427/TrackJets_vs_CaloJets_Study1.pdf)
- There's an ongoing QT listed on trk-to-jet association: <https://its.cern.ch/jira/browse/AFT-450>




# Some event displays




BERGISCHE  
UNIVERSITÄT  
WUPPERTAL

Event\_7173



Calorimeter-based jets ( $R=0.4$ )

Event\_7173



Track-based jets ( $R=0.2$ )

- b-jets
- light/c-jets
- b-tagging cone
- Truth labelling cone (for b only)
- B-hadrons (with no -99 coord.)
- Is tagged (70% WP)