Status	Finished
Started	Sunday, 25 October 2026, 6:37 PM
Completed	Sunday, 25 October 2026, 6:40 PM
Duration	3 mins 10 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

_____ search takes a sorted/ordered list and divides it in the middle.

- a. Binary ✓
- b. Hash
- c. Both (1) & (3)
- d. Linear

Question **2**

Correct

Mark 1.00 out of 1.00

What is the time complexity of linear search in the worst case?

- a. O(1)
- b. O(n log n)
- c. O👎 ✓
- d. O(log n)

Question **3**

Correct

Mark 1.00 out of 1.00

Which method of searching involves sequentially comparing each element until a match is found?

a. Hashing
b. Binary search
c. Linear search ✓
d. Jump search

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following scenarios is best suited for applying binary search?

a. When the list is very small
b. When the list is unsorted
c. When the list is sorted ✓
d. When the list contains duplicate elements

Question **5**

Correct

Mark 1.00 out of 1.00

The average case occurs in the linear search algorithm

a. When the item is somewhere in the middle of the array ✓
b. When the item is the last element in the array
c. When the item is not the array at all
d. Item is the last element in the array or item is not there at all

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following is a type of searching method?

- a. Linear search ✓
- b. Bubble search
- c. Quick search
- d. Merge search

Question **7**

Correct

Mark 1.00 out of 1.00

What is the advantage of binary search over linear search?

- a. Binary search has a lower time complexity on large, sorted lists ✓
- b. Binary search does not require dividing the list
- c. Binary search can find multiple instances of the target element
- d. Binary search works on unsorted lists

Question **8**

Correct

Mark 1.00 out of 1.00

In binary search, what happens if the middle element does not match the target element?

- a. The search stops
- b. The list is sorted
- c. The search continues in the left or right sublist ✓
- d. The search continues from the beginning

Question **9**

Correct

Mark 1.00 out of 1.00

In binary search, if the target element is less than the middle element, where does the search continue?

- a. In the entire list
- b. In the right sublist
- c. In the left sublist ✓
- d. At the beginning of the list

Question **10**

Incorrect

Mark 0.00 out of 1.00

What happens in a binary search if the list has an even number of elements?

- a. The middle element is chosen randomly
- b. The lower middle element is chosen as the middle element ✗
- c. The search stops
- d. The higher middle element is chosen as the middle element

Question **11**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Insertion

b. Bubble ✓

c. Selection

d. Complexity

Question **12**

Correct

Mark 1.00 out of 1.00

What is the time complexity of binary search in the worst case?

a. O(n log n)

b. O(1)

c. O👎

d. O(log n) ✓

Question **13**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

- a. 90 and 99 ✓
- b. 89 and 94
- c. 94 and 99
- d. 90 and 100

Question **14**

Correct

Mark 1.00 out of 1.00

During a binary search, what happens if the target element matches the middle element?

- a. The search continues in the right sublist
- b. The search continues in the left sublist
- c. The list is sorted
- d. The search ends successfully ✓

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following is a limitation of binary search?

- a. It requires the list to be sorted ✓
- b. It is slower than linear search for small lists
- c. It can only be applied to large lists
- d. It does not work with negative numbers