

Week-2

Spring Core and Maven

Exercise 1: Configuring a Basic Spring Application

```
1 package com.library.repository;
2
3 public class BookRepository { no usages
4
5     public void displayBook() { no usages
6         System.out.println("Book Repository: Book data accessed.");
7     }
8
9 }
```

```
package com.library.service;


import com.library.repository.BookRepository;

public class BookService { no usages

    private BookRepository bookRepository; 2 usages

    public void setBookRepository(BookRepository bookRepository) { no usages
        this.bookRepository = bookRepository;
    }

    public void showService() { no usages
        System.out.println("Book Service is working.");
        bookRepository.displayBook();
    }
}
```



Exercise 4: Creating and Configuring a Maven Project

```
<project xmlns="http://maven.apache.org/POM/4.0.0"
  </properties>

  <dependencies>
    <dependency>
      <groupId>org.springframework</groupId>
      <artifactId>spring-context</artifactId>
      <version>5.3.30</version>
    </dependency>
    <dependency>
      <groupId>org.springframework</groupId>
      <artifactId>spring-aop</artifactId>
      <version>5.3.30</version>
    </dependency>
    <dependency>
      <groupId>org.springframework</groupId>
      <artifactId>spring-webmvc</artifactId>
      <version>5.3.30</version>
    </dependency>
  </dependencies>
```

```
<dependencies>
</dependencies>
<build>
  <plugins>
    <plugin>
      <groupId>org.apache.maven.plugins</groupId>
      <artifactId>maven-compiler-plugin</artifactId>
      <version>3.11.0</version>
      <configuration>
        <source>1.8</source>
        <target>1.8</target>
      </configuration>
    </plugin>
  </plugins>
</build>
</project>
```

Limit to 1000 rows

1 • `SELECT * FROM country;`

Result Grid

	code	name
▶	IN	India
	US	United States of America
•	NULL	NULL

country 1 x

Output

Action Output

#	Time	Action	Message
❌ 2	20:56:23	CREATE DATABASE omileam	Error Code: 1007. Can't create database 'omileam'; database exists
✅ 3	20:56:32	USE omileam	0 row(s) affected
✅ 4	20:57:09	CREATE TABLE country (code VARCHAR(2) PRIMARY KEY, name VARCHAR(20))	0 row(s) affected
✅ 5	20:57:36	INSERT INTO country VALUES ('IN', 'India')	1 row(s) affected
✅ 6	20:57:36	INSERT INTO country VALUES ('US', 'United States of America')	1 row(s) affected
✅ 7	20:57:50	SELECT * FROM country LIMIT 0, 1000	2 row(s) returned

```

      .   _--_       _         _--_ _
    /\ / --' _--_ _(_)_--_ _--_ \ \ \ \
  ( ( )\__ | '_| '_| | '_V'_ | \ \ \ \
  \V ___) | |_) | | | | | | ( | | ) ) )
    ' |___| _.._| | | | | |_\_, | / / / /
=====|_|=====|___/_/_/_/_/

:: Spring Boot ::                (v4.1.0)

2026-07-01T21:46:28.176+05:30 INFO 16856 --- [ restartedMain] c.c.ormlearn.OrmLearnApplicat
2026-07-01T21:46:28.190+05:30 DEBUG 16856 --- [ restartedMain] c.c.ormlearn.OrmLearnApplicat
2026-07-01T21:46:28.192+05:30 INFO 16856 --- [ restartedMain] c.c.ormlearn.OrmLearnApplicat
```