





Hardening the width->coupling relationship against pseudoreplication (continuous width)
session random-intercept regression (all mice) . per-session Spearman (session = replication unit) . tracked-unit collapse (BG_046)



Hardening the width->coupling relationship against pseudoreplication (CONTINUOUS width)
(continuum re-render of the transient/sustained class-gap hardening figure)

n cells = 520 (finite width = 520) | DMS=201 VMS=319 | sessions=69
target = the graded width->coupling relationship (Spearman/regression of continuous interp_fwhm on each outcome), NOT a transient-vs-sustained gap.

[C tracked-collapse BG_046] 24 responsive cell-sessions -> 23 unique consensus units (mean 1.0 sess/unit)

[change_on]
A mixed(session RE) beta_w=+0.507 p=2.36e-12 [NON-CONVERGED->cluster-robust] (n=520, sess=69)
cluster-robust OLS beta_w=+0.536 p=3.34e-12 | PREFERRED = cluster (beta_w=+0.536 p=3.34e-12)
B per-session Spearman: median rho=+0.271 over 44 sessions (70% positive), Wilcoxon p=2.70e-03
C tracked collapse: Spearman rho=+0.212 p=3.30e-01 (n=23 units)

[hit_ramp]
A mixed(session RE) beta_w=+1.787 p=9.46e-15 [NON-CONVERGED->cluster-robust] (n=520, sess=69)
cluster-robust OLS beta_w=+1.812 p=6.53e-10 | PREFERRED = cluster (beta_w=+1.812 p=6.53e-10)
B per-session Spearman: median rho=+0.275 over 44 sessions (77% positive), Wilcoxon p=1.52e-04
C tracked collapse: Spearman rho=+0.492 p=1.71e-02 (n=23 units)

[fa_ramp]
A mixed(session RE) beta_w=+1.700 p=2.10e-17 [converged] (n=520, sess=69)
cluster-robust OLS beta_w=+1.722 p=1.12e-10 | PREFERRED = mixed (beta_w=+1.700 p=2.10e-17)
B per-session Spearman: median rho=+0.400 over 44 sessions (93% positive), Wilcoxon p=1.81e-06
C tracked collapse: Spearman rho=+0.507 p=1.36e-02 (n=23 units)