

## CONTENTS

<b>1</b>	<b>Stability</b>	<b>1</b>
1.1	Second order System . . . .	1
<b>2</b>	<b>Routh Hurwitz Criterion</b>	<b>2</b>
<b>3</b>	<b>Compensators</b>	<b>2</b>
<b>4</b>	<b>Nyquist Plot</b>	<b>2</b>

**Abstract**—This manual is an introduction to control systems based on GATE problems. Links to sample Python codes are available in the text.

Download python codes using

```
svn co https://github.com/gadepall/school/trunk/
control/codes
```

## 1 STABILITY

### 1.1 Second order System

1.1. Consider the following second order system with the transfer function

$$G(s) = \frac{1}{1 + 2s + s^2} \quad (1.1.1)$$

Is the system stable?

**Solution:** The poles of

$$G(s) = \frac{1}{1 + 2s + s^2} \quad (1.1.2)$$

are at

$$s = -1 \quad (1.1.3)$$

i.e., the left half of s-plane. Hence the system is stable.

\*The author is with the Department of Electrical Engineering, Indian Institute of Technology, Hyderabad 502285 India e-mail: gadepall@iith.ac.in. All content in this manual is released under GNU GPL. Free and open source.




Fig. 1.2

1.2. Find and sketch the step response  $c(t)$  of the system.

**Solution:** For step-response, we take input as unit-step function  $u(t)$

$$C(s) = U(s).G(s) = \left[ \frac{1}{s} \right] \left[ \frac{1}{1 + 2s + s^2} \right] \quad (1.2.1)$$

$$= \frac{1}{s(1 + s)^2} \quad (1.2.2)$$

$$= \frac{1}{s} - \frac{1}{(1 + s)} - \frac{1}{(1 + s)^2} \quad (1.2.3)$$

Taking the inverse Laplace transform,

$$c(t) = L^{-1} \left[ \frac{1}{s} \right] - L^{-1} \left[ \frac{1}{1 + s} \right] - L^{-1} \left[ \frac{1}{(1 + s)^2} \right] \quad (1.2.4)$$

$$= (1 - e^{-t} - te^{-t})u(t) \quad (1.2.5)$$

The following code plots  $c(t)$  in Fig. 1.2

```
codes/ee18btech11002/plot.py
```

1.3. Find the steady state response of the system

using the final value theorem. Verify using 1.2.5

**Solution:** To know the steady response value of  $c(t)$ , we calculate

$$\lim_{t \rightarrow \infty} c(t) = (1 + 0 + 0) \cdot (1) = 1 \quad (1.3.1)$$

- 1.4. Find the time taken for the system output  $c(t)$  to reach 94% of its steady state value.

**Solution:** Now, 94% of 1 is 0.94, so we should now solve for a positive  $t$  such that

$$1 - e^{-t} - te^{-t} = 0.94 \quad (1.4.1)$$

The following code

```
codes/ee18btech11002/solution.py
```

provides the necessary solution as

$$t = 4.5228 \quad (1.4.2)$$

## 2 ROUTH HURWITZ CRITERION

### 3 COMPENSATORS

### 4 NYQUIST PLOT