


RNAV (GNSS) RWY 10

ATIS	ARR	TWR	GND	DEP	ELEV
114.8	125.9	118.4	121.9 125.35	119.8	3557
127.2	283.9	236.6	275.8	255.1	TDZE 10 3547

CYIC



KISIL IWP		MISSED APPROACH Climb to 7100 on track of 104° to DURAL. As required shuttle climb.		Right hand circuits Rwy 34	
6500		NOVUS FAWP		TWR 3710	
104°		LEVIM SDWP		6200 x 150 AS	
5200		RW10 MAWP		34	
104°		4300		12,675	
6.0		2.6		34	
2.3		C		Knots	
CATEGORY		D		70	
LNAV/VNAV		NOT AUTHORIZED		90	
LNAV		4100 (553) 1 3/4		110	
* CIRCLING		4100 (543) 1 3/4		130	
		4100 (543) 2		150	
		4160 (603) 2		Min:Sec	

RNAV (GNSS) RWY 10

510650N 1140113W

VAR 16°E (2007)


CALGARY AB
CALGARY INTL

NAD83


RNAV (GNSS) RWY 34

ATIS	ARR	TWR	GND	DEP	ELEV
114.8	125.9	118.4	121.9 125.35	119.8	3557
127.2	283.9	236.6	275.8	255.1	TDZE 34 3543


CYIC

SAFE ALT 100 NM **13,900**

MISSED APPROACH
Climb to **5200** on track
of **343°** to SARCEE "ZYC".



Right hand circuits
Rwy 34



CATEGORY	A	B	C	D
LNAV / VNAV	NOT AUTHORIZED			
LNAV	4020	(477)	1 RVR 50	
*CIRCLING	4060	(503)	1 1/2	4060 (503) 2
				4160 (603) 2

Knots	70	90	110	130	150
Min:Sec					

RNAV (GNSS) RWY 34

510650N 1140113W


VAR 18° E (2005)

CALGARY AB
CALGARY INTL


VOR RWY 25

ATIS	ARR	TWR	GND	DEP	ELEV
114.8	125.9	118.4	121.9 125.35	119.8	3557
127.2	283.9	236.6	275.8	255.1	TDZE 25 3557

CYVC


SAFE ALT 100 NM **13,900**

MISSED APPROACH
Climbing LEFT turn to
"YYC" VOR at **5100**.



CATEGORY	A	B	C	D
VOR	3960	(403)	1 ¼	
* CIRCLING	4060	(503) 1 ½	4060	4160
			(503) 2	(603) 2

Right hand circuits
Rwy 34
Rwy 25 down 0.42%



"YYC" to MAP 4.6 NM

Knots	70	90	110	130	150
Min:Sec	3:56	3:04	2:30	2:07	1:50

VOR RWY 25

510650N 1140113W

VAR 17°E

CALGARY AB
CALGARY INTL



LOC(BC)/DME RWY 10

ATIS	ARR	TWR	GND	DEP	ELEV
114.8	125.9	118.4	121.9 125.35	119.8	3557
127.2	283.9	236.6	275.8	255.1	TDZE 10 3547


Requires minimum descent
gradient of 314 ft/NM
between IF and FAF

CYJC

BACK COURSE
NO GLIDE PATH
IGNORE GLIDE
PATH INDICATIONS

RADAR or RNAV REQUIREDSAFE ALT 100 NM **13,900**

IF ARBUC 16 DME	GADIS 11 DME	8 DME	5.9 DME	MISSED APPROACH Climb to 7000 on track of 103° to "YC" NDB	
6500	5100	4400			
103°					
Procedure turn NOT AUTHORIZED					
5.0	3.1	2.3			
CATEGORY	A	B	C	D	
LOC	4060 (513)		1 1/2		
* CIRCLING	4060 (503)	1 1/2	4060 (503) 2	4160 (603) 2	




LOC(BC)/DME RWY 10

ILS or NDB RWY 16 (GNSS)

ATIS	ARR	TWR	GND	DEP	ELEV
114.8	125.9	118.4	121.9 125.35	119.8	3557
127.2	283.9	236.6	275.8	255.1	TDZE 16 3556


CYYC




SAFE ALT 100 NM **13,900**

MISSED APPROACH
Climb to **7000** on HDG
of **163°**. Then LEFT turn
to "YYC" VOR.

"ZYC" NDB
or
R-298 "YYC" VORTAC



CATEGORY	A	B	C	D
ILS	3756	(200)	½ RVR 26	
LOC LOC/VOR	3860	(304)	1 RVR 50	
NDB	4100	(544)	1 ¼	
* CIRCLING	4100 (543)	1 ¾	4100 (543) 2	4160 (603) 2




ILS or NDB RWY 16 (GNSS)

ILS or NDB RWY 28 (GNSS)


ATIS	ARR	TWR	GND	DEP	ELEV	
114.8	125.9	118.4	121.9 125.35	119.8	3557	
127.2	283.9	236.6	275.8	255.1		
					TDZE 28	3550

CYYC




MISSED APPROACH
Climb to **5700** on
track of **283°**. RIGHT
turn to "YC" NDB.

"YC" NDB
or
R-191 "YYC" VORTAC



CATEGORY	A	B	C	D
ILS	3750	(200)	½ RVR 26	
LOC LOC/VOR	4000	(450)	1 RVR 50	
NDB	4040	(490)	1 RVR 50	
* CIRCLING	4060	(503) 1 ½	4060	4160
		(503) 2	(603) 2	

Right hand circuits
Rwy 34



ILS or NDB RWY 28 (GNSS)


510650N 1140113W

VAR 17°E


ILS/DME RWY 34

ATIS	ARR	TWR	GND	DEP	ELEV
114.8	125.9	118.4	121.9 125.35	119.8	3557
127.2	283.9	236.6	275.8	255.1	TDZE 34 3543


CYJC

SAFE ALT 100 NM **13,900**

MISSED APPROACH
Climb to **5200** on track of **343°** to "ZYC" NDB.



CATEGORY	A	B	C	D
ILS/DME	3743	(200)	½ RVR 26	
LOC/DME	3840	(297)	1 RVR 50	
* CIRCLING	4060	(503) 1½	4060	4160
			(503) 2	(603) 2



BOVIX to MAP 3.8 NM				
Knots	70	90	110	130
Min:Sec	3:15	2:32	2:04	1:45
			1:45	1:31

ILS/DME RWY 34

510650N 1140113W

VAR 17°E

CALGARY AB
CALGARY INTL

EFF 20 NOV 08

CHANGE: Circling Minima

NAD83