Licensed to BRITISH AIRWAYS PLC, . Printed from JeppView disc 04-05.

Notice: After 17.3.2005 0901Z this chart should not be used without first checking JeppView or NOTAMs.

BJEPPESEN

20 DEC 02

(10-1R)

RADAR SHARM EL SHEIKH, EGYPT

-29° GULF OF SUEZ 2500 HURGHADA INTL 52 5100 R 650 ST CATHERINE NDB St Catherine Intl 1500 HURGHADA VORDME MINIMUM RADAR VECTORING ALTITUDES 710500 3500 10700 - 34° 5800 5 2800 9000 9500 MN09 15NM 50NM 30NM 0° 50NM 7700 25 NM 4600 40NM 2500 80° 30NM 40NM NUWEIBAA NDB 1500 SHARM EL SHEIKH Intl 143 2000 5300 SHARM EL SHEIKH RADAR JEDDAH OEJD FIR (G) VARIATION 3°E .09

Licensed to BRITISH AIRWAYS PLC, . Printed from JeppView disc 04-05.

Notice: After 17.3.2005 0901Z this chart should not be used without first checking JeppView or NOTAMs.

13 JUL 01

HESH

NEPPESEN

JAA MINIMUMS

SHARM EL SHEIKH, EGYPT SHARM EL SHEIKH INTL

			ı		04R				ı			ı			ī		04L	N K
•		CIRCLING 0	ALS out		VOR DME	ALS out		NDB	ALS out		VOR DME	ALS out		Loc	ALS out		ILS	SI HAIGH I-IN HWY
	V1500m	840' (697')	R1500m	R1 000m	570 ' (456')	R1500m	R1000m	640 ' (506')	R1500m	R1 000m	640 ' (506')	R1500m	R1000m	640 ' (506')	R1200m	R650m	388' (254')	А
	V1600m	840 ' (697')	R1500m	R1200m	570 ' (456')	R1500m	R1200m	640 ' (506')	R1500m	R1200m	640 ' (506')	R1500m	R1200m	640 ' (506')	R1200m	R650m	400' (266')	œ
	V2400m	840 ′ (697′)	R2000m	R1200m	570 ' (456')	R2000m	R1200m	640' (506')	R2000m	R1200m	640 ' (506')	R2000m	R1200m	640' (506')	R1200m	R650m	408 ' (274')	С
	V3600m	850' (707')	R2000m	R1600m	570 ' (456')	R2000m	R1600m	640' (506')	R2000m	R1600m	640' (506')	R2000m	R1600m	640' (506')	R1200m	R650m	419' (285')	D

Not authorized West of rwy 04L/22R.

west of rwy 04L/22R Not authorized

1100' (957')

1100' (957')

1100' (957)

1100' (957') 205 KT

D	೧ 🗷 >			Tak
300m	250m	RCLM (Day only) or RL	LVP must be in Force	Take-off RWY 04L/R, 22L/R
	400m	RCLM (Day only) or RL		
	500m	NIL (Day only)		

CHANGES: VOR DME 04R. © JEPPESEN SANDERSON, INC., 2001. ALL RIGHTS RESERVED.

CHANGES: New Chart.

© JEPPESEN SANDERSON, INC., 2002. ALL RIGHTS RESERVED.


Licensed to BRITISH AIRWAYS PLC, . Printed from JeppView disc 04-05.
Notice: After 17.3.2005 0901Z this chart should not be used without first checking JeppView or NOTAMs.

HSH

#JEPPESENGHARM EL SHEIKH, EGYPT
SHARM EL SHEIKH INTL

SHARM EL SHEIKH OUTER FIX HOLDING PROCEDURES

Only to be used, when excessive holdings are expected. Vectors to compulsary reporting point DELMA will be provided by ATC.



1400m

1600m

2400m

205

© JEPPESEN SANDERSON

Licensed to BRITISH AIRWAYS PLC, . Printed from JeppView disc 04-05.

Notice: After 17.3.2005 0901Z this chart should not be used without first checking JeppView or NOTAMs.

PANS OPS 3 HESH/SSH SHARM EL SHEIKH INTL Gnd speed-Kts
ILS GS 3.00° or MISSED APCH: Climb STRAIGHT AHEAD on 040° to 2500', then turn RIGHT to reach VOR at 3000', or as directed Alt Set: hPa OC Desc Grad 5.2% 109.5 *SHARM EL SHEIKH Radar 900m 800m 040° 109.5 KIL 121.1 Apch Crs 377 Rwy Elev: 5 hPa **D8.8** 484 D4.0 KIL 1300m 1200m D3.0 KI 1480' 538 646 100 120 140 GS D4.0 KIL 1480' (1346') GS 1480' DO. 5 KI SHARM EL SHEIKH 18 FEB 05 (11-1) D11.0 SHM 753 #JeppesenSHARM EL SHEIKH, EGYPT
ILS Rwy 04L Trans level: FL 110 SHARM EL SHEIKH Tower 800m 861 MDA(H) 640'(506') LOC (GS out) 118.9 CAT A & B -- 208° CAT C & D -198" DA(H) Refer to Minimums 1980 1600m Initial apch speed restricted to MAX IAS 220 KT. CAUTION: During missed apch do not overfly JEDDAH FIR. Descent in holding from MEA to 4000'. TCH 50' Apt Elev 143' Trans alt: 9500' RWY 134' PAPI---PAPI RWY 041 134' 4000′ 1100'(957') 2000m 1100'(957') 2400m 1100'(957') 4800m Not authorized West of rwy 04L/22R CIRCLE-TO-LAND 121.9 2500′ 090°-6800' 10,100' 5600' MSA SHM VOR on 040° 3600′ 270°

Licensed to BRITISH AIRWAYS PLC, . Printed from JeppView disc 04-05.


Notice: After 17.3.2005 09012 this chart should not be used without first checking JeppView or NOTAMs.

HESH SHARM EL SHEIKH INTL D 0 B >
 Gnd speed-Kts
 70
 90

 Descent angle
 [3.00°]
 372
 478
 turn RIGHT to reach VOR at 3000', or as directed. MISSED APCH: Climb STRAIGHT AHEAD on 040° to 2500', then Alt Set: hPa 2200′ 114.2 (2066') WHS *SHARM EL SHEIKH Rada 011.00 D11.0 2200m 2600m 12 |-| STRAIGHT-IN LANDING RWY 04L Rwy Elev: 5 hPa Apch Crs ±1480′ мда(н) **640'** (506' **D9.0** [FDØ4L] D9.0 *-040°-6.3 NM to RWØ41 100 120 140 160 531 637 743 849 2200' (2066') **D2.4** [RW04L] 34-20 Minimum Alt 13 JUL 01 (13-1) D9.0 SHARM EL SHEIKH Trans level: FL 110 3000m MJEPPESENSHARM EL SHEIKH, EGYPI SHARM EL SHEIKH Tower 118.9 640' (506') CAT A & B - 208° CAT C & D - 198° MDA(H)198 Kts 100 180 **D2.4** [RWØ4L] Initial apch speed restricted to MAX IAS 220 KT. Trans alt: 9500' CAUTION: During missed apch do not overfly JEDDAH FIR. Descent in holding from MEA to 4000' (3866'). Apt Elev 143' 1100' (957') 1100' (957') RWY 134' 34-30 Not authorized West of rwy 04L/22R VOR VOR DME Rwy 04 PAPI --- PAPI CIRCLE-TO-LAND (9366) RWY 041 134' (3866') [TCH 50'] 121.9 2500 OCA(H) RWY 04L 634' (500') 090° /10,100' 5600' MSA 6800' 360°- 3600' / 4800m 3000m SHM VOR 270°) 040°

Licensed to BRITISH AIRWAYS PLC., Printed from LeppView disc 04-05.

Notice: After 17.3.2005 0901Z this chart should not be used without first checking JeppView or NOTAMs.



04L 1000 Meters 0 HESH/SSH Apt Elev 143' N27 58.7 E034 23.6 04R - 27 - 58 R₩Y 27-59 10, 11 12 13, 14 15, 16 17 thru 19 20 thru 23 24 thru 26 22L 22R HIRL (60m) HIALS PAPI (3.0°) HIRL (60m) HIALS PAPI (3.0°) (40) PARKING POSITIONS COORDINATES Licensed to BRITISH AIRWAY'S PLC, . Printed from JeppView disc 04-05.

Notice: After 17.3.2005 0901Z this chart should not be used without first checking JeppView or NOTAMs. N27 58.5 E034 23.1 N27 58.7 E034 23.2 N27 58.7 E034 23.2 N27 58.7 E034 23.3 N27 58.8 E034 23.4 N27 58.9 E034 23.4 N27 58.9 E034 23.4 N27 58.9 E034 23.5 N27 59.0 E034 23.3 N27 58.6 E034 23.3 N27 58.7 E034 23.3 N27 58.7 E034 23.3 N27 58.7 E034 23.3 N27 58.6 E034 23.3 SHARM EL SHEIKH Ground LVP must be in force RCLM (DAY only) or RL APRON 4 -121.9 300m 250m 34-23 34-23 APRON 2 10, 108, 308, 15 ADDITIONAL RUNWAY INFORMATION IS FEB 05 (11-1)

SHARM EL SHEIKH, EGYPT
SHARM EL SHEIKH INTL AIR CARRIER (JAA) 27-58 — TAKE-OFF Parking stands 24 thry 26 ARP 10,108,000,11 APRON 2 Threshold USABLE LENGTHS 34-23.2 TERMINAL 2 Glide Slope 9136' 2785m RCLM (DAY only) or RL Push-back required on stands 1 thru 8 and 17 thru 23. 118.9 400m 34-23.4 TAKE-OFF 03°<u>E</u> 27-58.6 WIDTH 27-59 — 148' 45m 148' 45m ĀŖ

CHANGES: Twy designations. Note.

© JEPPESEN SANDERSON, INC., 1999, 2005. ALL RIGHTS RESERVED.