PROJECT REPORT

on

"Smiles For Miles Tourism"

Submitted to

Rashtrasant Tukdoji Maharaj Nagpur University, Nagpur In Partial Fulfillment of the requirement of

Bachelor of Commerce (Computer Application)

Submitted by

Aditya Lambat Chetan Barange Sakshi Bannagare

Under the Guidance of

(Prof. Kothiram N. Girsawale)



Dr. Ambedkar Institute of Management Studies & Research DeekshaBhoomi Nagpur-440012 (2021-2022)

CERTIFICATE

This is to certify that **Aditya Lambat**, **Chetan Barange**, **Sakshi Bannagare** has satisfactorily completed the project work entitled "**Smiles For Miles Tourism**" in not less than one academic session. This also certify that this project work is the result of the candidate's own work and is of sufficiently high standard to warrant its presentation for the B.Com (Computer Application) program.

To the best of my knowledge this project or its part has not been submitted to this university or any other university for any Degree/Diploma.

Guide Signature

(Prof. Kothiram N. Girsawale)

Internal Examiner External Examiner

Place: Nagpur

Date: Director

DECLARATION

We, Aditya Lambat, Chetan Barange and Sakshi Bannagare hereby declare that the project entitled "Smiles For Miles Tourism" is the outcome of our own research work based on personal study during academic session 2021–2022 and has not been submitted previously for award of any degree or diploma to this university or any other university.

Aditya Lambat

Chetan Barange

Sakshi Bannagare

ACKNOWLEDGEMENT

"Words have never expressed human sentiments. This only an attempt to express our deep gratitude which comes from our heart."

It is a great pleasure for us to express our deep feeling of gratitude to our respected guide **Prof. Kothiram N. Girsawale (Lecturer, Dr. Ambedkar Institute of Management Studies & Research, Nagpur)** for his great encouragement and unfailing support which provided needed moral and confidence to carry on our work.

We are grateful to the **Dr. S. S. Fulzele**, (**Director**, **Dr. Ambedkar Institute of Management Studies & Research**, **Nagpur**) for making all facilities available for our work.

It is with profound gratitude that we wish to express our indebtedness to **Dr.Nirzar Kulkarni** (**Asst. Director, Dr. Ambedkar Institute of Management Studies & Research, Nagpur**) for his invaluable guidance and supervision in completion of this project work.

We are great to our parents for their lovable support. Last but not least we are thankful to our friends and other faculty member for their direct and indirect help for completion of this work.

Content Page

- 1. Introduction
- 2. Objectives
- 3. Preliminary system analysis
 - a. Present System in use
 - b. Flaws in Present System
 - c. Need of New System
 - d. Feasibility study
 - e. Project Category
- 4. Software Engineering Paradigm applied
 - a. Modules
 - b. System/Modular Chart
- 5. Software and Hardware Requirement Specification
- 6. Detailed system analysis
 - a. Data Flow Diagram
 - b. Numbers of Modules and Process Logic
 - c. Data Structures and Tables
 - d. Entity Relationship Diagram
- 7. System Design
 - a. Form Design
 - b. Source Code
 - c. Input / output screen
- 8. Testing and validation checks
- 9. System Security and Measures
- 10. Implementation, Evaluation and maintenance.
- 11. Future scope of the project
- 12. Suggestion and conclusions
- 13. Bibliography and References

1. Introduction

Tourism has turned out to be an economic booster contributing to the economic development of many countries over the last few decades. People see holidays as a necessity, and not as luxury in the present scenario. Tourism calls for coordination and cooperation between travel agents, tour operators, and tourists. Tourism has a few major elements – destinations, attractions, sites, accommodation, and all ancillary services. The need for a robust and dynamic tour management application has been around since the advent of the tourism concept.

Thus, we have developed an application to provide the best travelling services to the customers and travel agents. The Tourism Management System provides a search platform where a tourist can find their tour places according to their choices. This system also helps to promote responsible and interesting tourism so that people can enjoy their holidays at their favorable places and develop tourism with different cultures so that they enrich the tourism experience and build pride. The Tourism Management System is a web-based application. The objective of this project is to develop a system that automates the processes and activities of a travel agency. It is tedious for a customer to plan a particular journey and have it executed properly. This project is developed to replace the currently existing system, which helps in keeping records of the customer details of destination as well as payment received. The proposed system is highly automated and makes the travelling activities much easier and flexible. The users can get the very right information at the very right time. This will increase the trust of the customer into the tourism company as well.

This project is designed with MySQL as back end. All the data will be stored in the apache server and in case of any data losing situation, a backup will be available by this server. The details related to every aspect of the tourist will be available separately. The admins just have to click once and all the details will be available to them.

2. Objectives

- 1. To develop a system that automates the processes and activities of a travel and tourism agency.
- 2. To design a system using which one can perform all operations related to traveling and sight-seeing.
- **3.** To search details of the Customer, Package, Booking etc.
- **4.** To make a Tourism Management System online application, from which user can easily manage Package details and prices.
- **5.** To allow Admin to track all the information of Package ,Customer Transportation etc. Admin can create, delete and update the records of packages , Booking.
- **6.** To manage the information about of Transportation, Travel Agent, Package in extremely clear manner.

3. Preliminary System Analysis

First in the system development process is preliminary Investigation. Preliminary Investigation is conducted in the following phases.

a. Present System in use b. Flaws in Present System c. Need of New System d. Feasibility study e. Project Category

a. Present System in Use:

In the present system a customer must approach various agencies to find details of places and to book tickets. This often requires a lot of time and effort. A customer may not get the desired information from these offices and often the customer may be misguided. It is tedious for a customer to plan a journey and have it executed properly.

b. Flaws in Present System:

The present systems are inadequate in providing information and advices to the agencies and customers about tour plans. Often agencies are compelled to rely on local information sources and count on their own experiences regarding time and cost. Through phone call they have to get information.

c. Need of New System:

The new system is highly automated and makes the travelling activities much easier and flexible. The user can get the very right information at the very right time. Customers can get the knowledge of the hotels and vehicles they are going to use in their trip prior to their starting of trip. This will increase the trust of the customer into the travel company as well.

Once the bookings are confirmed all the travel details, customer details as well as all the relevant details related to the trip like hotel name, room number, vehicle number, vehicle owner's details, date of arriving, date of departure, food to be served and every single detail will be available to the client. They just need once to click using mouse and everything is made available to them.

d. Feasibility Study:

The feasibility study is performed to determine whether the proposed system is viable considering the Technical, Operational and Economical factors. After going through feasibility study, we can have a clear-cut view of the system's benefits and drawbacks.

Technical Feasibility:

The proposed system is developed using Active Server Page, HTML as front-end tool and My SQL as the back end. The proposed system needs a

Personal Web Server to serve the requests submitted by the users. The Web browser is used to view the web page that is available within the Windows operating system itself. The proposed system will run under Win9x, NT, and win2000 environment. As Windows is very user friendly and GUI OS it is very easy to use. All the required hardware and software are readily available in the market. Hence the system is technically feasible.

Operational Feasibility:

The proposed system is operationally feasible because of the following reasons.

- → The customer is benefited more as most of his time is saved by finding perfect travel guide with the wonderful packages & affordable rates.
- → The cost of the proposed system is almost negligible when compared to the facilities and amenities gained.

Economic Feasibility:

As the necessary hardware and software are available in the market at a low cost, the initial investment is the only cost incurred and does not need any further enhancements. Hence it is economically feasible.

The system is feasible in all respects and hence it encourages taking up the system design.

e. Project Category:

Relational database tables are like conventional tables; however, relational database terminology is somewhat different from conventional table and file terminology. A single row of a table is called a row, table or record, and a column of a table is called an attribute or field. A single cell in a table is called an attributes value, field value, or data element.

4. SOFTWARE ENGINEERING PARADIGM APPLIED

a. Modules

b. System/Modular Chart

a. Module:

It has three modules Administrator module, User module and Guest Module.

1. Administrator module:

Admin have options like Dashboard, Bookings, Packages, Transactions, Messages, Settings.

- Dashboard- Here admin can view all count of booking, issues, Enquiries and Users.
- Booking- Admin will responsible for managing booking. Admin can confirm and cancel a booking of traveler.
- Packages—Admin will create the packages and Manage the packages (Create, Update, delete) Users- Admin can view all Information of all users.
- This module provides administrator related functionality.

 Administrator manages all information and has access rights to add, delete, edit and view the data related to places, travels, bookings, Enquiries etc.
- Manage Enquiries—admin can manage all enquiries raised by users (traveler).
- Change password--- Admin can change own password.

2. User (Traveler) Module:

User have options like Home, India, International, About us, Contact us, login.

- Signup- User can register our self for booking.
- Login- Here user can login with valid username and password.
- Forgot Password—User can recover his/her own password
- My Profile- user can update own profile.
- Tour history-After login user can book any tour that will show in Tour history. User can cancel his/her booking before 24hr of booking.
- Change Password---- User can change his/her Password.
- Enquiry form ---- user can enquire about anything by writing just name and issue.

3. Guest Module:

• Guest user can visit the website and view the all content of website. Guest user can also Enquiry.




Chart 4.b.1 admin modular chart

User: Login / Signup Book Packages Booking History Update Profile Change Passsword

Chart 4.b.2 user modular chart

5. SOFTWARE & HARDWARE REQUIREMENT

SOFTWARE CONFIGURATION:

Operating System : Windows 10

Web server : XAMPP Server

Web Browser : Internet Explorer 9.0

Designing Tool : VS CODE

Server-Side Scripting : HTML

Client-Side Scripting : CSS

Backend : PHP & MySQL

HARDWARE CONFIGURATION:

Processor : P III 700 MHz

RAM : 64 MB RAM

Hard Disk Drive : 20 GB HDD

Keyboard : 104 keys

Mouse : Logitech Mouse

Monitor : 15" digital color monitor

Display Type : VGA

6. Detailed System Analysis

a. Data Flow Diagram:

ZERO Level DFD: SYSTEM INPUT/OUTPUT LEVEL

A level-0 DFD describes the system-wide boundaries, dealing inputs to and outputs from the system and major processes. This diagram is like the combined user-level context diagram.




Chart 6.a.1 Zero Level DFD

First Level DFD: - SUB-SYSTEM LEVEL DATA FLOW

A level-1 DFD describes the next level of details within the system, detailing the data flows between subsystems, which makeup the whole.




Chart 6.a.2 First Level DFD

b. Number of Modules and Process Logic:

It has two modules Admin and User

Admin:

- Home Page: The main page, neatly designed page, and their page show dashboard, statistics of bookings, transactions, messages to the administrator.
- Login Page: Here login option is provided to login the administrator.
- **O Database Screen** (people who booked package): The screen shows how much people have booked the packages. It's only seeing but changes the database only can done by admin.
- **O** Admin Home Page: Admin home page that can possible to change add, alter and modify, for these databases.

User

- **O Home Page**: The main page, neatly designed page, and their page show information about the packages(India and International), details about the packages, and other offers of tour.
- User Login Page: Here login option is provided to login. Also new signup option is provided to new user sign up.
- **O Database Screen** (people who donate fund): These pages only see who has booked for tour packages that cannot be change by user and their one more option is user can cancel, view profile, and update the details.

c. Data Structures and Tables:

Smiles For Miles Tourism Contains 6 MySQL Tables




Table 1. admin_login



Table 2 & 3. india_packages & intl_packages




Table 4. user_bookings




Table 4. user_data




Table 4. user_messages

e. Entity Relationship Diagram:



ER Diagram 6.d.1 Admin





7. System Design

a. Form Design:


Home Page








User Login:



Admin Login:



Admin Dashboard:



b. Source Code:

Admin 1. admin.php

```
<?php
include('includes/header.php'); include('includes/configure.php');
?>
<link rel="stylesheet" herb="css/dashboard.css">
<title>Admin | Dashboard</title>
<?php
$sql6 = "SELECT id FROM user_data ORDER BY id";
$query6 = mysqli_query($conn, $sql6);
$regrow = mysqli_num_rows($query6);
$sql7 = "SELECT bkid FROM user_bookings ORDER BY bkid";
$query7 = mysqli_query($conn, $sql7);
$ttlbkrow = mysqli_num_rows($query7);
<div class="cards">
  <div class="card">
    <i class="fa fa-users" aria-hidden="true"></i>
    <div class="card-text">
      <h3>Users</h3>
      <h3>Registered</h3>
      <h1> </h1>
      <h2><?php echo $regrow; ?></h2>
    </div>
  </div>
  <div class="card">
    <i class="fa fa-book" aria-hidden="true"></i>
    <div class="card-text">
      <h3>Total</h3>
      <h3>Bookings</h3>
      <h1> </h1>
      <h2><?php echo $ttlbkrow; ?></h2>
    </div>
  </div>
  <div class="card">
    <i class="fa fa-briefcase" aria-hidden="true"></i>
    <div class="card-text">
      <h3>Total</h3>
      <h3>Packages</h3>
      < h1 >_{-}
                            </h1>
      <?php
      $totalquery1 = "SELECT pkgid FROM india_packages ORDER BY pkgid";
      $totalquery2 = "SELECT pkgid FROM intl_packages ORDER BY pkgid";
      $totalqueryrun1 = mysqli_query($conn, $totalquery1);
      $totalqueryrun2 = mysqli_query($conn, $totalquery2);
```

```
$totalqueryrow1 = mysqli_num_rows($totalqueryrun1);
      $totalqueryrow2
                             =
                                      mysqli num rows($totalqueryrun2);
$totalpackages = $totalqueryrow1 + $totalqueryrow2;
      echo '<h2>'.$totalpackages.'</h2>';
      ?>
    </div>
  </div>
  <div class="card">
    <i class="fa fa-envelope-o" aria-hidden="true"></i>
    <div class="card-text">
      <h3>Inbox</h3>
      <h3>Messages</h3>
      <h1>____</h1>
      <?php
      $totalquery3 = "SELECT id FROM user messages ORDER BY id";
                                  mysqli query($conn,
      $totalqueryrun3
                                                            $totalquery3);
                           =
$totalqueryrow3 = mysqli_num_rows($totalqueryrun3);
      echo '<h2>'.$totalqueryrow3.'</h2>';
      ?>
    </div>
  </div>
</div><?php
include('includes/footer.php');
?>
</body>
</html>
2. admin_login.php
<?php
include('includes/configure.php'); session start();
$error = "Invalid Login Credentials"; if
(isset($_POST['submit']))
$admin_un = $_POST['admin_un'];
  $password = $_POST['password'];
  $sql = "SELECT * FROM admin_login WHERE admin_id='$admin_un' AND
password='$password''';
  $result = mysqli_query($conn, $sql);
if ($result->num_rows > 0) {
                                  mysqli_fetch_assoc($result);
    $row
$_SESSION['admin_id']
                                             $row['admin_id'];
header("Location: admin.php");
  } else {
    $_SESSION['error']=$error;
} if(isset($ POST['msgok'])){
unset($_SESSION['error']);
```

```
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" href="images/logo.png">
  <link rel="stylesheet" href="css/loginstyle.css">
  <link rel="stylesheet" href="css/popup.css">
  k rel="preconnect" href="https://fonts.googleapis.com">
  k rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  link
href="https://fonts.googleapis.com/css2?family=Acme&family=Amita:wght@400;70
0&family=Dancing+Script:wght@400;500;600;700&
family=Island+Moments&family=Moon+Dance&family=Oswald:wght@200;300;40
0;500;600;700&family=Roboto+Condensed:wght@700&
family=Vujahday+Script&display=swap" rel="stylesheet">
                                                               rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/4.7.0/css/font-
awesome.min.css">
  <title>Admin Login</title>
</head>
<body>
  <div class="logo">
    <img src="images/logo2.png">
  </div>
<?php
if (isset($_SESSION['error'])) {
?>
<div class="popup">
<?php echo $_SESSION['error']; ?>
<form action="admin_login.php" method="POST">
<button type="submit" name="msgok">OK</button>
</form>
</div>
<?php
}
 ?>
  <div class="container">
    <form action="admin_login.php" method="POST" class="admin-login">
      Admin Login
      <div class="input">
        <input type="email" placeholder="Admin ID" name="admin_un" required>
      </div>
      <div class="input">
```

```
type="password"
                                      placeholder="Password"
                                                                name="password"
required="" id="id_pass">
         <span>
         <i class="fa fa-eye" aria-hidden="true" id="eye" onclick="toggle()"></i>
       </div>
       <div class="login-button">
         <button name="submit" class="btn">Login</button>
       </div>
    </form>
  </div>
              <script>
           state=false;
var
function
             toggle(){
if(state){
         document.getElementById("id_pass").setAttribute("type","password");
document.getElementById("eye").style.color="grey";
                                                             state=false:
else
         document.getElementById("id_pass").setAttribute("type","text");
document.getElementById("eye").style.color="black";
                                                              state=true;
       }
    }
  </script>
</body>
</html>
3. bookings.php
<?php
include('includes/header.php');
include('includes/configure.php');
if(isset($ POST['bk cfrm'])){
$status = "Confirmed";
 $bkid = $ POST['bkid cfrm'];
 $sql1 = "UPDATE user_bookings SET user_status='$status' WHERE bkid='$bkid'";
 $query1 = mysqli_query($conn, $sql1);
 if($query1){
  $_SESSION['msgbk'] = "Booking Confirmed";
  header("location: bookings.php");
 } }
elseif(isset($_POST['bk_cncl'])){
$status = "Cancelled";
 $bkid = $ POST['bkid cncl'];
 $sql1 = "UPDATE user_bookings SET user_status='$status' WHERE bkid='$bkid''';
 $query1 = mysqli query($conn, $sql1);
```

if(\$query1){

```
$_SESSION['msgbk']
                               "Booking
                                             Cancelled";
header("location: bookings.php");
if(isset($_POST['msgok'])){
unset($_SESSION['msgbk']);
}
<link rel="stylesheet" href="css/popup.css">
<link rel="stylesheet" href="css/bookings.css">
<title>Admin | Bookings</title>
<div class="bktbl1">
 <h1><u>Booking Status</u></h1>
 TOTAL BOOKINGS
   PENDING
   CONFIRMED
   CANCELLED
  <?php
   $sql2 = "SELECT bkid FROM user_bookings ORDER BY bkid";
   $query2 = mysqli_query($conn, $sql2);
   $tbkrow = mysqli_num_rows($query2);
   $sq13 = "SELECT user status FROM user bookings WHERE
user_status='Pending' ORDER BY user_status";
                                             query3 =
mysqli_query($conn, $sql3);
   $pendrow = mysqli_num_rows($query3);
   $sql4 = "SELECT user_status FROM user_bookings WHERE
user_status='Confirmed' ORDER BY user_status";
                                             query4 =
mysqli_query($conn, $sql4);
   $cfrmrow = mysqli_num_rows($query4);
   $sql5 = "SELECT user_status FROM user_bookings WHERE
user_status='Cancelled' ORDER BY user_status";
                                             query5 =
mysqli query($conn, $sql5);
   $cnclrow = mysqli_num_rows($query5);
   ?>
   <?php echo $tbkrow; ?>
   <?php echo $pendrow; ?>
   <?php echo $cfrmrow; ?>
   <?php echo $cnclrow; ?>
  </div>
<div class="bktbl2">
 <?php
include('includes/configure.php');
 $query = "SELECT * FROM user_bookings";
```

```
$query_run = mysqli_query($conn, $query);
 <div class="top-text-search">
 <h1><u>User Bookings</u></h1>
 <input type="text" id="search" placeholder="Search Booking ID"</pre>
onkeyup="myFunction()">
 <i class="fa fa-search" aria-hidden="true"></i>
</div>
<?php
if (isset($_SESSION['msgbk'])) {
<div class="popup1">
<?php echo $ SESSION['msgbk']; ?>
<form action="bookings.php" method="POST">
<button type="submit" name="msgok">OK</button>
</form>
</div>
<?php
}
 ?>
 BKID
  PKGID
  PKG LOCATION
  PKG NAME
  USER EMAIL
  BOOKING DATE
  DEPART DATE
  STATUS
  ACTION
              error reporting(0);
       <?php
                              if
(mysqli_num_rows($query_run) > 0) {
  while ($row = mysqli_fetch_assoc($query_run)) {
 ?>
   BKID12<?php echo $row['bkid']; ?>
    <?php
$india = "India";
    if($row['pkg_location']==$india){
    INDPKG1<?php echo $row['pkgid']; ?>
    <?php
    }else{
     ?>
    INLPKG2<?php echo $row['pkgid']; ?>
    <?php
```

```
?>
     <?php echo $row['pkg_location']; ?>
     <?php echo $row['pkg_name']; ?>
     <?php echo $row['user_email']; ?>
     <?php echo date('d-m-Y h:i A',strtotime($row['date'])); ?>
     <?php echo $row['user_date']; ?>
     <?php echo $row['user_status']; ?>
<form action="bookings.php" method="POST">
     <input type="hidden" name="bkid_cfrm" value="<?php echo $row['bkid'];</pre>
?>">
     <?php
     $pending = "Pending";
     if($row['user_status']==$pending)
      ?>
     <button class="confirm" type="submit" name="bk_cfrm">Confirm</button>
     }
else{
      ?>
     <button class="bkdeactive" disabled type="submit"
name="bk_cfrm">Confirm</button>
     <?php
     }
     ?>
     </form>
     <form action="bookings.php" method="POST">
     <input type="hidden" name="bkid_cncl" value="<?php echo $row['bkid']; ?>">
     <?php
     $pending = "Pending";
     if($row['user_status']==$pending)
     {
      ?>
     <button class="cancel" type="submit" name="bk_cncl">Cancel</button>
     <?php
     }
else{
     <button class="bkdeactive" disabled type="submit"</pre>
name="bk_cncl">Cancel</button>
     <?php
     }
     ?>
     </form>
```

```
<?php
   }
  } else {
   echo "No Record Found !!!";
  ?>
 </div><script>
 function myFunction() {
  var input, filter, table, tr, td, i, txtValue;
                                           input
= document.getElementById("search");
                                         filter =
input.value.toUpperCase();
                                       table =
document.getElementById("myTable");
                                            tr =
table.getElementsByTagName("tr"); for (i = 0; i
< tr.length; i++)
tr[i].getElementsByTagName("td")[0];
                                          if (td)
     txtValue = td.textContent || td.innerText;
                                                   if
(txtValue.toUpperCase().indexOf(filter) > -1) {
      tr[i].style.display = "";
     } else {
      tr[i].style.display = "none";
   }
</script> <?php
include('includes/footer.php');
?>
</body>
</html>
```

4. changepassword.php

```
<?php
include('includes/header.php');
$passerror = "Password doses not meet the requirement";
$error1 = "Current Password is incorrect";
$msg = "Password Changed Successfully"; if
(isset($_SESSION['admin_id'])) {
include('includes/configure.php');
} if (isset($_POST['submit'])) {
$oldpass = $_POST['oldpass'];
$newpass = $_POST['newpass'];
$sql_query1 = "SELECT * FROM admin_login WHERE password='$oldpass'";
$query_fire1 = mysqli_query($conn, $sql_query1);</pre>
```

```
if (mysqli_num_rows($query_fire1) === 1)
    $row = mysqli_fetch_assoc($query_fire1);
    $sql query2 = "UPDATE admin_login SET password='$newpass' WHERE
admin_id='admin@sfmt' ";
    $query_fire2 = mysqli_query($conn, $sql_query2);
    SESSION['msg'] = Smsg;
    header('Location: changepassword.php');
  }
  else{
    $_SESSION['error1'] = $error1;
  }
?> <?php
if(isset($_POST['msgok']))
  unset($_SESSION['msg']);
elseif(isset($_POST['error1ok']))
  unset($_SESSION['error1']);
}
<link rel="stylesheet" href="css/popup.css">
k rel="stylesheet" href="css/changepass.css">
<title>Admin | Change Password</title>
<h1 class="cp-text"><u>Change Admin Password</u></h1>
<?php
if (isset($_SESSION['msg'])) {
<div class="popup1">
<?php echo "$msg"; ?>
<form action="changepassword.php" method="POST">
<button type="submit" name="msgok">OK</button>
</form>
</div>
<?php
} else {
  if (isset($_SESSION['error1'])) {
  ?>
  <div class="popup1">
  <?php echo "$error1"; ?>
  <form action="changepassword.php" method="POST">
    <button type="submit" name="error1ok">OK</button>
  </form>
  </div>
<?php
  }
```

```
}
?>
<div class="cpass-form">
  <form action="changepassword.php" method="POST" class="admin-login">
<div class="change-text">
      <h3>Change Password</h3>
    </div>
    <div class="input-text">
      <input type="text" placeholder="Enter Current Password" name="oldpass"
required>
    </div>
    <div class="input-text">
                type="password"
                                     pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).\{8,\}"
      <input
title="Password Does Not Meet The Requirement" placeholder="Enter New
Password" name="newpass" id="np" required>
      <span class="span1">
         <i class="fa fa-eye" aria-hidden="true" id="eye1" onclick="toggle1()"></i>
</span>
    </div>
    <div class="cfrm-btn">
      <button name="submit" class="btn">Confirm</button>
    </div>
    <div class="rules">
    <h2 class="pass-txt">Password must have :</h2>
      <01>
         Length should be at least 8
         Have at least one number
         Have at least one special character
         Have at least one capital letter
         Have at least one small letter
      </div>
  </form>
</div>
<script>
  var state1 = false;
  function toggle1() {
if (state1) {
      document.getElementById("np").setAttribute("type", "password");
document.getElementById("eye1").style.color = "grey";
                                                            state1 =
false;
    } else {
      document.getElementById("np").setAttribute("type", "text");
      document.getElementById("eye1").style.color
                                                          "black";
state1 = true;
  }
```

```
</script> <?php
include('includes/footer.php');
?>
```

5. createpackage.php

```
<?php
include("includes/header.php");
$india="India":
$intl="International";
$pkgmsg="Package Created Successfully"; if
(isset($_SESSION['admin_id']))
include('includes/configure.php');
if(isset($_POST['submit2']))
  $pkglocation = $_POST['location'];
  $pkgname = $_POST['pkgname'];
  pkgdst = POST['pkgdst'];
  $pkgtype = $_POST['pkgtype'];
  $pkgdays = $_POST['pkgdays'];
  $pkgfeature = $ POST['pkgfeature'];
  $pkgprice = $_POST['pkgprice'];
  $abtpackage = $_POST['abtpkg'];
  $uploadimg
                                        $ FILES['uploadimg']['name'];
if($pkglocation==$india)
  {
    $pkgquery1 = "INSERT INTO
india_packages(pkg_location,pkg_name,pkg_dst,pkg_type,pkg_duration,pkg_features
,pkg price,about package,pkg img)
VALUES('$pkglocation','$pkgname','$pkgdst','$pkgtype','$pkgdays','$pkgfeature','$pk
gprice','$abtpackage','$uploadimg')";
    if(mysqli_query($conn, $pkgquery1))
       $file="india_images/".$_FILES['uploadimg']['name'];
       move_uploaded_file($_FILES["uploadimg"]["tmp_name"],$file);
       $_SESSION['pkgmsg']=$pkgmsg;
       header("Location: createpackage.php");
   else
    $pkgquery2 = "INSERT INTO
intl_packages(pkg_location,pkg_name,pkg_dst,pkg_type,pkg_duration,pkg_features,p
kg_price,about_package,pkg_img)
```

```
VALUES('$pkglocation', '$pkgname', '$pkgdst', '$pkgtype', '$pkgdays', '$pkgfeature', '$pk
gprice','$abtpackage','$uploadimg')";
    if(mysqli_query($conn, $pkgquery2))
       $file="international images/".$ FILES['uploadimg']['name'];
move_uploaded_file($_FILES["uploadimg"]["tmp_name"],$file);
       $_SESSION['pkgmsg']=$pkgmsg;
       header("Location: createpackage.php");
    }
  }
?>
<?php
if(isset($_POST['crtpackok']))
  unset($_SESSION['pkgmsg']);
?>
<link rel="stylesheet" href="css/popup.css">
k rel="stylesheet" href="css/createpackage.css">
<title>Admin | Create Package</title>
<h1 class="crtpack-text"><u>Create Package</u></h1>
if(isset($_SESSION['pkgmsg']))
{
  ?>
<div class="popup1">
<?php echo "$pkgmsg";?>
<form action="createpackage.php" method="POST">
<button type="submit" name="crtpackok">OK</button>
</form>
</div>
<?php
}
?>
<div class="crtpack-form">
  <form
                       action="createpackage.php"
                                                                 method="POST"
enctype="multipart/formdata">
    <div class="packtxt">
       <h3>Package Creation</h3>
    </div>
    <div class="field">
    <label class="packert-text">Package</label>
    <input type="radio" name="location" value="India" required>&nbsp;India
    <input type="radio" name="location" value="International"</pre>
required> International<br>
    <label class="packcrt-text">Package Name</label>
    <input class="pkginput" type="text" name="pkgname"placeholder="Enter</pre>
```

```
Package Name" required><br>
    <label class="packert-text">Package Destination</label>
    <input class="pkginput" type="text" name="pkgdst"placeholder="Enter Package</pre>
Destination" required><br>
    <label class="packert-text">Package Type</label>
    <input type="radio" name="pkgtype" value="Couple" required>&nbsp;Couple
    <input type="radio" name="pkgtype" value="Family" required>&nbsp;Family
    <input
                   type="radio"
                                        name="pkgtype"
                                                                 value="Friends"
required> Friends<br>
    <label class="packert-text">Package Duration</label>
    <input class="pkginput" type="number" name="pkgdays" placeholder="Enter
Package Duration" required><br>
    <label class="packcrt-text">Package Features</label>
    <input class="pkginput" type="text" name="pkgfeature" placeholder="Enter</pre>
Package Feature" required><br>
    <label class="packert-text">Package Price</label>
    <input class="pkginput" type="number" name="pkgprice" placeholder="Enter</pre>
Package Price In Rupees" required><br>
    <label class="packert-text">About Package
    <textarea
                  rows="10"
                                 name="abtpkg"
                                                     placeholder="Enter
                                                                            about
package"></textarea></label><br>
    <label class="packert-text">Upload Image</label>
    <input type="file" name="uploadimg" id="uploadimg" required><br>
    <div class="crtpack-btns">
    <a href="admin.php">Cancel</a>
    <button name="submit2" class="crtbtn">Create Package</button>
    </div>
    </div>
  </form>
</div><?php
include("includes/footer.php");
?>
6. indiapackages.php
<?php
include("includes/header.php"); include("includes/configure.php");
$inddltmsg = "Package Deleted Successfully"; if
(isset($_POST['inddelete'])) {
  $inddltid = $_POST['inddelete_pkgid'];
  $inddltquery1 = "SELECT * FROM india_packages WHERE pkgid='$inddltid'";
  $inddltqueryrun1
                     =
                         mysqli_query($conn,
                                                 $inddltquery1);
foreach ($inddltqueryrun1 as $inddltrow) {
                                              if ($indimgpath =
"india_images/" . $inddltrow['pkg_img']) {
                                                $inddltquery2 =
"DELETE FROM india packages WHERE pkgid='$inddltid'";
       $inddltqueryrun2 = mysqli_query($conn, $inddltquery2);
if ($inddltqueryrun2) {
                               unlink($indimgpath);
         $_SESSION['inddltmsg'] = $inddltmsg;
```

```
header("Location:indiapackages.php");
    }
  }
}
?>
<?php
     (isset($_POST['updtmsgok']))
unset($_SESSION['msgind3']); } elseif
(isset($_POST['dltmsgok']))
unset($_SESSION['inddltmsg']); } elseif
(isset($_POST['updterrorok']))
unset($_SESSION['msgind4']);
?>
<link rel="stylesheet" href="css/popup.css">
k rel="stylesheet" href="css/stylepackages.css">
<title>Admin | View Packages | India</title>
<h1 class="packages-txt"><u>India Packages</u></h1>
if (isset($_SESSION['inddltmsg'])) {
  <div class="popup1">
    <?php echo "$inddltmsg"; ?>
    <form action="indiapackages.php" method="POST"><button type="submit"</pre>
name="dltmsgok">OK</button></form>
  </div>
<?php
?> <?php
if (isset($_SESSION['msgind3'])) {
  <div class="popup1">
    <?php echo $_SESSION['msgind3']; ?>
    <form action="indiapackages.php" method="POST"><button type="submit"</pre>
name="updtmsgok">OK</button></form>
  </div>
<?php
} elseif (isset($_SESSION['msgind4'])) {
?>
  <div class="popup1">
    <?php echo $_SESSION['msgind4']; ?>
    <form action="indiapackages.php" method="POST"><button type="submit"</pre>
name="updterrorok">OK</button></form>
  </div>
<?php
?>
```

```
<?php
include('includes/configure.php');
$query1 = "SELECT * FROM india_packages";
$query_run1 = mysqli_query($conn, $query1);
<div class="table-packages">
 PKG_ID
     PKG NAME
     PKG_DST
     PKG_TYPE
     PKG DAYS
     PKG_FEATURES
     PKG PRICE
     PKG_IMAGES
     ACTION
   <?php
   if (mysqli_num_rows($query_run1) > 0) {
     while ($row = mysqli fetch assoc($query run1)) {
   ?>
       INDPKG1<?php echo $row['pkgid']; ?>
         <?php echo $row['pkg_name']; ?>
         <?php echo $row['pkg dst']; ?>
         <?php echo $row['pkg_type']; ?>
         <?php echo $row['pkg_duration']; ?> Days
         <?php echo $row['pkg features']; ?>
         Rs. <?php echo $row['pkg_price']; ?>
         <?php echo '<img src="india images/' . $row['pkg img'] . ""
width="100px" height="100px" alt="image">'?>
         <form action="indupdate.php" method="POST">
             <input type="hidden" name="indpkgid" value="<?php echo</pre>
$row['pkgid']; ?>">
             <button class="update" type="submit"
name="indupdate">UPDATE</button>
           </form>
         <form action="indiapackages.php" method="POST">
             <input type="hidden" name="inddelete_pkgid" value="<?php echo</pre>
$row['pkgid']; ?>">
             <button class="delete" type="submit"
name="inddelete">DELETE</button>
           </form>
```

```
<?php
    } else {
    ?>
  </div><?php
include("includes/footer.php");
?>
7. indupdate.php
<?php
include("includes/header.php");
include("includes/configure.php"); $msg3
= "Package Updated Succesfully";
$msg4 = "Package Does Not Updated";
                 (isset($_SESSION['admin_id']))
include('includes/configure.php');
if (isset($ POST['submit4']))
  $indupdtid = $_SESSION['indget_id'];
  $indupdtpkgname = $ POST['indupdtname'];
  $indupdtpkgtype = $_POST['indupdttype'];
  $indupdtdays = $ POST['indupdtdays'];
  $indupdtpkgfeature = $ POST['indupdtfeature'];
  $indupdtpkgprice = $_POST['indupdtprice'];
  $indupdtabtpackage = $ POST['indupdtabtpkg'];
  $indupdtuploadimg
                                         $ FILES['indupdtimg']['name'];
$indupdtpkgquery1
                              "UPDATE
                                              india_packages
pkg name='$indupdtpkgname',
                                            pkg type='$indupdtpkgtype',
pkg_duration='$indupdtdays',pkg_features='$indupdtpkgfeature',
pkg_price='$indupdtpkgprice',
                                   about_package='$indupdtabtpackage',
pkg_img='$indupdtuploadimg' WHERE pkgid='$indupdtid'";
  if (mysqli_query($conn, $indupdtpkgquery1))
  {
    $file
                      "india images/"
                                                  $_FILES['indupdtimg']['name'];
move_uploaded_file($_FILES["indupdtimg"]["tmp_name"], $file);
    SESSION['msgind3'] = msg3;
    header("Location: indiapackages.php");
else
    SESSION['msgind4'] = msg4;
    header("Location: indiapackages.php");
```

```
}
}
?>
<link rel="stylesheet" href="css/update.css">
<title>Admin | Update Package</title>
<h1 class="updtpack-text"><u>Update Package</u></h1>
<h1 class="updtpack-text1">India Package Updation</h1>
<div class="updtpack-form">
<?php
if(isset($_POST['indupdate']))
  $indpkgid = $_POST['indpkgid'];
  $_SESSION['indget_id'] = $indpkgid;
  $indupdtquery1 = "SELECT * FROM india_packages WHERE pkgid='$indpkgid'";
                             mysqli query($conn,
  $indupdtrun
                                                        $indupdtquery1);
foreach($indupdtrun as $row)
  {
    ?>
  <form action="" method="POST" enctype="multipart/form-data">
    <div class="updtpacktxt">
      <h3>Update Package</h3>
    </div>
    <div class="update-field">
      <label class="update-text">Package Name</label>
      <input class="updtinput" type="text" name="indupdtname" value="<?php echo</pre>
$row['pkg name']; ?>" placeholder="Enter Package Name" required><br>
                class="update-text">Package
      <label
                                                Type</label>
        type="radio"
                       name="indupdttype"
                                              value="Couple"
<input
required> Couple
      <input
                   type="radio"
                                       name="indupdttype"
                                                                 value="Family"
required> Family
      <input
                   type="radio"
                                      name="indupdttype"
                                                                 value="Friends"
required> Friends<br>
      <label class="update-text">Package Duration</label>
      <input class="updtinput" type="number" name="indupdtdays" value="<?php</pre>
echo $row['pkg_duration']; ?>" placeholder="Enter Package Duration" required><br>
      <label class="update-text">Package Features</label>
      <input class="updtinput" type="text" name="indupdtfeature" value="<?php</pre>
echo $row['pkg_features']; ?>" placeholder="Enter Package Feature" required><br>
      <label class="update-text">Package Price</label>
      <input class="updtinput" type="text" name="indupdtprice" value="<?php echo</pre>
$row['pkg_price']; ?>" placeholder="Enter Package Price In Rupees" required><br>
      <label class="update-text">About Package
      <textarea rows="10" name="indupdtabtpkg" placeholder="Enter about
package"><?php echo $row['about_package']; ?></textarea></label><br>
      <label class="update-text">Upload Image</label>
      <input type="file" name="indupdtimg" value="<?php echo $row['pkg_img'];</pre>
?>" required><br>
```

8. international packages.php

```
<?php
include("includes/header.php");
include('includes/configure.php'); $dltmsg
= "Package Deleted Successfully";
if(isset($_POST['delete']))
  $dltid = $_POST['delete_pkgid'];
  $dltquery1 = "SELECT * FROM intl_packages WHERE pkgid='$dltid'";
  $dltqueryrun1
                                mysqli_query($conn,
                                                            $dltquery1);
foreach($dltqueryrun1 as $dltrow)
    if($imgpath = "international_images/".$dltrow['pkg_img'])
       $dltquery2 = "DELETE FROM intl_packages WHERE pkgid='$dltid'";
       $dltqueryrun2
                          =
                                  mysqli_query($conn,
                                                            $dltquery2);
if($dltqueryrun2)
         unlink($imgpath);
         $_SESSION['dltmsg']=$dltmsg;
         header("Location:internationalpackages.php");
}
?>
<?php
if(isset($_POST['dltmsgok1']))
  unset($_SESSION['dltmsg']);
elseif(isset($_POST['updtmsgok1']))
```

```
unset($_SESSION['msgintl1']);
elseif(isset($_POST['updterrorok1']))
  unset($_SESSION['msgintl2']);
7>
<link rel="stylesheet" href="css/popup.css">
<link rel="stylesheet" href="css/stylepackages.css"> <title>Admin
| View Packages | International</title>
<h1 class="packages-txt"><u>International Packages</u></h1> <?php
if(isset($ SESSION['dltmsg']))
  ?>
  <div class="popup1">
  <?php echo $_SESSION['dltmsg']; ?>
  <form action="internationalpackages.php" method="POST"><buton</pre>
type="submit" name="dltmsgok1">OK</button></form>
  </div>
<?php
if (isset($_SESSION['msgintl1']))
  ?>
  <div class="popup1">
  <?php echo $_SESSION['msgintl1']; ?>
               action="internationalpackages.php"
                                                       method="POST"><button
type="submit" name="updtmsgok1">OK</button></form>
  </div>
<?php
elseif(isset($_SESSION['msgintl2']))
  ?>
  <div class="popup1">
  <?php echo $_SESSION['msgintl2']; ?>
  <form action="indiapackages.php" method="POST"><button type="submit"</pre>
name="updterrorok1">OK</button></form>
  </div>
<?php
?>
<?php
include('includes/configure.php');
$query1 = "SELECT * FROM intl_packages";
$query_run1 = mysqli_query($conn, $query1);
?>
```

```
<div class="table-packages">
 PKG_ID
     PKG_NAME
     PKG_DST
     PKG TYPE
     PKG DAYS
     PKG_FEATURES
     PKG PRICE
     PKG_IMAGE
     ACTION
   <?php
   if (mysqli_num_rows($query_run1) > 0) {
     while ($row = mysqli_fetch_assoc($query_run1)) {
   ?>
       INLPKG2<?php echo $row['pkgid']; ?>
         <?php echo $row['pkg_name']; ?>
         <?php echo $row['pkg_dst']; ?>
         <?php echo $row['pkg_type']; ?>
         <?php echo $row['pkg duration']; ?> Days
         <?php echo $row['pkg_features']; ?>
         Rs. <?php echo $row['pkg_price']; ?>
         <?php echo '<img src="international images/' . $row['pkg img'] . ""
width="100px" height="100px" alt="image">'?>
         <form action="intlupdate.php" method="POST">
            <input type="hidden" name="pkgid" value="<?php echo</pre>
$row['pkgid']; ?>">
            <button class="update" type="submit"
name="update">UPDATE</button>
          </form>
         <form action="internationalpackages.php" method="POST">
            <input type="hidden" name="delete_pkgid" value="<?php echo</pre>
$row['pkgid']; ?>">
            <button class="delete" type="submit"
name="delete">DELETE</button>
          </form>
         <?php
```

```
</div> <?php
include("includes/footer.php");
?>
```

9. intlupdate.php

```
<?php
include("includes/header.php");
include("includes/configure.php"); $msg1
= "Package Updated Succesfully";
$msg2 = "Package Does Not Updated";
if
                  (isset($_SESSION['admin_id']))
include('includes/configure.php'); }
if (isset($_POST['submit3']))
  $updtid = $_SESSION['get_id'];
  $updtpkgname = $_POST['updtname'];
  $updtpkgtype = $_POST['updttype'];
  $updtdays = $_POST['updtdays'];
  $updtpkgfeature = $_POST['updtfeature'];
  $updtpkgprice = $ POST['updtprice'];
  $updtabtpackage = $_POST['updtabtpkg'];
  $updtuploadimg = $_FILES['updtimg']['name'];
  $updtpkgquery1 = "UPDATE intl packages SET pkg name='$updtpkgname',
pkg type='$updtpkgtype',
pkg_duration='$updtdays',pkg_features='$updtpkgfeature',
pkg price='$updtpkgprice',
                                           about package='$updtabtpackage',
pkg_img='$updtuploadimg'
                             WHERE
                                         pkgid='$updtid'";
                                                                          if
(mysqli_query($conn, $updtpkgquery1))
    $file
                     "international_images/"
                                                      $_FILES['updtimg']['name'];
move_uploaded_file($_FILES["updtimg"]["tmp_name"], $file);
    SESSION['msgintl1'] = msg1;
    header("Location: international packages.php");
  }
else
    $ SESSION['msgintl2'] = $msg2;
    header("Location: internationalpackages.php");
  }
}
?>
<link rel="stylesheet" href="css/update.css">
<title>Admin | Update Package</title>
<h1 class="updtpack-text"><u>Update Package</u></h1>
<h1 class="updtpack-text1">International Package Updation</h1>
```

```
<div class="updtpack-form">
<?php
if(isset($_POST['update']))
  pkgid = POST['pkgid'];
  $_SESSION['get_id'] = $pkgid;
  $updtquery1 = "SELECT * FROM intl_packages WHERE pkgid='$pkgid'";
                        mysqli_query($conn,
  $updtrun
                                                  $updtquery1);
foreach($updtrun as $row)
  {
    ?>
  <form action="" method="POST" enctype="multipart/form-data">
    <div class="updtpacktxt">
       <h3>Update Package</h3>
    </div>
    <div class="update-field">
       <label class="update-text">Package Name</label>
       <input class="updtinput" type="text" name="updtname" value="<?php echo</pre>
$row['pkg_name']; ?>" placeholder="Enter Package Name" required><br>
       <label
                class="update-text">Package
                                                Type</label>
         type="radio"
                         name="updttype"
                                              value="Couple"
<input
required> Couple
       <input type="radio" name="updttype" value="Family" required>&nbsp;Family
       <input
                     type="radio"
                                         name="updttype"
                                                                 value="Friends"
required> Friends<br>
       <label class="update-text">Package Duration</label>
       <input class="updtinput" type="number" name="updtdays" value="<?php echo</pre>
$row['pkg_duration']; ?>" placeholder="Enter Package Duration" required><br>
       <label class="update-text">Package Features</label>
       <input class="updtinput" type="text" name="updtfeature" value="<?php echo</pre>
$row['pkg_features']; ?>" placeholder="Enter Package Feature" required><br>
       <label class="update-text">Package Price</label>
       <input class="updtinput" type="text" name="updtprice" value="<?php echo</pre>
$row['pkg_price']; ?>" placeholder="Enter Package Price In Rupees" required><br>
       <label class="update-text">About Package
                  rows="10"
                                name="updtabtpkg"
                                                      placeholder="Enter
                                                                            about
       <textarea
package"><?php echo $row['about_package']; ?></textarea></label><br>
       <label class="update-text">Upload Image</label>
       <input type="file" name="updtimg" id="updtimg" value="<?php echo</pre>
$row['pkg_img']; ?>" required><br>
       <div class="action-package">
       <a href="internationalpackages.php">Cancel</a>
       <button name="submit3" class="updtbtn">Update Package</button>
       </div>
    </div>
  </form>
<?php
```

```
}
}
?>
</div><?php
include("includes/footer.php");
?>
```

10. logoutadmin.php

```
<?php session_start();
session_destroy(); header("Location:
admin_login.php");
?>
```

11. messages.php

```
<?php
include('includes/header.php');
<link rel="stylesheet" href="css/messages.css">
<title>Admin | Messages</title>
<h1 class="um-txt"><u>User Messages</u></h1>
<div
         class="msgtbl">
<?php
 include('includes/configure.php');
  $query = "SELECT * FROM user_messages";
  $query_run = mysqli_query($conn, $query);
  ?>
  Sr.no
     Date
     User Name
     Message
   <?php
   if (mysqli_num_rows($query_run) > 0) {
     while ($row = mysqli_fetch_assoc($query_run)) {
    ?>
       <?php echo $row['id']; ?>
         <?php echo $row['date']; ?>
         <?php echo $row['user']; ?>
         <?php echo $row['msg']; ?>
       <?php
```

```
}
    } else {
       echo "No Record Found !!!";
    ?>
  </div><?php
include('includes/footer.php');
?>
</body>
</html>
12. transactions.php
<?php
include("includes/header.php");
                                                 include("includes/configure.php");
if(isset($_POST['refund'])){
 $refund_status = "Refunded";
 $refund_id = $_POST['refund_id'];
 $sq17 = "UPDATE user bookings SET user transaction='$refund status' WHERE
bkid='$refund id'";
 $query7 = mysqli_query($conn, $sql7);
 if($query7){
  $_SESSION['msgtxn'] = "Payment Refunded Successfully";
if(isset($ POST['msgok'])){
unset($_SESSION['msgtxn']);
}
?>
k rel="stylesheet" href="css/popup.css">
<link rel="stylesheet" href="css/bookings.css">
<style> button.refund{ font-family: 'Roboto
Condensed', sans-serif;
                            border: none;
display: block; width: 100%; padding: 5px
10px 5px 10px;
 text-align:
             center;
background:
             black;
outline: none; font-
size: 20px;
              color:
white;
             cursor:
pointer;
          transition:
.3s;
button.refund:hover{
transform:
             translate3d(-2px);
```

background: rgb(223, 48, 48);

font-family: 'Roboto

} button.deactive{

Condensed', sans-serif;

```
display: block;
  border: none;
             padding: 5px 5px;
width: 100%;
text-align: center;
                  background:
rgb(191, 193, 196);
  outline:
              none;
font-size:
             20px;
color: white;
            cursor:
pointer;
          transition:
.3s;
}
</style>
<title>Admin | Transactions</title>
<div class="bktbl2">
<div class="top-text-search">
 <h1><u>User Transactions</u></h1>
 <input
         type="text"
                     id="search"
                                  placeholder="Search
                                                      Transaction
                                                                   ID"
onkeyup="myFunction()">
 <i class="fa fa-search" aria-hidden="true"></i>
</div><?php
if (isset($_SESSION['msgtxn'])) {
?>
<div class="popup1">
<?php echo $_SESSION['msgtxn']; ?>
<form action="transactions.php" method="POST">
<button type="submit" name="msgok">OK</button>
</form>
</div>
<?php
}
 ?>
 <?php
 $query = "SELECT * FROM user_bookings";
 $query_run = mysqli_query($conn, $query);
 ?>
 <th>TXN_ID</th>
   TXN_TIMELINE
   BKID
   USER EMAIL
   PAYMENT
   PKG STATUS
   TXN STATUS
   ACTION
  <?php
```

```
if (mysqli_num_rows($query_run) > 0) {
   while ($row = mysqli_fetch_assoc($query_run)) {
  ?>
    TXN123<?php echo $row['bkid']; ?>
     <?php echo date('d-m-Y h:i A',strtotime($row['date'])); ?>
     BKID12<?php
                                 $row['bkid'];
                         echo
                                                ?>
<?php echo $row['user_email']; ?>
     Rs. <?php echo $row['user_amt']; ?>
     <?php echo $row['user status']; ?>
     <?php echo $row['user_transaction']; ?>
<form action="transactions.php" method="POST">
        <input type="hidden" name="refund_id" value="<?php echo $row['bkid'];</pre>
?>">
        <?php
        $txn_status="Refunded";
$pkg status="Confirmed";
        if($row['user_status']==$pkg_status or
$row['user_transaction']==$txn_status)
        {
         ?>
         <button class="deactive" disabled name="refund">Refund</button>
        <?php
        }else{
         ?>
         <button class="refund" name="refund">Refund</button>
        <?php
        ?>
       </form>
     <?php
  } else {
  echo "No Record Found !!!";
  ?>
 </div><script>
function myFunction() {
  var input, filter, table, tr, td, i, txtValue;
                                      input
= document.getElementById("search");
                                    filter =
input.value.toUpperCase();
                                  table =
document.getElementById("myTable");
table.getElementsByTagName("tr"); for (i = 0; i)
< tr.length; i++) {
                                     td =
```

```
tr[i].getElementsByTagName("td")[0]; if (td)
{
    txtValue = td.textContent || td.innerText; if
(txtValue.toUpperCase().indexOf(filter) > -1) {
        tr[i].style.display = "";
        } else {
        tr[i].style.display = "none";
        }
    }
    </script>
    </php
include("includes/footer.php");
?>
```

User

1. configuration.php

```
<?php
$database = "sfmt";
$conn = mysqli_connect('localhost','root',",$database); if
(!$conn)
{
    die("<script>alert('Connection Failed.')</script>");
}
?>
```

2. home.php

```
<?php
session_start(); include('header.php');
include("configuration.php");
?]=-`1
                23 X<head>
                                                                     rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/4.7.0/css/font-
awesome.css">
  link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/assets/owl.theme.def
ault.min.css">
  link
                                                                     rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/assets/owl.carousel."
min.css">
  link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/@fortawesome/fontawesomefree@5.15.4/css/fonta
wesome.min.css">
```

```
k rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/Swiper/5.3.7/css/swiper.css">
</head>
<link rel="stylesheet" href="css/popular.css">
<title>SFM | HOME</title>
<div class="slideshow-container">
 <div class="mySlides">
  <video class="video-slide active" src="videos/vid2.mp4"
                                                             autoplay muted
loop></video>
  <div class="text">
   <h1>Tourism is Worthwhile</h1>
   Make Your Holidays Memorable with Smiles For Miles Tourism 
             href="#features"
                               class="more-link">Discover
                                                           More</a>
</div>
 </div>
 <div class="mySlides">
  <video class="video-slide active" src="videos/vid1.mp4"
                                                             autoplay
                                                                       muted
loop></video>
  <div class="text">
  <h1>Tourism is Worthwhile</h1>
  Make Your Holidays Memorable with Smiles For Miles Tourism 
        <a href="#features" class="more-link">Discover More</a>
  </div>
 </div>
 <div class="mySlides">
  <video class="video-slide active" src="videos/vid-3.mp4"
                                                             autoplay
loop></video>
  <div class="text">
  <h1>Tourism is Worthwhile</h1>
  Make Your Holidays Memorable with Smiles For Miles Tourism 
        <a href="#features" class="more-link">Discover More</a>
  </div>
 </div>
 <div class="mySlides">
  <video class="video-slide active" src="videos/vid-1.mp4"
                                                             autoplay
loop></video>
  <div class="text">
  <h1>Tourism is Worthwhile</h1>
  Make Your Holidays Memorable with Smiles For Miles Tourism 
        <a href="#features" class="more-link">Discover More</a>
  </div>
 </div>
 <div class="mySlides">
  <video class="video-slide active" src="videos/vid-5.mp4"
                                                             autoplay muted
loop></video>
  <div class="text">
  <h1>Tourism is Worthwhile</h1>
  Make Your Holidays Memorable with Smiles For Miles Tourism
```

```
<a href="#features" class="more-link">Discover More</a>
  </div>
 </div>
 <a class="prev" onclick="plusSlides(-1)">&#10094;</a>
 <a class="next" onclick="plusSlides(1)">&#10095;</a>
</div>
<br>
<div class="dot-btn" style="text-align: center;">
 <span class="dot" onclick="currentSlide(1)"></span>
 <span class="dot" onclick="currentSlide(2)"></span>
 <span class="dot" onclick="currentSlide(3)"></span>
 <span class="dot" onclick="currentSlide(4)"></span>
 <span class="dot" onclick="currentSlide(5)"></span>
</div>
<div class="cards-body">
    <div class="cards">
      <i class="fa fa-inr" aria-hidden="true"></i>
       <111>
        20% OFF On Your
        1st Ever Booking
       </div>
    <div class="cards">
       <i class="fas fa-hotel"></i>
       \langle ul \rangle
        Best Deals On Hotels
        Across The World
       </div>
    <div class="cards">
       <i class="fa fa-plane"></i>
        <111>
        Safe & Secure
        World Travel
       </div>
    <div class="cards">
      <i class="fa fa-ban" aria-hidden="true"></i>
      ul>
       Cancellation At
       Zero Charges
      </div>
  </div>
<!--popular starts here-->
<section id="features">
    <div class="title-text">
```

```
Popular
      <h1>All Time Popular</h1>
    </div>
    <div class="feature">
         <h1 class="popular-title">Most Visited In India *</h1>
      </div>
    <div class="feature-box">
      <div class="specials">
        <img src="images/National tourism images/mumbai/mumbai2.jpg">
        <div class="overlay"></div>
        <div class="description">
           < h3 > MUMBAI < /h3 >
           <hr class="underline">
           Mumbai is also known as Mayanagri or The city of Dreams.
             It is a capital of Maharashtra and other financial capital of India.
           <div class="pop_explore">
            <a href="india.php">Explore More</a>
           </div>
        </div>
      </div>
      <div class="specials">
           <img src="images/National tourism images/sikkim/sikkim main.jpg">
           <div class="overlay"></div>
         <div class="description">
           <h3>SIKKIM</h3>
           <hr class="underline">
           Sikkim is such a scenic state of the region. Located in the
foothills of the Himalaya. the beauty is absolutely breathtaking.
           <div class="pop_explore">
            <a href="india.php">Explore More</a>
           </div>
        </div>
      </div>
      <div class="specials">
      <img src="images/National tourism images/chowmahalla palace/chowmahalla
palace main.jpg">
           <div class="overlay"></div>
         <div class="description">
           <h3>CHOWMAHALLA PALACE</h3>
           <hr class="underline">
           This palace is popularly known as the Nizam's resided
during their regin over the region, The city of pears Hyderabad is not
                                                                        iust
fammous for its biryani and charminar but also its history.
                                                                  This place
is known for magnificient architecture.
```

```
<div class="pop_explore">
            <a href="india.php">Explore More</a>
           </div>
        </div>
      </div>
      <div class="specials">
      <img src="images/National tourism images/kullu manali/kullu manali 2.jpg">
           <div class="overlay"></div>
         <div class="description">
           <h3>KULLU MANALI</h3>
           <hr class="underline">
           Kullu Manali is famous for being Indian's Honeymoon capital.
A gift of the Himalayas to the World.
           <div class="pop_explore">
            <a href="india.php">Explore More</a>
           </div>
        </div>
      </div>
      <div class="specials">
           <img src="images/National tourism images/Goa/goa 1.jpg">
           <div class="overlay"></div>
         <div class="description">
           <h3>GOA</h3>
           <hr class="underline">
           Goa is also known as the pearl of the orient.
             It is famous for its Beaches and Places of worship.
           <div class="pop_explore">
            <a href="india.php">Explore More</a>
           </div>
         </div>
      </div>
      <div class="specials">
           <img src="images/National tourism images/leh ladakh/leh ladakh 3.jpg">
         <div class="overlay"></div>
         <div class="description">
           <h3>LEH LADAKH</h3>
           <hr class="underline">
           A ride to the top of the world, a ride of dreams, a Leh Ladakh.
It also known as little Tibet or the land of famous.
           <div class="pop_explore">
            <a href="india.php">Explore More</a>
           </div>
         </div>
```

```
</div>
  </div>
<!--international starts-->
  <div class="feature">
          <h1 class="popular-title">Most Visited Outside The India *</h1>
</div>
    <div class="feature-box">
      <div class="specials">
        <img src="images/international tourism images/dubai/dubai main.jpg">
        <div class="overlay"></div>
        <div class="description">
           <h3>DUBAI</h3>
           <hr class="underline">
           >Dubai is famous for sightseeing attraction such as Burj Khalifa
and shopping malls that come complete with Aquarium and indoor
             Ski slopes.
           <div class="pop_explore">
            <a href="international.php">Explore More</a>
           </div>
        </div>
      </div>
      <div class="specials">
      <img src="images/international tourism images/japan/japan main.jpg">
           <div class="overlay"></div>
         <div class="description">
           <h3>JAPAN</h3>
           <hr class="underline">
           Japan is known Worldwide for its traditional arts including tea
ceremonies,
                          calligraphy and flower arranging.
           <div class="pop_explore">
            <a href="international.php">Explore More</a>
           </div>
        </div>
      </div>
      <div class="specials">
      <img src="images/international tourism images/bali/ulun danu beratan bali</pre>
main.jpg">
           <div class="overlay"></div>
         <div class="description">
           <h3>BALI</h3>
           <hr class="underline">
           >Bali is known as the Land of the Gods. It is mesmerising Indonesian
island
                   which is world famous for its beautiful places rich culture, history
, art and craft.
```

```
<div class="pop_explore">
            <a href="international.php">Explore More</a>
           </div>
        </div>
      </div>
      <div class="specials">
      <img src="images/international tourism images/maldives/maldives main.jpg">
           <div class="overlay"></div>
         <div class="description">
           <h3>MALDIVES</h3>
           <hr class="underline">
           Maldives are known for their natural environment including blue
ob clean.
                       white beaches and own air and also its famous for sports
and other adventure activities.
           <div class="pop_explore">
            <a href="international.php">Explore More</a>
           </div>
        </div>
      </div>
      <div class="specials">
      <img src="images/international tourism images/sydney/sydney main.jpg">
           <div class="overlay"></div>
         <div class="description">
           <h3>SYDNEY</h3>
           <hr class="underline">
           >Best known for its Harbour Front Sydney Opera House with a
distinctive
                      sail like design. It has more than 100 beautiful beaches.
           <div class="pop_explore">
            <a href="international.php">Explore More</a>
           </div>
         </div>
      </div>
      <div class="specials">
      <img src="images/international tourism images/new zealand/new zealand
main.jpg">
         <div class="overlay"></div>
         <div class="description">
           <h3>NEW ZEALAND</h3>
           <hr class="underline">
           It is famous for national rugby team, its indigenous Maori culture and
                 picturesque landscape. It is also known as the
                                                                          land of
its
the long white cloud, In new zealand more ships than people.
           <div class="pop_explore">
            <a href="international.php">Explore More</a>
           </div>
```

```
</div>
       </div>
   </div>
</section>
<!--- popular ends here --->
<!-- review section starts -->
<section id="review-block">
  <div class="review-body">
    <div class="review-container">
    <div class="review-heading"><h1 class="review-title">What people says
....</h1></div>
       <div id="slider" class="owl-carousel">
         <div class="review-area">
           <div class="review">
             <div class="img-area-review"><img src="images/elon musk.jpeg"</pre>
alt=""></div>
             <h3>Elon Musk</h3>
             <div class="stars">
             <i class="fas fa-star"></i>
             </div>
             Lorem, ipsum dolor sit amet consectetur adipisicing elit. Nostrum
laboriosam consequentur vero quidem magnam error laborum similique exercitationem
ab eos unde voluptatibus voluptatum in consectetur tenetur, ea, distinctio eligendi
vel.
           </div>
         </div>
         <div class="review-area">
           <div class="review">
           <div
                       class="img-area-review"><img src="images/pic2.png"
alt=""></div>
             <h3>Elon Musk</h3>
             <div class="stars">
             <i class="fas fa-star"></i>
             <i class="fas fa-star"></i>
             <i class="fas fa-star"></i>
             <i class="fas fa-star"></i>
             <i class="far fa-star"></i>
             </div>
             Lorem, ipsum dolor sit amet consectetur adipisicing elit. Nostrum
laboriosam consequuntur vero quidem magnam error laborum similique exercitationem
ab eos unde voluptatibus voluptatum in consectetur tenetur, ea, distinctio eligendi
vel.
           </div>
```

```
</div>
         <div class="review-area">
           <div class="review">
                                                            src="images/pic3.png"
           <div
                       class="img-area-review"><img
alt=""></div>
             <h3>Elon Musk</h3>
             <div class="stars">
             <i class="fas fa-star"></i>
             </div>
             Lorem, ipsum dolor sit amet consectetur adipisicing elit. Nostrum
laboriosam consequuntur vero quidem magnam error laborum similique exercitationem
ab eos unde voluptatibus voluptatum in consectetur tenetur, ea, distinctio eligendi
vel.
           </div>
         </div>
         <div class="review-area">
           <div class="review">
           <div
                       class="img-area-review"><img
                                                            src="images/pic4.png"
alt=""></div>
             <h3>Elon Musk</h3>
             <div class="stars">
             <i class="fas fa-star"></i>
             <i class="fas fa-star"></i>
             <i class="fas fa-star"></i>
             <i class="fas fa-star"></i>
             <i class="far fa-star"></i>
             </div>
             Lorem, ipsum dolor sit amet consectetur adipisicing elit. Nostrum
laboriosam consequuntur vero quidem magnam error laborum similique exercitationem
ab eos unde voluptatibus voluptatum in consectetur tenetur, ea, distinctio eligendi
vel.
           </div>
         </div>
         <div class="review-area">
           <div class="review">
           <div
                       class="img-area-review"><img src="images/pic1.png"
alt=""></div>
             <h3>Elon Musk</h3>
             <div class="stars">
             <i class="fas fa-star"></i>
             <i class="fas fa-star"></i>
```

```
<i class="fas fa-star"></i>
             <i class="fas fa-star"></i>
             <i class="far fa-star"></i>
             </div>
             Lorem, ipsum dolor sit amet consectetur adipisicing elit. Nostrum
laboriosam consequuntur vero quidem magnam error laborum similique exercitationem
ab eos unde voluptatibus voluptatum in consectetur tenetur, ea, distinctio eligendi
           </div>
         </div>
      </div>
<!---review section ends -->
<!---live counting section starts -->
$sql6 = "SELECT id FROM user_data ORDER BY id";
$query6 = mysqli_query($conn, $sql6);
$regrow = mysqli_num_rows($query6);
$sql7 = "SELECT bkid FROM user_bookings ORDER BY bkid";
$query7 = mysqli_query($conn, $sql7);
```

vel.

<?php

</div></div> </section>

\$ttlbkrow = mysqli num rows(\$query7); ?>

<div class="live-count-name">

<h2><?php echo \$regrow; ?></h2>

<div class="live-count-name">

<h2><?php echo \$ttlbkrow; ?></h2>

<i class="fa fa-users" aria-hidden="true"></i>

<i class="fa fa-book" aria-hidden="true"></i>

<div class="live-count-area"> <div class="live-count-card"> <div class="live-count-text">

> <h3>Users</h3> <h3>Registered</h3>

<div class="live-count">

<div class="live-count-card"> <div class="live-count-text">

> <h3>Total</h3> <h3>Bookings</h3>

<div class="live-count">

</div> </div>

</div> </div>

</div> </div>

```
</div>
  </div>
  <div class="live-count-card">
    <div class="live-count-text">
      <i class="fa fa-briefcase" aria-hidden="true"></i>
      <div class="live-count-name">
        <h3>Total</h3>
        <h3>Packages</h3>
      </div>
    </div>
    <div class="live-count">
    <?php
      $totalquery1 = "SELECT pkgid FROM india_packages ORDER BY pkgid";
      $totalquery2 = "SELECT pkgid FROM intl_packages ORDER BY pkgid";
      $totalqueryrun1 = mysqli_query($conn, $totalquery1);
      $totalqueryrun2 = mysqli_query($conn, $totalquery2);
      $totalqueryrow1 = mysqli_num_rows($totalqueryrun1);
                                       mysqli_num_rows($totalqueryrun2);
      $totalqueryrow2
$totalpackages = $totalqueryrow1 + $totalqueryrow2;
      echo '<h2>'.$totalpackages.'</h2>';
      ?>
    </div>
  </div>
  <div class="live-count-card">
    <div class="live-count-text">
      <i class="fa fa-envelope" aria-hidden="true"></i>
      <div class="live-count-name">
        <h3>Inbox</h3>
        <h3>Messages</h3>
      </div>
    </div>
    <div class="live-count">
    <?php
      $totalquery3 = "SELECT id FROM user_messages ORDER BY id";
      $totalqueryrun3
                           =
                                   mysqli_query($conn,
                                                             $totalquery3);
$totalqueryrow3 = mysqli_num_rows($totalqueryrun3);
      echo '<h2>'.$totalqueryrow3.'</h2>';
      ?>
    </div>
  </div>
</div>
<!---live counting ends -->
<script>
               var
slideIndex
            =
                0;
showSlides();
```

```
var slides, dots;
 function showSlides() {
  var i;
  slides = document.getElementsByClassName("mySlides");
  dots = document.getElementsByClassName("dot");
for (i = 0; i < \text{slides.length}; i++) 
   slides[i].style.display = "none";
  }
                   if (slideIndex
  slideIndex++;
> slides.length) {
                     slideIndex =
1
  for (i = 0; i < dots.length; i++)
                                            dots[i].className =
dots[i].className.replace(" active", "");
  slides[slideIndex - 1].style.display = "block";
                                                  dots[slideIndex -
1].className += " active";
                                 setTimeout(showSlides, 5000); //
Change image every 8 seconds
function plusSlides(position) {
slideIndex += position;
(slideIndex > slides.length) {
slideIndex = 1
  } else if (slideIndex < 1) {
slideIndex = slides.length
  for (i = 0; i < \text{slides.length}; i++)
   slides[i].style.display = "none";
  for (i = 0; i < dots.length; i++)
                                            dots[i].className =
dots[i].className.replace(" active", "");
  slides[slideIndex - 1].style.display = "block";
  dots[slideIndex - 1].className += " active";
function currentSlide(index) {
if (index > slides.length) {
index = 1
  \} else if (index < 1) {
   index = slides.length
  for (i = 0; i < \text{slides.length}; i++)
   slides[i].style.display = "none";
  }
```

```
for (i = 0; i < dots.length; i++)
                                           dots[i].className =
dots[i].className.replace(" active", "");
  }
  slides[index - 1].style.display = "block";
  dots[index - 1].className += " active";
</script>
<!--review script starts-->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
src="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/owl.carousel.min.js">
</script>
   <script>
    $('#slider').owlCarousel({
    loop:true,
margin:15,
                nav:false,
autoplay:true,
responsive:{
    0:{
items:1
     },
    600:{
items:2
             },
     1000:{
items:3
     }.
   } })
  </scr
  ipt>
<!--review script ends -->
<?php
include("footer.php");
?>
3. india.php
<?php
session_start(); include('header.php');
include("configuration.php");
$query1 = "SELECT * FROM india_packages";
$query_run1 = mysqli_query($conn, $query1);
k rel="stylesheet" href="css/packages.css">
<title>SFM | INDIA</title>
<div class="pkg_slider">
  <div class="pkg_img_slides">
```

```
<input type="radio" name="radio-btn" id="radio1">
    <input type="radio" name="radio-btn" id="radio2">
    <input type="radio" name="radio-btn" id="radio3">
    <input type="radio" name="radio-btn" id="radio4">
    <div class="pkg_slide first">
      <img src="images/womens 210322.jpg" alt="">
    </div>
    <div class="pkg_slide">
      <img src="images/bali 1.jpg" alt="">
    </div>
    <div class="pkg_slide">
      <img src="images/National tourism images/Goa/goa 2.jpg" alt="">
    </div>
    <div class="pkg slide">
      <img src="images/National tourism images/Goa/goa main.jpg" alt="">
</div>
    <div class="pkg_navigation_auto">
      <div class="auto-btn1"></div>
      <div class="auto-btn2"></div>
      <div class="auto-btn3"></div>
      <div class="auto-btn4"></div>
    </div>
  </div>
  <div class="pkg_navigation_manual">
    <label for="radio1" class="manual-btn"></label>
    <label for="radio2" class="manual-btn"></label>
    <label for="radio3" class="manual-btn"></label>
    <label for="radio4" class="manual-btn"></label>
  </div>
</div>
<div class="package-container">
    <?php
    if (mysqli_num_rows($query_run1) > 0) {
      while ($row = mysqli_fetch_assoc($query_run1)) {
    ?>
    <div class="package">
     <img src="admin/india_images/<?php echo $row['pkg_img']; ?>">
      <div class="package-header">
         <h2><?php echo $row['pkg_name']; ?></h2>
         style="margin-right: 5px;"
                                                         class="fas
             <i
                                                                        fa-map-
markeralt"></i>Destination
```

```
<?php echo $row['pkg_dst']; ?>
         style="margin-right:
            < i
                                             5px;"
                                                        class="fas
fabookmark"></i>Type
           <?php echo $row['pkg_type']; ?>
         style="margin-right:
                                                        class="fas
           <i
                                             5px;"
facalendar"></i>Duration
           <?php echo $row['pkg duration']; ?>
Days
         style="margin-right:
                                         5px;"
                                                  class="fas
            < i
                                                              fa-
listul"></i>Features
           <?php echo $row['pkg_features'];
?>
         <i
                     style="margin-right:
                                         5px;"
                                                  class="fas
                                                              fa-
rupeesign"></i>Price
           <?php echo $row['pkg_price']; ?>
         </div> <div class="vl">
       <div class="more details section">
       <form class="more_details" action="moredetails.php" method="POST">
                              name="pkg ind id" value="<?php
         <input
                type="hidden"
                                                            echo
$row['pkgid']; ?>">
         <button type="submit" name="pkg_detail">More Details</button>
       <a href="contact.php #enquiry" class="more_details_enquiry">Enquire</a>
Now</a>
       </div>
   </div>
   <?php
     }
   }
   ?>
</div>
<script type="text/javascript">
      counter
             = 1:
                               setInterval(function(){
document.getElementById('radio' +counter).checked = true;
           if(counter > 4)
counter++
                             counter = 1;
 }, 5000);
```

```
</script> <?php
include("footer.php");
?>
```

4. international.php

```
<?php
session start(); include('header.php');
include("configuration.php");
$query1 = "SELECT * FROM intl_packages";
$query_run1 = mysqli_query($conn, $query1);
?>
<link rel="stylesheet" href="css/packages.css">
<title>SFM | INTERNATIONAL</title>
<div class="pkg_slider">
  <div class="pkg_img_slides">
    <input type="radio" name="radio-btn" id="radio1">
    <input type="radio" name="radio-btn" id="radio2">
    <input type="radio" name="radio-btn" id="radio3">
    <input type="radio" name="radio-btn" id="radio4">
    <div class="pkg_slide first">
      <img src="images/womens_210322.jpg" alt="">
    </div>
    <div class="pkg_slide">
             src="images/bali 1.jpg"
                                         alt="">
      <img
</div>
    <div class="pkg_slide">
      <img src="images/National tourism images/Goa/goa 2.jpg" alt="">
    </div>
    <div class="pkg_slide">
      <img src="images/National tourism images/Goa/goa main.jpg"
</div>
    <div class="pkg_navigation_auto">
      <div class="auto-btn1"></div>
      <div class="auto-btn2"></div>
      <div class="auto-btn3"></div>
      <div class="auto-btn4"></div>
    </div>
  </div>
  <div class="pkg_navigation_manual">
    <label for="radio1" class="manual-btn"></label>
    <label for="radio2" class="manual-btn"></label>
```

```
<label for="radio3" class="manual-btn"></label>
   <label for="radio4" class="manual-btn"></label>
 </div>
</div>
<div class="package-container">
   <?php
   if (mysqli_num_rows($query_run1) > 0) {
     while ($row = mysqli_fetch_assoc($query_run1)) {
   7>
   <div class="package">
   <img src="admin/international_images/<?php echo $row['pkg_img']; ?>">
     <div class="package-header">
       <h2><?php echo $row['pkg_name']; ?></h2>
       style="margin-right:
                                               class="fas
           <i
                                       5px;"
                                                           fa-map-
markeralt"></i>Destination
           <?php echo $row['pkg_dst']; ?>
         style="margin-right:
                                             5px;"
                                                         class="fas
           <i
fabookmark"></i>Type
           <?php echo $row['pkg_type']; ?>
         class="fas
           <i
                       style="margin-right:
                                             5px;"
facalendar"></i>Duration
           <?php echo $row['pkg duration']; ?>
Days
         style="margin-right:
                                                  class="fas
           <i
                                         5px;"
                                                              fa-
listul"></i>Features
           <?php echo $row['pkg_features'];
?>
          < i
                     style="margin-right:
                                         5px;"
                                                  class="fas
                                                              fa-
rupeesign"></i>Price
           <?php echo $row['pkg_price']; ?>
         </div> <div class="vl">
       <div class="more_details_section">
       <form action="moredetails.php" method="POST">
         <input
                type="hidden"
                              name="pkg_intl_id"
                                               value="<?php
                                                             echo
$row['pkgid']; ?>">
```

```
<button type="submit" name="pkg_detail">More Details/button>
         <a href="contact.php #enquiry" class="more_details_enquiry">Enquire</a>
Now < /a >
         </div>
    </div>
    <?php
       }
    }
    ?>
</div>
<script type="text/javascript">
        counter
                 = 1:
                                       setInterval(function(){
document.getElementById('radio' +counter).checked = true;
              if(counter > 4){
counter++
                                    counter = 1;
  }, 5000);
</script> <?php
include("footer.php");
?>
4. userlogin.php
<?php
session_start(); include("header.php");
include("configuration.php");
if(isset($_POST['login'])){
$login email
$_POST['login_email'];
  $login_password = md5($_POST['login_password']);
  $sql3 = "SELECT * FROM user_data WHERE user_email='$login_email'
  AND user_password='$login_password'";
  $query3 = mysqli_query($conn, $sql3);
  $sql4 = "SELECT * FROM user_data WHERE user_email='$login_email'";
  query4 = mysqli_query(sconn, sql4);
if(mysqli_num_rows($query3)
                                 >0
$details = mysqli_fetch_assoc($query4);
    $_SESSION['user_details'] = $details['id'];
    $_SESSION['user_email'] = $details['user_email'];
    $_SESSION['user_name'] = $details['user_fullname'];
    $_SESSION['hiuser'] = "WELCOME TO SMILES FOR MILES";
    header("location: loginty.php");
  }
  else{
    if(!(mysqli_num_rows(\$query4) > 0)){
      $_SESSION['msg4'] = "You dont't have account with email !";
header("location: userlogin.php");
```

```
}
else{
                                "Incorrect Email Id Or Password !";
      SESSION['msg5'] =
header("location: userlogin.php");
  }
?> <?php
if(isset($_POST['popup1'])){
unset($_SESSION['msg4']);
} elseif(isset($_POST['popup2'])){
unset($_SESSION['msg5']);
}
?>
<link rel="stylesheet" href="css/forms.css">
<title>SFM | LOGIN</title>
<?php
if(isset($_SESSION['msg4'])){
  ?>
<div class="popup">
<?php echo $_SESSION['msg4']; ?><br>
<form action="userlogin.php" method="POST">
  <button type="submit" name="popup1">OK</button>
</form>
</div>
<?php
elseif(isset($_SESSION['msg5']))
  ?>
<div class="popup">
<?php echo $_SESSION['msg5']; ?><br>
<form action="userlogin.php" method="POST">
  <button type="submit" name="popup2">OK</button>
</form>
</div>
<?php
}
?>
<form action="userlogin.php" method="POST">
  <h1 class="form-text">Login</h1>
  <input type="email" name="login_email" placeholder="Email" required><br>
<input type="password" name="login_password" placeholder="Password"</pre>
                                                                      required
id="show"><br>
  <div class="showcheckbox">
    <input class="checkbox" type="checkbox" onclick="showpass()">
    <h3>Show Password</h3>
  </div>
  <div class="form-pass">
```

```
<a href="userforgotpassword.php">Forgot Password?</a>
  <h2 class="form-btn"><button type="submit"
name="login">Login</button></h2><br
  OR
  <div class="login_options">
    <i class="fab fa-google"></i>
   <i class="fab fa-facebook-f"></i>
   <i class="fab fa-instagram"></i>
  </div>
  <h3 class="user-signup-msg">Don't have an account?
  <a href="usersignup.php">Sign up</a></h3>
</form> <?php
include("footer.php");
?>
5. usersignup.php
<?php
session_start(); if(isset($_SESSION['hiuser'])){
header("location: home.php");
      include("header.php");
include("configuration.php");
$msg1 = "Account Already Exist!"; $msg3
= "OOPS! Something Went Wrong";
if(isset($_POST['signup'])){
  $name = $ POST['user name'];
  $email = $_POST['user_email'];
  $mobile = $_POST['user_mobile'];
  $password = md5($ POST['user password']);
  $sql1 = "SELECT * FROM user_data WHERE user_email='$email'";
  $query1 = mysqli_query($conn, $sql1);
if(mysqli_num_rows($query1)
SESSION['msg1'] = msg1;
    header("location: usersignup.php");
  }
  else{
    $sql2
                                              "INSERT
                                                                         INTO
user_data(user_fullname,user_email,user_mobile,user_password)
    VALUES('$name', '$email', '$mobile', '$password')";
$query2 = mysqli_query($conn, $sql2);
    if($query2){
      $_SESSION['msg2'] = "Account Created Successfully!";
      header("location: signupty.php");
    }
    else{
      SESSION['msg3'] = msg3;
```

```
header("location: usersignup.php");
  }
?> <?php
if(isset($_POST['popup3'])){
unset($ SESSION['msg1']);
} elseif(isset($ POST['popup4'])){
unset($_SESSION['msg3']);
}
?>
<link rel="stylesheet" href="css/forms.css">
<title>SFM | SIGN UP</title>
<?php
if(isset($_SESSION['msg1'])){
  ?>
<div class="popup">
<?php echo $msg1; ?><br>
<form action="usersignup.php" method="POST">
  <button type="submit" name="popup3">OK</button>
</form>
</div>
<?php
}elseif(isset($_SESSION['msg3'])){
  ?>
<div class="popup">
<?php echo $msg3; ?><br>
<form action="userlogin.php" method="POST">
  <button type="submit" name="popup4">OK</button>
</form>
</div>
<?php
?>
<form action="usersignup.php" method="POST">
  <h1 class="form-text">Sign Up</h1>
  <input type="text" placeholder="Full Name" name="user_name" required><br>
  <input type="email" placeholder="Email" name="user_email" required><br>
<input type="text" placeholder="Mobile No" name="user_mobile" maxlength="10"</pre>
required><br>
  <input type="password" title="Password length should be at least 8 &#x0a;At least</pre>
one special character 
 At least one uppercase letter 
 At least one lowercase
letter &#x0a:At least one number"
                                     pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).\{8,\}"
placeholder="Create Password"
name="user_password" required id="show"><br>
  <div class="showcheckbox">
    <input class="checkbox" type="checkbox" onclick="showpass()">
```

```
<h3>Show
                     Password</h3>
</div>
  <div class="showcheckbox">
    <input class="checkbox" type="checkbox" required>
    <h3><a href="#">Terms and Conditions</a></h3>
  </div>
  <h2 class="form-btn"><button type="submit" name="signup">Sign
Up</button></h2><br>
  <h3 class="user-signup-msg">Already have a account?
  <a href="userlogin.php">Login now</a></h3>
</form> <?php
include("footer.php");
?>
6. userlogout.php
<?php
                  session_start();
session destroy();
header("Location: userlogin.php");
?>
7. header.php
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 k rel="stylesheet" href="css/home.css">
 <link rel="stylesheet" href="css/newheader.css">
 k rel="preconnect" href="https://fonts.googleapis.com">
 k rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 link
href="https://fonts.googleapis.com/css2?family=Acme&family=Anton&family=Dong
le:wght@300;400;700&family=Mochiy+Pop+P+One&family=Poppins:ital,wght@0,
400;0,500;0,600;0,700;0,800;0,900;1,400;1,500;1,600;1,700;1,800;1,900&family=Se
dgwick+Ave&display=swap" rel="stylesheet">
 link
                                                                rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/4.7.0/css/font-
awesome.min.css">
 link
                                                                rel="stylesheet"
href="https://pro.fontawesome.com/releases/v5.10.0/css/all.css" integrity="sha384-
AYmEC3Yw5cVb3ZcuHtOA93w35dYTsvhLPVnYs9eStHfGJvOvKxVfELGroGkvs
g+p" crossorigin="anonymous" />
</head>
<body>
<!---Navbar---> <?php
if(!isset($_SESSION['hiuser'])){
```

```
?>
<button class="top-btn" onclick="topFunction()" id="myBtn" title="Scroll To Top">
<i class="fa fa-arrow-circle-up" aria-hidden="true"></i></button>
 <div class="call">
  <111>
   <i class="fa fa-phone" aria-hidden="true"></i>123-456-7890
   <i class="fa fa-question-circle" aria-hidden="true"></i>help
</div>
 <div class="home-navbar">
  class="logo"><img src="images/logo2.png">
  ul>
   <a href="home.php">Home</a>
   <a href="india.php">India</a>
   <a href="international.php">International</a>
   <a href="about.php">About</a>
   <a href="contact.php">Contact Us</a>
   <a href="userlogin.php">Login</a>
  </div>
<?php
} else{
 ?>
  <button class="top-btn" onclick="topFunction()" id="myBtn" title="Scroll To
Top">
    <i class="fa fa-arrow-circle-up" aria-hidden="true"></i></button>
  <div class="call">
    \langle ul \rangle
      <i class="fa fa-phone" aria-hidden="true"></i>123-456-7890
                                         aria-hidden="true"></i>help
      <i class="fa fa-question-circle"</li>
</div>
  <div class="home-navbar">
    class="logo"><img src="images/logo2.png">
    ul>
      <a href="home.php">Home</a>
      <a href="india.php">India</a>
      <a href="international.php">International</a>
      <a href="about.php">About</a>
      <a href="contact.php">Contact Us</a>
      <a href="#">Hi ! Tourist <i class="fas fa-smile-wink"></i></a>
      <div class="user-dropdown">
        \langle ul \rangle
          <a href="useraccount.php">My Account</a>
          <a href="userhistory.php">My Bookings</a>
          <a href="usersettings.php">Settings</a>
          <a href="userlogout.php">Logout</a>
```

```
</div>
      </div>
<?php
?>
<!---Scripts--->
<script>
  //scoll to top button script
  var mybutton = document.getElementById("myBtn");
  window.onscroll = function() {
   scrollFunction()
  };
  function scrollFunction() {
                                          if (document.body.scrollTop > 20 ||
document.documentElement.scrollTop > 20) {
                                                mybutton.style.display = "block";
   } else {
    mybutton.style.display = "none";
  function
                      topFunction()
document.body.scrollTop = 0;
   document.documentElement.scrollTop = 0;
  }
</script>
</body>
```

8. footer.php

```
<!DOCTYPE html>
<head>
  <link rel="stylesheet" href="css/home.css">
  <meta name="viewport" content="widtth=device-width,initial-scale=1">
               link rel="stylesheet" type="text/css"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.0.0beta3/css/all.min.css">
</head>
<body>
 <footer class="footer">
  <div class="container">
               <div class="row">
               <div class="footer-co1">
               <h4>#Company</h4>
               <ul>
                    <a href="about.php">About Us</a><
```

```
<a href="about.php #services">Our
Services</a>>
                           <a href="privacy.php">Privacy Policy</a></a>
                           <a href="about.php #why sfmt">Why Smiles For
Miles</a>>
                           <a href="#">Terms & Conditions </a><a>li></a>
               </div>
               <div class="footer-co1">
               <h4>#Support</h4>
               ul>
 <a
           href="contact.php">Contact
                                         Us</a>>
                                                                <a
href="howtobook.php">How To Book a
Package</a>
                    <a href="#">FAQ</a></a>
                    <a href="contact.php #enquiry">Enquiry</a><a>li></a>
                    <a href="covid19.php">COVID-19 Public Notice</a><a>li></a></a></a></a></a>
               </div>
               <div class="footer-co1">
               <h4>#Resources</h4>
               ul>
                    <a href="home.php #review-block">Guests</a>
Reviews</a>
                    <a href="#">Travel Guides</a></a>
               </div>
               <div class="footer-co1">
               <h4>#Connect with us</h4>
               <div class="social-links">
                    <a href="https://www.facebook.com/Smiles-for-miles-tourism-
100568622551898"><i class="fab fa-facebook-f"></i></a>
    <a href="#"><i class="fas fa-envelope"></i></a>
                href="https://www.instagram.com/Smiles_for_Miles_Tourism/"><i
    <a
class="fab fa-instagram"></i></a>
                    <a href="https://www.linkedin.com/in/smile-s-for-miles-
tourism-5655b5230/"><i class="fab fa-linkedin"></i></a>
               </div>
               </div>
               </div>
               </div>
               <div class="copyrights">
               <hr class="copyunderline"><h4 class="copyrights-line">@2022-
2023.all rights reserved, Smiles for Miles Tourism.</h4> <hr class="copyunderline">
               </div>
               </footer>
<script>
           function
showpass(){
```

```
document.getElementById("show");
if(s.type=="password"){
                                   s.type="text";
               else{
                     s.type="password";
                }
</script>
</body>
</html>
9. userbooking.php
<?php
session_start(); include("header.php");
include("configuration.php");
if(!(isset($_SESSION['hiuser']))){
header("location: userlogin.php");
pkg_id = SESSION['pkg_id'];
$india="India"; if(isset($_SESSION['pkg_location'])){
  if($_SESSION['pkg_location']==$india)
    $sql24 = "SELECT * FROM india_packages WHERE pkgid='$pkg_id'";
    $query24
                  =
                        mysqli_query($conn,
                                                 $sql24);
if($query24){
      $pkg_row = mysqli_fetch_assoc($query24);
      $_SESSION['pkg_price'] = $pkg_row['pkg_price'];
}
else{
$sq124
"SELE
CT
FROM
intl_pac
kages
WHER
Ε
pkgid='
$pkg_i
d'";
    $query24
                  =
                        mysqli_query($conn,
                                                 $sql24);
if($query24){
      $pkg_row = mysqli_fetch_assoc($query24);
      $_SESSION['pkg_price'] = $pkg_row['pkg_price'];
    }
```

```
}
}
?>
<link rel="stylesheet" href="css/settings.css">
k rel="stylesheet" href="css/myaccount.css">
<title>SFM | BOOKING</title>
        class="profile-text"
                                style="text-align:
                                                                 font-size:1.5rem:
                                                     center:
fontweight:500;">Booking Details</h1>
<div class="bar">
  <hr size="8">
</div>
<?php
$user_id = $_SESSION['user_details'];
$sql23 = "SELECT * FROM user_data WHERE id='$user_id'";
$query23 = mysqli_query($conn, $sql23); if($query23)
  $row = mysqli_fetch_assoc($query23);
<form class="setting-form" action="usercheckout.php" method="POST">
  <label><b>Departure Date</b></label><br/>br>
  <input class="detail-input" style="width: 15%; letter-spacing: 0px;" type="date"</pre>
name="book date"
                                         placeholder="Select
                                                                   Date"><br>
                         required
<label><b>Departure From</b></label><br
  <label><?php echo $row['user address']; ?></label><br>
  <label><b>Select Members</b></label><br/>br>
  <input type="number"
                           name="members"
                                              min=1 max=20 placeholder="0"
required><br>
  <button type="submit" name="next">Next</button>
  <?php
?>
</form> <?php
include("footer.php");
?>
10. usercheckout.php
<?php
session_start(); include("header.php");
include("configuration.php");
if(!(isset($_SESSION['hiuser']))){
header("location: userlogin.php");
if(isset($_POST['next'])){
  $pkg_amt = $_SESSION['pkg_price'];
  $_SESSION['members'] = $_POST['members'];
  $_SESSION['pkg_amt'] = ($pkg_amt * $_SESSION['members']);
  $_SESSION['date'] = date('d-m-Y', strtotime($_POST['book_date'])); }
```

```
?>
<?php
if(isset($_POST['confirm'])){
  $pkg_name = $_SESSION['pkg_name'];
  $members = $_SESSION['members'];
  $pkg_amt = $_SESSION['pkg_amt'];
  $user status = "Pending";
  $user_transaction = "Successful";
  $user_email = $_SESSION['user_email'];
  pkg_id = SESSION['pkg_id'];
  $pkg_location = $_SESSION['pkg_location'];
  $bk date
                  $_SESSION['date'];
             =
$sql24 = "INSERT INTO
user_bookings(pkgid,pkg_location,pkg_name,user_email,user_members,user_amt,use
r_date,user_status,user_transaction)
VALUES('$pkg_id','$pkg_location','$pkg_name','$user_email','$members','$pkg_amt'
,'$bk date','$user status','$user transaction')";
$query24 = mysqli_query($conn, $sql24);
  if($query24){
    $ SESSION['msg17']
                              "Your
                                       Booking
                                                 Has
                                                        Been
                                                               Confirmed":
header("location: ccty.php");
}
<title>SFM | PAYMENT</title>
<link rel="stylesheet" href="css/settings.css">
k rel="stylesheet" href="css/myaccount.css">
<link rel="stylesheet" href="css/checkout.css">
<h1
       class="profile-text"
                             style="text-align:
                                                 center:
                                                           font-size:2.1rem:
fontweight:bold;">Check Out</h1>
</div>
<div class="bar">
  <hr size="8">
</div>
<h1 class="profile-text">Confirm Details</h1>
  Booking Date
      <?php echo $_SESSION['date']; ?>
      Package Name
```

```
<?php echo $_SESSION['pkg_name']; ?>
     \langle th \rangle
       Package Location
     <?php echo $_SESSION['pkg_location']; ?>
   Total Members
     <?php echo $_SESSION['members']; ?>
     Total Amount To Pay
     Rs. <?php echo $_SESSION['pkg_amt']; ?>
     <div class="bar1">
  <hr size="8">
</div>
<h1 class="profile-text" style="text-align: center;"><i>>Payment
Gateway</b></i></h1>
<div class="bar1">
  <hr size="8">
</div>
<div class="checkout">
  <i class="fa fa-cc-mastercard" aria-hidden="true"></i>
  <i class="fa fa-cc-visa" aria-hidden="true"></i>
  <i class="fa fa-cc-paypal" aria-hidden="true"></i>
  <i class="fa fa-cc-discover" aria-hidden="true"></i> </div>
<form class="setting-form" action="usercheckout.php" method="POST">
  <input type="text" maxlength="16" minlength="16" required placeholder="16"</pre>
Digit Card No."><br>
                            maxlength="3"
                                            minlength="3"
  <input
           type="password"
                                                           required
placeholder="CVV"><br>
```

```
maxlength="4"
  <input
             type="password"
                                                    minlength="4"
                                                                      required
placeholder="Expiry (mmyy)"><br>
  <button type="submit" name="confirm">Confirm</button>
</form>
<?php
include("footer.php");
?>
11. userforgotpassword.php
<?php
session_start(); if(isset($_SESSION['hiuser'])){
header("location: home.php");
           include("header.php");
include("configuration.php");
if(isset($_POST['change'])){
$fgt_email = $_POST['c_email'];
  $fgt mobile = $ POST['c mobile'];
  fgt_password = md5(post['n_pass']);
  $sql5 = "SELECT * FROM user data WHERE user email='$fgt email' AND
user_mobile='$fgt_mobile'";
  $query5 = mysqli_query($conn, $sql5);
  $sql6 = "SELECT * FROM user data WHERE user email='$fgt email'";
  $query6
                               mysqli_query($conn,
                                                            $sql6);
if(mysqli_num_rows(\$query5) > 0)
    $sql7 = "UPDATE user_data SET user_password='$fgt_password' WHERE
user_email='$fgt_email'";
    $query7 = mysqli_query($conn, $sql7);
    if($query7){
      $_SESSION['msg6']
                           =
                               "Your Account Recovered Successfully !";
header("location: userforgotpassword.php");
}
  else{
    if(!(mysqli_num_rows(\$query6) > 0)){
      $ SESSION['msg7']
                            =
                                  "Account
                                                                 !";
                                              Doesn't
                                                         Exist
header("location: userforgotpassword.php");
else{
      $ SESSION['msg8']
                            = "Incorrect
                                            Email Id
                                                              Mobile
                                                         or
header("location: userforgotpassword.php");
    }
  }
?> <?php
```

```
if(isset($_POST['popup5'])){
unset($ SESSION['msg6']);
                            header("location:
userlogin.php");
} elseif(isset($_POST['popup6'])){
unset($_SESSION['msg7']);
} elseif(isset($_POST['popup7'])){
unset($_SESSION['msg8']);
?>
<link rel="stylesheet" href="css/forms.css">
<title>SFM | FORGOT PASSWORD</title>
<?php
if(isset($_SESSION['msg6'])){
  ?>
<div class="popup">
<?php echo $_SESSION['msg6']; ?><br>
<form action="userforgotpassword.php" method="POST">
  <button type="submit" name="popup5">OK</button>
</form>
</div>
<?php
}elseif(isset($_SESSION['msg7'])){
  ?>
<div class="popup">
<?php echo $_SESSION['msg7']; ?><br>
<form action="userforgotpassword.php" method="POST">
  <button type="submit" name="popup6">OK</button>
</form>
</div>
<?php
}elseif(isset($_SESSION['msg8'])){
  ?>
<div class="popup">
<?php echo $_SESSION['msg8']; ?><br>
<form action="userforgotpassword.php" method="POST">
  <button type="submit" name="popup7">OK</button>
</form>
</div>
<?php
}
?>
<form action="userforgotpassword.php" method="POST">
  <h1 class="form-text">Forgot Password</h1>
  <input type="email" placeholder="Email" name="c_email" required><br> <input</pre>
type="text" placeholder="Mobile number" name="c_mobile" required><br>
  <input
             type="password"
                                 placeholder="Create
                                                         New
                                                                  Password"
pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).\{8,\}"
                                             title="Password length should be
at least 8 & #x0a; At least one special character & #x0a; At least one uppercase letter
```

```
At least one lowercase letter 
At least one number"
                                                            name="n_pass"
required id="show"><br>
  <div class="showcheckbox">
    <input class="checkbox" type="checkbox" onclick="showpass()">
    <h3>Show Password</h3>
  </div>
                      class="form-btn"><button
 <h2
                                                                type="submit"
name="change">Submit</button></h2><br
</form> <?php
include("footer.php");
?>
12. usersettings.php
<!--- PHP CODING --->
<?php
session_start();
include("header.php");
include("configuration.php");
                              if
(!(isset($_SESSION['hiuser'])))
header("location: home.php");
}
//update
              mobile
                                       coding
if(isset($_POST['update_mobile'])){
$user_details = $_SESSION['user_details'];
  $updt_mobile = $_POST['updt_mobile'];
  $sql13 = "UPDATE user_data SET user_mobile='$updt_mobile' WHERE
id='$user_details'";
  $query13 = mysqli_query($conn, $sql13);
  if($query13){
    $_SESSION['msg9']
                              "Mobile
                                        Number
                                                  Updated
                                                             Successfully !";
header("location: usersettings.php");
  }
else{
    $ SESSION['msg9']
                              "OOPS
                                            Something
                                                         Went
                                                                  Wrong";
                          =
header("location: usersettings.php");
  }
}
?>
<?php
//update password coding
if(isset($_POST['update_password'])){
  $user_details = $_SESSION['user_details'];
  \delta = md5(pass = md5(pass'));
  $newpass = md5($_POST['new_pass']);
  $sql14 = "SELECT * FROM user_data WHERE id='$user_details' AND
user_password='$oldpass'";
```

```
$query14
                                 mysqli_query($conn,
                                                                $sq114);
if(mysqli_num_rows(\$query14) > 0){
    $sql15 = "UPDATE user_data SET user_password='$newpass' WHERE
id='$user_details'";
    $query15 = mysqli query($conn, $sql15);
    $_SESSION['msg10'] = "Password Updated successfully!";
  }
else{
    $ SESSION['msg10'] = "Current Password is Incorrect!";
  }
?>
<?php
//add or update personal details if(isset($ POST['submit details'])){
  $dob = date('Y-m-d', strtotime($_POST['dob']));
  $gender = $ POST['gender'];
  $nation = $ POST['countries'];
  $house = $ POST['house'];
  $street = $ POST['street'];
  $pincode = $_POST['pincode'];
  $state = $ POST['state'];
  add1 = "house";
  $add2 = ", $street";
  $add3 = " - $pincode";
  $add4 = ", $state";
  add = add1.add2.add3.add4;
                       $_SESSION['user_details'];
  $user details
                  =
$sql18 = "UPDATE user_data SET
user dob='$dob',user gender='$gender',user nation='$nation',user address='$add'
  WHERE id='$user_details'";
  $query18 = mysqli_query($conn, $sql18);
  if($query18){
       $_SESSION['msg11'] = "Personal Details Submitted Successfully";
    }
else{
       $_SESSION['msg11'] = "OOPS! Something Went Wrong";
    }
}
//add
         or
               update
                         document
                                       details
elseif(isset($ POST['submit doc'])){
$document = $_POST['document'];
  $docid = $_POST['docid'];
  $user details
                  =
                        $ SESSION['user details'];
$sql21 = "UPDATE user data SET
user_document='$document',user_document_id='$docid'
  WHERE id='$user details'";
  $query21 = mysqli_query($conn, $sql21); if($query21){
    $_SESSION['msg12'] = "Document Added Successfully";
```

```
}
else{
    $_SESSION['msg12'] = "OOPS! Something Went Wrong";
?>
<!--- Session Unset --->
<?php if(isset($_POST['msgok1'])){</pre>
unset($_SESSION['msg9']);
}elseif(isset($ POST['msgok2'])){
unset($_SESSION['msg10']);
}elseif(isset($_POST['msgok3'])){
unset($_SESSION['msg11']);
}elseif(isset($ POST['msgok4'])){
unset($_SESSION['msg12']);
}
?>
<!--- BODY --->
<link rel="stylesheet" href="css/settings.css">
k rel="stylesheet" href="css/myaccount.css">
<title>SFM | SETTINGS</title>
        class="profile-text"
                               style="text-align:
                                                               font-size:2.1rem;
                                                    center;
fontweight:bold;">Settings</h1>
</div>
<div class="bar">
  <hr size="8">
</div><?php
if(isset($_SESSION['msg9'])){
  ?>
<div class="popup1">
<b><?php echo $_SESSION['msg9']; ?></b>
<form action="usersettings.php" method="POST">
<button type="submit" name="msgok1"><b>OK</b></button>
</form>
</div>
<?php
}elseif(isset($_SESSION['msg10'])){
  ?>
<div class="popup1">
<b><?php echo $_SESSION['msg10']; ?></b>
<form action="usersettings.php" method="POST">
<button type="submit" name="msgok2"><b>OK</b></button>
</form>
</div>
<?php
}elseif(isset($_SESSION['msg11'])){
  ?>
<div class="popup1">
```


```
<b><?php echo $_SESSION['msg11']; ?></b>
<form action="usersettings.php" method="POST">
<button type="submit" name="msgok3"><b>OK</b></button>
</form>
</div>
<?php
}elseif(isset($ SESSION['msg12'])){
<div class="popup1">
<b><?php echo $_SESSION['msg12']; ?></b>
<form action="usersettings.php" method="POST">
<button type="submit" name="msgok4"><b>OK</b></button>
</form>
</div>
<?php
}
?>
<h1 style="margin-top: 5%;" class="profile-text">Update Mobile Number</h1>
<form
        class="setting-form"
                             action="usersettings.php"
                                                       method="POST">
                                         name="updt_mobile"
<input
         type="text"
                       maxlength="10"
                                                                 required
placeholder="New Mobile No"><br>
  <button type="submit" name="update mobile">Update</button>
</form>
<h1 class="profile-text">Update Password</h1>
<form class="setting-form" action="usersettings.php" method="POST">
  <input type="password" name="old_pass" required placeholder="Current</pre>
Password" id="show1"><br>
             type="password"
                                 pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).\{8,\}"
  <input
title="Password length should be at least 8 
 At least one special character

At least one uppercase letter 
At least one lowercase letter 
At
least one number"
                     name="new_pass" required placeholder="New Password"
id="show2"><br>
  <div class="showcheckbox">
    <input class="checkbox" type="checkbox" onclick="showpass2()">
    <h3>Show Password</h3>
  </div>
  <button type="submit" name="update_password">Update</button>
</form>
<div class="bar1">
  <hr size="8">
</div>
<h1 class="profile-text" style="text-align: center; font-weight:bold; margin: -1% 0%
1% 0%;">Add or Update Details</h1>
<div class="bar1">
  <hr size="8">
</div>
<h1 class="profile-text">Personal Details</h1>
<form class="setting-form" action="usersettings.php" method="POST">
```


```
<label>Date Of Birth</label><br>
  <input class="detail-input" style="width: 15%; letter-spacing: 0px;" type="date"</pre>
name="dob" required placeholder="Select Date"><br>
  <label>Gender</label><br>
  <select name="gender" required>
    <option disabled selected>Select Gender
    <option value="Male">Male</option>
    <option value="Female">Female</option>
    <option value="Transgender">Transgender</option>
  </select>
  <br/><br><label>Nationality</label><br>
  <?php include("selectcountry.php"); ?><br>
  <label>Address</label><br>
  <input class="detail-input" style="letter-spacing: 0px;" type="text" name="house"
required placeholder="House no. / Plot no. / Flat no."><br>
  <input class="detail-input" style="letter-spacing: Opx;" type="text" name="street"</pre>
required placeholder="Street"><br>
  <input class="detail-input" style="letter-spacing: 0px;" type="text"</pre>
name="pincode" required placeholder="Pincode"><br>
  <input class="detail-input" style="letter-spacing: 0px;" type="text" name="state"</pre>
required placeholder="State"><br>
  <button type="submit" name="submit_details">Submit</button>
</form>
<h1 class="profile-text">Document Details</h1>
<form class="setting-form" action="usersettings.php" method="POST">
  <label>Document Type</label><br>
  <?php include("selectdocument.php"); ?><br>
  <input class="detail-input" style="width: 20%; letter-spacing: 0px;" type="text"</pre>
name="docid" required placeholder="Dcoument ID"><br>
  <button type="submit" name="submit_doc">Submit</button>
</form>
<div class="bar">
  <hr size="8">
</div> <script> function showpass2(){
                                         var s1
= document.getElementById("show1");
                                         var s2
= document.getElementById("show2");
  if(s1.type == "password" && s2.type == "password"){
s1.type = "text";
                   s2.type = "text";
  }
else{
                    "password";
   s1.type
s2.type = "password";
  }
 }
</script>
<?php include("footer.php"); ?>
```

c. Input / Output Screen:

User Booking




User History




Admin (Manage Booking)



Admin (Package Creation)



Admin (Manage Packages)



8. Testing & Validation Checks

Validation testing is the process of ensuring if the tested and developed software satisfies the client /user needs.

There are two types of validation are available in PHP. They are as follows

- Client- Side Validation Validation is performed on the client machine web browsers.
- Server-Side Validation After submitted by data, the data has sent to a server and perform validation checks in server machine.

Testing is the process of evaluating and verifying that a software product or application does what it is supposed to do. The benefits of testing include preventing bugs, reducing development costs and improving performance.

It is not possible that every data feed to the computer must be acceptable. Sometimes the operator feed some wrong data, but machines have validation for checking the data whether it is valid or not. It executes the data if the data is not valid and gives message to the end user. Validation checks provide a critical form of inspection and validation for computer operating systems. When a computer receives any form of data input, a validation check is used to ensure that the data received matches the specific parameter type required by the application receiving it.

The procedure of validation and execution of the data is the self-adjusting of the computer, which is the vital point of the computer system.

9. System Security And Measures

The information stored should be kept in such a way that it does not get lost or stolen. Security of data means protecting data against accidental or intentional disclosure to unauthorized person or even unauthorized modification or destruction privacy means that individuals and corporation should have due right to determine themselves when and how and to what extent information about them to be transmitted to others.

10. Implementation, Evaluation And Maintenance

Implementation is the stage where theoretical design turned into a working system. Implementation is planed carefully to propose system to avoid unanticipated problems. Many preparations involved before and during the implementation of proposed system. The system needed to be plugged in to the organization's network then it could be accessed from anywhere, after a user login into the portal. The tasks that had to be done to implement the system were to create the database tables in the organization database domain. Then the administrator was granted his role so that the system could be accessed.

The entire system was developed using the PHP, MySQL as backend, HTML, CSS and JavaScript for frontend, and Local Web Server. The Local Web Server is used to understand the clients request and to send response to them. Hence the design of the entire system is user friendly.

The system is working when implementation phase has been completed.

The two main activities are:

- a) Post Implementation
- b) Maintenance

Post implementation activity take place after about a year is to determine that whether the system is perfectly working or not, whether the system is satisfying the user need or not if not changes are made to system to make if perfect. Maintenance is part of SDLC. It has following task.

- a) Compacting errors
- b) Resolving necessary changes
- c) Enhance or modifies the system.
- d) Assign staff to perform maintenance

11. Future Scope Of The Project

Tourism is currently recognized as a global industry which is growing at a high rate like any other industry. Access to relevant and accurate information is at the heart of tourism. Here, the proposed project on Tourism Management System tries to bridge the gap by noting what a tourist perceives as relevant. Hence, the aim of this project entails the design and implementation of a platform that will assist tourists in gaining access to travel to various tourist locations. The project also helped to provide knowledge about the latest technology used in developing web enabled application and client server technology that will be great demand in future.

It is worth mentioning that this project work is open for further enhancement, with the expectation that it becomes more robust and better enhanced; covering every single tourist site. For a modified system, the user needs to just login into the application and can find the routes, costs, hotels, adventure, transportations and book immediately and complete the booking process for a successful transaction. In the aspect of tourism, Internet and web technologies have made more readily available information on tourist locations, accommodations, transportation, shopping, food, festivals, and other attractions, thus improving the whole tourism experience.

12. Future Scope Of The Project

Tourism is currently recognized as a global industry which is growing at a high rate like any other industry. Access to relevant and accurate information is at the heart of tourism. Here, the proposed project on Tourism Management System tries to bridge the gap by noting what a tourist perceives as relevant. Hence, the aim of this project entails the design and implementation of a platform that will assist tourists in gaining access to travel to various tourist locations. The project also helped to provide knowledge about the latest technology used in developing web enabled application and client server technology that will be great demand in future.

It is worth mentioning that this project work is open for further enhancement, with the expectation that it becomes more robust and better enhanced; covering every single tourist site. For a modified system, the user needs to just login into the application and can find the routes, costs, hotels, adventure, transportations and book immediately and complete the booking process for a successful transaction. In the aspect of tourism, Internet and web technologies have made more readily available information on tourist locations, accommodations, transportation, shopping, food, festivals, and other attractions, thus improving the whole tourism experience.

13. Bibliography & Reference

For Books

- HTML & CSS by Jon Duckett
- PHP, MySQL & JavaScript by Robin Nixon

For PHP & MySQL

- https://www.w3schools.com/php/
- https://stackoverflow.com/questions/tagged/php
- https://youtu.be/2LLKYjTP-00

For HTML, CSS & JavaScript

- https://www.w3schools.com/html/default.asp
- https://www.w3schools.com/css/default.asp
- https://www.w3schools.com/js/default.asp