# databricks ingestion / 0.ingest_all_files

(https://databricks.com)

```
dbutils.notebook.help()
```

The notebook module.

**exit(value: String): void** -> This method lets you exit a notebook with a value
**run(path: String, timeoutSeconds: int, arguments: Map): String** -> This method runs a notebook and returns its exit value

```
v_result = dbutils.notebook.run("1.ingest_circuits_file", 0, {"p_data_source": "Ergast API", "p_file_date": "2021-04-18"})
```

```
%sql
select race_id, count(1)
from f1_processed.results
group by race_id
order by race_id desc;
```

Table

| | race_id | count(1) |
|---|---|---|
| 1 | 1052 | 20 |

1 row

```
v_result
```

```
'Success'
```

```
v_result = dbutils.notebook.run("2.ingest_races_file", 0, {"p_data_source": "Ergast API", "p_file_date": "2021-04-18"})
v_result
```

```
'Success'
```

```
1  v_result = dbutils.notebook.run("3.ingest_constructors_file", 0, {"p_data_source": "Ergast API", "p_file_date": "2021-04-18"}
2  v_result
3
4
```

```
> Py4JJavaError: An error occurred while calling o433.run.
: com.databricks.WorkflowException: com.databricks.NotebookExecutionException: FAILED: Unable to access the notebook "/Formula1/in
gestion/3.ingest_constructors_file". Either it does not exist, or the identity used to run this job, chetan chandra (chetanchandr…
File <command-646663711026979>, line 1
----> 1 v_result = dbutils.notebook.run("3.ingest_constructors_file", 0, {"p_data_source": "Ergast API", "p_file_date": "2021-04-1
8"})
      2 v_result
```

```
File /databricks/spark/python/lib/py4j-0.10.9.7-src.zip/py4j/protocol.py:326, in get_return_value(answer, gateway_client, target_id, name)
    324 value = OUTPUT_CONVERTER[type](answer[2:], gateway_client)
    325 if answer[1] == REFERENCE_TYPE:
--> 326     raise Py4JJavaError(
    327         "An error occurred while calling {0}{1}{2}.\n".
    328         format(target_id, ".", name), value)
    329 else:
    330     raise Py4JError(
    331         "An error occurred while calling {0}{1}{2}. Trace:\n{3}\n".
    332         format(target_id, ".", name, value))
```

```
1  v_result = dbutils.notebook.run("4.ingest_drivers_file", 0, {"p_data_source": "Ergast API", "p_file_date": "2021-04-18"})
2  v_result
```

```
> Py4JJavaError: An error occurred while calling o416.run.
: com.databricks.WorkflowException: com.databricks.NotebookExecutionException: FAILED: Unable to access the notebook "/Formula1/ingestion/4.ingest_drivers_file". Either it does not exist, or the identity used to run this job, chetan chandra (chetanchandra12@o…
File <command-646663711026980>, line 1
----> 1 v_result = dbutils.notebook.run("4.ingest_drivers_file", 0, {"p_data_source": "Ergast API", "p_file_date": "2021-04-18"})
      2 v_result

File /databricks/spark/python/lib/py4j-0.10.9.7-src.zip/py4j/protocol.py:326, in get_return_value(answer, gateway_client, target_id, name)
    324 value = OUTPUT_CONVERTER[type](answer[2:], gateway_client)
    325 if answer[1] == REFERENCE_TYPE:
--> 326     raise Py4JJavaError(
    327         "An error occurred while calling {0}{1}{2}.\n".
    328         format(target_id, ".", name), value)
    329 else:
    330     raise Py4JError(
    331         "An error occurred while calling {0}{1}{2}. Trace:\n{3}\n".
    332         format(target_id, ".", name, value))
```

```
v_result = dbutils.notebook.run("5.ingest_results_file", 0, {"p_data_source": "Ergast API", "p_file_date": "2021-04-18"})
v_result
```

```
'Success'
```

```
v_result = dbutils.notebook.run("6.ingest_pit_stops_file", 0, {"p_data_source": "Ergast API", "p_file_date": "2021-04-18"})
v_result
```

```
'Success'
```

```
v_result = dbutils.notebook.run("7.ingest_lap_times_file", 0, {"p_data_source": "Ergast API", "p_file_date": "2021-04-18"})
v_result
```

```
'Success'
```

```
'Success'
```