```
%python
html = """<h1 style="color:Black;text-align:center;font-family:Ariel">Report on Dominant Formula 1 Drivers </h1>"""
displayHTML(html)
```

Report on Dominant Formula 1 Drivers

```
SELECT driver_name,
       COUNT(1) AS total_races,
       SUM(calculated_points) AS total_points,
       AVG(calculated_points) AS avg_points,
       RANK() OVER(ORDER BY AVG(calculated_points) DESC) driver_rank
  FROM f1_presentation.calculated_race_results
GROUP BY driver_name
HAVING COUNT(1) >= 50
ORDER BY avg_points DESC
```

Table

	driver_name	total_races	total_points	avg_points	driver_rank
1	Alain Prost	138	1156	8.376811594202898	1
2	Ayrton Senna	104	869	8.3557692307692 3	2
3	Jackie Stewart	61	507	8.311475409836065	3
4	Lewis Hamilton	232	1903	8.202586206896552	4
5	Michael Schumacher	226	1796	7.946902654867257	5
6	Nigel Mansell	90	713	7.92222222222222...	6
7	Niki Lauda	81	639	7.888888888888889	7
8	Sebastian Vettel	203	1565	7.70935960591133	8
9	Damon Hill	70	520	7.428571428571429	9
10	Juan Pablo Montoya	58	427	7.362068965517241	10
11	Nelson Piquet	115	845	7.34782608695652...	11
12	Mika Häkkinen	96	694	7.229166666666667	12
13	Jack Brabham	67	473	7.059701492537314	13
14	Bruce McLaren	58	404	6.96551724137931...	14
15	Denny Hulme	72	497	6.902777777777778	15

64 rows

```
CREATE OR REPLACE TEMP VIEW v_dominant_drivers
AS
SELECT driver_name,
       COUNT(1) AS total_races,
       SUM(calculated_points) AS total_points,
       AVG(calculated_points) AS avg_points,
       RANK() OVER(ORDER BY AVG(calculated_points) DESC) driver_rank
  FROM f1_presentation.calculated_race_results
GROUP BY driver_name
HAVING COUNT(1) >= 50
ORDER BY avg_points DESC
```

OK

```
SELECT race_year,
       driver_name,
       COUNT(1) AS total_races,
       SUM(calculated_points) AS total_points,
       AVG(calculated_points) AS avg_points
  FROM f1_presentation.calculated_race_results
GROUP BY race_year, driver_name
ORDER BY race_year, avg_points DESC
```

Table

	race_year	driver_name	total_races	total_points	avg_points
1	1950	Johnnie Parsons	1	10	10
2	1950	Juan Fangio	3	30	10
3	1950	Bill Holland	1	9	9
4	1950	Dorino Serafini	1	9	9
5	1950	Luigi Fagioli	5	44	8.8
6	1950	Nino Farina	5	41	8.2
7	1950	Alberto Ascari	3	24	8
8	1950	Mauri Rose	1	8	8
9	1950	Reg Parnell	1	8	8
10	1950	Robert Manzon	1	7	7
11	1950	Raymond Sommer	1	7	7
12	1950	Cecil Green	1	7	7
13	1950	Louis Rosier	5	34	6.8
14	1950	Prince Bira	2	13	6.5
15	1950	Tony Bettenhausen	1	6	6

1,971 rows

```
SELECT race_year,
       driver_name,
       COUNT(1) AS total_races,
       SUM(calculated_points) AS total_points,
       AVG(calculated_points) AS avg_points
  FROM f1_presentation.calculated_race_results
 WHERE driver_name IN (SELECT driver_name FROM v_dominant_drivers WHERE driver_rank <= 10)
GROUP BY race_year, driver_name
ORDER BY race_year, avg_points DESC
```

Table | Visualization 1 | Data Profile 1

	race_year	driver_name	total_races	total_points	avg_points
1	1965	Jackie Stewart	7	56	8
2	1966	Jackie Stewart	3	23	7.666666666666667
3	1967	Jackie Stewart	2	17	8.5
4	1968	Jackie Stewart	8	59	7.375
5	1969	Jackie Stewart	8	76	9.5
6	1970	Jackie Stewart	5	38	7.6
7	1971	Jackie Stewart	8	75	9.375
8	1972	Jackie Stewart	7	60	8.571428571428571
9	1972	Niki Lauda	3	7	2.33333333333333...
10	1973	Jackie Stewart	13	103	7.923076923076923
11	1973	Niki Lauda	3	11	3.66666666666666...
12	1974	Niki Lauda	6	53	8.833333333333334
13	1975	Niki Lauda	13	100	7.69230769230769...
14	1976	Niki Lauda	11	94	8.545454545454545

14	1976	Niki Lauda	11	94	8.545454545454545
15	1977	Niki Lauda	12	105	8.75

118 rows

```
SELECT race_year,
       driver_name,
       COUNT(1) AS total_races,
       SUM(calculated_points) AS total_points,
       AVG(calculated_points) AS avg_points
  FROM f1_presentation.calculated_race_results
 WHERE driver_name IN (SELECT driver_name FROM v_dominant_drivers WHERE driver_rank <= 10)
GROUP BY race_year, driver_name
ORDER BY race_year, avg_points DESC
```

Table | Visualization 1

	race_year	driver_name	total_races	total_points	avg_points
1	1965	Jackie Stewart	7	56	8
2	1966	Jackie Stewart	3	23	7.666666666666667
3	1967	Jackie Stewart	2	17	8.5
4	1968	Jackie Stewart	8	59	7.375
5	1969	Jackie Stewart	8	76	9.5
6	1970	Jackie Stewart	5	38	7.6
7	1971	Jackie Stewart	8	75	9.375
8	1972	Jackie Stewart	7	60	8.571428571428571
9	1972	Niki Lauda	3	7	2.33333333333333...
10	1973	Jackie Stewart	13	103	7.923076923076923
11	1973	Niki Lauda	3	11	3.66666666666666...
12	1974	Niki Lauda	6	53	8.833333333333334
13	1975	Niki Lauda	13	100	7.69230769230769...
14	1976	Niki Lauda	11	94	8.545454545454545
15	1977	Niki Lauda	12	105	8.75

118 rows

Table | Visualization 1

	race_year	driver_name	total_races	total_points	avg_points
1	1965	Jackie Stewart	7	56	8
2	1966	Jackie Stewart	3	23	7.666666666666667
3	1967	Jackie Stewart	2	17	8.5
4	1968	Jackie Stewart	8	59	7.375
5	1969	Jackie Stewart	8	76	9.5
6	1970	Jackie Stewart	5	38	7.6
7	1971	Jackie Stewart	8	75	9.375
8	1972	Jackie Stewart	7	60	8.571428571428571
9	1972	Niki Lauda	3	7	2.33333333333333...
10	1973	Jackie Stewart	13	103	7.923076923076923
11	1973	Niki Lauda	3	11	3.66666666666666...
12	1974	Niki Lauda	6	53	8.833333333333334
13	1975	Niki Lauda	13	100	7.69230769230769...
14	1976	Niki Lauda	11	94	8.545454545454545
15	1977	Niki Lauda	12	105	8.75

118 rows