databricks mount_adls_storage

(https://databricks.com)

1

```
storage_account_name = "formula1dl1204"
client_id            = dbutils.secrets.get(scope = 'formula1-scope', key = 'formula1-app-client-id')
tenant_id            = dbutils.secrets.get(scope = 'formula1-scope', key = 'formula1-app-tenant-id')
client_secret        = dbutils.secrets.get(scope = 'formula1-scope', key = 'formula1-app-client-secret')
```

2

```
configs = {"fs.azure.account.auth.type": "OAuth",
          "fs.azure.account.oauth.provider.type": "org.apache.hadoop.fs.azurebfs.oauth2.ClientCredsTokenProvider",
          "fs.azure.account.oauth2.client.id": client_id,
          "fs.azure.account.oauth2.client.secret": client_secret,
          "fs.azure.account.oauth2.client.endpoint": f"https://login.microsoftonline.com/{tenant_id}/oauth2/token"}
```

3

```
def mount_adls(container_name):
  dbutils.fs.mount(
    source = f"abfss://{container_name}@{storage_account_name}.dfs.core.windows.net/",
    mount_point = f"/mnt/{storage_account_name}/{container_name}",
    extra_configs = configs)
```

4

```
1  mount_adls("raw")
```

```
> ExecutionError: An error occurred while calling o416.mount.
: java.rmi.RemoteException: java.lang.IllegalArgumentException: requirement failed: Directory already mounted: /mnt/formula1dl120
4/raw; nested exception is: …
File <command-4320014699931724>, line 1
----> 1 mount_adls("raw")

File /databricks/python_shell/dbruntime/dbutils.py:378, in DBUtils.FSHandler.prettify_exception_message.<locals>.f_with_exception_
handling(*args, **kwargs)
    376 exc.__context__ = None
    377 exc.__cause__ = None
--> 378 raise exc
```

5

```
1  mount_adls("processed")
```

```
> ExecutionError: An error occurred while calling o416.mount.
: java.rmi.RemoteException: java.lang.IllegalArgumentException: requirement failed: Directory already mounted: /mnt/formula1dl120
4/processed; nested exception is: …
File <command-4320014699931725>, line 1
----> 1 mount_adls("processed")

File /databricks/python_shell/dbruntime/dbutils.py:378, in DBUtils.FSHandler.prettify_exception_message.<locals>.f_with_exception_
handling(*args, **kwargs)
    376 exc.__context__ = None
    377 exc.__cause__ = None
--> 378 raise exc
```

6

```
1  mount_adls("presentation")
```

```
> ExecutionError: An error occurred while calling o416.mount.
: java.rmi.RemoteException: java.lang.IllegalArgumentException: requirement failed: Directory already mounted: /mnt/formula1dl120
4/presentation; nested exception is: …
```

```
File <command-4320014699931726>, line 1
----> 1 mount_adls("presentation")
File /databricks/python_shell/dbruntime/dbutils.py:378, in DBUtils.FSHandler.prettify_exception_message.<locals>.f_with_exception_handling(*args, **kwargs)
    376 exc.__context__ = None
    377 exc.__cause__ = None
--> 378 raise exc
```

7

```
mount_adls("demo")
```

```
ExecutionError: An error occurred while calling o416.mount.
: java.rmi.RemoteException: java.lang.IllegalArgumentException: requirement failed: Directory already mounted: /mnt/formula1dl1204/demo; nested exception is: …
File <command-4320014699931727>, line 1
----> 1 mount_adls("demo")
File /databricks/python_shell/dbruntime/dbutils.py:378, in DBUtils.FSHandler.prettify_exception_message.<locals>.f_with_exception_handling(*args, **kwargs)
    376 exc.__context__ = None
    377 exc.__cause__ = None
--> 378 raise exc
```

8

```
dbutils.fs.unmount("/mnt/formula1dl1204/demo")
```

```
/mnt/formula1dl1204/demo has been unmounted.

True
```

9

```
dbutils.fs.ls("/mnt/formula1dl1204/raw")
```

```
[FileInfo(path='dbfs:/mnt/formula1dl1204/raw/2021-03-21/', name='2021-03-21/', size=0, modificationTime=1721668310000),
 FileInfo(path='dbfs:/mnt/formula1dl1204/raw/2021-03-28/', name='2021-03-28/', size=0, modificationTime=1721668310000),
 FileInfo(path='dbfs:/mnt/formula1dl1204/raw/2021-04-18/', name='2021-04-18/', size=0, modificationTime=1721668310000)]
```

10

```
dbutils.fs.ls("/mnt/formula1dl1204/processed")
```

```
[FileInfo(path='dbfs:/mnt/formula1dl1204/processed/circuits/', name='circuits/', size=0, modificationTime=1721816401000),
 FileInfo(path='dbfs:/mnt/formula1dl1204/processed/constructors/', name='constructors/', size=0, modificationTime=1721818389000),
 FileInfo(path='dbfs:/mnt/formula1dl1204/processed/lap_times/', name='lap_times/', size=0, modificationTime=1721818108000),
 FileInfo(path='dbfs:/mnt/formula1dl1204/processed/pit_stops/', name='pit_stops/', size=0, modificationTime=1721815790000),
 FileInfo(path='dbfs:/mnt/formula1dl1204/processed/qualifying/', name='qualifying/', size=0, modificationTime=1721818131000),
 FileInfo(path='dbfs:/mnt/formula1dl1204/processed/races/', name='races/', size=0, modificationTime=1721816423000),
 FileInfo(path='dbfs:/mnt/formula1dl1204/processed/results/', name='results/', size=0, modificationTime=1721672312000)]
```

11

```
dbutils.fs.ls("/mnt/formula1dl1204/presentation")
```

```
[]
```

12

```
dbutils.fs.ls("/mnt/formula1dl1204/demo")
```

```
[FileInfo(path='dbfs:/mnt/formula1dl1204/demo/circuits.csv', name='circuits.csv', size=10044, modificationTime=1721470200000)]
```

13