

Subject Disposition

Disposition Summary, n (%)

<i>Disposition Category</i>	<i>Placebo N=86</i>	<i>Xanomeline Low Dose N=84</i>	<i>Xanomeline High Dose N=84</i>	<i>Total N=254</i>
Subjects in Safety Population	86 (100.0%)	84 (100.0%)	84 (100.0%)	254 (100.0%)
Completed Week 24	60 (69.8%)	28 (33.3%)	30 (35.7%)	118 (46.5%)
Discontinued from Study	28 (32.6%)	59 (70.2%)	57 (67.9%)	144 (56.7%)
Discontinued Due to Adverse Event	8 (9.3%)	44 (52.4%)	40 (47.6%)	92 (36.2%)
Death	2 (2.3%)	1 (1.2%)	0 (0.0%)	3 (1.2%)
Primary Reason for Discontinuation				
ADVERSE EVENT	8 (9.3%)	44 (52.4%)	40 (47.6%)	92 (36.2%)
DEATH	2 (2.3%)	1 (1.2%)	0 (0.0%)	3 (1.2%)
LACK OF EFFICACY	3 (3.5%)	0 (0.0%)	1 (1.2%)	4 (1.6%)
LOST TO FOLLOW-UP	1 (1.2%)	1 (1.2%)	0 (0.0%)	2 (0.8%)
PHYSICIAN DECISION	1 (1.2%)	0 (0.0%)	2 (2.4%)	3 (1.2%)
PROTOCOL VIOLATION	2 (2.3%)	1 (1.2%)	3 (3.6%)	6 (2.4%)
STUDY TERMINATED BY SPONSOR	2 (2.3%)	2 (2.4%)	3 (3.6%)	7 (2.8%)
WITHDRAWAL BY SUBJECT	9 (10.5%)	10 (11.9%)	8 (9.5%)	27 (10.6%)