

INFORMED CONSENT FORM AND AUTHORIZATION TO USE AND DISCLOSE PROTECTED HEALTH INFORMATION

Sponsor / Study Title: F. Hoffmann-La Roche Ltd / “A PHASE III, RANDOMIZED, DOUBLE-BLIND, PLACEBO-CONTROLLED, PARALLEL GROUP STUDY TO EVALUATE THE EFFICACY AND SAFETY OF ONCE-WEEKLY RO7795068 ADMINISTERED TO PARTICIPANTS WITH OBESITY OR OVERWEIGHT AND TYPE 2 DIABETES”

Protocol Number: WC45726

**Principal Investigator:
(Study Doctor)** Vicki Miller, MD

Telephone: 346-550-9559 (24 hours)

Address: DM Clinical Research - Tomball
13406 Medical Complex Drive
Suite 150, 180, 190
Tomball TX, 77375

This form is for use in a research study that may involve participants who may or may not have the capacity to consent to take part in the study. When the participant cannot legally consent to take part, pronouns “you” and “your” should be read as referring to the participant rather than the person (legally authorized representative) who is signing this form for the participant. In cases where the participant’s representative gives consent, the participant should be informed about the study to the extent possible given his/her understanding. During the course of the study, if the participant regains the capacity to consent, informed consent will be obtained from the participant and the participant offered the ability to leave the study if desired.

1.1 INTRODUCTION

- You are being asked to take part in this research study (also known as a clinical trial) because you are living with overweight or obesity and Type 2 Diabetes (T2D). This study is testing a drug called RO7795068.
- All individuals will be considered for this study, regardless of race, ethnicity, disability status, sex, sexual orientation, or gender identity.
- F. Hoffmann-La Roche Ltd (hereafter referred to as Roche) is the sponsor of this study and is paying the study site to cover the costs of this study.
- This consent form tells you what will happen if you take part. It also tells you about the possible benefits and risks of being in the study.
- Taking part in this study is your choice. Please read the information carefully and feel free to ask questions. It may be helpful for you to discuss this information with your family and friends.

- Instead of taking part in this study, you may choose to
 - Change your diet and exercise
 - Get treatment for weight management or T2D without being in this study
 - Join a different study
 - Get no treatment
- Talk to your study doctor about all of your choices, and the risks and benefits of each choice. If you choose not to take part, you will not lose the regular care you receive from your doctors.
- If you decide to take part, you will be asked to sign this consent form. You will be given a copy of your signed consent form.

1.2 WHAT IS THE PURPOSE OF THIS STUDY?

The purpose of this study is to compare the effects, good or bad, of RO7795068 versus placebo on top of a reduced-calorie diet and increased physical activity in participants with overweight or obesity and T2D. In this study, you will get either RO7795068 or placebo (hereafter referred to as "study drug"). A placebo looks like the study drug but has no active ingredient.

RO7795068 is being developed as a treatment to reduce weight and improve blood sugar levels in people who are living with overweight or obesity with inadequately controlled T2D.

RO7795068 works by activating 2 hormone receptors, glucose-dependent insulinitropic polypeptide (GIP) and glucagon-like peptide (GLP-1), which may reduce your appetite and how much you eat, and improve your blood sugar levels. RO7795068 is an experimental drug, which means health authorities, like the U.S. Food and Drug Administration (FDA), have not approved RO7795068 for the treatment of obesity or overweight.

About 1600 people will take part in this study.

1.3 WHAT WILL HAPPEN IF I PARTICIPATE?

This study has three parts:

1. Screening (to see if you are eligible for the study)
2. Study treatment
3. Follow-up (to check on you after study treatment is finished)

You will be placed in one of the following study treatment groups:

- Group 1 will receive placebo, given as a self-administered subcutaneous (SC; under the skin) injection every week for 72 weeks.
- Groups 2, 3, and 4 will receive different doses of RO7795068, given as a self-administered SC injection every week for 72 weeks.

Your group will be decided by chance (like tossing a coin). You will have a one in four chance of being placed in Group 1. You will have a three in four chance of receiving RO7795068.

Neither you nor your study doctor can choose or know the group you are in. However, your study doctor can find out which group you are in if your safety is at risk or to help make a decision about your medical care. Your study doctor cannot find out which group you are in to help decide if you are eligible for another clinical study that is testing experimental drugs or procedures. This means your participation in this trial may affect your participation in other trials.

In this study you will self-administer study drug as a SC injection in the abdomen once a week for 72 weeks using an autoinjector (a medical device that uses a spring-loaded pre-filled syringe to deliver a single dose of the study drug to the body). If you are not able to self-administer study drug you may have someone else do it for you. You or this individual will be trained on how to use the autoinjector at the beginning of the study, and as needed throughout the study. You will need to take the study drug home in a provided cooler bag and store it in a refrigerator. The injections should ideally occur on the same day and time each week. If you experience symptoms that your study doctor thinks are related to study drug, the dose of study drug can be changed or stopped. Your study doctor will perform this evaluation on an ongoing basis.

You will be asked to download a dedicated electronic diary (e-diary) app onto your own personal mobile device. If you do not have a compatible personal device, you may be provided with an e-diary device for the duration of the clinical study. In this diary you are expected to enter each study drug dose. You will also record your weekly glucose monitoring test including any low blood sugar (hypoglycemic) or high blood sugar (hyperglycemic) events that you may have during the study.

All participants will receive regular diet, physical activity, and lifestyle management counseling sessions that follow local recommended guidelines as per standard of care for weight management and T2D throughout the study as per the planned schedule. To prepare for the counseling visit you will be asked maintain a diet and exercise diary for 3 days prior to the counseling visit.

During this study, you will have clinic visits approximately every 4 weeks for the first 36 weeks and then every 12 weeks until the end of the study while you are receiving the study treatment.

Clinic visits may last 2-3 hours. During the stage when clinic visits are less frequent (which is during the 'once every 12 weeks' stage) you will have the option to either have a monthly telephone or video call (remote visit) with your study doctor or a clinic visit, to check how you are doing and whether or not you are experiencing any problems. You and your study doctor will determine if a remote visit is appropriate for you. You will have a follow-up visit 4 weeks after your final dose.

Your total time in the study will be about 79 weeks, or 1.5 years.

If you complete the entire study treatment period in this study (72 weeks), you may have the opportunity to receive active study drug RO7795068 (regardless of which group you were in during this study) in a separate extension study. Your study doctor will discuss available options with you when you are close to completing the study. To participate in the extension study you will need to sign a separate informed consent form.

The study procedures are described in detail in the section titled, "Study procedures and potential risks". Some procedures will be the same as your regular care for overweight or obesity and T2D, and some procedures will be just for this study.

1.4 ARE THERE ANY BENEFITS?

Your health may or may not improve in this study, but the information that is learned may help other people who have a similar medical condition in the future.

1.5 ARE THERE ANY RISKS?

You may have side effects from the study drug or procedures used in this study, as described in the sections titled, "Study treatment risks" and "Study procedures and potential risks." Side effects can be mild to severe and even life threatening, and they can vary from person to person. Talk to your study doctor right away if you have any of the following during the study:

- Symptoms that are new or have worsened
- Changes in your prescribed (e.g., your T2D medication) or over-the-counter medications (including herbal therapies)
- Visits to the doctor or hospital, including urgent care or emergency room visits

Exposure to study drug could cause harm to an unborn child. The potential for harm to an unborn child has been shown in animal studies with other similar drugs. Participants must take precautions to avoid exposing an unborn child to study drug, as described in the section titled, "Are there any special requirements?" If you are pregnant, become pregnant, or are currently breastfeeding, you cannot take part in this study.

Exposure to study drug may affect the ability to father children. If you are able to produce sperm, you should talk to the study doctor about your options (for example, sperm banking prior to taking study drug). Exposure to study drug may affect the ability to have children. If you are able to become pregnant, you should talk to the study doctor about your options (for example, donation of eggs prior to taking study drug).

1.6 ARE THERE ANY SPECIAL REQUIREMENTS?

While participating in this study, there are certain requirements, as listed below:

- You should not join another research study.
- If you are able to become pregnant: You must use a reliable birth control method during the study and for 4 weeks after your final dose of RO7795068. Talk with your study doctor about what method may be best for you and to confirm the length of time birth control is required. You should also talk to your study doctor before changing your method of birth control during the study. You must not donate eggs or undergo fertility treatment during the study and for 4 weeks after your final dose of RO7795068. Tell your study doctor right away if you get pregnant during this period. If you get pregnant, the study doctor will want to follow up with you on the outcome of the pregnancy and will ask for your permission to collect information about the baby at 6 and 12 months after birth.
- Certain medications should not be used during this study. Your study doctor will talk to you about these medications. You should talk to your study doctor before starting any medications, vitamins, or other supplements (including vaccines, topical medications, or herbal remedies), even if they don't need a prescription.
- If you are currently taking drugs for your T2D, you may be able to continue taking these medications during the study. Your study doctor will talk to you about these medications including which medications for T2D are allowed on study.

- You will have consultations with a nutritionist or a dietitian to discuss your diet and physical activity. To support the conversation with your nutritionist or dietitian, you will be asked to keep a food and physical activities e-diary. The consultation will occur at least every month for the first three months, and every three months thereafter, either in person or by phone.
- You must be willing to maintain a T2D-appropriate diet and have regular physical activity (approximately 150 minutes per week).
- You must be willing to check your blood sugar regularly throughout the study. This includes checking at least once a week on an empty stomach and possibly more often on certain days. You will receive a glucometer and necessary testing supplies to use at home. You will record your results in a e-diary. It is important to let the study site know right away if your blood sugar levels are unusually high or low. Your study doctor may need to adjust your study treatment plan.
- For designated fasting clinic visits, you will need to fast (no food or drink except water, no significant physical activity) for 8 hours before each study visit. If you were unable to fast in advance of your scheduled visit, laboratory tests and weight will not be collected, and you will be asked to return to the study site for an additional unscheduled visit.
- You will need to avoid caffeine, smoking, and strenuous physical activity within 1 hour before your clinic visit as your vital signs (blood pressure and heart rate) will be measured.
- You must tell your study doctor if you are planning to undergo surgery or a procedure while taking part in this study.

1.7 WILL I BE PAID TO PARTICIPATE?

You will be paid for each visit you complete, according to the following schedule:

In Clinic Visits (e.g. Screening Visit 1, Screening Visit 2, Week 0, Week 4, Week 8, Week 12, Week 16, Week 20, Week 24, Week 28, Week 32, Week 36, Week 48, Week 60, Week 72, ED, SFU W75, USV)	\$188 per visit
Remote Visits (Week 40, Week 44, Week 52, Week 56, Week 64, Week 68)	\$94 per visit

You will be paid following each completed visit.

Information from this study, including information from research on your samples, may lead to discoveries, inventions, or development of commercial products. You and your family will not receive any benefits or payment if this happens.

1.8 WILL IT COST ME ANYTHING?

While participating in this study, you will not have to pay for drugs or procedures that are required only for this study and are not part of your regular medical care. Reasonable out of pocket expenses, for example: travel costs, parking, and meals will also be covered. You or your health plan will have to pay for medicines and clinic, hospital, and doctors' services that are part of your regular medical care. Some health plans will not pay for medications or procedures for people participating in research studies. Your study doctor can find out what your health plan will pay for.

1.9 WHAT HAPPENS IF I AM INJURED BECAUSE I TOOK PART IN THIS STUDY?

If you get injured because you took part in this study, contact your study doctor as soon as possible at the contact information found on the first page of this form. Your study doctor will explain your options and tell you where to get treatment.

Roche will pay for costs of diagnosis and treatment for a physical injury that resulted from taking part in the study if all of the following are true:

- Roche and the study doctor agree that the study drug or a study procedure caused your injury.
- The study drug or study procedure is not part of your regular care.
- The injury was not caused by a medical condition you already had before joining the study.
- Your injury did not occur because you or the study team did not follow instructions.

To request payment for treatment costs, contact your study doctor, who will ask Roche to take action.

If a participant is eligible for Medicare, federal law requires Roche to inform the Centers for Medicare & Medicaid Services (the agency responsible for the Medicare program) when Roche is going to pay for a participant's injury. Roche may need to share personal information, such as your name, date of birth, sex, and Medicare ID number (if you have one), with the Centers for Medicare & Medicaid Services.

You will not be reimbursed for costs that any third party such as your medical insurance has already covered. You do not lose any of your legal rights by signing this form.

1.10 CAN I STOP BEING IN THE STUDY?

You can leave this study at any time. Tell your study doctor if you are thinking about stopping, and your study doctor will tell you how to stop safely. If you leave this study, you will not lose access to any of your regular care.

If there are important new findings or changes in this study that may affect your health or willingness to continue, your study doctor will let you know as soon as possible.

You may be required to stop participating in the study, even if you wish to continue. Below are some of the reasons why you may be asked to stop:

- Your safety would be at risk if you continued
- You were unable to or did not follow study instructions or procedures
- You need medical care that is not allowed by this study

- This study has been stopped by Roche, the Institutional Review Board (people responsible for protecting the rights and safety of people who take part in research studies), or regulatory authorities (government agencies involved in keeping research safe for people)

When your participation ends, no new information will be collected about you with two exceptions: 1) if you experience a side effect after the study that is believed to be related to study treatment, the study doctor may report the side effect to Roche, and 2) any laboratory samples collected prior to stopping may still be tested, unless you specifically ask for your samples to be destroyed. However, Roche will still be able to use information that was collected prior to stopping, including information from samples that were tested prior to stopping.

SECTION 2: STUDY DETAILS**2.1 STUDY TREATMENT RISKS****Risks Associated with RO7795068**

RO7795068 has had limited testing in humans. The known side effects of this study drug, as well as potential side effects based on human and laboratory studies or knowledge of similar drugs, are listed below. There may be side effects that are not known at this time.

Known Side Effects
• No known side effects
Potential Side Effects
• Nausea • Vomiting • Diarrhea (loose stool) • Constipation (difficulties passing stool) • Inflammation of the gallbladder and/or bile ducts • Inflammation of the pancreas • Hypoglycemia (low blood sugar) • Cancer of the thyroid gland • Food or liquid getting into the lungs during surgery or other procedures that use anesthesia or deep sleepiness (deep sedation) • Heart rate increase

Allergic Reaction

As with taking any drug, there is a risk of allergic reaction. If you have a very serious allergic reaction, you may be at risk of death. Some symptoms of allergic reactions are:

- Rash
- Wheezing and difficulty breathing
- Dizziness and fainting
- Swelling around the mouth, throat or eyes
- A fast pulse
- Sweating

Please seek treatment immediately and tell the study doctor and study staff if you have any of these symptoms.

2.2 STUDY PROCEDURES AND POTENTIAL RISKS

Procedures with associated risks are listed below. The study doctor will provide more detailed information about the risks and their frequency. Participation in the study may also involve unanticipated risks.

Procedures with Associated Risks		
Procedure	Approximate Timing	Potential Risks
Blood sample (about less than half a tablespoon to 3 tablespoons at each visit)	• Screening • Day 1 • Week 4 • Every 12 weeks starting from Day 1 • Early discontinuation visit (if applicable) • Follow-up visit	Drawing blood can cause pain, bruising, or infection where the needle is inserted. Some people experience dizziness, fainting, or upset stomach when their blood is drawn.
Finger stick self-monitored blood glucose monitoring	• Screening • After Day 1, at a minimum once a week on empty stomach, and as needed based on symptoms	Pain or discomfort from fingertip pricking
Subcutaneous (under the skin) injection of study drug	• Weekly starting from Day 1 and through Week 71	Injection site bruising, discomfort, swelling, or itching could occur. If you have any of these symptoms, you should notify the study staff right away.

Non-invasive procedures with minimal risks are listed below.

Non-Invasive Procedures with Minimal Risks	
Procedure	Approximate Timing
Review of medical history, including medications	• Screening
Recording of age, sex, and optional recording of self-reported race and ethnicity	• Screening
Review changes in your health or medications	• Every visit
Height	• Screening

Non-Invasive Procedures with Minimal Risks	
Procedure	Approximate Timing
Weight	• Screening • Day 1 • Every 4 weeks for the first 36 weeks and every 12 weeks thereafter, starting from Day 1 • Early discontinuation (if applicable)
Waist and hip circumference	• Screening • Day 1 • Every 12 weeks starting from Day 1 • Early discontinuation (if applicable)
Vital signs: blood pressure and heart rate	• Screening • Day 1 • Every 4 weeks for the first 24 weeks and every 12 weeks thereafter starting from Day 1 • Early discontinuation (if applicable) • Follow-up
Complete physical examination	• Screening • Week 72 • 4 weeks after last dose
Electrocardiogram (ECG): measures electrical activity of your heart	• Screening • Day 1 • Every 12 weeks starting from Day 1 • 4 weeks after last dose
Diary completion	• Study drug entries: Weekly starting from Day 1 and through Week 71. • Diet and exercise entries: A 3-day diet and exercise diary is recommended before each counseling visit (see row below). • Self-monitoring of blood glucose (SMBG) entries: Minimum two fasting SMBG on nonconsecutive days in Screening. Minimum weekly starting from Day 1, and as needed for hypoglycemic events.
Diet and exercise counseling	• Day 1 • Every 4 weeks for the first 12 weeks and 12 weeks thereafter starting from Day 1 • Early discontinuation (if applicable)

Non-Invasive Procedures with Minimal Risks	
Procedure	Approximate Timing
Questionnaires about your health status	• Day 1 • Every 24 weeks starting from Day 1 • 4 weeks after last dose
Questionnaires about your mental health	• Screening • Day 1 • Every 12 weeks starting from Day 1 • 4 weeks after last dose • If you are having suicidal thoughts or feel you are in a crisis, call 9-1-1 to be connected to local emergency services. You can also present to your local emergency room, or a healthcare provider. You can also call or text the National Suicide & Crisis Lifeline at 9-8-8 or 1-800-273-TALK (8255). The Lifeline numbers are answered 24 hours a day every day of the year by a skilled, trained counselor. If you have had suicidal thoughts, have been in a crisis, have called 9-1-1, or presented to the emergency room or a health care provider, please call the study doctor at the telephone number listed on the first page of this form.
Urine sample	• Day 1, Week 24 and Week 72 • Every 12 weeks starting from Day 1 (only for women of childbearing potential) • Early discontinuation (if applicable) • 4 weeks after last dose
Dilated eye examination	• Screening

2.3 ACCESS TO STUDY DRUG AFTER COMPLETING THE STUDY

You may be eligible to receive active study drug (RO7795068) as part of an extension study, as described in the section titled, "What will happen if I participate?" Your study doctor can give you more information. Roche does not have any other plans to provide RO7795068 to you after you have completed the study.

Your personal doctor will be responsible for your long-term care after you have completed the study.

2.4 USE AND HANDLING OF LABORATORY SAMPLES

Sample Use

Blood and urine samples will be collected as part of this study. Samples will be collected for reasons such as the following:

• Check your health through standard laboratory tests • Find out if you are pregnant • Confirm menopause status (if applicable) • Measure cholesterol and other lipids (fats) • Check the status of your T2D • Check your thyroid function • Check your kidney function • Check your pancreas function • Find out how study drug is processed by your body • Find out how variations in biomarkers (such as proteins associated with T2D, obesity, and related diseases) affect your disease or your response to investigational drug	• Find out if your body is making antibodies to study drug • Perform additional analyses related to processing of study drug or development of antibodies to study drug (if needed) • Develop tests or tools that help with detecting or understanding your disease
--	---

Sample Storage

Samples will be securely stored for a defined period (as described below) and will then be destroyed.

Samples will be stored for up to 5 years after the final study results have been reported.

2.5 PROTECTION, USE, AND SHARING OF INFORMATION

During this study, health and personal information ("information") about you will be collected. This section describes the protection, use, and sharing of your information, which consists of the following:

- Information in your medical record, which is held by the study site
- Information (including imaging data) that is collected or produced during this study ("study data"), which is held by the study site, Roche, Roche affiliates, and Roche's representatives (people and companies who work for Roche)

Your privacy is very important, and Roche uses many safeguards to protect your privacy, in accordance with applicable data privacy laws and laws related to the conduct of clinical trials.

Your study data and samples will be labeled with a participant identification (ID) number that is unique to you and not related to or derived from information that identifies you (such as your name or any other personally identifying information). Roche, Roche affiliates, and Roche's representatives will only have access to study data and samples labeled with a participant ID number, except when accessing your medical record under certain circumstances, as described below:

Your information (including your medical record, which contains personal information that can identify you) may need to be reviewed to make sure the study is being done properly or to check the quality of the information. This information will be kept private. The following people and groups of people may review and/or copy this information:

- Authorized individuals (such as study monitors and auditors) representing Roche and Roche's collaborators and licensees (people and companies who partner with Roche)
- The Institutional Review Board
- Regulatory authorities, such as the FDA

Roche, Roche affiliates, and Roche's collaborators and licensees may use study data labeled with your participant ID number. Your study data may also be shared with independent researchers or government agencies, but only after personal information that can identify you has been removed. Your study data may be combined with other people's data and/or linked to other data collected from you. Your study data may be used to help better understand why people get diseases and how to best prevent, diagnose, and treat diseases, and to develop and provide access to new medicines, medical devices, and health care solutions.

Unless required by law, your information will not be given to your insurance company or employer and will not be made public. If the results from this study are published in a medical journal or presented at a scientific meeting, you will not be identified.

While every effort will be made to protect the confidentiality of your information, absolute confidentiality cannot be guaranteed.

Information from this study will be retained by the study site for 15 years after the end of the study or for the length of time required by applicable laws, whichever is longer. In addition, Roche will retain the study data for

25 years after the final study results have been reported or for the length of time required by applicable laws, whichever is longer.

If you sign and date this Authorization form, you give permission to the study site to use and/or share your "health information," which includes all information about you that has been and will be collected by the study site (including imaging data) and information in your study site medical record. Your health information may be used or shared for the purposes of this research study and for research related to overweight or obesity and T2D or other metabolic disorders, common pathways (links) among diseases, the use of experimental drugs in disease therapy, and/or the development of tests or tools that help with detecting or understanding overweight or obesity and T2D. You do not have to sign this Authorization form, but if you do not, you cannot take part in this research study.

Your health information may be used by and/or shared with Roche, Roche affiliates, Roche's collaborators and licensees, the Institutional Review Board, and regulatory authorities. Your health information and samples may be analyzed in any country worldwide. Those persons who receive your health information may not be required by federal privacy laws to protect it and may share your health information with others without your permission, if permitted by laws that apply to them.

You have the right to see and get a copy of your medical records kept by the study site that are related to the study. However, by signing this consent form, you agree that you generally will not be able to review or receive some of your records related to the study until after the entire study has been completed. This is to protect the scientific integrity of the study.

Your permission to use and share your health information does not have an expiration date. In California, and any other state that requires an expiration date, the Authorization will expire 50 years after you sign and date this Authorization document.

You may change your mind and take back your consent at any time. If you take back your consent, no new health information will be collected about you, except as described in above. However, Roche will still be able to use and share any health information about you that has already been collected during this study. To take back your consent, you must do so in writing by contacting your study doctor using the contact information found on the first page of this form.

STATEMENT OF AUTHORIZATION

I have read this form and its contents were explained. My questions have been answered. I voluntarily agree to allow study staff to collect, use and share my health data as specified in this form. I will receive a signed and dated copy of this form for my records. I am not giving up any of my legal rights by signing this form.

Participant's name (print)

If applicable – Name of participant's legally authorized representative (print)

Relationship to participant

Participant's signature or signature of participant's legally authorized representative

Date

WITNESS SIGNATURE FOR PARTICIPANTS WHO CANNOT READ (IF APPLICABLE)

The study participant has indicated that he/she is unable to read. The authorization has been read to the participant by a member of the study staff, discussed with the participant by a member of the study staff, and the participant has been given an opportunity to ask questions of the study staff.

Witness name a (print)

Witness signature a

Date

a If the Study Doctor or Institutional Review Board deems a witness signature is necessary (as per ICH Guidelines, Good Clinical Practice [E6], 4.8.9, or local regulations).

2.6 STUDY RESULTS

Results from exploratory biomarker tests will not be shared with you or your doctor, unless required by law, and will not be part of your medical record.

A clinical study report containing the results of this trial may be made available to anyone who requests a copy. Before this report is provided, additional steps will be taken to protect your information from being linked to you.

An easy-to-understand summary of the results of this study will be available at <https://forpatients.roche.com/>. Your study doctor may inform you about the availability of the summary for this study. Once the summary is available, you can view it by entering the study number (WC45726) in the search bar. This summary will not contain any information that could lead to the identification of you or any other study participants.

When the clinical trial is completed, you can ask your study doctor to tell you which study treatment you received during the trial.

This clinical trial may be registered on databases that are available to the public.

A description of this clinical trial will be available on <http://www.ClinicalTrials.gov>, as required by U.S. Law. This Web site will not include information that can identify you. At most, the Web site will include a summary of the results. You can search this Web site at any time.

2.7 WHOM TO CONTACT ABOUT THIS STUDY

During the study, if you experience any medical problems, suffer a research-related injury, or have questions, concerns or complaints about the study such as:

- Whom to contact in the case of a research-related injury or illness;
- Payment or compensation for being in the study, if any;
- Your responsibilities as a research participant;
- Eligibility to participate in the study;
- The study doctor's or study site's decision to withdraw you from participation;
- Results of tests and/or procedures;

Please contact the study doctor at the telephone number listed on the first page of this consent document.

If you seek emergency care, or hospitalization is required, alert the treating physician that you are participating in this research study.

An institutional review board (IRB) is an independent committee established to help protect the rights of research participants. If you have any questions about your rights as a research participant, contact:

- By **mail**:
Study Subject Adviser
Advarra IRB
6100 Merriweather Dr., Suite 600
Columbia, MD 21044

- or call **toll free**: 877-992-4724
- or by **email**: adviser@advarra.com

Please reference the following number when contacting the Study Subject Adviser:
Pro00090756.

2.8 OTHER RESEARCH STUDIES

Roche may inform your study doctor about other Roche research studies that might be of interest to you, taking into consideration your medical records and/or information collected as part of this study. If allowed by local laws, your study doctor may contact you in the future to see if you would like to learn more about taking part in a new research study. Taking part in a new research study would be entirely voluntary.

Signature

I confirm that I have read this consent form, or it has been read to me. I understand the information presented and have had my questions answered. I understand that I will be given a copy of all pages of this form after it has been signed and dated. I agree to take part in this research study as described above and authorize the study site to use and share my information as described in this form.

Participant's name (print)

If applicable – Name of participant's legally authorized representative (print)

Relationship to participant

Participant's signature or signature of participant's legally authorized representative

Date

I, the undersigned, have fully explained this informed consent to the participant named above and/or the participant's legally authorized representative.

Name of person conducting informed consent discussion (print)

Signature of person conducting informed consent discussion

Date

WITNESS SIGNATURE FOR PARTICIPANTS WHO CANNOT READ (if applicable)

The study participant has indicated that he/she is unable to read. The consent document has been read to the participant by a member of the study staff, discussed with the participant by a member of the study staff, and the participant has been given an opportunity to ask questions of the study staff

Witness name ^a (print)

Witness signature ^a

Date

^a If the study doctor or Institutional Review Board deems a witness signature is necessary (as per ICH Guidelines, Good Clinical Practice [E6], 4.8.9, or local regulations).

SECTION 3: CONSENT FOR OPTIONAL COLLECTION AND STORAGE OF SAMPLES FOR THE RESEARCH BIOSAMPLE REPOSITORY

INTRODUCTION

The Research Biosample Repository (RBR) is a collection of samples that will be tested by researchers during Study WC45726 and for future research. Reasons for testing may include:

- Finding out why certain people are more likely to respond to study treatments than others
- Finding out how and why diseases act differently in different people
- Developing new treatments for diseases or medical conditions
- Finding out why certain people are more likely to have side effects than others
- Finding out how study treatments are processed in the body
- Finding out how study treatments affect the body
- Developing better ways for preventing diseases or treating diseases earlier
- Developing or improving tests or tools that help with detecting or understanding diseases and identifying the right medicine for the right patient

You are being asked to donate blood, serum, plasma, and urine samples to the RBR. Donating your samples to the RBR is your choice. No matter what you choose, it will not affect your participation in the main study or the regular care you receive from your doctors.

WHAT WILL HAPPEN IF I PARTICIPATE?

Listed below are the procedures for donating samples, along with any potential risks.

Procedure	Potential Risks
A blood sample (about 3 mL [less than 1 teaspoon]) will be collected for the RBR.	The RBR blood sample will be collected at the same time as another scheduled sample collection, so there are no additional risks.
Any remaining serum, plasma, and urine collected during the study will be donated to the RBR.	There are no additional risks associated with donating remaining serum, plasma, and urine to the RBR.

Samples will be securely stored in the RBR until they are no longer needed or until they are used up, and will then be destroyed.

Testing may involve analysis of your genome (DNA), the "instruction book" for the cells in your body. Your samples may be tested for inherited or non-inherited genome variations, to allow for exploration of broad health research questions across disease areas. Testing may include analysis of all of your DNA (whole genome sequencing) or analysis of part of your DNA. Analyses of samples from a large number of people may help researchers learn more about RO7795068 and similar drugs, obesity and T2D and other diseases, possible links among diseases, genome variations and how they might affect a disease or a person's response to the study treatment, and new avenues for drug development and personalized therapies.

ARE THERE ANY BENEFITS TO DONATING SAMPLES?

You will not receive any direct benefit from donating your samples. However, research performed on these samples may benefit other patients with overweight or obesity and T2D or a similar condition in the future.

WILL I BE PAID IF I DONATE SAMPLES?

You will not be paid for donating samples to the RBR.

Information from research on your RBR samples may lead to discoveries, inventions, or development of commercial products. You and your family will not receive any benefits or payment if this happens.

HOW WILL MY PRIVACY BE PROTECTED?

Your samples and information will be labeled with your participant ID number; they will not be labeled with your name, your picture, or any other personally identifying information. Your samples and information will be kept under the same level of privacy used for the main study. Roche uses many safeguards to protect your privacy.

Unless required by law, information from the analyses will not be given to your insurance company or employer and will not be made public. If the research results are published in a medical journal or presented at a scientific meeting, you will not be identified. Information from the sample analyses will not be part of your medical record.

Roche, Roche affiliates, and Roche's collaborators and licensees may study the RBR samples and information in any country worldwide.

Data from analysis of RBR samples may be shared with researchers or government agencies, but only after personal information that can identify you has been removed. These data may be combined with or linked to other data and used for research purposes, to advance science and public health, or for analysis, development, testing, and commercialization of products that treat or diagnose disease, or improve patient care. These data will not include information that identifies you.

The Genetic Information Nondiscrimination Act generally makes it illegal for health insurance companies, group health plans, and most employers to discriminate against you on the basis of your genetic information. This act generally will protect you in the following ways:

- Health insurance companies and group health plans cannot request your genetic information from this research
- Health insurance companies and group health plans cannot use your genetic information when making decisions regarding your eligibility or premiums
- Employers with 15 or more employees cannot use your genetic information from this research when setting the terms of your employment

This federal law does not protect you against genetic discrimination by companies that sell life insurance, disability insurance, or long-term care insurance.

WILL I HAVE ACCESS TO MY TEST RESULTS?

Information from the sample analyses will not be shared with you or your doctor, unless required by law, except as described below.

You may request access to the genome sequencing data obtained from your blood sample, if permitted by local law. You must submit any request for access to such sequencing data to your study doctor. This information shared with you and your study doctor may be available in the form of a file of raw genomic sequencing data. This file will not contain any interpretation of your data, and no clinical report will be available. The data will not be included in your medical record. Your blood sample may be tested many years after the study has ended, or may never be tested. This means your genomic sequencing data may not be available at the time of your request, or may never be available. Roche will do its best to forward available data, but there is no guarantee that data will be forwarded in response to every request.

CAN I CHANGE MY MIND ABOUT STORING MY SAMPLES IN THE RBR?

You can change your mind at any time. If you want to withdraw your consent for the RBR, tell your study doctor that you no longer want your samples stored or used for research. After you withdraw consent, any samples that remain will be destroyed. If you change your mind and your samples have already been tested, Roche will still be able to use the results from those tests. If you withdraw or discontinue from the main study, your RBR samples will continue to be stored and used for research unless you specifically ask that they be destroyed.

Signature

I willingly consent to allow my samples to be stored in the RBR and used for the research described above.

Participant's name (print)

If applicable – Name of participant's legally authorized representative (print)

Relationship to participant

Participant's signature or signature of participant's legally authorized representative

Date

I, the undersigned, have fully explained this informed consent to the participant named above and/or the participant's legally authorized representative.

Name of person conducting informed consent discussion (print)

Signature of person conducting informed consent discussion

Date

WITNESS SIGNATURE FOR PARTICIPANTS WHO CANNOT READ (if applicable)

The study participant has indicated that he/she is unable to read and/or physically sign the consent document. The authorization document has been read to the participant by a member of the study staff, discussed with the participant by a member of the study staff, and the participant has been given an opportunity to ask questions of the study staff

Witness name ^a (print)

Witness signature ^a

Date

^a If the study doctor or Institutional Review Board deems a witness signature is necessary (as per ICH Guidelines, Good Clinical Practice [E6], 4.8.9, or local regulations)