

# Cucumber Report

03-Sep-2024, 3:35:56 pm

Start : Sep 03, 3:35:29.243 pm

End : Sep 03, 3:35:54.928 pm

Duration : 25.685 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 6  
SKIPPED - 0

PASSED - 0  
FAILED - 7  
SKIPPED - 0


PASSED - 0  
FAILED - 0  
SKIPPED - 52




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Functionality of Text Box</u>	25.685 s	2	0	2	0	18	0	0	18
<u>Create a campaign</u>	23.829 s	1	0	1	0	8	0	0	8
<u>Create a campaign</u>	19.715 s	1	0	1	0	6	0	0	6
<u>Sign In</u>	19.638 s	1	0	1	0	6	0	0	6
<u>Create a campaign</u>	19.779 s	1	0	1	0	10	0	0	10
<u>Logon to amazon</u>	20.561 s	1	0	1	0	4	0	0	4

#	Feature Name	Scenario Name
1	<u>Functionality of Text Box</u>	<u>Entering the values in Text Box Field</u>
2		<u>Entering the values in Text Box Field</u>
3	<u>Create a campaign</u>	<u>Validate PO Generation and Receipt Creation</u>
4		<u>Validate Draft and Final Invoice Generation</u>
5	<u>Sign In</u>	<u>Sign on Zoho</u>
6	<u>Create a campaign</u>	<u>Validate Create Campaign and Assign Supplier</u>
7	<u>Logon to amazon</u>	<u>Logon Amazon</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@TextBox	2	0	2	0	1	0	1	0
@EproCampaignCreation	3	0	3	0	3	0	3	0
@Scenario2	1	0	1	0	1	0	1	0
@Scenario3	1	0	1	0	1	0	1	0
@Zoho	1	0	1	0	1	0	1	0
@Scenario1	1	0	1	0	1	0	1	0
@Amazon	1	0	1	0	1	0	1	0
@Scenario11	1	0	1	0	1	0	1	0





#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Functionality of Text Box</u>	2	0	2	0	25.685 s
2	<u>Create a campaign</u>	1	0	1	0	23.829 s
3	<u>Create a campaign</u>	1	0	1	0	19.715 s
4	<u>Sign In</u>	1	0	1	0	19.638 s
5	<u>Create a campaign</u>	1	0	1	0	19.779 s
6	<u>Logon to amazon</u>	1	0	1	0	20.561 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Functionality of Text Box</u>	<u>Entering the values in Text Box Field</u>	9	0	0	9	25.680 s
2		<u>Entering the values in Text Box Field</u>	9	0	0	9	19.048 s
3	<u>Create a campaign</u>	<u>Validate PO Generation and Receipt Creation</u>	8	0	0	8	23.829 s
4		<u>Validate Draft and Final Invoice Generation</u>	6	0	0	6	19.715 s
5	<u>Sign In</u>	<u>Sign on Zoho</u>	6	0	0	6	19.638 s
6	<u>Create a campaign</u>	<u>Validate Create Campaign and Assign Supplier</u>	10	0	0	10	19.779 s
7	<u>Logon to amazon</u>	<u>Logon Amazon</u>	4	0	0	4	20.561 s

## Functionality of Text Box

<b>FAILED</b>	DURATION - 25.685 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 18 Pass - 0 Fail - 0 Skip - 18	
/ 3:35:29.243 pm // 3:35:54.928 pm /					

## Entering the values in Text Box Field

<div>FAILED</div>	<div>DURATION - 25.680 s</div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	<div></div>
<div>/ 3:35:29.248 pm // 3:35:54.928 pm /</div>				
<div>Functionality of Text Box</div>				
<div>@TextBox</div>				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - stepDefinitions.Hooks.BeforeSteps()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PG033Y7Y', ip: '192.168.1.4' Build info: version: '4.23.0', revision: '4df0a231af' System info: os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]} Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:163)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:143)  at TestResourceManager.WebDrivermanager.createLocalDriver(WebDrivermanager.java:74)  at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:43)  at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:37)  at otherResources.TestContext.&lt;init&gt;(TestContext.java:25)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p>	FAILED	12.150 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		





#	Step / Hook Details	Status	Duration
	<p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)  at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)  at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34)  at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136)  at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635)  at java.base/java.lang.Thread.run(Thread.java:842)</p> <p>Caused by: java.io.UncheckedIOException: java.net.ConnectException  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)  at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)  at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)  ... 63 more Caused by: java.net.ConnectException  at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1055)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:198)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:230)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:206)  at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)  at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911)  at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510)  at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773)  ... 3 more Caused by: java.nio.channels.ClosedChannelException  at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:195)  at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:760)  at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:848)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$0(PlainHttpConnection.java:183)  at java.base/java.security.AccessController.doPrivileged(AccessController.java:569)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:185)</p>		

#	Step / Hook Details	Status	Duration
1	Given User enter and Launches website "https://demoqa.com/"	SKIPPED	0.000 s
2	When User click on element	SKIPPED	0.000 s
3	When User click on Text Box	SKIPPED	0.000 s
4	And User enter the name name1	SKIPPED	0.000 s
5	And User enter the mail name1@gmail.com	SKIPPED	0.000 s
6	And User enter the current address success	SKIPPED	0.000 s
7	And User enter the Permanent address success	SKIPPED	0.000 s
8	And User click on submit	SKIPPED	0.000 s
9	Then User will visible enter details	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.teardown()	FAILED	13.508 s
	<p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PG033Y7Y', ip: '192.168.1.4' Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]} Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:163)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:143)  at TestResourceManager.WebDrivermanager.createLocalDriver(WebDrivermanager.java:74)  at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:43)  at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:37)  at otherResources.TestContext.&lt;init&gt;(TestContext.java:25)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)  at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)  at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)  at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)  at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)  at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)  at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)  at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)  at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)  at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)</p>		

#	Step / Hook Details	Status	Duration
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:90) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842)		

#	Step / Hook Details	Status	Duration
	<p>Caused by: java.io.UncheckedIOException: java.net.ConnectException</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439)</p> <p>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)</p> <p>at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)</p> <p>at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)</p> <p>... 63 more Caused by: java.net.ConnectException</p> <p>at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1055)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:198)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:230)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:206)</p> <p>at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)</p> <p>at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911)</p> <p>at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510)</p> <p>at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773)</p> <p>... 3 more Caused by: java.nio.channels.ClosedChannelException</p> <p>at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:195)</p> <p>at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:760)</p> <p>at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:848)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$0(PlainHttpConnection.java:183)</p> <p>at java.base/java.security.AccessController.doPrivileged(AccessController.java:569)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:185)</p>		

## Entering the values in Text Box Field

FAILED		DURATION - 19.048 s			<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	
/ 3:35:29.251 pm // 3:35:48.299 pm /						
Functionality of Text Box						
@TextBox						

#	Step / Hook Details	Status	Duration
	<p><b>BEFORE - stepDefinitions.Hooks.BeforeSteps()</b></p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PG033Y7Y', ip: '192.168.1.4' Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]] Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:163)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:143)  at TestResourceManager.WebDrivermanager.createLocalDriver(WebDrivermanager.java:74)  at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:43)  at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:37)  at otherResources.TestContext.&lt;init&gt;(TestContext.java:25)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)  at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)  at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)  at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)  at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)  at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)  at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)  at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)  at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)  at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)  at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)  at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)  at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)  at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)  at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)  at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)  at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)  at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)  at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)  at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)  at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)</p>	<b>FAILED</b>	10.858 s

#	Step / Hook Details	Status	Duration
	<pre> at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842) Caused by: java.io.UncheckedIOException: java.net.ConnectException at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) ... 63 more Caused by: java.net.ConnectException at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1055) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:198) at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:230) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:206) at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934) at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911) at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773) ... 3 more Caused by: java.nio.channels.ClosedChannelException at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:195) at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:760) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:848) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$0(PlainHttpConnection.java:183) at java.base/java.security.AccessController.doPrivileged(AccessController.java:569) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:185) </pre>		
1	Given User enter and Launches website "https://demoqa.com/"	SKIPPED	0.001 s
2	When User click on element	SKIPPED	0.000 s
3	When User click on Text Box	SKIPPED	0.000 s
4	And User enter the name name2	SKIPPED	0.000 s
5	And User enter the mail name2@gmail.com	SKIPPED	0.000 s
6	And User enter the current address fail	SKIPPED	0.001 s
7	And User enter the Permanent address fail	SKIPPED	0.001 s
8	And User click on submit	SKIPPED	0.000 s
9	Then User will visible enter details	SKIPPED	0.000 s
	<p>AFTER - stepDefinitions.Hooks.teardown()</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PG033Y7Y', ip: '192.168.1.4' Build info: version: '4.23.0', revision: '4df0a231af' System info: os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]} Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234) at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:163) at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:143) at TestResourceManager.WebDrivermanager.createLocalDriver(WebDrivermanager.java:74) </pre>	FAILED	8.149 s





#	Step / Hook Details	Status	Duration
	at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:43) at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:37) at otherResources.TestContext.<init>(TestContext.java:25) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:90) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		





#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)  at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)  at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34)  at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136)  at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635)  at java.base/java.lang.Thread.run(Thread.java:842)  Caused by: java.io.UncheckedIOException: java.net.ConnectException  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)  at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)  at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)  ... 63 more Caused by: java.net.ConnectException  at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1055)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:198)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:230)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:206)  at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)  at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911)  at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510)  at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773)  ... 3 more Caused by: java.nio.channels.ClosedChannelException  at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:195) </p>		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:760) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:848) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$0(PlainHttpConnection.java:183) at java.base/java.security.AccessController.doPrivileged(AccessController.java:569) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:185)		

## Create a campaign

<b>FAILED</b>	DURATION - 23.829 s	Scenarios		Steps	
/ 3:35:29.253 pm // 3:35:53.082 pm /		Total - 1		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 8	

## Validate PO Generation and Receipt Creation

<div>FAILED</div> <div>DURATION - 23.829 s</div>			Steps	
/ 3:35:29.253 pm // 3:35:53.082 pm /			Total - 8	
Create a campaign			Pass - 0	
@EproCampaignCreation @Scenario2			Fail - 0	
			Skip - 8	

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.BeforeSteps()  org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PG033Y7Y', ip: '192.168.1.4' Build info: version: '4.23.0', revision: '4df0a231af' System info: os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]} Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr. ..., extensions: []}} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:143)	FAILED	11.764 s

#	Step / Hook Details	Status	Duration
	at TestResourceManager.WebDrivermanager.createLocalDriver(WebDrivermanager.java:74) at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:43) at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:37) at otherResources.TestContext.<init>(TestContext.java:25) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)</p> <p>at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)</p> <p>at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34)</p> <p>at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136)</p> <p>at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635)</p> <p>at java.base/java.lang.Thread.run(Thread.java:842)</p> <p>Caused by: java.io.UncheckedIOException: java.net.ConnectException</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439)</p> <p>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)</p> <p>at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)</p> <p>at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)</p> <p>... 63 more Caused by: java.net.ConnectException</p> <p>at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1055)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:198)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:230)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:206)</p> <p>at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)</p> <p>at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911)</p> <p>at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510)</p> <p>at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773)</p> <p>... 3 more Caused by: java.nio.channels.ClosedChannelException</p>		



#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:195) at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:760) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:848) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$0(PlainHttpConnection.java:183) at java.base/java.security.AccessController.doPrivileged(AccessController.java:569) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:185)		
1	Given User launches Epro url and login with valid Staginguser_2 and Password@123456	SKIPPED	0.001 s
2	And On Campaign Item Page verify Status as Quote Accepted and User will Send and the create PO	SKIPPED	0.000 s
3	Then Verify Status as PO Created after creating the PO on Campaign Item Page	SKIPPED	0.000 s
4	And User will navigate to Finance page to create receipt	SKIPPED	0.000 s
5	Then User will upload POD document	SKIPPED	0.000 s
6	And Verify Has POD column status with green tick	SKIPPED	0.001 s
7	And User navigate to the Receipt Tab and click on required Checkbox	SKIPPED	0.000 s
8	Then Verify Receipted column status with green tick	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.teardown()	FAILED	12.048 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PG033Y7Y', ip: '192.168.1.4' Build info: version: '4.23.0', revision: '4df0a231af' System info: os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]} Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:143) at TestResourceManager.WebDrivermanager.createLocalDriver(WebDrivermanager.java:74) at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:43) at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:37) at otherResources.TestContext.<init>(TestContext.java:25) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		

#	Step / Hook Details	Status	Duration
	<p>at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)</p> <p>at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)</p> <p>at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)</p> <p>at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)</p> <p>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)</p> <p>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)</p> <p>at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)</p> <p>at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)</p> <p>at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)</p> <p>at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)</p> <p>at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)</p> <p>at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)</p> <p>at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)</p> <p>at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)</p> <p>at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)</p> <p>at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)</p> <p>at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)</p> <p>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)</p> <p>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)</p> <p>at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)</p> <p>at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)</p> <p>at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:53)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:90)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842) Caused by: java.io.UncheckedIOException: java.net.ConnectException at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) ... 63 more Caused by: java.net.ConnectException at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1055) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:198) at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:230) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:206) at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934) at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911) at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773) ... 3 more Caused by: java.nio.channels.ClosedChannelException at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:195) at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:760) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:848) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$0(PlainHttpConnection.java:183) at java.base/java.security.AccessController.doPrivileged(AccessController.java:569) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:185) </pre>		

Create a campaign



<b>FAILED</b>	<b>DURATION - 19.715 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 3:35:29.255 pm // 3:35:48.970 pm /					

### Validate Draft and Final Invoice Generation

<div>FAILED</div> <div>DURATION - 19.715 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	<div></div>
<div>/ 3:35:29.255 pm // 3:35:48.970 pm /</div>				
<div>Create a campaign</div>				
<div>@EproCampaignCreation @Scenario3</div>				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - stepDefinitions.Hooks.BeforeSteps()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PG033Y7Y', ip: '192.168.1.4' Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]} Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:163)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:143)  at TestResourceManager.WebDrivermanager.createLocalDriver(WebDrivermanager.java:74)  at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:43)  at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:37)  at otherResources.TestContext.&lt;init&gt;(TestContext.java:25)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)</p>	FAILED	10.931 s



#	Step / Hook Details	Status	Duration
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842) Caused by: java.io.UncheckedIOException: java.net.ConnectException at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) ... 63 more Caused by: java.net.ConnectException at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1055) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:198) at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:230) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:206) at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934) at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911) at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773) ... 3 more Caused by: java.nio.channels.ClosedChannelException at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:195) at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:760) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:848) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$0(PlainHttpConnection.java:183) at java.base/java.security.AccessController.doPrivileged(AccessController.java:569) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:185) </pre>		
1	Given User launches Epro url and login with valid Staginguser_2 and Password@123456	SKIPPED	0.001 s
2	And User get the Campaign id for PO Receipted and navigate to Sales Order page	SKIPPED	0.001 s
3	Then User will Create Draft Invoice	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And Click on Finance and navigate to Sales Invoice	SKIPPED	0.000 s
5	And Click on resepective Invoice number (Manage Invoice)	SKIPPED	0.000 s
6	Then User will send Final Invoice to customer	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.teardown()	FAILED	8.771 s
	<p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PG033Y7Y', ip: '192.168.1.4' Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]} Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:163)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:143)  at TestResourceManager.WebDrivermanager.createLocalDriver(WebDrivermanager.java:74)  at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:43)  at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:37)  at otherResources.TestContext.&lt;init&gt;(TestContext.java:25)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)  at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)  at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)  at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)  at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)  at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)  at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)  at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)  at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)  at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)  at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)  at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)  at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)  at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)  at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)  at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)  at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)</p>		



#	Step / Hook Details	Status	Duration
	<p>at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)</p> <p>at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)</p> <p>at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)</p> <p>at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)</p> <p>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)</p> <p>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)</p> <p>at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)</p> <p>at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)</p> <p>at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:53)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:90)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)</p> <p>at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)</p> <p>at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34)</p> <p>at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136)</p> <p>at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635)</p> <p>at java.base/java.lang.Thread.run(Thread.java:842)</p> <p>Caused by: java.io.UncheckedIOException: java.net.ConnectException</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439)</p> <p>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)</p> <p>at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) ... 63 more Caused by: java.net.ConnectException at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1055) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:198) at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:230) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:206) at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934) at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911) at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773) ... 3 more Caused by: java.nio.channels.ClosedChannelException at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:195) at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:760) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:848) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$0(PlainHttpConnection.java:183) at java.base/java.security.AccessController.doPrivileged(AccessController.java:569) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:185) </pre>		

## Sign In

<b>FAILED</b>	<b>DURATION - 19.638 s</b>	Scenarios		Steps	
/ 3:35:29.257 pm // 3:35:48.895 pm /		Total - 1		Total - 6	
		Pass - 0	1	Pass - 0	6
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 6	

## Sign on Zoho

<div>FAILED</div> <div>DURATION - 19.638 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	<div></div>
<div>/ 3:35:29.257 pm // 3:35:48.895 pm /</div>				
<div>Sign In</div>				
<div>@Zoho</div>				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - stepDefinitions.Hooks.BeforeSteps()</b> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PG033Y7Y', ip: '192.168.1.4' Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]] Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)     at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234)     at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:163)     at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:143)     at TestResourceManager.WebDrivermanager.createLocalDriver(WebDrivermanager.java:74)     at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:43)     at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:37)     at otherResources.TestContext.&lt;init&gt;(TestContext.java:25)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)     at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)     at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) </pre>	<b>FAILED</b>	10.890 s

#	Step / Hook Details	Status	Duration
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842)		



#	Step / Hook Details	Status	Duration
	<p>Caused by: java.io.UncheckedIOException: java.net.ConnectException  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)  at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)  at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)  ... 63 more Caused by: java.net.ConnectException  at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1055)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:198)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:230)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:206)  at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)  at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911)  at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510)  at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773)  ... 3 more Caused by: java.nio.channels.ClosedChannelException  at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:195)  at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:760)  at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:848)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$0(PlainHttpConnection.java:183)  at java.base/java.security.AccessController.doPrivileged(AccessController.java:569)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:185)</p>		
1	Given User launches url "https://accounts.zoho.in/signin?servicename=ZohoHome&signupurl=https://www.zoho.com/signup.html"	SKIPPED	0.000 s
2	When User enter email "nitinvmore1981@gmail.com"	SKIPPED	0.001 s
3	And User click on Next	SKIPPED	0.000 s
4	And User enter password "Nitin@2020"	SKIPPED	0.000 s
5	And User click on Sign in	SKIPPED	0.000 s
6	Then User on Home Page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.teardown()	FAILED	8.732 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PG033Y7Y', ip: '192.168.1.4' Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.remote.RemoteWebDriver		





#	Step / Hook Details	Status	Duration
	<p>Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]] Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:163)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:143)  at TestResourceManager.WebDrivermanager.createLocalDriver(WebDrivermanager.java:74)  at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:43)  at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:37)  at otherResources.TestContext.&lt;init&gt;(TestContext.java:25)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)  at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)  at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)  at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)  at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)  at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)  at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)  at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)  at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)  at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)  at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)  at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)  at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)  at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)  at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)  at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)  at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)  at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)  at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)  at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)  at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)  at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)  at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)  at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:90) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842) Caused by: java.io.UncheckedIOException: java.net.ConnectException at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) ... 63 more Caused by: java.net.ConnectException at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1055) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:198) </pre>		

#	Step / Hook Details	Status	Duration
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:230) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:206) at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934) at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911) at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773) ... 3 more Caused by: java.nio.channels.ClosedChannelException at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:195) at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:760) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:848) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$0(PlainHttpConnection.java:183) at java.base/java.security.AccessController.doPrivileged(AccessController.java:569) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:185)		

## Create a campaign

<b>FAILED</b>	DURATION - 19.779 s	Scenarios		Steps	
/ 3:35:29.260 pm // 3:35:49.039 pm /		Total - 1		Total - 10	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 10	

## Validate Create Campaign and Assign Supplier

<b>FAILED</b>	DURATION - 19.779 s		Steps	
/ 3:35:29.260 pm // 3:35:49.039 pm /			Total - 10	
Create a campaign			Pass - 0	
@EproCampaignCreation @Scenario1			Fail - 0	
			Skip - 10	

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.BeforeSteps()	FAILED	10.853 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PG033Y7Y', ip: '192.168.1.4' Build info: version: '4.23.0', revision: '4df0a231af' System info: os.		

#	Step / Hook Details	Status	Duration
	<p>name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.remote.RemoteWebDriver  Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]} Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:163)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:143)  at TestResourceManager.WebDrivermanager.createLocalDriver(WebDrivermanager.java:74)  at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:43)  at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:37)  at otherResources.TestContext.&lt;init&gt;(TestContext.java:25)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)  at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)  at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)  at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)  at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)  at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)  at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)  at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)  at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)  at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)  at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)  at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)  at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)  at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)  at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)  at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)  at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)  at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)  at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)  at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)  at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)  at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)  at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)  at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842) Caused by: java.io.UncheckedIOException: java.net.ConnectException at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) ... 63 more Caused by: java.net.ConnectException at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1055) </pre>		

#	Step / Hook Details	Status	Duration
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:198) at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:230) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:206) at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934) at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911) at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773) ... 3 more Caused by: java.nio.channels.ClosedChannelException at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:195) at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:760) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:848) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$0(PlainHttpConnection.java:183) at java.base/java.security.AccessController.doPrivileged(AccessController.java:569) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:185)		
1	Given User launches Epro url and login with valid Staginguser_2 and Password@123456	SKIPPED	0.003 s
2	And user navigate to Campaign page and create campaign	SKIPPED	0.002 s
3	And User add new Item in the Campaign using Create New Item button	SKIPPED	0.000 s
4	Then Verify Campaign status as Created	SKIPPED	0.001 s
5	And Click on Submit for Costing button	SKIPPED	0.000 s
6	And User will add Supplier Cost using Submit supplier button	SKIPPED	0.001 s
7	And User will manage the supplier price and add all required details	SKIPPED	0.000 s
8	And User will navigate to Quote Managment tab and generate quote	SKIPPED	0.000 s
9	And User will accept the quote on clicking of Quote Accepted button	SKIPPED	0.000 s
10	Then Verify status as Quote Accepted on Campaign Item Page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.teardown()  org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PG033Y7Y', ip: '192.168.1.4' Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]} Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:143) at TestResourceManager.WebDrivermanager.createLocalDriver(WebDrivermanager.java:74) at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:43) at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:37)	FAILED	8.868 s

#	Step / Hook Details	Status	Duration
	at otherResources.TestContext.<init>(TestContext.java:25) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:90) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		





#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)</p> <p>at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)</p> <p>at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34)</p> <p>at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136)</p> <p>at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635)</p> <p>at java.base/java.lang.Thread.run(Thread.java:842)</p> <p>Caused by: java.io.UncheckedIOException: java.net.ConnectException</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439)</p> <p>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)</p> <p>at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)</p> <p>at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)</p> <p>... 63 more Caused by: java.net.ConnectException</p> <p>at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1055)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:198)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:230)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:206)</p> <p>at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)</p> <p>at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911)</p> <p>at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510)</p> <p>at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773)</p> <p>... 3 more Caused by: java.nio.channels.ClosedChannelException</p> <p>at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:195)</p> <p>at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:760)</p> <p>at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:848)</p>		





#	Step / Hook Details	Status	Duration
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$0(PlainHttpConnection.java:183) at java.base/java.security.AccessController.doPrivileged(AccessController.java:569) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:185)		

## Logon to amazon

<b>FAILED</b>	DURATION - 20.561 s	Scenarios		Steps	
/ 3:35:29.267 pm // 3:35:49.828 pm /		Total - 1		Total - 4	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 4	

## Logon Amazon

<div>FAILED</div> <div>DURATION - 20.561 s</div>			Steps	
/ 3:35:29.267 pm // 3:35:49.828 pm /			Total - 4	
Logon to amazon			Pass - 0	
@Amazon @Scenario11			Fail - 0	
			Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.BeforeSteps()	<b>FAILED</b>	11.124 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PG033Y7Y', ip: '192.168.1.4' Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]} Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:143) at TestResourceManager.WebDrivermanager.createLocalDriver(WebDrivermanager.java:74) at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:43)		

#	Step / Hook Details	Status	Duration
	at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:37) at otherResources.TestContext.<init>(TestContext.java:25) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842) Caused by: java.io.UncheckedIOException: java.net.ConnectException at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) ... 63 more Caused by: java.net.ConnectException at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1055) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:198) at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:230) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:206) at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934) at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911) at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773) ... 3 more Caused by: java.nio.channels.ClosedChannelException at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:195) at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:760) </pre>		

#	Step / Hook Details	Status	Duration				
	at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:848) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$0(PlainHttpConnection.java:183) at java.base/java.security.AccessController.doPrivileged(AccessController.java:569) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:185)						
1	Given User launches "https://www.amazon.com/"	SKIPPED	0.000 s				
2	When username and password are entered	SKIPPED	0.004 s				
	<table><tr><td>UserName</td><td>Password</td></tr><tr><td>test@email.com</td><td>RandomPassword</td></tr></table>	UserName	Password	test@email.com	RandomPassword		
UserName	Password						
test@email.com	RandomPassword						
3	And user clicks on submit button	SKIPPED	0.000 s				
4	Then user should get logged in	SKIPPED	0.000 s				
	AFTER - stepDefinitions.Hooks.teardown()  org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PG033Y7Y', ip: '192.168.1.4' Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]} Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:143) at TestResourceManager.WebDrivermanager.createLocalDriver(WebDrivermanager.java:74) at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:43) at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:37) at otherResources.TestContext.<init>(TestContext.java:25) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)	FAILED	9.428 s				

#	Step / Hook Details	Status	Duration
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:90) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635)		

#	Step / Hook Details	Status	Duration
	<p>at java.base/java.lang.Thread.run(Thread.java:842)</p> <p>Caused by: java.io.UncheckedIOException: java.net.ConnectException</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439)</p> <p>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)</p> <p>at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)</p> <p>at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)</p> <p>... 63 more Caused by: java.net.ConnectException</p> <p>at java.net.http/jdk.internal.net.http.common.Utls.toConnectException(Utls.java:1055)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:198)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:230)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:206)</p> <p>at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)</p> <p>at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911)</p> <p>at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510)</p> <p>at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773)</p> <p>... 3 more Caused by: java.nio.channels.ClosedChannelException</p> <p>at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:195)</p> <p>at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:760)</p> <p>at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:848)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$0(PlainHttpConnection.java:183)</p> <p>at java.base/java.security.AccessController.doPrivileged(AccessController.java:569)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:185)</p>		