

# Cucumber Report

25-Sep-2024, 8:02:38 pm

Start : Sep 25, 7:59:00.345 pm

End : Sep 25, 8:02:37.450 pm

Duration : 3 m 37.105 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 2  
SKIPPED - 0


PASSED - 18  
FAILED - 0  
SKIPPED - 12




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Sign In</u>	3 m 37.105 s	5	3	2	0	30	18	0	12

#	Feature Name	Scenario Name
1	<u>Sign In</u>	<u>Sign on Zoho</u>
2		<u>Sign on Zoho</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Zoho	5	3	2	0	1	0	1	0
@Scenario1	5	3	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Sign In</u>	5	3	2	0	3 m 37.105 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Sign In</u>	<u>Sign on Zoho</u>	6	6	0	0	6.800 s
2		<u>Sign on Zoho</u>	6	6	0	0	5.704 s
3		<u>Sign on Zoho</u>	6	6	0	0	6.090 s
4		<u>Sign on Zoho</u>	6	0	0	6	3 m 18.387 s
5		<u>Sign on Zoho</u>	6	0	0	6	0.072 s

## Sign In

FAILED	DURATION - 3 m 37.105 s	Scenarios Total - 5 Pass - 3 Fail - 2 Skip - 0		Steps Total - 30 Pass - 18 Fail - 0 Skip - 12	
/ 7:59:00.345 pm // 8:02:37.450 pm /					



## Sign on Zoho

<div>PASSED</div>	<div>DURATION - 6.800 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:59:00.349 pm // 7:59:07.149 pm /</div>				
<div>Sign In</div>				
<div>@Zoho @Scenario1</div>				



#	Step / Hook Details	Status	Duration
1	Given User launches url "https://accounts.zoho.in/signin?servicename=ZohoHome&signupurl=https://www.zoho.com/signup.html"	PASSED	0.716 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	image		
			
2	When User enter email 'nitinvmore1981@gmail.com'	PASSED	0.810 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	image		

#	Step / Hook Details	Status	Duration
			
3	And User click on Next	PASSED	0.080 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	image		
			
4	And User enter password 'Nitin@2020'	PASSED	0.101 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	image		
			
5	And User click on Sign in	PASSED	0.065 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.570 s
	image		









#	Step / Hook Details	Status	Duration
			
6	Then User on Home Page	PASSED	0.000 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
			

## Sign on Zoho



PASSED		DURATION - 5.704 s			Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 7:59:07.162 pm // 7:59:12.866 pm /						
Sign In						
@Zoho @Scenario1						

#	Step / Hook Details	Status	Duration
1	Given User launches url "https://accounts.zoho.in/signin?servicename=ZohoHome&signupurl=https://www.zoho.com/signup.html"	PASSED	0.664 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	image		

#	Step / Hook Details	Status	Duration
			
2	When User enter email 'chetanspatel1996@gmail.com'	PASSED	1.256 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
	image		
			
3	And User click on Next	PASSED	0.081 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	image		
			
4	And User enter password 'Chetan123'	PASSED	0.068 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	image		


#	Step / Hook Details	Status	Duration
			
5	And User click on Sign in	PASSED	0.061 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	image		
			
6	Then User on Home Page	PASSED	0.001 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
	image		
			

Sign on Zoho



<div>PASSED</div>	<div>DURATION - 6.090 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 7:59:12.879 pm // 7:59:18.969 pm /				
<div>Sign In</div>				
@Zoho @Scenario1				

#	Step / Hook Details	Status	Duration
1	Given User launches url "https://accounts.zoho.in/signin?servicename=ZohoHome&signupurl=https://www.zoho.com/signup.html"	PASSED	0.618 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.360 s
	image		
2	When User enter email 'chetanspatel1996@gmail.com'	PASSED	0.784 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	image		
3	And User click on Next	PASSED	0.077 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	image		

#	Step / Hook Details	Status	Duration
			
4	And User enter password 'Chetan123'	PASSED	0.147 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	image		
			
5	And User click on Sign in	PASSED	0.068 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	image		
			
6	Then User on Home Page	PASSED	0.000 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.353 s
	image		

#	Step / Hook Details	Status	Duration
			

## Sign on Zoho

<div>FAILED</div> <div>DURATION - 3 m 18.387 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 7:59:18.977 pm // 8:02:37.364 pm /				
Sign In				
@Zoho @Scenario1				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - stepDefinitions.Hooks.BeforeSteps()</b> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PF3MMYB6', ip: '192.168.0.105'     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)     at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234)     at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:163)     at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:143)     at TestResourceManager.WebDrivermanager.createRemoteDriver(WebDrivermanager.java:64)     at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:48)     at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:40)     at otherResources.TestContext.&lt;init&gt;(TestContext.java:26)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) </pre>	<b>FAILED</b>	3 m 0.032 s

#	Step / Hook Details	Status	Duration
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:155) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:102) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:91) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:137) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495) Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:399) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) </pre>		





#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) ... 84 more Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:382)		
1	Given User launches url "https://accounts.zoho.in/signin?servicename=ZohoHome&signupurl=https://www.zoho.com/signup.html"	SKIPPED	0.000 s
2	When User enter email 'chetanspatel1996@gmail.com'	SKIPPED	0.000 s
3	And User click on Next	SKIPPED	0.000 s
4	And User enter password 'Chetan123'	SKIPPED	0.000 s
5	And User click on Sign in	SKIPPED	0.001 s
6	Then User on Home Page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.teardown()  org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PF3MMYB6', ip: '192.168.0.105' Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}]} Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:143) at TestResourceManager.WebDrivermanager.createRemoteDriver(WebDrivermanager.java:64) at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:48) at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:40) at otherResources.TestContext.<init>(TestContext.java:26) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)	FAILED	18.352 s

#	Step / Hook Details	Status	Duration
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:90) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:155) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:102) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:91) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:137) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495) Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) ... 84 more Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:348) at java.net.http/jdk.internal.net.http.Http1Response\$HeadersReader.onReadError(Http1Response.java:675) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$LockingRestartableTask.run(SequentialScheduler.java:205) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$CompleteRestartableTask.run(SequentialScheduler.java:149) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:230) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842) Caused by: java.io.EOFException: EOF reached while reading at java.net.http/jdk.internal.net.http.Http1AsyncReceiver\$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:596) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadSubscription.signalCompletion(SocketTube.java:640) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.read(SocketTube.java:845) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowTask.run(SocketTube.java:181) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:230) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:303) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:256) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.signalReadable(SocketTube.java:774) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadEvent.signalEvent(SocketTube.java:957) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowEvent.handle(SocketTube.java:253) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:979) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:934) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:934) </pre>		

## Sign on Zoho

<b>FAILED</b>	<b>DURATION - 0.072 s</b>		<b>Steps</b> Total - 6 <b>Pass - 0</b> <b>Fail - 0</b> <b>Skip - 6</b>	
/ 8:02:37.378 pm // 8:02:37.450 pm /				
Sign In				
@Zoho @Scenario1				

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.BeforeSteps()	<b>FAILED</b>	0.020 s
	<pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PF3MMYB6', ip: '192.168.0.105' Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}]}] Capabilities </pre>		

#	Step / Hook Details	Status	Duration
	<pre> {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)   at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234)   at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:163)   at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:143)   at TestResourceManager.WebDrivermanager.createRemoteDriver(WebDrivermanager.java:64)   at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:48)   at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:40)   at otherResources.TestContext.&lt;init&gt;(TestContext.java:26)   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)   at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)   at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)   at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)   at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)   at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)   at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)   at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)   at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)   at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)   at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)   at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)   at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)   at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)   at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)   at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)   at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)   at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)   at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)   at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)   at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)   at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)   at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)   at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)   at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:155) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:102) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:91) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:137)		

#	Step / Hook Details	Status	Duration
	<pre> at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495) Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) ... 84 more Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:348) at java.net.http/jdk.internal.net.http.Http1Response\$HeadersReader.onReadError(Http1Response.java:675) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$LockingRestartableTask.run(SequentialScheduler.java:205) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$CompleteRestartableTask.run(SequentialScheduler.java:149) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:230) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842) Caused by: java.io.EOFException: EOF reached while reading at java.net.http/jdk.internal.net.http.Http1AsyncReceiver\$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:596) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadSubscription.signalCompletion(SocketTube.java:640) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.read(SocketTube.java:845) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowTask.run(SocketTube.java:181) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:230) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:303) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:256) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.signalReadable(SocketTube.java:774) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadEvent.signalEvent(SocketTube.java:957) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowEvent.handle(SocketTube.java:253) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:979) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:934) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) </pre>		



#	Step / Hook Details	Status	Duration
	at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:934)		
1	Given User launches url "https://accounts.zoho.in/signin?servicename=ZohoHome&signupurl=https://www.zoho.com/signup.html"	SKIPPED	0.000 s
2	When User enter email 'chetanspatel1996@gmail.com'	SKIPPED	0.000 s
3	And User click on Next	SKIPPED	0.000 s
4	And User enter password 'Chetan123'	SKIPPED	0.000 s
5	And User click on Sign in	SKIPPED	0.001 s
6	Then User on Home Page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.teardown()	FAILED	0.044 s
	<p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'LPCL-PF3MMYB6', ip: '192.168.0.105' Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}]} Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:163)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:143)  at TestResourceManager.WebDrivermanager.createRemoteDriver(WebDrivermanager.java:64)  at TestResourceManager.WebDrivermanager.createDriver(WebDrivermanager.java:48)  at TestResourceManager.WebDrivermanager.getDriver(WebDrivermanager.java:40)  at otherResources.TestContext.&lt;init&gt;(TestContext.java:26)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)  at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)  at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)  at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)  at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)  at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)  at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)  at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)  at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)  at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)  at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)  at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)</p>		



#	Step / Hook Details	Status	Duration
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:90) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:155) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:102) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:91) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:137) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495) Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) ... 84 more Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:348) at java.net.http/jdk.internal.net.http.Http1Response\$HeadersReader.onReadError(Http1Response.java:675) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$LockingRestartableTask.run(SequentialScheduler.java:205) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$CompleteRestartableTask.run(SequentialScheduler.java:149) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:230) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) </pre>		

#	Step / Hook Details	Status	Duration
	<pre>at java.base/java.lang.Thread.run(Thread.java:842) Caused by: java.io.EOFException: EOF reached while reading at java.net.http/jdk.internal.net.http.Http1AsyncReceiver\$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:596) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadSubscription.signalCompletion(SocketTube.java:640) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.read(SocketTube.java:845) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowTask.run(SocketTube.java:181) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:230) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:303) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:256) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.signalReadable(SocketTube.java:774) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadEvent.signalEvent(SocketTube.java:957) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowEvent.handle(SocketTube.java:253) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:979) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:934) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:934)</pre>		