

Cucumber Report

4 Sept 2024, 7:41:46 pm

Start : Sept 04, 7:41:30.116 pm

End : Sept 04, 7:41:45.479 pm

Duration : 15.363 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 4



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Create a campaign</u>	15.363 s	1	0	1	0	5	0	1	4

#	Feature Name	Scenario Name
1	<u>Create a campaign</u>	<u>Validate user able to Credit Invoice</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Scenario8	1	0	1	0	1	0	1	0
@EproCampaignCreation2	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Create a campaign</u>	1	0	1	0	15.363 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Create a campaign	Validate user able to Credit Invoice	5	0	1	4	15.355 s

Create a campaign

FAILED	DURATION - 15.363 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 7:41:30.116 pm // 7:41:45.479 pm /					

Validate user able to Credit Invoice

FAILED	DURATION - 15.355 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 7:41:30.124 pm // 7:41:45.479 pm /				
Create a campaign				
@Scenario8 @EproCampaignCreation2				

#	Step / Hook Details	Status	Duration
1	<p>Given User launches Epro url and login with valid from Sheetname "Epro_details" and Rownum 1</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.114) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d369f1ba3bca67f524f768851b691e4d, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.114, chrome: {chromedriverVersion: 128.0.6613.119 (6e439cfca4d..., userDataDir: C:\Users\rahul\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52479}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52479/devtoo..., se:cdpVersion: 128.0.6613.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d369f1ba3bca67f524f768851b691e4d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p>	FAILED	13.303 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1043) at pageObjects.EproLoginPage.launchurl(EproLoginPage.java:53) at stepDefinitions. StepDef_Scenario1.user_launches_epro_url_and_login_with_valid_from_Sheetname_and_Rownum(StepDef_Scenario1.java:73) at ?.User launches Epro url and login with valid from Sheetname "Epro_details" and Rownum 1(file:///C:/Users/rahul/Documents/ CucumberEspiire_2/src/test/resources/Stories/Epro2.feature:107) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.114) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d369f1ba3bca67f524f768851b691e4d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.114, chrome: {chromedriverVersion: 128.0.6613.119 (6e439cfca4d..., userDataDir: C:\Users\rahul\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52479}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52479/devtoo..., se:cdpVersion: 128.0.6613.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d369f1ba3bca67f524f768851b691e4d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:323) at stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(DemoQATextBoxStepDefinition.java:95) </pre>	FAILED	0.006 s
2	And User go to Credit Invoice page and create a Credit Invoice	SKIPPED	0.001 s
3	Then User will send the Final credit invoice	SKIPPED	0.000 s
4	And User will post the credit invoice	SKIPPED	0.000 s
5	Then User will download the posted credit invoice	SKIPPED	0.000 s