

# Cucumber Report

02-Sep-2024, 8:48:29 pm

Start : Sep 02, 8:44:28.690 pm

End : Sep 02, 8:48:28.393 pm

Duration : 3 m 59.703 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 4  
SKIPPED - 0

PASSED - 0  
FAILED - 4  
SKIPPED - 0


PASSED - 5  
FAILED - 4  
SKIPPED - 19




| Feature                  |              | Scenario |   |   |   | Step |   |   |   |
|--------------------------|--------------|----------|---|---|---|------|---|---|---|
| Name                     | Duration     | T        | P | F | S | T    | P | F | S |
| <u>Logon to amazon</u>   | 3.047 s      | 1        | 0 | 1 | 0 | 4    | 0 | 1 | 3 |
| <u>Create a campaign</u> | 3 m 23.576 s | 1        | 0 | 1 | 0 | 10   | 5 | 1 | 4 |
| <u>Create a campaign</u> | 28.764 s     | 1        | 0 | 1 | 0 | 8    | 0 | 1 | 7 |
| <u>Create a campaign</u> | 4.249 s      | 1        | 0 | 1 | 0 | 6    | 0 | 1 | 5 |

| # | Feature Name             | Scenario Name                                       |
|---|--------------------------|---|
| 1 | <u>Logon to amazon</u>   | <u>Logon Amazon</u>                                 |
| 2 | <u>Create a campaign</u> | <u>Validate Create Campaign and Assign Supplier</u> |
| 3 |                          | <u>Validate PO Generation and Receipt Creation</u>  |
| 4 |                          | <u>Validate Draft and Final Invoice Generation</u>  |

| <b>TAG</b>            | <b>Scenario</b> |          |          |          | <b>Feature</b> |          |          |          |
|-----------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| <b>Name</b>           | <b>T</b>        | <b>P</b> | <b>F</b> | <b>S</b> | <b>T</b>       | <b>P</b> | <b>F</b> | <b>S</b> |
| @Amazon               | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @Scenario11           | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @EproCampaignCreation | 3               | 0        | 3        | 0        | 3              | 0        | 3        | 0        |
| @Scenario1            | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @Scenario2            | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @Scenario3            | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |





| # | Feature Name             | T | P | F | S | Duration     |
|---|--------------------------|---|---|---|---|--------------|
| 1 | <u>Logon to amazon</u>   | 1 | 0 | 1 | 0 | 3.047 s      |
| 2 | <u>Create a campaign</u> | 1 | 0 | 1 | 0 | 3 m 23.576 s |
| 3 | <u>Create a campaign</u> | 1 | 0 | 1 | 0 | 28.764 s     |
| 4 | <u>Create a campaign</u> | 1 | 0 | 1 | 0 | 4.249 s      |





| # | Feature Name             | Scenario Name                                       | T  | P | F | S | Duration     |
|---|--------------------------|---|----|---|---|---|--------------|
| 1 | <u>Logon to amazon</u>   | <u>Logon Amazon</u>                                 | 4  | 0 | 1 | 3 | 3.045 s      |
| 2 | <u>Create a campaign</u> | <u>Validate Create Campaign and Assign Supplier</u> | 10 | 5 | 1 | 4 | 3 m 23.575 s |
| 3 |                          | <u>Validate PO Generation and Receipt Creation</u>  | 8  | 0 | 1 | 7 | 28.763 s     |
| 4 |                          | <u>Validate Draft and Final Invoice Generation</u>  | 6  | 0 | 1 | 5 | 4.249 s      |

## Logon to amazon



|                                      |                    |  |   |  |   |
|--------------------------------------|--------------------|--|---|--|---|
| <b>FAILED</b>                        | DURATION - 3.047 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 4<br>Pass - 0<br>Fail - 1<br>Skip - 3 |  |
| / 8:44:28.690 pm // 8:44:31.737 pm / |                    |  |   |  |   |
|                                      |                    |  |   |  |   |

## Logon Amazon



|   |  |  |   |   |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 3.045 s</div> |  |  | <div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div> |  |
| / 8:44:28.692 pm // 8:44:31.737 pm /            |  |  |   |   |
| Logon to amazon                                 |  |  |   |   |
| @Amazon @Scenario11                             |  |  |   |   |



| # | Step / Hook Details  | Status  | Duration |                |
|---|--|---------|----------|----------------|
| 1 | Given User launches "https://www.amazon.com/"                                | FAILED  | 0.008 s  |                |
|   | Step undefined   |         |          |                |
|   | AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED  | 0.170 s  |                |
|   | image  |         |          |                |
|   |  |         |          |                |
| 2 | When username and password are entered                                       | SKIPPED | 0.013 s  |                |
|   | UserName   |         |          | Password       |
|   | test@email.com   |         |          | RandomPassword |
| 3 | And user clicks on submit button   | SKIPPED | 0.001 s  |                |
| 4 | Then user should get logged in   | SKIPPED | 0.001 s  |                |

## Create a campaign




|                                      |                                |  |   |   |   |
|--------------------------------------|--------------------------------|--|---|---|---|
| <b>FAILED</b>                        | <b>DURATION - 3 m 23.576 s</b> | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 10<br>Pass - 5<br>Fail - 1<br>Skip - 4 |  |
| / 8:44:31.781 pm // 8:47:55.357 pm / |                                |  |   |   |   |


## Validate Create Campaign and Assign Supplier

|  |  |  |  |   |
|--|--|--|--|---|
| <div><div>FAILED</div><div>DURATION - 3 m 23.575 s</div></div> |  |  | <div>Steps</div> <div>Total - 10</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 4</div> |  |
| / 8:44:31.782 pm // 8:47:55.357 pm /                           |  |  |  |   |
| Create a campaign  |  |  |  |   |
| @EproCampaignCreation @Scenario1                               |  |  |  |   |



| # | Step / Hook Details   | Status | Duration    |
|---|---|--------|-------------|
| 1 | Given User launches Epro url and login with valid Staginguser_2 and Password@123456 | PASSED | 1 m 4.175 s |
|   | AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)        | PASSED | 0.151 s     |
|   | image   |        |             |
|   |   |        |             |
| 2 | And user navigate to Campaign page and create campaign                              | PASSED | 55.326 s    |
|   | AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)        | PASSED | 0.249 s     |
|   | image   |        |             |
|   |  |        |             |
| 3 | And User add new Item in the Campaign using Create New Item button                  | PASSED | 16.046 s    |





| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.223 s  |
|   | image  |        |          |
|   |   |        |          |
| 4 | Then Verify Campaign status as Created   | PASSED | 0.001 s  |
|   | AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.168 s  |
|   | image  |        |          |
|   |   |        |          |
| 5 | And Click on Submit for Costing button   | PASSED | 22.043 s |
|   | AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.182 s  |
|   | image  |        |          |
|   |   |        |          |
| 6 | And User will add Supplier Cost using Submit supplier button   | FAILED | 41.739 s |
|   | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.cssSelector: .snackbar-text (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54032}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54032/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 08d005bab7dbd8141b62c5e662f9e8b4<br>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)<br>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)<br>at CommonUtils.BaseAction.validatePopUp(BaseAction.java:255)<br>at pageObjects.SubmitSupplierPricePage.validateSubmitSupplierCostPopup(SubmitSupplierPricePage.java:95)<br>at stepDefinitions.StepDef_Scenario1.user_will_add_supplier_cost_using_submit_supplier_button(StepDef_Scenario1.java:107) |        |          |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | at ?.User will add Supplier Cost using Submit supplier button(file:///C:/Users/nitin.more/git/CucumberEspire/src/test/resources/Stories/Epro.feature:11)<br>* Not displayable characters are replaced by '?'.<br>AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario) |         |          |
|    | image<br>  | PASSED  | 0.187 s  |
| 7  | And User will manage the supplier price and add all required details  | SKIPPED | 0.002 s  |
| 8  | And User will navigate to Quote Managment tab and generate quote  | SKIPPED | 0.000 s  |
| 9  | And User will accept the quote on clicking of Quote Accepted button   | SKIPPED | 0.001 s  |
| 10 | Then Verify status as Quote Accepted on Campaign Item Page  | SKIPPED | 0.000 s  |

## Create a campaign

|                                      |                     |  |   |  |   |
|--------------------------------------|---------------------|--|---|--|---|
| FAILED                               | DURATION - 28.764 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 8<br>Pass - 0<br>Fail - 1<br>Skip - 7 |  |
| / 8:47:55.369 pm // 8:48:24.133 pm / |                     |  |   |  |   |
|                                      |                     |  |   |  |   |

## Validate PO Generation and Receipt Creation



|                                      |                     |  |  |   |
|--------------------------------------|---------------------|--|--|---|
| FAILED                               | DURATION - 28.763 s |  | Steps<br>Total - 8<br>Pass - 0<br>Fail - 1<br>Skip - 7 |  |
| / 8:47:55.370 pm // 8:48:24.133 pm / |                     |  |  |   |
| Create a campaign                    |                     |  |  |   |
| @EproCampaignCreation @Scenario2     |                     |  |  |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given User launches Epro url and login with valid Staginguser_2 and Password@123456</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.86) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8df1247ea89879c0eab95e58ae1a5e47, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\NITIN~1.MOR\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54103}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54103/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8df1247ea89879c0eab95e58ae1a5e47     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604)     at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1043)     at pageObjects.EproLoginPage.launchurl(EproLoginPage.java:62)     at stepDefinitions. StepDef_Scenario1.User_launches_Epro_url_and_login_with_valid_staginguser_and_password(StepDef_Scenario1.java:57)     at ?.User launches Epro url and login with valid Staginguser_2 and Password@123456(file:///C:/Users/nitin.more/git/CucumberEspiore/src/ test/resources/Stories/Epro1.feature:6) * Not displayable characters are replaced by '?'. </pre> | FAILED | 27.540 s |
|   | <p>AFTER_STEP - stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.86) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8df1247ea89879c0eab95e58ae1a5e47, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\NITIN~1.MOR\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54103}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54103/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, </pre>   | FAILED | 0.006 s  |



| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | webauthn:virtualAuthenticators: true} Session ID: 8df1247ea89879c0eab95e58ae1a5e47<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:323)<br>at stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(DemoQATextBoxStepDefinition.java:95)  |         |          |
| 2 | And On Campaign Item Page verify Status as Quote Accepted and User will Send and the create PO  | SKIPPED | 0.000 s  |
| 3 | Then Verify Status as PO Created after creating the PO on Campaign Item Page  | SKIPPED | 0.000 s  |
| 4 | And User will navigate to Finance page to create receipt  | SKIPPED | 0.001 s  |
| 5 | Then User will upload POD document  | SKIPPED | 0.000 s  |
| 6 | And Verify Has POD column status with green tick  | SKIPPED | 0.000 s  |
| 7 | And User navigate to the Receipt Tab and click on required Checkbox   | SKIPPED | 0.000 s  |
| 8 | Then Verify Receipted column status with green tick   | SKIPPED | 0.001 s  |
|   | AFTER - stepDefinitions.Hooks.teardown()<br>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=128.0.6613.86) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8df1247ea89879c0eab95e58ae1a5e47, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54103}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54103/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8df1247ea89879c0eab95e58ae1a5e47<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | FAILED  | 0.088 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:407) at stepDefinitions.Hooks.teardown(Hooks.java:53) </pre> |        |          |

## Create a campaign

|                                      |                    |           |   |           |   |
|--------------------------------------|--------------------|-----------|---|-----------|---|
| <b>FAILED</b>                        | DURATION - 4.249 s | Scenarios |  | Steps     |  |
| / 8:48:24.144 pm // 8:48:28.393 pm / |                    | Total - 1 |   | Total - 6 |   |
|                                      |                    | Pass - 0  |   | Pass - 0  |   |
|                                      |                    | Fail - 1  |   | Fail - 1  |   |
|                                      |                    | Skip - 0  |   | Skip - 5  |   |

## Validate Draft and Final Invoice Generation

|   |  |   |   |   |
|---|--|---|---|---|
| <div><div>FAILED</div><div>DURATION - 4.249 s</div></div> |  |  | <div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div> |  |
| / 8:48:24.144 pm // 8:48:28.393 pm /                      |  |   |   |   |
| Create a campaign   |  |   |   |   |
| @EproCampaignCreation @Scenario3                          |  |   |   |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User launches Epro url and login with valid Staginguser_2 and Password@123456  | FAILED | 2.642 s  |
|   | <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.86) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: </pre> |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p>[cbb6267438c5e9d191bf1152e544660d, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\NITIN~1.MOR\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54126/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cbb6267438c5e9d191bf1152e544660d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br/> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br/> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br/> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604)<br/> at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1043)<br/> at pageObjects.EproLoginPage.launchurl(EproLoginPage.java:62)<br/> at stepDefinitions.<br/> StepDef_Scenario1.User_launches_Epro_url_and_login_with_valid_staginguser_and_password(StepDef_Scenario1.java:57)<br/> at ?.User launches Epro url and login with valid Staginguser_2 and Password@123456(file:///C:/Users/nitin.more/git/CucumberEspire/src/test/resources/Stories/Epro2.feature:6)<br/> * Not displayable characters are replaced by '?'. </p> |        |          |
|   | <p>AFTER_STEP - stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.86) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:<br/> [cbb6267438c5e9d191bf1152e544660d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\NITIN~1.MOR\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54126/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cbb6267438c5e9d191bf1152e544660d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) </p>   | FAILED | 0.016 s  |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:323)<br>at stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(DemoQATextBoxStepDefinition.java:95)   |         |          |
| 2 | And User get the Campaign id for PO Receipted and navigate to Sales Order page  | SKIPPED | 0.000 s  |
| 3 | Then User will Create Draft Invoice   | SKIPPED | 0.000 s  |
| 4 | And Click on Finance and navigate to Sales Invoice  | SKIPPED | 0.000 s  |
| 5 | And Click on resepective Invoice number (Manage Invoice)  | SKIPPED | 0.000 s  |
| 6 | Then User will send Final Invoice to customer   | SKIPPED | 0.000 s  |
|   | AFTER - stepDefinitions.Hooks.teardown()<br><br>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found<br>(Session info: chrome=128.0.6613.86) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64',<br>os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:<br>[cbb6267438c5e9d191bf1152e544660d, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br>128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\NITIN~1\MOR\AppData...,<br>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54126}, networkConnectionEnabled: false, pageLoadStrategy:<br>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54126/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true,<br>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br>webauthn:virtualAuthenticators: true} Session ID: cbb6267438c5e9d191bf1152e544660d<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) | FAILED  | 0.012 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604)<br>at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:407)<br>at stepDefinitions.Hooks.teardown(Hooks.java:53) |        |          |