

Cucumber Report

27-Aug-2024, 4:34:16 pm

Start : Aug 27, 4:27:39.391 pm

End : Aug 27, 4:34:14.992 pm

Duration : 6 m 35.601 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 1
FAILED - 2
SKIPPED - 11




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Logon to amazon</u>	3.037 s	1	0	1	0	4	0	1	3
<u>Create a campaign</u>	6 m 32.524 s	1	0	1	0	10	1	1	8

#	Feature Name	Scenario Name
1	<u>Logon to amazon</u>	<u>Logon Amazon</u>
2	<u>Create a campaign</u>	<u>Validate Create Campaign and Assign Supplier</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Amazon	1	0	1	0	1	0	1	0
@Scenario11	1	0	1	0	1	0	1	0
@EproCampaignCreation	1	0	1	0	1	0	1	0
@Scenario1	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Logon to amazon</u>	1	0	1	0	3.037 s
2	<u>Create a campaign</u>	1	0	1	0	6 m 32.524 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Logon to amazon</u>	<u>Logon Amazon</u>	4	0	1	3	3.034 s
2	<u>Create a campaign</u>	<u>Validate Create Campaign and Assign Supplier</u>	10	1	1	8	6 m 32.523 s

Logon to amazon



FAILED	DURATION - 3.037 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 4:27:39.391 pm // 4:27:42.428 pm /					

Logon Amazon



FAILED	DURATION - 3.034 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 4:27:39.394 pm // 4:27:42.428 pm /				
Logon to amazon				
@Amazon @Scenario11				


#	Step / Hook Details	Status	Duration	
1	Given User launches "https://www.amazon.com/"	FAILED	0.007 s	
	Step undefined			
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s	
	image			
2	When username and password are entered	SKIPPED	0.005 s	
	UserName			Password
	test@email.com			RandomPassword
3	And user clicks on submit button	SKIPPED	0.001 s	
4	Then user should get logged in	SKIPPED	0.000 s	

Create a campaign

FAILED	DURATION - 6 m 32.524 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 1 Fail - 1 Skip - 8	
/ 4:27:42.468 pm // 4:34:14.992 pm /					

Validate Create Campaign and Assign Supplier

FAILED	DURATION - 6 m 32.523 s		Steps Total - 10 Pass - 1 Fail - 1 Skip - 8	
/ 4:27:42.469 pm // 4:34:14.992 pm /				
Create a campaign				
@EproCampaignCreation @Scenario1				

#	Step / Hook Details	Status	Duration
1	Given User launches Epro url and login with valid Staginguser_2 and Password@123456	PASSED	4.239 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	<p>image</p> 		
2	And user navigate to Campaign page and create campaign	FAILED	6 m 26.457 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.84) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dcc3a4006210cb453edd72bffb8682d3, findElement {using=xpath, value=//img[@src='assets/images/assign-suppliers.svg']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.84, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62131}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62131/devtoo..., se:cdpVersion: 128.0.6613.84, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,</p>		

#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dcc3a4006210cb453edd72bffb8682d3</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) atjdk.proxy2/jdk.proxy2.\$Proxy27.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4222) at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:669) at java.base/java.lang.String.valueOf(String.java:4222) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:225) at pageObjects.EproCampaignPage.clickAddCampaign(EproCampaignPage.java:64) at stepDefinitions.StepDef_Scenario1.user_navigate_to_campaign_page_and_create_campaign(StepDef_Scenario1.java:68) at ?.user navigate to Campaign page and create campaign(file:///C:/Users/nitin.more/git/CucumberEspane/src/test/resources/Stories/Epro.feature:7)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.84) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dcc3a4006210cb453edd72bffb8682d3, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.84, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62131}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62131/devtoo..., se:cdpVersion: 128.0.6613.84, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dcc3a4006210cb453edd72bffb8682d3</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)</p>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:323) at stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(DemoQATextBoxStepDefinition.java:95)		
3	And User add new Item in the Campaign using Create New Item button	SKIPPED	0.000 s
4	Then Verify Campaign status as Created	SKIPPED	0.000 s
5	And Click on Submit for Costing button	SKIPPED	0.000 s
6	And User will add Supplier Cost using Submit supplier button	SKIPPED	0.000 s
7	And User will manage the supplier price and add all required details	SKIPPED	0.000 s
8	And User will navigate to Quote Managment tab and generate quote	SKIPPED	0.001 s
9	And User will accept the quote on clicking of Quote Accepted button	SKIPPED	0.000 s
10	Then Verify status as Quote Accepted on Campaign Item Page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.teardown()	FAILED	0.004 s
	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=128.0.6613.84) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dcc3a4006210cb453edd72bffb8682d3, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.84, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62131}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62131/devtoo..., se:cdpVersion: 128.0.6613.84, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dcc3a4006210cb453edd72bffb8682d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:407) at stepDefinitions.Hooks.teardown(Hooks.java:53)</pre>		