

Cucumber Report

02-Sep-2024, 8:49:27 pm

Start : Sep 02, 8:49:15.960 pm

End : Sep 02, 8:49:26.344 pm

Duration : 10.384 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 4
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 0
FAILED - 4
SKIPPED - 24




| Feature | | Scenario | | | | Step | | | |
|--------------------------|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Create a campaign</u> | 9.523 s | 1 | 0 | 1 | 0 | 8 | 0 | 1 | 7 |
| <u>Create a campaign</u> | 10.374 s | 1 | 0 | 1 | 0 | 6 | 0 | 1 | 5 |
| <u>Create a campaign</u> | 8.477 s | 1 | 0 | 1 | 0 | 10 | 0 | 1 | 9 |
| <u>Logon to amazon</u> | 4.777 s | 1 | 0 | 1 | 0 | 4 | 0 | 1 | 3 |

| # | Feature Name | Scenario Name |
|---|--------------------------|---|
| 1 | <u>Create a campaign</u> | <u>Validate PO Generation and Receipt Creation</u> |
| 2 | | <u>Validate Draft and Final Invoice Generation</u> |
| 3 | | <u>Validate Create Campaign and Assign Supplier</u> |
| 4 | <u>Logon to amazon</u> | <u>Logon Amazon</u> |

| TAG | Scenario | | | | Feature | | | |
|-----------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @EproCampaignCreation | 3 | 0 | 3 | 0 | 3 | 0 | 3 | 0 |
| @Scenario2 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Scenario3 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Scenario1 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Amazon | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Scenario11 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|--------------------------|---|---|---|---|----------|
| 1 | <u>Create a campaign</u> | 1 | 0 | 1 | 0 | 9.523 s |
| 2 | <u>Create a campaign</u> | 1 | 0 | 1 | 0 | 10.374 s |
| 3 | <u>Create a campaign</u> | 1 | 0 | 1 | 0 | 8.477 s |
| 4 | <u>Logon to amazon</u> | 1 | 0 | 1 | 0 | 4.777 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------------|---|----|---|---|---|----------|
| 1 | <u>Create a campaign</u> | <u>Validate PO Generation and Receipt Creation</u> | 8 | 0 | 1 | 7 | 9.517 s |
| 2 | | <u>Validate Draft and Final Invoice Generation</u> | 6 | 0 | 1 | 5 | 10.374 s |
| 3 | | <u>Validate Create Campaign and Assign Supplier</u> | 10 | 0 | 1 | 9 | 8.477 s |
| 4 | <u>Logon to amazon</u> | <u>Logon Amazon</u> | 4 | 0 | 1 | 3 | 4.777 s |

Create a campaign

| | | | | | |
|--------------------------------------|---------------------------|--|---|--|---|
| FAILED | DURATION - 9.523 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 8 Pass - 0 Fail - 1 Skip - 7 |  |
| / 8:49:15.960 pm // 8:49:25.483 pm / | | | | | |
| | | | | | |

Validate PO Generation and Receipt Creation



| | | | | |
|---|--|---|---|--|
| <div><div>FAILED</div><div>DURATION - 9.517 s</div></div> | | <div></div> | <div>Steps Total - 8 Pass - 0 Fail - 1 Skip - 7</div> | <div></div> |
| / 8:49:15.966 pm // 8:49:25.483 pm / | | | | |
| Create a campaign | | | | |
| @EproCampaignCreation @Scenario2 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------------|----------|
| 1 | <p>Given User launches Epro url and login with valid Staginguser_2 and Password@123456</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.86) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6f9e6e76a1d905b772ab35e12dc742be, findElement {value=//input[@id='userName'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54166}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6f9e6e76a1d905b772ab35e12dc742be</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> | FAILED | 5.742 s |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.sendKeys(Unknown Source) at pageObjects.EproLoginPage.EnterUsernameAndPassword(EproLoginPage.java:71) at stepDefinitions. StepDef_Scenario1.User_launches_Epro_url_and_login_with_valid_staginguser_and_password(StepDef_Scenario1.java:60) at ?.User launches Epro url and login with valid Staginguser_2 and Password@123456(file:///C:/Users/nitin.more/git/CucumberEspire/src/test/resources/Stories/Epro1.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.86) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6f9e6e76a1d905b772ab35e12dc742be, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54166}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54166/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6f9e6e76a1d905b772ab35e12dc742be at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) </pre> | FAILED | 0.066 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:323) at stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(DemoQATextBoxStepDefinition.java:95) | | |
| 2 | And On Campaign Item Page verify Status as Quote Accepted and User will Send and the create PO | SKIPPED | 0.002 s |
| 3 | Then Verify Status as PO Created after creating the PO on Campaign Item Page | SKIPPED | 0.000 s |
| 4 | And User will navigate to Finance page to create receipt | SKIPPED | 0.000 s |
| 5 | Then User will upload POD document | SKIPPED | 0.001 s |
| 6 | And Verify Has POD column status with green tick | SKIPPED | 0.000 s |
| 7 | And User navigate to the Receipt Tab and click on required Checkbox | SKIPPED | 0.000 s |
| 8 | Then Verify Receipted column status with green tick | SKIPPED | 0.001 s |
| | AFTER - stepDefinitions.Hooks.teardown() org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=128.0.6613.86) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6f9e6e76a1d905b772ab35e12dc742be, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54166}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54166/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6f9e6e76a1d905b772ab35e12dc742be at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:407) at stepDefinitions.Hooks.teardown(Hooks.java:53) | FAILED | 0.051 s |

Create a campaign

| | | | | | |
|--------------------------------------|----------------------------|--|---|--|---|
| FAILED | DURATION - 10.374 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 6 Pass - 0 Fail - 1 Skip - 5 |  |
| / 8:49:15.970 pm // 8:49:26.344 pm / | | | | | |
| | | | | | |

Validate Draft and Final Invoice Generation



| | | | | |
|--------------------------------------|----------------------------|--|--|---|
| FAILED | DURATION - 10.374 s |  | Steps Total - 6 Pass - 0 Fail - 1 Skip - 5 |  |
| / 8:49:15.970 pm // 8:49:26.344 pm / | | | | |
| Create a campaign | | | | |
| @EproCampaignCreation @Scenario3 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given User launches Epro url and login with valid Staginguser_2 and Password@123456</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.86) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ad23c072b84568340f03bad75c958bd4, findElement {value=//input[@id='userName'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54168}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54168/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ad23c072b84568340f03bad75c958bd4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</pre> | FAILED | 6.645 s |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.sendKeys(Unknown Source) at pageObjects.EproLoginPage.EnterUsernameAndPassword(EproLoginPage.java:71) at stepDefinitions. StepDef_Scenario1.User_launches_Epro_url_and_login_with_valid_staginguser_and_password(StepDef_Scenario1.java:60) at ?.User launches Epro url and login with valid Staginguser_2 and Password@123456(file:///C:/Users/nitin.more/git/CucumberEspire/src/test/resources/Stories/Epro2.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.86) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ad23c072b84568340f03bad75c958bd4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\NITIN~1\MOR\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54168}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54168/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ad23c072b84568340f03bad75c958bd4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) </pre> | FAILED | 0.038 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:323) at stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(DemoQATextBoxStepDefinition.java:95) </pre> | | |
| 2 | And User get the Campaign id for PO Receipted and navigate to Sales Order page | SKIPPED | 0.000 s |
| 3 | Then User will Create Draft Invoice | SKIPPED | 0.001 s |
| 4 | And Click on Finance and navigate to Sales Invoice | SKIPPED | 0.000 s |
| 5 | And Click on resepective Invoice number (Manage Invoice) | SKIPPED | 0.000 s |
| 6 | Then User will send Final Invoice to customer | SKIPPED | 0.001 s |
| | <p>AFTER - stepDefinitions.Hooks.teardown()</p> <pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=128.0.6613.86) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ad23c072b84568340f03bad75c958bd4, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54168}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54168/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ad23c072b84568340f03bad75c958bd4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:407) at stepDefinitions.Hooks.teardown(Hooks.java:53) </pre> | FAILED | 0.050 s |

Create a campaign

| | | | | | |
|--------------------------------------|---------------------------|--|---|---|---|
| FAILED | DURATION - 8.477 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 10 Pass - 0 Fail - 1 Skip - 9 |  |
| / 8:49:15.974 pm // 8:49:24.451 pm / | | | | | |

Validate Create Campaign and Assign Supplier



| | | | | |
|--------------------------------------|---------------------------|--|---|---|
| FAILED | DURATION - 8.477 s |  | Steps Total - 10 Pass - 0 Fail - 1 Skip - 9 |  |
| / 8:49:15.974 pm // 8:49:24.451 pm / | | | | |
| Create a campaign | | | | |
| @EproCampaignCreation @Scenario1 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | <p>Given User launches Epro url and login with valid Staginguser_2 and Password@123456</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.86) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [703170950b4d35394fead233f31fe27e, findElement {value=//input[@id='userName'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54165}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54165/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 703170950b4d35394fead233f31fe27e</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)</p> | FAILED | 4.689 s |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.sendKeys(Unknown Source) at pageObjects.EproLoginPage.EnterUsernameAndPassword(EproLoginPage.java:71) at stepDefinitions. StepDef_Scenario1.User_launches_Epro_url_and_login_with_valid_staginguser_and_password(StepDef_Scenario1.java:60) at ?.User launches Epro url and login with valid Staginguser_2 and Password@123456(file:///C:/Users/nitin.more/git/CucumberEspire/src/test/resources/Stories/Epro.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.86) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [703170950b4d35394fead233f31fe27e, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54165}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54165/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 703170950b4d35394fead233f31fe27e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) </pre> | FAILED | 0.085 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:323) at stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(DemoQATextBoxStepDefinition.java:95) | | |
| 2 | And user navigate to Campaign page and create campaign | SKIPPED | 0.002 s |
| 3 | And User add new Item in the Campaign using Create New Item button | SKIPPED | 0.001 s |
| 4 | Then Verify Campaign status as Created | SKIPPED | 0.001 s |
| 5 | And Click on Submit for Costing button | SKIPPED | 0.001 s |
| 6 | And User will add Supplier Cost using Submit supplier button | SKIPPED | 0.002 s |
| 7 | And User will manage the supplier price and add all required details | SKIPPED | 0.000 s |
| 8 | And User will navigate to Quote Managment tab and generate quote | SKIPPED | 0.001 s |
| 9 | And User will accept the quote on clicking of Quote Accepted button | SKIPPED | 0.001 s |
| 10 | Then Verify status as Quote Accepted on Campaign Item Page | SKIPPED | 0.001 s |
| | AFTER - stepDefinitions.Hooks.teardown() org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=128.0.6613.86) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [703170950b4d35394fead233f31fe27e, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54165}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54165/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 703170950b4d35394fead233f31fe27e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:407) at stepDefinitions.Hooks.teardown(Hooks.java:53) | FAILED | 0.057 s |

Logon to amazon

| | | | | | |
|--------------------------------------|--------------------|-----------|---|-----------|---|
| FAILED | DURATION - 4.777 s | Scenarios |  | Steps |  |
| / 8:49:15.986 pm // 8:49:20.763 pm / | | Total - 1 | | Total - 4 | |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 3 | |

Logon Amazon

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 4.777 s</div> | | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div> | <div></div> |
| / 8:49:15.986 pm // 8:49:20.763 pm / | | | | |
| Logon to amazon | | | | |
| @Amazon @Scenario11 | | | | |

| # | Step / Hook Details | Status | Duration | |
|---|--|---------|----------|----------------|
| 1 | Given User launches "https://www.amazon.com/" | FAILED | 0.005 s | |
| | Step undefined | | | |
| | AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.187 s | |
| | image | | | |
| | | | | |
| 2 | When username and password are entered | SKIPPED | 0.011 s | |
| | UserName | | | Password |
| | test@email.com | | | RandomPassword |
| 3 | And user clicks on submit button | SKIPPED | 0.001 s | |
| 4 | Then user should get logged in | SKIPPED | 0.001 s | |