

Cucumber Report

28-Aug-2024, 5:18:08 pm

Start : Aug 28, 5:15:17.498 pm

End : Aug 28, 5:18:07.299 pm

Duration : 2 m 49.801 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 5
SKIPPED - 0

PASSED - 1
FAILED - 6
SKIPPED - 0


PASSED - 11
FAILED - 5
SKIPPED - 36




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Create a campaign</u>	2 m 49.801 s	1	0	1	0	10	1	1	8
<u>Create a campaign</u>	2 m 46.726 s	1	0	1	0	8	1	1	6
<u>Sign In</u>	27.711 s	1	1	0	0	6	6	0	0
<u>Create a campaign</u>	45.191 s	1	0	1	0	6	1	1	4
<u>Functionality of Text Box</u>	52.364 s	2	0	2	0	18	2	1	15
<u>Logon to amazon</u>	25.183 s	1	0	1	0	4	0	1	3

#	Feature Name	Scenario Name
1	<u>Create a campaign</u>	<u>Validate Create Campaign and Assign Supplier</u>
2		<u>Validate PO Generation and Receipt Creation</u>
3		<u>Validate Draft and Final Invoice Generation</u>
4	<u>Functionality of Text Box</u>	<u>Entering the values in Text Box Field</u>
5		<u>Entering the values in Text Box Field</u>
6	<u>Logon to amazon</u>	<u>Logon Amazon</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@EproCampaignCreation	3	0	3	0	3	0	3	0
@Scenario1	1	0	1	0	1	0	1	0
@Scenario2	1	0	1	0	1	0	1	0
@Zoho	1	1	0	0	1	1	0	0
@Scenario3	1	0	1	0	1	0	1	0
@TextBox	2	0	2	0	1	0	1	0
@Amazon	1	0	1	0	1	0	1	0
@Scenario11	1	0	1	0	1	0	1	0





#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Create a campaign</u>	1	0	1	0	2 m 49.801 s
2	<u>Create a campaign</u>	1	0	1	0	2 m 46.726 s
3	<u>Sign In</u>	1	1	0	0	27.711 s
4	<u>Create a campaign</u>	1	0	1	0	45.191 s
5	<u>Functionality of Text Box</u>	2	0	2	0	52.364 s
6	<u>Logon to amazon</u>	1	0	1	0	25.183 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Create a campaign</u>	<u>Validate Create Campaign and Assign Supplier</u>	10	1	1	8	2 m 49.792 s
2		<u>Validate PO Generation and Receipt Creation</u>	8	1	1	6	2 m 46.726 s
3	<u>Sign In</u>	<u>Sign on Zoho</u>	6	6	0	0	27.710 s
4	<u>Create a campaign</u>	<u>Validate Draft and Final Invoice Generation</u>	6	1	1	4	45.191 s
5	<u>Functionality of Text Box</u>	<u>Entering the values in Text Box Field</u>	9	1	1	7	35.495 s
6		<u>Entering the values in Text Box Field</u>	9	1	0	8	16.843 s
7	<u>Logon to amazon</u>	<u>Logon Amazon</u>	4	0	1	3	25.182 s

Create a campaign

FAILED	DURATION - 2 m 49.801 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 1 Fail - 1 Skip - 8	
/ 5:15:17.498 pm // 5:18:07.299 pm /					

Validate Create Campaign and Assign Supplier

FAILED	DURATION - 2 m 49.792 s		Steps Total - 10 Pass - 1 Fail - 1 Skip - 8	
/ 5:15:17.507 pm // 5:18:07.299 pm /				
Create a campaign				
@EproCampaignCreation @Scenario1				



#	Step / Hook Details	Status	Duration
1	Given User launches Epro url and login with valid Staginguser_2 and Password@123456	PASSED	10.806 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.472 s
	<p>image</p> 		
2	And user navigate to Campaign page and create campaign	FAILED	2 m 25.332 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [57f799b58954fcd7f7929c59c59e0625, findElement {value=//img[@src='assets/images/assign-suppliers.svg'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63399}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63399/devtoo..., se:cdpVersion: 128.0.6613.85, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,</p>		

#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 57f799b58954fcd7f7929c59c59e0625</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) atjdk.proxy2/jdk.proxy2.\$Proxy26.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4222) at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:669) at java.base/java.lang.String.valueOf(String.java:4222) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:225) at pageObjects.EproCampaignPage.clickAddCampaign(EproCampaignPage.java:64) at stepDefinitions.StepDef_Scenario1.user_navigate_to_campaign_page_and_create_campaign(StepDef_Scenario1.java:68) at ?.user navigate to Campaign page and create campaign(file:///C:/Users/nitin.more/git/CucumberEspane/src/test/resources/Stories/Epro.feature:7)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [57f799b58954fcd7f7929c59c59e0625, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63399}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63399/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 57f799b58954fcd7f7929c59c59e0625</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)</p>	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:323) at stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(DemoQATextBoxStepDefinition.java:95)		
3	And User add new Item in the Campaign using Create New Item button	SKIPPED	0.001 s
4	Then Verify Campaign status as Created	SKIPPED	0.000 s
5	And Click on Submit for Costing button	SKIPPED	0.000 s
6	And User will add Supplier Cost using Submit supplier button	SKIPPED	0.000 s
7	And User will manage the supplier price and add all required details	SKIPPED	0.000 s
8	And User will navigate to Quote Managment tab and generate quote	SKIPPED	0.000 s
9	And User will accept the quote on clicking of Quote Accepted button	SKIPPED	0.000 s
10	Then Verify status as Quote Accepted on Campaign Item Page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.teardown()	FAILED	0.004 s
	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=128.0.6613.85) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [57f799b58954fcd7f7929c59c59e0625, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63399}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63399/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 57f799b58954fcd7f7929c59c59e0625 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:407) at stepDefinitions.Hooks.teardown(Hooks.java:53) </pre>		


Create a campaign

FAILED	DURATION - 2 m 46.726 s	Scenarios		Steps	
/ 5:15:17.512 pm // 5:18:04.238 pm /		Total - 1	1	Total - 8	8
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

Validate PO Generation and Receipt Creation

<div>FAILED</div> <div>DURATION - 2 m 46.726 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 5:15:17.512 pm // 5:18:04.238 pm /				
Create a campaign				
@EproCampaignCreation @Scenario2				

#	Step / Hook Details	Status	Duration
1	Given User launches Epro url and login with valid Staginguser_2 and Password@123456	PASSED	11.326 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.443 s
	image		



#	Step / Hook Details	Status	Duration
			
2	<p>And On Campaign Item Page verify Status as Quote Accepted and User will Send and the create PO</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //input[@placeholder='Search..'] (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at pageObjects.EproCampaignPage.clickOnCampID(EproCampaignPage.java:97) at stepDefinitions. StepDef_Scenario2.On_Campaign_Item_Page_verify_Status_as_Quote_Accepted_and_user_will_send_and_the_create_po(StepDef_Scenario2.java:59) at ?.On Campaign Item Page verify Status as Quote Accepted and User will Send and the create PO(file:///C:/Users/nitin.more/git/CucumberEspire/src/test/resources/Stories/Epro1.feature:7) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [82007adaa7bea7edb74fc5164c2a1cf0, findElement {value=//input[@placeholder='Search..'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63398}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63398/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 82007adaa7bea7edb74fc5164c2a1cf0 at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351)</p>	FAILED	2 m 24.867 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190) at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:627) at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:624) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pageObjects.EproCampaignPage.clickOnCampID(EproCampaignPage.java:97) at stepDefinitions. StepDef_Scenario2.On_Campaign_Item_Page_verify_Status_as_Quote_Accepted_and_user_will_send_and_the_create_po(StepDef_Scenario2.java:59) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) </pre>		



#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.apache.maven.surefire.junitcore.pc.Scheduler\$1.run(Scheduler.java:345) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [82007ad7bea7edb74fc5164c2a1cf0, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63398}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:63398/devtoo..., se.cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 82007ad7bea7edb74fc5164c2a1cf0 at java.lang.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:323) at stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(DemoQATextBoxStepDefinition.java:95)	FAILED	0.005 s
3	Then Verify Status as PO Created after creating the PO on Campaign Item Page	SKIPPED	0.001 s
4	And User will navigate to Finance page to create receipt	SKIPPED	0.001 s
5	Then User will upload POD document	SKIPPED	0.001 s
6	And Verify Has POD column status with green tick	SKIPPED	0.000 s
7	And User navigate to the Receipt Tab and click on required Checkbox	SKIPPED	0.000 s




#	Step / Hook Details	Status	Duration
8	Then Verify Receipted column status with green tick	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.teardown() <pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=128.0.6613.85) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [82007adaa7bea7edb74fc5164c2a1cf0, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63398}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63398/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 82007adaa7bea7edb74fc5164c2a1cf0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:407) at stepDefinitions.Hooks.teardown(Hooks.java:53) </pre>	FAILED	0.004 s




Sign In

PASSED	DURATION - 27.711 s	Scenarios		Steps	
/ 5:15:17.514 pm // 5:15:45.225 pm /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	



Sign on Zoho

<div>PASSED</div> <div>DURATION - 27.710 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:15:17.515 pm // 5:15:45.225 pm /</div>			
<div>Sign In</div>			
<div>@Zoho</div>			



#	Step / Hook Details	Status	Duration
1	Given User launches url "https://accounts.zoho.in/signin?servicename=ZohoHome&signupurl=https://www.zoho.com/signup.html"	PASSED	2.756 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.428 s
	image 		
2	When User enter email "nitinvmore1981@gmail.com"	PASSED	1.232 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.455 s
	image 		
3	And User click on Next	PASSED	1.296 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.560 s
	image 		
4	And User enter password "Nitin@2020"	PASSED	0.490 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.366 s


#	Step / Hook Details	Status	Duration
			
5	And User click on Sign in	PASSED	0.529 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	1.549 s
			
6	Then User on Home Page	PASSED	0.001 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.389 s
			


Create a campaign

FAILED	DURATION - 45.191 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 5:15:17.517 pm // 5:16:02.708 pm /					



Validate Draft and Final Invoice Generation

<div>FAILED</div> <div>DURATION - 45.191 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 5:15:17.517 pm // 5:16:02.708 pm /</div>				
<div>Create a campaign</div>				
<div>@EproCampaignCreation @Scenario3</div>				



#	Step / Hook Details	Status	Duration
1	Given User launches Epro url and login with valid Staginguser_2 and Password@123456	PASSED	10.419 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.389 s
			
2	And User get the Campaign id for PO Receipted and navigate to Sales Order page	FAILED	23.162 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //input[@placeholder='Search. .'] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63396}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63396/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1808cbd50dedd3ff42a430cef1a52346</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at pageObjects.SalesOrderPage.goToCampaingPg(SalesOrderPage.java:41) at stepDefinitions. StepDef_Scenario3.User_get_the_Campaign_id_for_PO_Receipted_and_navigate_to_Sales_Order_page(StepDef_Scenario3.java:62) at ?.User get the Campaign id for PO Receipted and navigate to Sales Order page(file:///C:/Users/nitin.more/git/CucumberEspire/src/test/resources/Stories/Epro2.feature:7) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
			


#	Step / Hook Details	Status	Duration
			
3	Then User will Create Draft Invoice	SKIPPED	0.000 s
4	And Click on Finance and navigate to Sales Invoice	SKIPPED	0.001 s
5	And Click on respective Invoice number (Manage Invoice)	SKIPPED	0.001 s
6	Then User will send Final Invoice to customer	SKIPPED	0.001 s



Functionality of Text Box


FAILED	DURATION - 52.364 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 18 Pass - 2 Fail - 1 Skip - 15	
/ 5:15:17.521 pm // 5:16:09.885 pm /					

Entering the values in Text Box Field



FAILED	DURATION - 35.495 s		Steps Total - 9 Pass - 1 Fail - 1 Skip - 7	
/ 5:15:17.522 pm // 5:15:53.017 pm /				
Functionality of Text Box				
@TextBox				

#	Step / Hook Details	Status	Duration
1	Given User enter and Launches website "https://demoqa.com/"	PASSED	2.133 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.528 s
			

#	Step / Hook Details	Status	Duration
			
2	When User click on element <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[name()='path' and contains(@d,'M16 132h41')]"} (Session info: chrome=128.0.6613.85) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [96c552ae8ada0cd61f57df485be7806b, findElement {value=//*[name()='path' and contains(@d,'M16 132h41')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63400}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63400/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 96c552ae8ada0cd61f57df485be7806b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at pageObjects.DemoQATextBoxPage.clickOnElementButton(DemoQATextBoxPage.java:42) at stepDefinitions.DemoQATextBoxStepDefinition.user_click_on_element(DemoQATextBoxStepDefinition.java:41) at ?.User click on element(file:///C:/Users/nitin.more/git/CucumberEspiore/src/test/resources/Stories/DemoQATextBox.feature:6) * Not displayable characters are replaced by '?'. </pre>	FAILED	20.243 s
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.296 s

#	Step / Hook Details	Status	Duration
			
3	When User click on Text Box	SKIPPED	0.001 s
4	And User enter the name name1	SKIPPED	0.000 s
5	And User enter the mail name1@gmail.com	SKIPPED	0.001 s
6	And User enter the current address success	SKIPPED	0.000 s
7	And User enter the Permanent address success	SKIPPED	0.002 s
8	And User click on submit	SKIPPED	0.001 s
9	Then User will visible enter details	SKIPPED	0.001 s

Entering the values in Text Box Field



FAILED DURATION - 16.843 s / 5:15:53.042 pm // 5:16:09.885 pm / Functionality of Text Box @TextBox		Steps Total - 9 Pass - 1 Fail - 0 Skip - 8	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User enter and Launches website "https://demoqa.com/"	PASSED	13.371 s
	AFTER_STEP - stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.85) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6456275e8366ec935b342a15c86fb22f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63497}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63497/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6456275e8366ec935b342a15c86fb22f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)	FAILED	0.020 s



#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:323) at stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(DemoQATextBoxStepDefinition.java:95)		
2	When User click on element	SKIPPED	0.001 s
3	When User click on Text Box	SKIPPED	0.000 s
4	And User enter the name name2	SKIPPED	0.001 s
5	And User enter the mail name2@gmail.com	SKIPPED	0.000 s
6	And User enter the current address fail	SKIPPED	0.000 s
7	And User enter the Permanent address fail	SKIPPED	0.000 s
8	And User click on submit	SKIPPED	0.001 s
9	Then User will visible enter details	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.teardown()	FAILED	0.066 s
	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=128.0.6613.85) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6456275e8366ec935b342a15c86fb22f, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.85, chrome: {chromedriverVersion: 128.0.6613.84 (606aa55c7d68..., userDataDir: C:\Users\NITIN~1\MOR\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63497}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63497/devtoo..., se:cdpVersion: 128.0.6613.85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6456275e8366ec935b342a15c86fb22f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:407) at stepDefinitions.Hooks.teardown(Hooks.java:53) </pre>		

Logon to amazon

FAILED	DURATION - 25.183 s	Scenarios		Steps	
/ 5:15:17.532 pm // 5:15:42.715 pm /		Total - 1	1	Total - 4	4
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

Logon Amazon

FAILED	DURATION - 25.182 s		Steps	
/ 5:15:17.533 pm // 5:15:42.715 pm /				
Logon to amazon				
@Amazon @Scenario11				

#	Step / Hook Details	Status	Duration
1	Given User launches "https://www.amazon.com/"	FAILED	0.014 s
	Step undefined		
	AFTER_STEP - stepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.424 s
	image		

#	Step / Hook Details	Status	Duration				
2	When username and password are entered	SKIPPED	0.013 s				
	<table><tr><td>UserName</td><td>Password</td></tr><tr><td>test@email.com</td><td>RandomPassword</td></tr></table>			UserName	Password	test@email.com	RandomPassword
UserName	Password						
test@email.com	RandomPassword						
3	And user clicks on submit button						
4	Then user should get logged in	SKIPPED	0.001 s				