Duration: 19.758 s Start: Sept 04, 7:35:40.461 pm End: Sept 04, 7:36:00.219 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 4 5 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 100

Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Create a campaign	19.758 s	1	0	1	0	5	0	1	4

FAIL & SKIP SCENARIOS -- 3 --

# Feature	Name	Scenario Name
Create a	<u>campaign</u>	Validate user able to Credit Invoice


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@Scenario8	1	0	1	0	1	0	1	0
@EproCampaignCreation2	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	Create a campaign	1	0	1	0	19.758 s	

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Create a campaign	Validate user able to Credit Invoice	5	0	1	4	19.751 s

DETAILED SECTION -- 7 -

Create a campaign

FAILED	DURATION - 19.758 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 7:35:40.461 pm // 7	7:36:00.219 pm /	Pass - 0	1	Pass - 0	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

Validate user able to Credit Invoice



#	Step / Hook Details	Status	Duration
1	Given User launches Epro url and login with valid from Sheetname "Epro_details" and Rownum 1	FAILED	17.621 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.114) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b90447c67850c95e78899ee58ce53be2, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.114, chrome: {chromedriverVersion: 128.0.6613.119 (6e439cfca4d, userDataDir: C:\Users\rahul\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51745f, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51745/devtoo, se:cdp\Version: 128.0.6613.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b90447c67850c95e78899ee58ce53be2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.ErrorCodec.decode(W3CHttpResponseCodec.java:216)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1043) at pageObjects.EproLoginPage.launchurl(EproLoginPage.java:53) at stepDefinitions. StepDef_Scenario1.user_launches_epro_url_and_login_with_valid_from_Sheetname_and_Rownum(StepDef_Scenario1.java:73) at ?.User launches Epro url and login with valid from Sheetname "Epro_details" and Rownum 1(file:///C:/Users/rahul/Documents/CucumberEspire_2/src/test/resources/Stories/Epro2.feature:107) * Not displayable characters are replaced by '?'.		
	AFTER STEP - stepDefinitions.DemoQATextBoxStepDefinition.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.008 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=128.0.6613.114) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b90447c67850c95e78899ee58ce53be2, screenshot {}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.114, chrome: (chromedriverVersion: 128.0.6613.119 (6e439cfca4d, userDataDir: C:\Users\rahul\AppDataLl.oca\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51745}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), sec.dp: ws://localhost:51745/devtoo, sec.dpVersion: 128.0.6613.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b90447c67850c95e78899ee58ce53be2 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.Codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.AttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.BernoteWebDriver.cyecute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remo		
2	And User go to Credit Invoice page and create a Credit Invoice	SKIPPED	0.001 s
3	Then User will send the Final credit invoice	SKIPPED	0.000 s
4	And User will post the credit invoice	SKIPPED	0.001 s
5	Then User will download the posted credit invoice	SKIPPED	0.000 s