

NeuroTrace: Behavioral Productivity Analytics Platform

Chetana Ingle

Department of Computer Engineering

Dr. D. Y. Patil Institute of Engineering Management & Research
Pune, India

Email: chetanainge7@gmail.com

Abstract — Digital technologies are an integral part of today's learning experience. Use of digital technologies has changed how people live, learn, and communicate. There is an increasing incidence of these over recent years. But with extended exposure to browsers and desktop-based software, there have been challenges like digital distraction, divided attention, and poor time management [2], [3], [13]. Current tools that monitor productivity are mostly focused on activity or time tracking, rather than understanding users' behaviour, focus consistency and productivity. This hinders users from being able to effectively identify the sources of distractions and find better ways of working digitally. This paper introduces a real-time behavioural productivity analytics framework, named NeuroTrace, which integrates browser activity tracking, desktop application monitoring and intelligent behavioural analysis techniques to deliver full productivity information [6], [7], [8].

The proposed system will be able to continuously collect data about user interactions using a browser plugin and desktop activity tracker, and locally analyze these interactions to identify patterns, and to present productivity trends in an interactive user analytics dashboard. Users can gain insights into their digital, NeuroTrace activity timelines, focus analytics, productivity categorization, AI-generated insights and weekly productivity reports, all in a way that does not compromise data privacy, which is stored locally. The suggested framework shows the synergy between behavioral productivity analysis and provides a platform that can be scaled for future AI-based digital well-being and personalized productivity support [18].

Keywords: Behavioral Productivity Analytics, Browser Activity Monitoring, Desktop Activity Tracking, Digital Well-being, Focus Analytics, Behavioral Analytics, Browser Extension, Artificial Intelligence, Productivity Analytics

I. INTRODUCTION

The proliferation of digital technology, remote working and online learning have dramatically changed the way people engage with computers in their daily lives. A significant amount of time is spent switching between web browsers, productivity apps, communication tools, and entertainment services by modern users. The technologies have become more accessible and efficient, but have also created digital distractions, split attention and made it harder to focus on work or study. Therefore, it is crucial to be aware of digital behaviour and productivity patterns to enhance their personal efficiency and ensure good digital well-being [2], [3], [5], [15]. Although there are increased numbers of productivity monitoring apps available, most of these applications just focus on monitoring screen time [13], logging application usage, or blocking applications and distracting websites [4], [6], [8].

While these systems are able to give some basic information about digital activity, they do not necessarily capture information about the patterns of behaviour like focus consistency, session fragmentation, productive work intervals and distraction trends. This is because the user can only receive quantitative data on what they did on the Internet, but not much information about the factors that influence their behavior and which influence productivity and time management.

Over the past few years, new developments in browser technologies [10], [11], [12], new real-time analytics and intelligent behavioural analysis have opened a new field for the development of a complete set of productivity assessment systems. Today, user interaction and interactions between the user and the visualization can be collected continuously thanks to modern extensions for browsers and monitoring tools for desktop applications, while interactive visualization tools help in meaningful interpretation of trends in user productivity [18]. Furthermore, smart analytics can transform raw activity logs into tangible behavior data that can warn a user of poor working practices, recommend more focused time and boost overall digital productivity. However, there are many current systems focused on the browser activity or the desktop monitoring, and certainly a single system that can integrate both and deliver a single behavioral analytics platform.

This paper presents a real-time framework for behavioral productivity analytics, named NeuroTrace, that encompasses the monitoring of browser activities, desktop applications and intelligent behavioral analysis, all in a single dashboard. The proposed framework will continuously log user interaction events, segment the activities that result in productivity gains from those that distract users, monitor focus consistency [6], [18], and deliver insights about productivity with the help of AI, while maintaining privacy by storing the data locally on the user's device. NeuroTrace's combination of various behavioural analytics modules in one platform allows users to gain a deeper insight into their digital usage, understand where the productivity becomes a deadlock and make informed decisions to optimize focus and effective time spent.

LITERATURE SURVEY / RELATED WORK

There are numerous systems developed to boost user productivity and promote digital well-being through raising awareness and empowering user control over their computer usage, in the age of digital devices. The first generation of productivity monitoring software tracked the use of applications, screen time, and the amount of time that users spent on websites. Such systems would be able to provide simple user activity metrics, and not be able to make any meaningful productivity inferences or user behaviour analysis. Additionally, the majority of traditional monitoring systems were only set to take in activity logs and productivity rules which were static and could not adjust to the user's evolving behavior and working patterns [6], [7], [8].

As the tools and technologies of the browser and desktop monitoring interface evolved, some applications started to provide real-time activity monitoring via browser extensions and operating system utilities [9], [10], [11], [12]. These platforms allowed tracking of the continuous visits to the sites, tracking of the tabs of the browsers and/or the active applications on the users' desktop, giving them further information regarding the use of their sites and further session logs. These were more effective in accurately tracking the content of what was being done, but tended to be quantitative, such as screen time and app usage time, rather than qualitative behavioural analysis [16]. Raw data on activity was then frequently presented to users with little indication of any distraction or continuity of focus and few insights into trends in productivity.

Digital productivity assessment systems have been further improved by recent advances in artificial intelligence, behavioural analytics and interactive data visualization. Smart algorithms have become part of these new systems – and they are increasingly catching user activity, determining what is helping and what is hindering productivity, and providing individual recommendations to boost efficiency. Interactive dashboards, real-time visualisations and behavioural summaries have helped to bring value to the understanding of digital behaviour of users. However, there are numerous solutions that monitor the browsing activity or the desktop application activity, but not both and therefore limit the behavioural analysis [17].

There has been significant progress made in developing technologies to monitor productivity and there are still several limitations. There are not so many systems that do provide unified browser/desktop monitoring, detailed focus analytics, interpretation using AI and local processing with privacy protection [6], [14]. Moreover, numerous productivity platforms have data collection processes that are based on the cloud, which poses concerns about user privacy and data security. These challenges highlight the need for an integrated platform of behavioral productivity analytics, which will include real-time activity monitoring, intelligent behavioral analysis, interactive visualization and privacy enabling [18].

PROBLEM STATEMENT

Until now, very few productivity monitoring systems offer a comprehensive behavioural productivity analysis and most of the systems that are currently available have only begun to measure activities like time spent using the screen, web pages viewed or time spent using an application. Most answers don't consider how users use the browser, or how consistent users are in their focus; they lack a high level of awareness of users' distraction patterns and only understand them in their own context (either in the browser or in a desktop application). In addition, user privacy and data security is also of concern at some cloud-based platforms. For users, this can be difficult to see when something is starting to get in the way of their productivity, how to be more effective with digital technologies and how to stay on task while at work or at school. These limits highlight the need for a single behavior productivity analytics service with a unified capability across the browser and desktop – enhanced by smart analytics on behavior to deliver optimal digital wellbeing and productivity management [11].

II. OBJECTIVES

This research will have the following objectives:

- To develop a real-time behavioural productivity analytics solution, including browser activity monitoring, desktop application monitoring on one platform.
- Use continuous monitoring of activity to gather valuable data about digital usage patterns, consistency of focus, application usage, and distractions.
- To create intelligent behavioral insights and interactive visualisations to help users to understand their digital behaviours and productivity.
- To avoid exposing the user's data to external cloud services, securely storing and processing the user's activities without relying on users' personal privacy.
- To build a structure that will remain scalable to accommodate the future integration of Artificial Intelligence and Machine Learning technologies that will be used to analyse productivity and to make digital well-being suggestions based on personal needs.

III. PROPOSED SYSTEM / METHODOLOGY

- 1) The proposed system to be developed is named as "NeuroTrace" which is a real time behavioral productivity analytics system that will enable the user to observe, analyze and understand their digital behavior based on their digital activity performed in the browser or desktop. Unlike traditional productivity monitoring applications, which are primarily focused on capturing screen usage or app usage, NeuroTrace brings behavioral analytics, interactive visualization and intelligent insight generation to a single platform. In this, the methodology is proposed in multiple stages, all linked and supporting a full productivity assessment, and ensuring user privacy using the use of local data processing.
- 2) **Real-Time Activity Acquisition:** User activity is captured from two main sources: Browser extension (tracks Website visits, Browser tabs, Session length) and Desktop activity tracker (tracks user activity of desktop applications). All these elements contribute to complete behavioural data on users' digital interactions when they are working or studying.
- 3) **Behavioral Data Integration:** All the information about the browser and the desktop activity is combined into a single activity set. Time stamps and application/website specific information and productivity categories and associated session times are included. This integration allows having a single user behavior view, rather than a separate view of browser or desktop behavior.
- 4) **Behavioral Analytics Engine:** Pre-built activity data is analyzed to detect activity patterns for productivity, focus, application switching, distractions and split sessions. It is the analytics engine that converts raw activity logs and makes them behave in a way that's useful and can help users understand how to work and be productive in this digital age.

- 5) **Interactive Dashboard and Visualization:** The analysis of the behavioural data will be displayed on an interactive dashboard and will contain components including activity timeline, productivity charts, focus analysis, weekly behavioural reports and real-time monitoring. These visualizations enable users to get a fast insight into the activity and how to become more efficient in focus and time management.
- 6) **AI-Assisted Insight Generation:** NeuroTrace offers intelligent behavioral observations reflecting the activity pattern and productivity of the users. The system notices repetitive disturbances, productive work sessions, and focus consistency and provides personalized suggestions for better digital well-being and optimal work practices.
- 7) **Privacy-Preserving Local Processing:** There are no external cloud infrastructures or centralized databases needed and the data of all users' activities is processed and recorded locally. With this local-first approach, users benefit from more control over their behavioural data, less security risk and better data privacy while enjoying real-time analytics.

IV. SYSTEM ARCHITECTURE

The NeuroTrace framework is structured in a modular and layered way to ensure scalability, maintainability, and/or efficient real-time behavioral analytics. The proposed architecture is scalable for seamless communication between the individual components of the system, and further extensions such as cloud sync or predictive productivity with machine learning, are possible. The architecture of the overall system is shown in Fig. 1.

User Interface Layer : The User Interface (UI) layer is an interface between the user and the NeuroTrace framework. It is created using Next.js, React and Tailwind CSS, providing a responsive and user-friendly dashboard. They have access to the interface's analytical screens to get insights into their digital activity, such as productivity overview, activity timeline, focus analytics, AI insights, and weekly productivity reports. The dashboard provides real time behavior data and visualisations which are used to gain insight of the users working habits.

Browser Activity Tracking Layer : Browser extension based on the Chrome Extension API. It keeps a track of all the activities performed by the browser like current tabs, visited websites, session duration, tab switching etc. The information gathered reflects browsing behaviour and is one of the primary data sources for analysing users' behaviour for productivity purposes [10], [11].

Desktop Activity Monitoring Layer : Records the Active Desktop apps that a user is using. It is done via the desktop activity tracker, which records application names, active session duration, and switching to other applications within the OS. The framework captures users' work habits on their desktops, in addition to their browsing, to gain a fuller picture of their digital work practices.

Activity Collection and Storage Layer : All the activity data collected from the browsers and desktops are stored in a single activity store. NeuroTrace is built using local-first design principles: activity records are stored in a local activities.json file, and are not dependent on external databases or cloud services. This will not only give users access to their privacy but, also, live access to the behavioral data for further analysis.

Behavioral Analytics Layer : The activity data is then sent to the behavioral analytics layer where it is converted into meaningful productivity data. It monitors the application use, productive activities, distractive activities, focus consistency, session length and behavioral trends. The analytics engine transforms the raw log of activities into structured data that can be used for analytics of the users' productivity and online activity.

AI Insight Generation Layer : Generating intelligence from the analyzed behavioral data and giving personalized recommendations. It detects distractions, records concentration habits, generates trends of behaviours, and delivers AI suggestions to enhance productivity and digital working. The system also has a modular architecture allowing it to integrate future machine learning models that can predict behaviour and score productivity for each user, based on the user's productivity [14], [18].

Visualization and Reporting Layer : This layer provides interactive dashboards, timelines, charts, weekly reports, productivity summaries, and other user-friendly data visualizations and reports. It integrates with Recharts and Next.js dashboard and lets users visualize their online activity and monitor productivity stats in real time.




Fig. 1. System architecture of NeuroTrace framework

V. UML DIAGRAMS / SYSTEM MODELS

A. Use Case Diagram

The use case diagram illustrates the interactions between the user and the NeuroTrace system.




Fig. 2. Use case diagram of NeuroTrace framework

B. Class Diagram

The class diagram represents the structural design of the NeuroTrace system.




Fig. 3. Class diagram of NeuroTrace framework

C. Sequence Diagram

The sequence diagram illustrates the interaction and message flow among the components of the NeuroTrace system.




Fig. 4. Sequence diagram illustrating activity tracking and behavioral analysis in NeuroTrace.

D. Activity Diagram

The activity diagram depicts the workflow of the NeuroTrace system from activity tracking to productivity analysis and report generation.




Fig. 5. Activity diagram of NeuroTrace workflow

VI. IMPLEMENTATION DETAILS

The NeuroTrace framework is a research prototype to test the proposed behavioral productivity analytics framework. Instead of enterprise-scale deployment, the implementation focuses on modular system design, real-time behavioral monitoring and experimental evaluation. The architecture will be extensible, scalable, and will be available for easy integration in the future for research use.

The presentation layer of the system is built as a web-based dashboard application built with Next.js, React and Tailwind CSS. The dashboard presents an easy-to-navigate interface with a range of tools and data to help users visualize their online behaviors: Productivity summaries, activity timeline, focus analytics, weekly reports, and data analytics powered by AI. Interactive charts and live updates can help them to better understand their use of and progress with devices and activities.

Behavioral data can be collected in two separate steps. By using the Chrome Extension API, a browser extension can be created to continually log in the browser activities, including visited websites, the number of browser tabs opened and the number of browser sessions. Meanwhile, a desktop activity tracker is installed to monitor active desktop applications and session durations, so that in order to form a complete picture of users' digital footprints across a range of environments, the system can also monitor them across different platforms.

The information gathered during the activity is then forwarded to the back-end analytics component modules that include the activity information provided by the browser and the desktop and integrates it into a behavioral database. The analytics engine gathers productivity information, identifies focus sessions, tracks application switching between sessions, classifies productive and distractive interactions and creates a behavior summary based on users interaction. This modular processing architecture allows analytical elements to be strengthened, if needed, without having any impact on the rest of the system [10], [11].

To protect privacy of the users, NeuroTrace follows the local-first approach in the implementation, with all the activity records stored in a local activities.json repository, rather than databases deployed elsewhere in the cloud. This allows to reduce threats to privacy and helps to ensure that the desired information access during the real time period can be performed for continuous productivity analysis and visualisation [11].

NeuroTrace is implemented using the framework with the latest web technologies such as Next.js, React, TypeScript, Node.js, Tailwind CSS, Recharts and the Chrome Extension API. The flexible modular architecture is made possible by the ability to add new functionality, such as machine-learning-driven productivity forecasting, cloud integration and personal behavioural insights as well as sophisticated digital well-being analytics [1], [14].

In total, simplicity of architecture, modesty, repeatability and analysis of behaviour takes account of privacy. The aim of modularity will allow for the addition and/or replacement of system components, which will in turn increase the maintainability of the system and provide for further research and development projects. The proposed framework is a flexible approach which can be used in further research and development efforts on the topic of behavioural productivity analysis, smart digital wellness systems and an AI-based personal productivity evaluation [14].

VI. RESULTS AND ANALYSIS

The research prototype of the proposed NeuroTrace framework was designed and evaluated to validate the ability to track and infer meaningful aspects of the user's behavior productivity from the user activity. The emphasis was on behavior of the systems, and continuous activity monitoring of the browser and desktop, together with the effectiveness of the productivity analysis based on qualitative observations and the reports created by the system.

A. Behavioral Productivity Analysis

Experimental results have shown that NeuroTrace is capable of recording the activities of the browser and can map its usage and record activities in a unified behavior dataset in real-time. The framework successfully captures the moments of productivity, the distractive moments, the moments of consistency of attention and the moments of switching applications; these are useful for the user to get to know his/her digital work habits, and can be monitored continuously.

B. Visualization and User Insights

The interactive dashboard is loaded with activity timelines, productivity charts, weekly analytics, and insights powered by AI and based on behavioral information. Such visualisations help to clarify user behavior, and make trends apparent in how they use it (whether it is productive or distractive), as well as trends in how they react to certain distractions, or how to improve their focus and time management. Real-time feature on the dashboard provides users with greater awareness of the digital activity that is taking place.

C. Comparative Analysis

Tools and applications typically used to measure productivity and workflow were compared with NeuroTrace which is used more to measure screen time or app usage. No other system on the market offers a single system to track all activities in your browser and monitor your desktop applications with intelligent productivity insights as well as providing browser behavior analysis, whereas NeuroTrace is composed of multiple privacy-preserving systems.

TABLE I: Conceptual Comparison of NeuroTrace with Conventional Productivity Monitoring Systems

Evaluation Aspect	Conventional Systems	NeuroTrace
Browser Activity Tracking	Supported	Supported
Desktop Activity Monitoring	Limited	Comprehensive
Behavioral Analytics	Basic	Advanced
Focus Consistency Analysis	Limited	Available
AI-Assisted Insights	Rare	Integrated
Real-Time Dashboard	Partial	Comprehensive
Local Privacy-Preserving Storage	Limited	Available

VIII. ADVANTAGES

The proposed NeuroTrace framework, which is based on architecture and behavioral analytics approach, offers some advantages:

- Unified Behavioral Monitoring can provide users with a more comprehensive picture of users' digital activity, going beyond just individual activity reports, to include activity in both browsers and the desktop app.
- The system tracks users' activity in real-time and provides real-time productivity analytics for visualizing real-time productivity trends, focus time and distraction patterns.
- As opposed to many productivity monitoring systems which use cloud storage, NeuroTrace makes sure that the data on user activities is processed and stored locally, thus giving an added measure of privacy and security.
- Interactive Behavioral Visualization: The frame provides the visualization of the data required to support productivity in the easy-to-use dashboards, activity timelines, focus analytics and with the AI features.
- Scalable Modular Design: The system's architecture allows for future integration of additional features, such as machine learning-based productivity predictions, personalised recommendations, behaviour analysis for multiple users and cloud connection.
- NeuroTrace addresses multiple issues in such systems, such as the need to monitor user activity as web users on the browser, the need to monitor their activity on the desktop, the need for intelligent behavioural analysis and the need for privacy-preserving data processing, all with a single system.

IX. LIMITATIONS

The proposed NeuroTrace framework shows great potential of behavioral productivity analytics, but there are limitations to consider. The current implementation is mainly designed to monitor activities of browsers and desktop applications on a single device, which does not give a whole picture of what a user is doing on various devices and various platforms. Moreover, the precision of behavioral insights depends on the continuous tracking of activities, and the absence of activity due to disabled permissions or inactivity of the monitoring components could influence the extent of data captured.

Moreover, the framework is not yet based on sophisticated machine learning models, meaning that it lacks the personalization and predictive power of such models. The evaluation is performed on a research prototype under laboratory conditions while a large number of real-world studies with different user groups need to be performed to prove the scalability, reliability and long term effectiveness of the proposed framework. These limitations can be expanded on to make NeuroTrace a more complete, intelligent and more useful behavioral productivity analytic system that can be used in the future.

X. FUTURE SCOPE / FUTURE WORK

The proposed NeuroTrace system has a lot of extension opportunities and can be improved. The incorporation of sophisticated machine learning and large language models (LLMs) to produce more personalised, context-aware and explainable recommendations for productivity in behaviour is a key extension. These models can also be used to study the chronology of user activity, predict future productivity and provide natural language explanations, helping the user understand their activity and how to improve their concentration [1], [14].

One more major challenge is to move the paradigm from device monitoring. Next generation will enable an integrated view of users' digital activity by synchronizing their activities across devices such as desktop, laptop, tablet and mobile. Moreover, cloud sync and user authentication/multi-user analytics can enable enterprise productivity analytics on a collaborative basis without compromising on strong privacy and security measures.

The other line of research is longitudinal testing using various user groups and in the real environment. The large scale studies in academic, professional and demographic settings would help in the validation of effectiveness, scalability and generalizability of the proposed framework. In the future, productivity categorization will be user-defined, digital well-being interventions will be tailored to individual users, focus prediction will use AI, and the productivity scoring will be adaptive. This will allow users to set websites and applications as productive, neutral and distractive depending on their requirements. These improvements would further cement NeuroTrace's place as an intelligent, privacy-respecting behavioural productivity analytics framework, that can be used for data-driven productivity management and digital well-being studies.

XI. CONCLUSION

The NeuroTrace framework that we present in this paper is a real-time, behavioral productivity analytics system to address the shortcomings of traditional productivity monitoring applications. The proposed architecture integrates browser monitoring, desktop monitoring, behavioral analysis, and AI-based productivity analysis, providing a holistic and privacy-respecting approach to analyzing user behavior and productivity while they are using the browser.

The emphasis on real-time analytics and the modular design highlights the possibility to create continuous behaviour monitoring into actionable insights on productivity through activity times, focus analytics, interactive visualization and behavioural observation. NeuroTrace offers more holistic information on user's digital activity than simply using the traditional activity monitoring approach, and local processing of digital data helps to safeguard users' privacy and security.

It is a research prototype, and provides a solid foundation for future research of behavioral productivity analytics and digital well-being. Potential future improvements with machine learning, customized productivity suggestions, cross-device tracking, and broad real-world tests have the potential of further enhancing the effectiveness and scalability of NeuroTrace as a smart productivity analytics model.

XII. REFERENCES

1. Y. Sihong, "[Research on Data-Driven Student Personalized Learning Path Recommendation System](#)," *Proc. 2025 IEEE 3rd Int. Conf. on Image Processing and Computer Applications (ICIPCA)*, Jun. 2025.
2. M. Büchi, "[Digital well-being theory and research](#)," *New Media & Society*, Jan. 2024.
3. N. M. Thomas, S. G. Choudhari, A. M. Gaidhane, and Z. Q. Syed, "[Digital Wellbeing: The Need of the Hour in Today's Digitalized and Technology Driven World](#)," *Cureus*, Aug. 2022.
4. A. Tambekar, A. Jahagirdar, and R. Shaikh, "[Effectiveness of Digital Productivity Tools in Managing Time and Tasks Among Students](#)" *International Research Journal of Modernization in Engineering Technology and Science (IRJMETS)*, May 2026.
5. S. Septania, A. F. Helmi, and H. B. Thontowi, "[Navigating Well-Being in the Digital Era: A Scoping Review of Digital Well-Being](#)," *Wellbeing, Space and Society*, 2026.
6. S. K. Nayak, "[AI-Driven Employee Productivity Monitoring System: A Case Study in Remote Work Environments](#)," *International Journal of Research and Review in Applied Science, Humanities, and Technology*, Jul.–Sep. 2025.
7. I. Ajunwa, "[Algorithms at Work: Productivity Monitoring Applications and Wearable Technology as the New Data-Centric Research Agenda for Employment and Labor Law](#)," *St. Louis University Law Journal*, Fall 2018.
8. I. Patel and A. Jog, "[Employee Monitoring System: Research Paper](#)," *International Journal for Research in Applied Science & Engineering Technology (IJRASET)*, Apr. 2026.
9. K. S. Vignesh, B. J. S. Bhavani, and M. Ratnakar, "[Centralized Laboratory Browser Activity Monitoring System](#)," *International Journal of Engineering Research & Science & Technology*, 2026.
10. A. K. Bej and S. Kalamadi, "[A Study on the Browser Extension Ecosystem](#)," 2023.
11. Schaub, A. Marella, P. Kalvani, B. Ur, C. Pan, E. Forney, and L. F. Cranor, "[Watching Them Watching Me: Browser Extensions' Impact on User Privacy Awareness and Concern](#)," in *Proc. USEC '16 (Workshop on Usable Security)*, San Diego, CA, USA, Feb. 2016.
12. H. Kim, S. Lee, and J. Kim, "[Inferring Browser Activity and Status Through Remote Monitoring of Storage Usage](#)," in *Proceedings of the 32nd Annual Conference on Computer Security Applications (ACSAC '16)*, Los Angeles, CA, USA, Dec. 2016.
13. OECD, "[Screen Time and Subjective Well-Being: Insights from a Few Countries Worldwide](#)," *OECD Policy Insights on Well-Being, Inclusion and Equal Opportunity*, no. 24, OECD Publishing, Paris, France, Dec. 2025.
14. P. D. Ghorpade, G. A. Darade, P. W. Bargal, R. S. Gaikwad, and U. B. Jedgul, "[AI Powered Productivity Monitoring System](#)," *International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)*, vol. 6, no. 5, Apr. 2026.
15. C. A. Kelly and T. Sharot, "[Web-browsing patterns reflect and shape mood and mental health](#)," *Nature Human Behaviour*, Jan. 2025.
16. J. D. McCrosky, D. A. Parry, C. J. R. Sewall, and A. Orben, "[Using Browser Data to Understand Desires to Spend Time Online](#)," *Technology, Mind, and Behavior*, Mar. 2023.
17. G. Kovacs, "[Reconstructing Detailed Browsing Activities from Browser History](#)," 2021.
18. L. Scibetta, M. Pellegrino, A. Monge Roffarello, and L. De Russis, "[Intelligent Support for Digital Wellbeing: A Design Framework Through a Systematic Literature Review](#)," *International Journal of Human-Computer Studies*, Nov. 2025.