

DECLARATION

I CHETHANA B.V(4HG20CS004) student of 6th semester B.E, CSE. Government Engineering College, here by declare that the project entitled **“Flying Balloon Animation”** has been carried out by me, under the supervision of **MADHURI H D** faculty, Dept of CSE submitted in partial fulfilment of the requirements for the award of the degree of computer science and engineering by the Visvesvaraya technological university during the academic year 2022-23. This report has not been submitted to any other organization/university for any award of degree certificate.

BY:
CHETHANA B.V

ABSTRACT

Create a balloon object that represents the visual appearance and behavior of a balloon. This object should have properties such as position, size, color, and velocity. Set up an animation loop that updates the position of the balloon object over time. This loop will be responsible for continuously redrawing the scene and moving the balloon across the screen. Simulate the physics of the balloon's flight. Apply forces such as gravity and wind to the balloon object to make it move realistically. Adjust the velocity and acceleration of the balloon based on these forces to create a convincing flying motion. Interaction Enable user interaction with the balloon animation. Allow users to click make it interact, such as causing it to change color or move in response to the input. Background and Environment Create a visually appealing background and environment for the balloon animation. This can include a sky, clouds Visual Effects Add visual effects to enhance the animation. This can include particle effects for clouds or trail effects for the balloon's movement. Use techniques such as blending, transparency, and shading to make the animation visually appealing and realistic. Optimize the animation for performance by minimizing unnecessary calculations and leveraging hardware acceleration when available. This will help ensure smooth and efficient execution of the animation, even on devices with limited resources.

ACKNOWLEDGEMENT

The completion of any project involves the efforts of many people. We have been lucky to have received a lot of help, support from all directions during this project, so with the gratitude we take this opportunity to acknowledge all those who guide and encouraged us.

We are extremely grateful to our principal **Dr.T Rangaswamy** B.E, M.Tech, Ph.D for creating an excellent and technically sound environment in our institution.

We would like to express our profound sense of gratitude to our department HOD **Prof. Dr.K C Ravishankar**, B.E, M.Tech, Ph.D and our co-ordinater **Prof. Dr.Raghu M.E**, B.E, MTech, Ph.D of CSE and our guide **MADHURI H D** for their guidance. It's a great pleasure to acknowledge for their help and encouragement rendered towards the successful completion of project.

BY:

CETHANA B.V

USN:4HG20CS004

Contents

1	Introduction	1
1.1	Glut	1
1.2	How OpenGL works	2
1.3	OpenGL	3
1.3.1	The OpenGL Pipeline:	4
1.4	Project Introduction:	5
1.5	Problem Statement	5
1.6	Objective	5
1.7	Application:	6
1.8	Advantages	6
2	Requirement analysis	7
2.1	Hardware Requirements	7
2.2	Software Requirements	7
3	Proposed Methodology:	8
3.1	Proposed System:	8
3.2	Menusection	9
3.3	Balloon Movement:	9
3.4	Balloon color:	9
4	Design	10
4.1	Purpose	10
4.2	Description	10

4.3	Flow Chat	10
5	Implementation	12
5.0.1	Working with the window system	12
6	Snapshots	14
7	Conclusion	21
8	Bibliography	22

List of Figures

1.1	The OpenGL rendering Pipeline	4
4.1	Flow chat for keyboard operation.	11
6.1	fig.1.1	14
6.2	figure 1.2	15
6.3	figure 1.3	16
6.4	figure 1.5	17
6.5	1.6	18
6.6	fig 1.7	19
6.7	fig 1.8	20

List of Tables

Chapter 1

Introduction

The dominant characteristics of this new computer and communication technologies have become dominant forces in our lives. Activities as wide ranging as film making, publishing, banking and education continue to undergo revolutionary changes as these technologies alter the ways in which we conduct our daily activities. The combination of computers, networks, and the complex visual system, through the computer graphics has led to new way of displaying information, seeing virtual worlds and communicating with people and machines. Computer graphics is concerned with all aspects of producing pictures or images using a computer. The field has begun humbly almost 50 years ago, with a display of few lines on a cathode ray tube, now we can create images by computer that are indistinguishable from photographs of real objects. We routinely train pilots with simulated airplanes, generating graphical displays of virtual environment of real time. Feature length movies made entirely by computer have been successful, both critically and financially. Massive multiplayer games can involve tens of thousands of concurrent participants.

1.1 Glut

It is complete API written by mark kilogram, which lets us create windows and handle the messages. It exists for several platforms that a program, which uses GLUT, can be compiled on many platforms without any changes in the code. GLUT is needed to interact with the operating system such as creating a window, handling key and mouse

inputs. It provides high-level utilities to simplify OpenGL programming

1.2 How OpenGL works

To be hardware independent OpenGL provides its own data types, they all begin with "GL". Eg: GLfloat, GLint. There are also many symbolic constants that all begin with "GL". Eg: GLPOINTS, GL_LINES. Finally commands have prefix "gl". Eg: glVertex3f (f, i, d).

Application of Computer Graphics: The development of computer graphics has been driven both by needs of the user community and by advancement in technology. The applications of computer graphics of computer graphics are many and varied, we can divide them into four categories :

1. Display of information
2. Design
3. Simulation and Animation
4. User interface

1. Display of Information:

Medical imaging possess interesting and important data analysis problem. Modern imaging technologies such as computed tomography (CT), magnetic resonance imaging (MRI), ultrasound, and position emission tomography (PET), generate 3D data that must be subjected to algorithmic manipulation to provide useful information. The field of scientific visualization provides graphical tools that help the researchers interpret the fast quantity of data that generate.

2. Design:

Professions such as engineering and architecture are concerned with design. Starting with a set of specifications, engineers and architects seek a cost effective and esthetical solution that satisfies the specifications. Design is an interactive process. Design problem are either over determined such that they possess no solution that satisfies all criteria,

much less an optimal solution, or undetermined, such that they have multiple solutions that satisfies the design criteria.

3.Simulation And Animation:

Graphics system evolved to be capable of generating sophisticated images in real time, engineers and researchers began to use them as simulators. One of the most important use has been in training of pilots. The use of special PLSI chips has led to a generation of arcade, games as sophisticated as flight simulators. The simulators can be used for designing the robot, planning its path, and simulating its behaviour in complex environment. The success of flight simulators led to the use of computer graphics for animation in TV, motion pictures and advertising industries. Entire animated movies can now be made by computers at a cost less than that of movies made with traditional ways.

4.User Interface:

Our interaction with computers has become dominated by visual paradigm that includes icons, menus and pointing devices such as mouse. From users perspectives, winding system such as X and window system, Microsoft windows

1.3 OpenGL

- Graphics rendering API.
- High Quality colour images composed of geometric primitives
- Operating system independent
- OpenGL is an application programmer's interface (API) that allows programmers to write programs that access graphics hardware OpenGL provide a set of commands to render a two dimensional scene. That means you provide data in OpenGL usable form and OpenGL will show you this data in scene (render it).it is developed by many companies and it is free for use. You can develop OpenGL applications without licensing. OpenGL based on the state variables, there are many values for example, the colour, you can specify a colour once and draw several polygons, lines and whatever you want. Then there are no classes like in directX. However it is logically structured. Before we come to

the commands themselves, here are another thing. It is very important thing to know, that there are two important matrices, which affect the transformation from 3D world to 2D screen. The projection matrix and the model view matrix. The projection matrix contains information, how a vertex can be mapped to the screen. This contains, whether the projection shall be isometric or a form of perspective, how wide the field of view is and so on. Into the other matrix you put information, how the objects are moved, where the viewer is and so on.

1.3.1 The OpenGL Pipeline:




Figure 1.1: The OpenGL rendering Pipeline

Commands may be either be accumulated in display lists are processed immediately through pipeline architecture. Display lists allow for greater optimization and command reuse, but not all commands can be put in display lists. The first stage is evaluator. This stage effectively takes any polynomial evaluator commands and evaluates them into their corresponding vertex and attributes commands. The second stage is per-vertex operations, including transformations, lighting, primitive assembly, clipping, projection, and viewport mapping. The third stage is rasterization. This stage produces fragments, which are series of frame buffer address and values from the viewport mapped primitives as well as bitmaps and pixel rectangles. The fourth stage is the per-fragment operations. Before fragments go to the frame buffer.

1.4 Project Introduction:

Creating a flying balloon animation, the animator will typically start by creating a model of the balloon using computer software. Once the balloon model is complete, the animator will add it to scene and setup the control its movements.

they may also add other elements to the scene, such as cloud. Finally, the animator will render the animation, which involves generating a series of still images that are played back in rapid succession to create the illusion of motion. Because the movement of balloon control by the user input using a keyboard. Overall, the flying balloon animation introduction in computer graphics is a visually captivating and creative way to engage viewers, convey a desired mood or theme, and showcase the technical prowess of the animation team. The introduction of a flying balloon animation in computer graphics typically serves as an opening sequence or a visual element that captures the viewer's attention. It is a creative way to set the tone, establish the atmosphere, or evoke a sense of wonder in a digital production. The animation showcases the realistic movement and behavior of a balloon as it gracefully floats through a virtual environment.

The purpose of the flying balloon animation introduction can vary depending on the context. It may be used to convey a lighthearted or whimsical mood, symbolize freedom or adventure, or simply add visual interest to the scene.

1.5 Problem Statement

Implementation of Flying Balloon Animation Using GLUT function And OpenGL.

1.6 Objective

- Entertainment: To create a visually engaging and entertaining animation that capture the viewer's attention.
- Education: To create a animation that teaches the viewer about a specific topic or concept, such as the physics of filling or the history of hot air balloons.
- Marketing: To create an animation that promotes a product, brand, or service, such

as an advertisement for a air balloon tour company.

1.7 Application:

- Balloon Movement: Create an animation that simulates the movement of a balloon.
- Colorfull Balloon:The Chnging of Balloon Colors It will shows the Red,Blue and green colors.
- Interactive Elements:Add interactive elements to the animation,such as allow the user input the balloon will be changes the color and also movement of balloon.
- Background:To add the element like cloud.
- It Uses in a Entertinment Industry.
- Also use as a simple game

2D transmission can be used in medical imaging, such as X-rays and CT scans, to create images of the body's internal structures. It can also be used in security systems, like airport scanners, to detect hidden objects. Additionally, 2D transmission can be used in optical sensing, such as in the measurement of refractive index of materials.

1.8 Advantages

Visualization and Presentation: Computer graphics can be used to visually communicate the concept and design of a flying balloon project.

Design Iteration: With computer graphics, designers can quickly iterate and experiment with different balloon designs, shapes, and colors.

Marketing and Advertising: Computer graphics can create visually stunning images and animations that can be used for marketing and advertising purposes. Overall, 2D transformation is a powerful tool in computer graphics and image processing, and has many different applications.

Chapter 2

Requirement analysis

2.1 Hardware Requirements

Processor intel i5 onward

RAM 4Gb and more.

Hard Disk 16GB

2.2 Software Requirements

Operating System : Unix or Ubuntu

Language Tool : OpenGL

Editor : vi editor or gedit

- A visual C/C++ compiler is required for compiling the source code to make a executable file which can be directly executed.
- The built in graphics and dynamic link libraries like glut and glut32, and header file like glut.h to create 2D 3D layout.

Chapter 3

Proposed Methodology:

The whole program has been implemented in C++ language. Define the purpose and goals of your animation. Decide on the visual style and theme for the animation Create or gather the necessary assets, such as balloon images, backgrounds, and any additional elements required for the animation. Design the balloon with attention to color, shape, and details.

3.1 Proposed System:

Planning and Conceptualization: Define the purpose and goals of your animation. Decide on the visual style and theme for the animation.

Design and Asset Creation: Create or gather the necessary assets, such as balloon images, backgrounds, and any additional elements required for the animation. Design the balloon with attention to color, shape, and details.

Animation Software Selection: Choose an animation software that suits your requirements and expertise.

Balloon Animation: Start by creating the initial position and shape of the balloon. Animate the balloon's movements, such as ascending, descending, or floating.

Environment and Background Animation: Design and animate the background elements, such as clouds, sky.

3.2 Menusection

In the menusection at the execution time, User gives the inputs based on that balloon will be move up down right and left and also changing the balloon colors.

3.3 Balloon Movement:

The balloon will be move using a user inputs. The input keys like 8,4,2,6. the input key 'q' is used to exit.

3.4 Balloon color:

The balloon Color will be changed based on the user input like Blue,Green,Red.

Chapter 4

Design

4.1 Purpose

The Balloon include 2D transformation play an important role in computer graphics to Chnaging the balloon color and Balloon movements.

4.2 Description

Our project shows a graphical view of Flying balloon animation glutKeyboardFunc is used for keyboard functions. Key '8' or '6' and '4' or '2' is used to Movements Like Up,down,left,right.And Key 'B' or 'R' or 'G'is used to changing the colors of the balloon. 'q' key is used to exit. And reset the balloon Movements.

4.3 Flow Chat




Figure 4.1: Flow chat for keyboard operation.

Chapter 5

Implementation

This program has been developed and implemented using OpenGL interface. In corporate this facility includes glut.h header files.

Void glColor3f(TYPE r,TYPEg,TYPE b) Sets the present RGB colors.

1. **Void glClearColor(GLclampf,Glclampf,Glclampf, Glclampf)** Sets the present RGBA clear color used when clearing the color buffer. Variable of Glclampf are floating point numbers between 0.0 and1.0

2. **Void glPointSize(Glfloat size)** Sets the point size attribute in pixels.

5.0.1 Working with the window system

void draw balloon() The drwa functions is called repeatedly by the processing framework to update display

Void glFlush()

Forces any buffered openGL commands to execute. **Void glutInit(int argc,char **argv)** Initializes GLUT. The arguments from main are passed in and can be used by the application. **Void glutCreateWindow(char*title)**

Creates a window on the display. The string title can be used by the window. The return value provides reference to the windows that can be used when there are multiple windows. **void glutInitDisplayMode(unsigned int mode)**

Requests a display with the properties in mode. The value of mode is determined by the logical

OR of options including the colormodel(GLUT RGB, GLUT INDEX) and buffering (GLUT SINGLE,GLUT DOUBLE). **void glutInitWindowSize(intwidth,int height)**

Specifies the initial height and width of the window in pixels. **void glutInitWindowPosition(intx,int y)**

Specifies the initial position of top-left corner of the window in pixels. **Void glutDisplayFunc(void(*func)(void))**

Requests that the display callback be executed after the current callback returns.

Chapter 6

Snapshots

- The figure 1.1 shows the Initial position of the Balloon.




Figure 6.1: fig.1.1

Movement Of balloon

- The figure 1.2 shows balloon will placed at down position.using a kye '2'.when we pressed key '2' the balloon moves down
- The figure 1.3 shows balloon will placed at right position.using a kye '6'.when we pressed key '6' the balloon moves right
- The figure 1.5 shows balloon will placed at up position.using a kye '8'.when we pressed key '8' the balloon moves up.
- The figure 1.6 shows balloon will placed at left position.using a kye '4'.when we pressed key '4' the balloon moves left.




Figure 6.2: figure 1.2




Figure 6.3: figure 1.3




Figure 6.4: figure 1.5




Figure 6.5: 1.6

Color Change

- The figure 1.7 Shows Blue Color, When we press the key 'B' Balloon changes To Blue color
 - The figure 1.8 Shows Green Color, When we press the key 'G' Balloon changes To Green color.




Figure 6.6: fig 1.7



Figure 6.7: fig 1.8

Chapter 7

Conclusion

In conclusion, the flying balloon animation is a captivating and whimsical creation that brings joy and wonder to viewers. Through its vibrant colors, smooth movements, and graceful flight, the animation succeeds in evoking a sense of enchantment and freedom. The floating balloon symbolizes the human spirit's desire for exploration and adventure, reminding us of the limitless possibilities that await us when we embrace our dreams. The animation's seamless execution and attention to detail make it an engaging and immersive experience, drawing the audience into a world where anything is possible. Overall, the flying balloon animation is a delightful work of art that leaves a lasting impression and serves as a reminder to always reach for the sky.

Chapter 8

Bibliography

1. <https://www.opengl.org>.
2. <https://www.opengl.org/examples.zip>.
3. <https://www.google.com/>.
4. Introduction to Computer Graphics and the Vulkan API Third Edition