Tab1

name	Age	place
cheth	20	Hyd
Ram	21	Delhi
Kiran	22	Goa
Roy	25	pune
Bob	26	Bali

Tab.2

place	Gender	Weight
Hyd(r)	M	68
smg	F	70
Blore	F	65
Pune(r)	M	67
Bali (r)	M	90

1) Inner Joins

→ Select name, Age Tab1.place, Gender, Weight
from tab1, tab2
Where tab1.place = tab2.place

name	Age	place	Gender	Weight
cheth	20	Hyd	M	68
Roy	25	Pune	M	67
Bob	26	Bali	M	~~90~~ 90

② Left join

Select name, Age, Tab1.place, Gender, weight
from tab1
Left join tab2
ON tab1.place = tab2.place;

name	Age	place	Gender	weight
Cleth	20	Hyd	M	68
Ram	21	Delhi	—	—
Kiran	22	Goa	—	—
Roy	25	pune	M	67
Bob	26	Bali	M	90

- All Columns from left tab1. only matching col from tab 2 (Right table)

Right join → (Right table)
→ all Colms from tab2 + only matching Cols from tab1 (left table)

→ Select name, Age tab2. place, Gender, weight
from tab2.
Right join tab1
ON tab1.place = tab2.place

→

name	age	place	Gender	weight
Cleth	20	Hyd	M	68
—	—	Smg	F	70
—	—	Blore	F	65
Roy	25	Pune	M	67
Bob	26	Bali	M	90

Full join

Returns all the Rows of both, Non Matching Row will have null Values,

```
Select name, Age, place, Gender, weight
from tab1
Full JOIN tab 2
ON tab1.place = tab2.place.
```

name	Age	place	Gender	weight
Keth	20	Kyd	M	65
Ram	-	-	-	-
Kiran	-	-	-	-
Roy	25	Pune	M	67
Bob	26	Bali	M	90