Run SELECT * FROM users;

Query | Query History

```
1  select * from users;
```

Data Output | Messages | Notifications

	id [PK] integer	email character varying	passwordHash character varying
1	1	auth.demo@example.com	$2b$12$TKgtL7e8E5rqrE5znRH28OieQQCMwvN0cXl5DSyIzzxi26LeAIoky
2	2	auth.postman.demo@example.com	$2b$12$Bl7nKzJl0RWKjlv/XMzvHulkoWCxi5hpUZE6jF0hapIflW47gHOci
3	3	auth.postman.evidence@example.com	$2b$12$R8gzx8ISG5nzNAJvibY78.mUWqjxZXOdgeIXzU.nGUWiUI0fIXAXi
4	4	auth.postman.evidence.run2@example.com	$2b$12$gf2EwWFQBkAuO1MZdbXmY.kO8.iELNKA9BpvrGJ3viMBWFk8cd…
5	5	auth.postman.final@example.com	$2b$12$.AxdPPRJuOGwPqrilKDhnOpNHAVKQZuNUpIkeTdxX4/YZscwKiM…
6	6	auth.postman.demo2@example.com	$2b$12$7e1xMLxAYyCLa/Y5iAs42uUECnsX8nSaJl2VPFCSz1suwTVH2.6…

Register new account

POST {{baseUrl}} /auth/register — Send

Docs | Params | Authorization | Headers 10 | Body | Scripts | Settings | Cookies

none | form-data | x-www-form-urlencoded | raw | binary | GraphQL | JSON | Schema | Beautify


```
{
  "email": "auth.postman.demo2@example.com",
  "password": "{{password}}"
}
```

Body | 201 Created | 358 ms | 291 B | Load test | Save Response


{ } JSON | Preview | Visualize

```
{
    "id": 6,
    "email": "auth.postman.demo2@example.com"
}
```

Register duplicate email



Login with correct password



Login with wrong password

