PAPER • OPEN ACCESS

Computational studies on cycloidal gearboxes: a systematic literature review

To cite this article: L Maccioni et al 2021 IOP Conf. Ser.: Mater. Sci. Eng. 1038 012006

View the article online for updates and enhancements.

You may also like

- A manufacturing error measurement methodology for a rotary vector reducer cycloidal gear based on a gear measuring
- center Tianxing Li, Junxiang Zhou, Xiaozhong Deng et al.
- The origin of the large magnetoelectric coupling in the ceramic
 Ba_{0.4}Bi_{0.6}(Ti_{0.9}Zr_{0.4})_{0.4}Fe_{0.9}O₃
 Imen Kallel, Hamadi Khemakhem, Zina Sassi et al.
- A prediction method for the backlash error of robot precision reducers based on optimal assembly
 Tianxing Li, Jian Yao, Jiake Xu et al.



doi:10.1088/1757-899X/1038/1/012006

Computational studies on cycloidal gearboxes: a systematic literature review

L Maccioni, M N Mastrone and F Concli

Libera Università di Bolzano, Facoltà di Scienze e Tecnologie, piazza Università, 5, 39100 Bolzano, Italy

e-mail: lorenzo.maccioni@unibz.it, marconicola.mastrone@natec.unibz.it, franco.concli@unibz.it

Abstract. The high compactness of cycloidal gearboxes, their low backlash and their capability to withstand overloads are just some of the factors that have led the research to focus on these solutions for reducing speed. These types of gearboxes have very complex geometries, architectures and dynamics, and the contact between the various components occurs simultaneously in different areas of them. Therefore, numerical simulations can represent an essential tool for the design of these systems. The objective of this study is to understand in what and how numerical simulations can support the design of cycloidal reduction systems and make a review of the literature to understand to date, who, why and how has conducted these of studies. The reviewed contributions, collected through Scopus, are analyzed and classified according to, among others, the component modelled and analyzed, the scope of the analysis and if the analysis has been validated with experimental results. Bibliometric analyses show that the topic is of growing interest to the international scientific community but remains almost an Asian monopoly since most of the results are not shared in English. It has emerged that the study of the contact between cycloidal disk and rollers remains the most widespread study. The research showed that only a small number of analyses have been validated by experimental results.

1. Introduction

Cycloidal speed reducers embody four main components, as clarified in Figure 1: an eccentric shaft, through which the input motion is provided, a cycloidal disk, the ring gear pin with rollers on which the cycloidal disk engages, and a mechanism that extracts the rotation motion of the cycloidal disk (usually hole-pin).




Figure 1. Cycloidal Gear [2]

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

doi:10.1088/1757-899X/1038/1/012006

The input shaft moves the center of the cycloidal disk along a circular trajectory, providing the revolution motion. Following this trajectory, the cycloidal disk meshes on the rollers located on the casing, rotating in the opposite direction to that of the shaft since the number of rollers is greater than the number of lobes. Usually, holes realized inside the cycloidal disk drag pins during the rotation motion, allowing the output shaft to extract this motion and transmit it as the output motion. Naturally, different configuration of cycloidal speed reducers can be designed e.g. by inverting the relative position of the rollers and the cycloidal profile [1].

This system is dynamically unbalanced since the center of mass moves eccentrically and many design solutions were proposed to balance this system e.g. by adding mass, using a counterweight to be mounted on the shaft [3] or by exploiting another cycloidal disk 180° out of phase with respect to the first one [4]. Through the latter solution, it is possible to distribute the forces on two cycloids and therefore improve the performance in terms of power transmission and/or service life of components. The Gear Ratio (GR) can be expressed as in Equation 1 [5]. Here, Z1 is the number of lobes of the cycloidal disk and Z2 is the number of rollers.

$$GR = \frac{\omega_{input}}{\omega_{output}} = \frac{Z_1}{Z_2 - Z_1} = \frac{Z_1}{\Delta}$$
 (1)

It is therefore easy to infer that the highest GR is obtained when the difference Z2-Z1 (Δ) is minimal, and in the case of cycloidal gearboxes, it is possible to reach the difference of one tooth only [5].

The rolling contact between the cycloidal disk and the rollers is the main factor influencing the efficiency of the gearbox [6]. The various sources of power loss in a cycloidal gearbox is the friction between the rollers and the disk, the friction between holes and pins and the friction in the bearings. If the rollers are not free to rotate, the cycloid efficiency is a function of the circumference of the cycloid disk [7]. The rollers can be made with sliding or ball bearings (non-compact solution) in order to reduce any tangential force due to friction and machining errors (increasing the efficiency) or they can be made integral to better resist shocks and overloads [7].

Theoretically, in cycloidal speed reducers all the lobes are simultaneously in contact with the rollers and half of them are able to transmit torque [8]. Therefore, cycloidal speed reducers are capable of transmitting very high torques and can withstand short-term overloads of up to 500% [8]. This capacity of cycloidal reducers is also because, during the loading, in these profiles there are no tensile (or bending) stresses but only compressive one [9].

The profile of a cycloidal gear set, with a unitary difference between number of rollers and number of lobes, can be expressed by the coordinates C_x and C_y (with the origin in the center of the cycloid) as function of the parameter ϕ (angle of input shaft) that vary between 0 and 2π (Equation 2, 3 and 4) [5].

$$C_x = R \cdot \cos(\phi) - R_r \cdot \cos(\phi + \psi) - e \cdot \cos((Z_1 + 1) \cdot \phi)$$
 (2)

$$C_y = -R \cdot \sin(\phi) + R_r \cdot \sin(\phi + \psi) + e \cdot \sin((Z_1 + 1) \cdot \phi)$$
(3)

where
$$\psi = \tan^{-1} \left(\frac{\sin(Z_1 \cdot \phi)}{\cos(Z_1 \cdot \phi) - \frac{R}{e \cdot (Z_1 + 1)}} \right)$$
 (4)

Where, R is the distance between the centre of each roller and the input shaft axis, R_r is the radius of rollers, e is the eccentricity of the input shaft and Z_1 is the number of lobes of the cycloid (one less of the number of rollers in this case) [5].

The many construction variants of this type of speed reducer, their complex dynamics and geometries, and the many simultaneous contact zones have led to many numerical simulations to support the design of the various components. Therefore, the aim of this paper is to collect (and discuss) systematically the scientific papers aimed at numerically simulate cycloidal speed reducers (or their specific components) in order to obtain results on tensional stresses, deformation and power losses.

doi:10.1088/1757-899X/1038/1/012006

2. Material and method

In order to conduct a systematic literature search, the Scopus database was queried. More specifically, limiting the search in the subject area of engineering, the following keywords were searched in the title, abstract and keywords.

[Cycloid* & (Gear* + Reduc* + Drive) & ("Stress Analysis" + "Numeric* Simulat*" + FEM + FEA + "Finite Element")]

The symbol * allows to include all the suffix e.g. gear* allows to include in the search gear, gearing, gearbox, gearboxes and so on. The symbols & and + are the Boolean operator AND and OR respectively. While, the search of exact words is represented by "".

Through this query has been possible to collect systematically the scientific contributes in which the numerical simulation and/or the Finite Element Analysis of cycloidal speed reducers were conducted. The search has highlighted 149 scientific contributes and, after a first screening by reading the title, the abstract and, when available, the results, 50 articles relevant to the purposes of this research have been identified. Most of the paper emerged were discarded because they study cycloidal gear as pump or wind turbines. Other study the cycloidal profile as alternative of the involute profile in ordinary meshing. Other papers were discarded because they exploit analytical method considering rigid bodies instead of numerical ones.

The pertinent papers have been classified based on:

- The document type i.e. journal article or conference paper;
- The year of publication;
- The number of citation (in Scopus index) until July 2020;
- The country in which the authors' affiliation is based;
- The availability of the full text in English;
- The component modelled and analysed;
- The scope of the analysis;
- If the results of the analysis have been validated with experimental results.

3. Results and discussions

In Table 1 and Table 2, it is possible to see the classification of each pertinent paper. In the tables, the paper are ordered based on the year of publication i.e. from oldest to the newest. The paper are homogeneously published in conferences and journals; 26 in conferences and 24 in journals.

3.1. Bibliometric results

Table 1. Bibliometric results

	Table 1. Dibnometric results					
Reference	Year	Country	Journal / Conference	Citations on Scopus	English Full Text Available	
[10]	1996	Japan	Journal	6	No	
[11]	1996	Japan	Journal	11	No	
[12]	1998	Japan	Journal	3	No	
[13]	2001	China	Journal	7	No	
[14]	2001	China	Conference	0	No	
[15]	2008	China	Conference	1	Yes	
[16]	2009	South Korea	Journal	5	No	
[17]	2010	China	Journal	1	No	
[18]	2010	China	Journal	15	No	

IOP Conf. Series: Materials Science and Engineering

1038 (2021) 012006

[19]	2010	South Korea	Conference	6	Yes
[4]	2011	Serbia	Journal	58	Yes
[20]	2011	China	Conference	0	Yes
[21]	2011	United States	Conference	4	Yes
[22]	2011	China	Conference	2	Yes
[23]	2011	China	Conference	1	Yes
[24]	2011	China	Conference	0	Yes
[25]	2011	China	Conference	1	Yes
[26]	2012	China	Conference	2	Yes
[3]	2012	United States	Conference	5	Yes
[27]	2012	China	Conference	0	Yes
[28]	2012	China	Conference	0	Yes
[29]	2013	China	Journal	3	No
[8]	2014	Serbia	Journal	8	Yes
[30]	2014	Japan	Journal	40	Yes
[31]	2014	China	Conference	0	Yes
[32]	2015	China/United States	Conference	0	Yes
[33]	2015	China	Conference	0	Yes
[34]	2015	China	Conference	0	No
[35]	2015	Taiwan	Conference	7	No
[36]	2017	China	Journal	1	No
[37]	2017	China	Journal	6	No
[38]	2017	Netherlands	Journal	5	Yes
[39]	2017	China	Journal	0	No
[40]	2017	China	Conference	3	Yes
[41]	2017	China	Conference	4	Yes
[42]	2018	China	Journal	3	No
[43]	2018	China	Conference	0	Yes
[44]	2019	China	Journal	0	No
[45]	2019	Poland	Journal	1	Yes
[46]	2019	China	Journal	1	Yes
[47]	2019	China	Journal	3	Yes
[48]	2019	Taiwan	Journal	0	Yes
[49]	2019	Taiwan	Conference	0	Yes
[50]	2019	Italy	Conference	4	Yes
[51]	2019	China	Conference	0	Yes
[52]	2019	China	Conference	0	Yes
[53]	2019	China	Conference	0	Yes
[54]	2020	China	Journal	0	No

IOP Conf. Series: Materials Science and Engineering	1038 (2021) 012006	doi:10.1088/1757-899X/1038/1/012006
---	--------------------	-------------------------------------

[55]	2020	China	Journal	0	No
[56]	2020	Italy	Journal	0	Yes

In Figure 2, the amount of relevant papers published over the years is reported. It is possible to notice the increase interest in the last decade to this research topic.




Figure 2. Distribution of relevant publications over the years

In Figure 3, it is possible to notice the distribution of the relevant publications over the country and then over the continents. In this analysis, it is clear that the proposed research topic has been mainly addressed by Asian universities (more than the 82% of the relevant papers), in particular Chinese universities (more than the 64% of the relevant papers). The high interest of the Asian researchers in this topic also leads to a difficult availability of the full texts of the publication in English. Indeed, the authors were not able to find the full text in English of 18 (out of 50) papers.




Figure 3. Distribution of relevant publications over the country

To date, the most cited papers are indisputably [4] with 58 citations and [30] with 40 citations. In [4], an innovative solution is presented and studied numerically and experimentally. In [30], a method for building the geometrical and the finite element model of the cycloidal disk is presented.

doi:10.1088/1757-899X/1038/1/012006

3.2. Technical results

Table 2. Technical results

		Table 2. Technical results	
	Component Modelled and		Validation with
Reference	Analyzed	Scope of the Analysis	experiment
[10]	Cycloidal Disk	To obtain the normal contact forces and contact stress	No
[11]	Cycloidal Disk	To obtain the normal contact forces and contact stress	No
[12]	Cycloidal Disk	To obtain the normal contact forces and contact stress	No
[13]	Cycloidal Disk and Rollers	To verify the applicability of a new solution	No
[14]	Whole System	To verify the applicability of a new solution	No
[15]	Whole System	To obtain the shear stress distribution	No
[16]	Cycloidal Disk	To study the torsional stiffness	Yes
[17]	Whole System	To verify the applicability of a new solution	No
[18]	Cycloidal Disk and Roller balls	To obtain the stress distribution on the contact area	No
[19]	Cycloidal Disk	To study the torsional stiffness	Yes
[4]	Whole System	To verify the applicability of a new solution	Yes
[20]	Rollers	To obtain the torsional stiffness	No
[21]	Whole System	To obtain the stress state of the cycloidal disk, pins and rollers	No
[22]	Whole System	To study the transmission error	No
[23]	Cicloidal Disk and Pins	To validate an analytical model	No
[24]	Rollers	To obtain the stress on (modified) rollers	Yes
[25]	Cycloidal Disk and Roller balls	To study the variation of thermo-mechanical coupling contact stress of engagement pair at maximum force position with working temperature	No
[26]	Cycloidal Disk and Rollers	To validate an analytical model	No
[3]	Whole System	To obtain the stress state of the cycloidal disk, pins and rollers	No
[27]	Cycloidal Disk and Rollers	To obtain the stress state of the cycloidal disk and rollers	No

IOP Conf. Series: Materials Science and Engineering

1038 (2021) 012006

[28]	Cycloidal Disk and Pins	To obtain the stress and deformation of the dowel pin	No
[29]	Cycloidal Disk and Rollers	To obtain the normal contact forces, friction forces, and contact stress	No
[8]	Cycloidal Disk	To obtain the stress state of the cycloidal disk for the most critical case of the meshing	Yes
[30]	Cycloidal Disk	To obtain the stress state of the cycloidal disk	No
[31]	Whole System	To obtain the normal contact forces, friction forces, and contact stress	No
[32]	Cycloidal Disk and Rollers	To validate an analytical model	No
[33]	Cycloidal Disk and Rollers	To study the lubrication	No
[34]	Whole System	To perform a modal analysis	No
[35]	Whole System	To verify the applicability for a case study	Yes
[36]	Cycloidal Disk and Rollers	To study the temperature distribution	No
[37]	Whole System	To study the transmission error	No
[38]	Cycloidal Disk and Rollers	To study the power losses and stiffness of a new solution	Yes
[39]	Whole System	To perform a modal analysis	No
[40]	Cycloidal Disk and Rollers	To study the impact on meshing force caused by the gap due to manufacturing error of the rollers	No
[41]	Cycloidal Disk and Rollers	To obtain the normal contact forces, friction forces, and contact stress	No
[42]	Cycloidal Disk and Rollers	To study the time-varying meshing stiffness and load distribution	No
[43]	Whole System	To find the most stressed area of the cycloidal disk	No
[44]	Cycloidal Disk and Rollers	To study the effect of profile modification due to machining errors on load distribution and contact stress	No
[45]	Whole System	To obtain the torque ripple on the output shaft	Yes
[46]	Cycloidal Disk	To obtain the normal contact forces, friction forces, and contact stress in order to optimize the geometrical parameters	Yes
[47]	Cycloidal Disk and Rollers	To obtain the torsional stiffness based on cycloid parameters	Yes
[48]	Whole System	To study the dynamic forces and failure characteristics	No

doi:10.1088/1757-899X/1038/1/012006

[49]	Cycloidal Disk and Rollers	To study the effect of profile modification on load distribution and contact stress in order to optimize the modified profile	Yes
[50]	Whole System	To predict power losses due to fluid-structure interaction	No
[51]	Whole System	To obtain the stress and deformation of the cycloidal disk, rollers and eccentric shaft	No
[52]	Whole System	To optimize the geometrical profile based on the minimum stress	No
[53]	Whole System	To obtain the stress and deformation of the cycloidal disk, rollers and eccentric shaft	No
[54]	Cycloidal Disk and Rollers	To study the influence of the thickness of the cycloidal disk on meshing characteristic and to obtain the torsional stiffness	No
[55]	Cycloidal Disk and Rollers	To obtain the normal contact forces, friction forces, and contact stress	No
[56]	Cycloidal Disk and Rollers	To obtain the normal contact forces, friction forces, and contact stress in order to verify (and optimize) a new configuration	No

In Table 2, it is possible to notice that the component modelled and analysed through finite elements or volumes can be classified in six categories i.e. Cycloidal Disk only, Rollers only, Cycloidal Disk and Rollers, Cycloidal Disk and Roller balls, Cycloidal Disk and Pins, Whole System. However, in the most of the simulations, either the entire system or the most critical elements of the contact (i.e. the cycloidal disk and rollers) are modelled and discretized by finite elements.

In Figure 4, it is possible to see the distribution of the scope of the analysis.




Figure 4. Distribution of the scope of the analysis divided by articles that have been experimentally validated (in red) and those that have not (in black)

doi:10.1088/1757-899X/1038/1/012006

In this histogram it is possible to see that most of the studies aim to obtain a map of the stress and/or to get the forces transmitted to the various rollers. In some cases these analyses have been used to verify the strength of new architectures for specific case studies. In other studies the aim is also to obtain losses, in others to understand the torsional stiffness or general deformations. Some studies aim to validate analytical models, others to optimize geometries. Others scholars study losses due to lubrication, thermal effects, vibrations and torque oscillation. However, it is interesting to note that the 78% of these analyses are not accompanied by experimental validation. In particular, the articles that included the experimental validation aimed at studying the torsional stiffness and the torque ripple.

4. Conclusions

In conclusion, a systematic analysis of the literature through Scopus of the contributions that study the numerical simulation of cycloidal reduction systems has been carried out in this work.

From the bibliometric analyses it emerges that the topic is of growing interest to the international scientific community but it remains almost an Asian monopoly since most of the results are not shared in English.

It has emerged that different modelling strategies have been adopted to study the various components with different objectives but the study of the contact between cycloidal disk and rollers remains the most widespread study. However, no standard approaches have been unanimously shared by researchers.

The research also showed that only a small number of analyses have been validated by experimental results.

References

- [1] Gorla C, Davoli P, Rosa F, Longoni C, Chiozzi F and Samarani A 2008 Theoretical and experimental analysis of a cycloidal speed reducer. *Journal of Mechanical Design* **130**(11) https://doi.org/10.1115/1.2978342
- [2] PDTA home page, https://www.ptda.org/resources/product-training/pt-mc-tech-tips/gears.aspx, last accessed 2020/07/11
- [3] Thube S V and Bobak T R 2012 Dynamic analysis of a cycloidal gearbox using finite element method. *AGMA Technical Paper* 1-13
- [4] Blagojevic M, Marjanovic N, Djordjevic Z, Stojanovic B and Disic A 2011 A new design of a two-stage cycloidal speed reducer. *Journal of Mechanical Design* **133**(8) https://doi.org/10.1115/1.4004540
- [5] Sensinger J W 2010 Unified approach to cycloid drive profile, stress, and efficiency optimization. *Journal of Mechanical Design* **132**(2) https://doi.org/10.1115/1.4000832
- [6] Malhotra S K and Parameswaran M A 1983 Analysis of a cycloid speed reducer. *Mechanism and Machine Theory* **18**(6), 491-499 https://doi.org/10.1016/0094-114X(83)90066-6
- [7] Sensinger J W 2013 Efficiency of high-sensitivity gear trains, such as cycloid drives. *Journal of Mechanical Design* **135**(7) https://doi.org/10.1115/1.4024370
- [8] Blagojevic M, Marjanovic N, Djordjevic Z, Stojanovic B, Marjanovic V, Vujanac R and Disic A 2014 Numerical and experimental analysis of the cycloid disc stress state. *Technical Gazette* 21(2) 377-382
- [9] Sensinger J W and Lipsey J H 2012 Cycloid vs. harmonic drives for use in high ratio, single stage robotic transmissions. 2012 IEEE International Conference on Robotics and Automation, 4130-4135. IEEE https://doi.org/10.1109/ICRA.2012.6224739
- [10] Ishida T 1996 Tooth Load of Thin Rim Cycloidal Gear. *Proc. 7th International Power Transmission and Gearing Conference* **88** 565-571
- [11] Ishida T, Hidaka T, Wang H, Yamada H and Hashimoto M 1996 Bending stress and tooth contact stress of cycloid gear with thin rims. *Trans. Jpn. Soc. Mech. Eng. Ser. A* **62**(593) 291-297 http://dx.doi.org/10.1299/kikaic.62.291
- [12] Ishida T, Yoshida T and Li S 1998 Relationships among face width, amount of gear error, gear dimension, applied torque and tooth load in cycloidal gears. *Transactions of the Japan Society*

- of Mechanical Engineers C 64(623), 2711-2717 http://dx.doi.org/10.1299/kikaic.64.2711
- [13] Zhou J J and Chen Z C 2001 Study and performance test of full complement cycloidal ball reducer with ceramic balls as its gear teeth. *Chinese Journal of Aeronautics* **14**(4) 245-251
- [14] Zhou J J and Chen Z 2001 Computerized design of cycloidal gear drive with improved gear tooth modification. *Proceedings of the International Conference on Mechanical Transmissions* (ICMT 2001) 167-170
- [15] Shan L J, He W D and Guan T M 2008 Analysis of nonlinear characteristics of double-crank ring-plate-typed pin-cycloid gear planetary drive. *Advanced Materials Research* **44**, 711-716. Trans Tech Publications Ltd Http://dx.doi.org/10.4028/www.scientific.net/amr.44-46.711
- [16] Kim K H, Lee C S and Ahn H J 2009 Torsional rigidity of a two-stage cycloid drive. *Transactions* of the Korean Society of Mechanical Engineers A 33(11) 1217-1224 Http://dx.doi.org/10.3795/KSME-A.2009.33.11.1217
- [17] Bao J, He W, Lu Q and Li L 2010 Study on output-pin-wheel cycloid drive. *Zhongguo Jixie Gongcheng/China Mechanical Engineering* **21**(19) 2339-2344
- [18] Zhang P, An Z J and Yang Z M 2010 Research on nonlinear mechanical properties for engagement pair of cycloid ball planetary transmission. *Engineering Mechanics* 27(3) 186-192
- [19] Kim K H, Lee C S and Ahn H J 2009 Torsional rigidity of a cycloid drive considering finite bearing and Hertz contact stiffness. International Design Engineering Technical Conferences and Computers and Information in Engineering Conference 49033 125-130 Http://dx.doi.org/10.1115/DETC2009-87092
- [20] Lei L, Guan T M and Li J B 2011 Rigidity Analysis of FA pin-cycloid Drive. *Advanced Materials Research* 338, 193-198 Trans Tech Publications Ltd Http://dx.doi.org/10.4028/www.scientific.net/AMR.338.193
- [21] Thube S V and Bobak T R 2011 The dynamic simulation and analysis of a cycloidal speed reducer. International Design Engineering Technical Conferences and Computers and Information in Engineering Conference 54853 471-479 Http://dx.doi.org/10.1115/DETC2011-48494
- [22] Zhu B, Qin W, Liu J and Fu Y L 2011 Simulation and analysis of dynamical transmission precision of 2K-V cycloid pin gear reducer based on multi-body system dynamics. *Advanced Materials Research* **308** 2205-2210 Trans Tech Publications Ltd Http://dx.doi.org/10.4028/www.scientific.net/AMR.308-310.2205
- [23] Lei L, Tao Y and Guan T M 2011 Finite element Analysis for Pin-hole-output Mechanism of FA cycloid Drive based on ANSYS. *Advanced Materials Research* **308** 2220-2223 Trans Tech Publications Ltd Http://dx.doi.org/10.4028/www.scientific.net/AMR.308-310.2220
- [24] Liu M Y, Zhu C C, Yan C N, Xu X Y and Zhang X R 2011 Modification Analysis of the New Axis-fixed Cycloid Drive. *Applied Mechanics and Materials* **86** 82-85 Trans Tech Publications Ltd Http://dx.doi.org/10.4028/www.scientific.net/AMM.86.82
- [25] Xia H C, Yang Z M and An Z J 2011 Analysis on thermo-mechanical coupling contact stress of cycloid ball planetary drive. *Applied Mechanics and Materials* **86** 184-187 Trans Tech Publications Ltd Http://dx.doi.org/10.4028/www.scientific.net/AMM.86.184
- [26] Lei L, Shi X C and Guan T M 2012 Finite element analysis for cycloid gear and pin teeth of FA cycloid drive based on ANSYS. *Applied Mechanics and Materials* **215** 1197-1200 Trans Tech Publications Ltd Http://dx.doi.org/10.4028/www.scientific.net/AMM.215-216.1197
- [27] Li C, Tan R, Zhang J and Chen B 2012 Reliability analysis on cycloid double enveloping meshing pair. 2012 IEEE International Conference on Mechatronics and Automation, 2292-2296 IEEE Http://dx.doi.org/10.1109/ICMA.2012.6285701
- [28] Lei L, Tao Y and Guan T M 2012 Uniform Loading Analysis for Pin-Hole-Output Mechanism of FA Cycloid Drive. *Advanced Materials Research* **479** 925-931 Trans Tech Publications Ltd Http://dx.doi.org/10.4028/www.scientific.net/AMR.479-481.925
- [29] Hui C B T L Z and ChaoYang L I 2013 Finite element contact analysis of cycloid enveloping

- planetary transmission and the development of an analysis program. *Journal of Mechanical Strength*.
- [30] Li S 2014 Design and strength analysis methods of the trochoidal gear reducers. *Mechanism and Machine Theory* **81** 140-154 Http://dx.doi.org/10.1016/j.mechmachtheory.2014.07.001
- [31] Su D Y, Luo S M and Wang J 2014 Study on Meshing Force and Rigid-flexible Coupling Dynamic Simulation of Cycloid Drive. *Advanced Materials Research* **1039** 36-43 Trans Tech Publications Ltd Http://dx.doi.org/10.4028/www.scientific.net/AMR.1039.36
- [32] Li X, Chen B, Wang Y, Sun G and Lim T 2015 Geometry Design of a Non-Pin Cycloid Drive for In-Wheel Motor. *SAE Technical Paper* **01** 2172 Http://dx.doi.org/10.4271/2015-01-2172
- [33] Zhu C, Sun Z, Liu H, Song C, Li Z and Wang Z 2015 Effect of the Shape of Inlet Oil-Supply Layer on Starved Lubrication Performance of a Cycloid Drive. *International Design Engineering Technical Conferences and Computers and Information in Engineering Conference*. American Society of Mechanical Engineers Http://dx.doi.org/10.1115/DETC201546730
- [34] Zhang F S, Zhang L L and Liu J T 2015 Advances in Energy Science and Equipment Engineering
 Proceedings of International Conference on Energy Equipment Science and Engineering,
 ICEESE 2015 3 1899-1904
- [35] Jiang, J M, and Yang, Y P 2015 Optimal Design of a Middle Motor for a Pedal Electric Cycle. In Proceedings of the 14th IFToMM World Congress 583-587 Http://dx.doi.org/10.6567/IFToMM.14TH.WC.OS17.004
- [36] Li W and HU Y 2017 Thermal analysis of cycloidal gear for the RV reducer. *Journal of Harbin Engineering University* **38** 1560-1567 Http://dx.doi.org/10.11990/jheu.201605085
- [37] Li B, Du J W, Chen L, Xu H J and Hou C Y 2017 Transmission error analysis for industrial robot RV reducer. Journal of Xi'an Jiaotong University 10 1-6 Http://dx.doi.org/10.7652/xjtuxb201710001
- [38] Wessels J, Machekposhti D F, Herder J L, Sèmon G and Tolou N 2017 Reciprocating geared mechanism with compliant suspension. *Journal of Microelectromechanical Systems* **26**(5) 1047-1054 Http://dx.doi.org/10.1109/JMEMS.2017.2705032
- [39] Zhang Q and Tang R 2017 Modal analysis on a novel pin-cycloidal gear planetary device based on finite element method. *Boletin Tecnico/Technical Bulletin* **55**(9) 715-721
- [40] Yu H, Liu G, Wang Y, Mao H, He K and Du R 2017 The Impact of Gap on Meshing Force in Two-stage Cycloidal Gear Drive. 2017 IEEE International Conference on Information and Automation (ICIA) 760-763 Http://dx.doi.org/10.1109/ICInfA.2017.8079006
- [41] Wang Y, Liu G, Yu H, Mao H, He K and Du R 2017 Analysis of meshing characteristics of pins and pin housing integral structure in cycloidal planetary drive. *ASME International Mechanical Engineering Congress and Exposition*. American Society of Mechanical Engineers Http://dx.doi.org/10.1115/IMECE2017-71351
- [42] Gui X, Li L, Li H, Zhan J and Xue X 2018 Time-varying Mesh Stiffness Calculation and Load Distribution among Teeth of Cycloid Internal Gear Pair with High Contact Ratio. *Jixie Gongcheng Xuebao/Journal of Mechanical Engineering* **54**(21) 101-112 Http://dx.doi.org/10.3901/JME.2018.21.101
- [43] Zeng D, Liu G and He K 2018 Contact Force Analysis of RV Reducer. 2018 6th International Conference on Mechanical, Automotive and Materials Engineering (CMAME) 100-105 Http://dx.doi.org/10.1109/CMAME.2018.8592456
- [44] Gui X, Li H, Jin X, Zhao Z, Li L and Hou W 2018 Jixie Gongcheng Xuebao/Journal of Mechanical Engineering 54(21) 101-112 Http://dx.doi.org/10.3901/JME.2019.23.109
- [45] Wikło M, Król R, Olejarczyk K and Kołodziejczyk K 2019 Output torque ripple for a cycloidal gear train. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science 233(21-22) 7270-7281 Http://dx.doi.org/10.1177/0954406219841656
- [46] Wang H, Shi Z Y, Yu B and Xu H 2019 Transmission Performance Analysis of RV Reducers

- Influenced by Profile Modification and Load. *Applied Sciences* **9**(19) 4099 Http://dx.doi.org/10.3390/app9194099
- [47] Liu Z, Zhang T, Wang Y, Yang C and Zhao Y 2019 Experimental studies on torsional stiffness of cycloid gear based on machining parameters of tooth surfaces. *International Journal of Precision Engineering and Manufacturing* **20**(6) 1017-1025 Http://dx.doi.org/10.1007/s12541-019-00108-x
- [48] Tsai Y T and Lin K H 2020 Dynamic Analysis and Reliability Evaluation for an Eccentric Speed Reducer Based on Fem. *Journal of Mechanics* **36** 1-9 Http://dx.doi.org/10.1017/jmech.2019.52
- [49] Wang P Y and Huang C C 2018 Influence of Cycloidal Gear Linear Shape on Contact Equivalent Stress. 2018 IEEE International Conference on Advanced Manufacturing (ICAM) 77-80 Http://dx.doi.org/10.1109/AMCON.2018.8614799
- [50] Concli F, Maccioni L and Gorla C 2019 Lubrication of gearboxes: CFD analysis of a cycloidal gear set. *WIT Trans. Eng. Sci.* **123** 101-112 Http://dx.doi.org/10.2495/MPF190101
- [51] Lei S, Shunke L, Weihua L and Feixin C 2019 Comparison of the Key Structures Between RV Reducer and Spinea Reducer Based on Finite Element Method. *International Conference on Application of Intelligent Systems in Multi-modal Information Analytics* 1369-1374 Springer, Cham Http://dx.doi.org/10.1007/978-3-030-15740-1 171
- [52] Tan C M and Chang M Y 2019 Stresses Analysis of Hypocycloidal Gear Transmissions. *Key Engineering Materials* **805** 204-209 Trans Tech Publications Ltd Http://dx.doi.org/10.4028/www.scientific.net/KEM.805.204
- [53] Song L, Shunke L, Zheng Z and Chen F 2019 Analysis of the Key Structures of RV Reducer Based on Finite Element Method. *IOP Conference Series: Materials Science and Engineering* 544(1) IOP Publishing Http://dx.doi.org/10.1088/1757-899X/544/1/012005
- [54] Du X, Yu Z, Zhu C, Deng S and Huang Y 2020 Analysis of meshing characteristics of pin-cycloid transmission of RV reducer. *Jixie Qiangdu/Journal of Mechanical Strength* **42**(1) 115-121 Http://dx.doi.org/10.16579/j.issn.1001.9669.2020.01.018
- [55] Wang H, Shi Z, Lin J and Xu H 2020 Multi-tooth meshing performance of RV reducer for robot arms. *Harbin Gongcheng Daxue Xuebao/Journal of Harbin Engineering University* **41**(2) Http://dx.doi.org/10.11990/jheu.201808062
- [56] Fiorineschi L, Papini S, Pugi L, Rindi A and Rotini F 2020 Systematic design of a new gearbox for concrete mixers. *Journal of Engineering, Design and Technology* Http://dx.doi.org/10.1108/JEDT-10-2019-0254