

Admin Panel

Generated by Doxygen 1.9.5

1 Admin Panel	1
1.1 Install Packages:	1
1.2 Run:	1
1.3 Build EXE to export:	1
1.4 Template from:	1
2 File Index	3
2.1 File List	3
3 File Documentation	5
3.1 js/behaviour_tree.js File Reference	6
3.2 js/device.js File Reference	6
3.3 js/main.js File Reference	6
3.4 src/main.js File Reference	6
3.5 js/preload.js File Reference	6
3.6 js/raspberry_pi.js File Reference	6
3.7 js/store.js File Reference	6
3.8 js/websocket.js File Reference	6
3.9 js/websocket_events.js File Reference	6
3.10 public/index.html File Reference	6
3.11 README.md File Reference	6
3.12 rollup.config.js File Reference	6
3.13 src/App.svelte File Reference	6
3.14 src/lib/BehaviourTreeHandler.svelte File Reference	6
3.15 src/lib/CodeBox_Constants.js File Reference	6
3.16 src/lib/home/CodeBox.svelte File Reference	6
3.17 src/lib/validate/CodeBox.svelte File Reference	6
3.18 src/lib/home/CodeMessagingBar.svelte File Reference	6
3.19 src/lib/home/Stream.svelte File Reference	6
3.20 src/lib/IPList.svelte File Reference	6
3.21 src/lib/NavigationBar.svelte File Reference	6
3.22 src/lib/RaspberryPiConnectBanner.svelte File Reference	6
3.23 src/lib/RaspberryPiSelector.svelte File Reference	6
3.24 src/lib/SaveBehaviourTreeModal.svelte File Reference	6
3.25 src/lib/validate/CodeButton.svelte File Reference	6
3.26 src/lib/WebsocketServerConfig.svelte File Reference	6
3.27 src/routes.js File Reference	6
3.28 src/routes/Home.svelte File Reference	6
3.29 src/routes/NotFound.svelte File Reference	6
3.30 src/routes/Validate.svelte File Reference	6
3.31 src/routes/Websocket.svelte File Reference	6
3.32 src/store/behaviour_tree_store.js File Reference	6
3.33 src/store/home_store.js File Reference	6

3.34 src/store/raspberry_pi_store.js File Reference	6
3.35 src/store/websocket_store.js File Reference	6
Index	7

Chapter 1

Admin Panel

The app to directly control the Sunfounder PiCar.

1.1 Install Packages:

```
pnpm i
```

1.2 Run:

```
pnpm run electron
```

1.3 Build EXE to export:

```
pnpm run preelectron-pack  
AND  
pnpm run electron-pack
```

1.4 Template from:

<https://github.com/soulehshaikh99/create-svelte-electron-app>

Chapter 2

File Index

2.1 File List

Here is a list of all files with brief descriptions:

rollup.config.js	6
js/behaviour_tree.js	6
js/device.js	6
js/main.js	6
js/preload.js	6
js/raspberry_pi.js	6
js/store.js	6
js/websocket.js	6
js/websocket_events.js	6
public/index.html	6
src/App.svelte	6
src/main.js	6
src/routes.js	6
src/lib/BehaviourTreeHandler.svelte	6
src/lib/CodeBox_Constants.js	6
src/lib/IPList.svelte	6
src/lib/NavigationBar.svelte	6
src/lib/RaspberryPiConnectBanner.svelte	6
src/lib/RaspberryPiSelector.svelte	6
src/lib/SaveBehaviourTreeModal.svelte	6
src/lib/WebsocketServerConfig.svelte	6
src/lib/home/CodeBox.svelte	6
src/lib/home/CodeMessagingBar.svelte	6
src/lib/home/Stream.svelte	6
src/lib/validate/CodeBox.svelte	6
src/lib/validate/CodeButton.svelte	6
src/routes/Home.svelte	6
src/routes/NotFound.svelte	6
src/routes/Validate.svelte	6
src/routes/Websocket.svelte	6
src/store/behaviour_tree_store.js	6
src/store/home_store.js	6
src/store/raspberry_pi_store.js	6
src/store/websocket_store.js	6

Chapter 3

File Documentation

- 3.1 js/behaviour_tree.js File Reference**
- 3.2 js/device.js File Reference**
- 3.3 js/main.js File Reference**
- 3.4 src/main.js File Reference**
- 3.5 js/preload.js File Reference**
- 3.6 js/raspberry_pi.js File Reference**
- 3.7 js/store.js File Reference**
- 3.8 js/websocket.js File Reference**
- 3.9 js/websocket_events.js File Reference**
- 3.10 public/index.html File Reference**
- 3.11 README.md File Reference**
- 3.12 rollup.config.js File Reference**
- 3.13 src/App.svelte File Reference**
- 3.14 src/lib/BehaviourTreeHandler.svelte File Reference**
- 3.15 src/lib/CodeBox_Constants.js File Reference**
- 3.16 src/lib/home/CodeBox.svelte File Reference**
- 3.17 src/lib/validate/CodeBox.svelte File Reference**
- 3.18 src/lib/home/CodeMessagingBar.svelte File Reference**
- 3.19 src/lib/home/Stream.svelte File Reference**
- 3.20 src/lib/IPList.svelte File Reference**
- 3.21 src/lib/NavigationBar.svelte File Reference**
- 3.22 src/lib/RaspberryPiConnectBanner.svelte File Reference**

Index

js/behaviour_tree.js, [6](#)
js/device.js, [6](#)
js/main.js, [6](#)
js/preload.js, [6](#)
js/raspberry_pi.js, [6](#)
js/store.js, [6](#)
js/websocket.js, [6](#)
js/websocket_events.js, [6](#)

public/index.html, [6](#)

README.md, [6](#)
rollup.config.js, [6](#)

src/App.svelte, [6](#)
src/lib/BehaviourTreeHandler.svelte, [6](#)
src/lib/CodeBox_Constants.js, [6](#)
src/lib/home/CodeBox.svelte, [6](#)
src/lib/home/CodeMessagingBar.svelte, [6](#)
src/lib/home/Stream.svelte, [6](#)
src/lib/IPList.svelte, [6](#)
src/lib/NavigationBar.svelte, [6](#)
src/lib/RaspberryPiConnectBanner.svelte, [6](#)
src/lib/RaspberryPiSelector.svelte, [6](#)
src/lib/SaveBehaviourTreeModal.svelte, [6](#)
src/lib/validate/CodeBox.svelte, [6](#)
src/lib/validate/CodeButton.svelte, [6](#)
src/lib/WebsocketServerConfig.svelte, [6](#)
src/main.js, [6](#)
src/routes.js, [6](#)
src/routes/Home.svelte, [6](#)
src/routes/NotFound.svelte, [6](#)
src/routes/Validate.svelte, [6](#)
src/routes/Websocket.svelte, [6](#)
src/store/behaviour_tree_store.js, [6](#)
src/store/home_store.js, [6](#)
src/store/raspberry_pi_store.js, [6](#)
src/store/websocket_store.js, [6](#)