

MAPTIP

Objects used for map tips

Table

com.ibm.tivoli.maximo.map.mapman.app.maptips.MapTipSet

UniqueID: MAPTIPID

Primary key: MAPNAME + OBJECTNAME

LOGICAL RELATIONSHIPS

MAPTIP FOREIGN KEYS

Object(Parent Keys)	Target Object(Target Keys)	Rel Number	Description
<u>MAPMANAGER</u> (MAPNAME)	<u>MAPTIP</u> (MAPNAME)	1 to many	Map Manager
<u>MAXOBJECT</u> (OBJECTNAME)	<u>MAPTIP</u> (OBJECTNAME)	1 to many	MBO

COLUMNS

Attribute	Modifier	Title	Remarks	SameAsAttrib	SameAsObject
MAPNAME	Required	Map	ID for used for map	MAPNAME	<u>MAPMANAGER</u>
OBJECTNAME	Required	Object Name	The object defines the template and menu items for the maptip. When you select the object, the default template and associated menu items are added to the maptip configuration.	OBJECTNAME	<u>MAXOBJECT</u>

Attribute	Modifier	Title	Remarks	SameAsAttrib	SameAsObject
MAPTIPTEMPLATE		Map tip template	The maptip template defines the information that is displayed in the maptip dialog. Use HTML code to create or modify the content for the map tip dialog.		
SIGOPTION		Signature Option	You can assign a Map Manager application signature option to the object template. The signature option defines authorization access to view the maptip information on the map.	OPTIONNAME	<u>SIGOPTION</u>
MAPTIPID	Required	Unique Id	Unique Id		

Attribute	Modifier	Title	Remarks	SameAsAttrib	SameAsObject
MAPTIPSUMMARYTEMPLATE		Map tip summary template	The maptip summary template defines the information that is displayed in the maptip summary dialog. The maptip summary dialog is displayed when a Multiple Marker is clicked. Use HTML code to create or modify the content for the map tip summary dialog.		
MOUSEOVERTEMPLATE		Mouseover template	The mouseover template defines the information that is displayed in the mouseover info bubble. Use HTML code to create or modify the content for the mouseover info bubble.		

MAXIMO RELATIONSHIPS

MAXIMO OUTGOING RELATIONSHIPS

Name	Target	Remarks	Where Clause	Cardinality
EXPBUILDTREE	EXPBUILDTREE	Relationship for exptree.	objectname=:objectname	null
MAPTIPMENU	<u>MAPTIPMENU</u>	Relationship to hold menu items from maptip menu to maptipobjects	mapname=:mapname and objectname=:objectname	null

MAXIMO INCOMING RELATIONSHIPS

Name	Source	Remarks	Where Clause	Cardinality
MAPTIP	<u>MAPMANAGER</u>	Relationship from mapmanager to maptipobjects	mapname=:mapname	null