

PR

The PR Table

Table

Main object

psdi.app.pr.PRSet

UniqueID: PRID

Primary key: SITEID + PRNUM

LOGICAL RELATIONSHIPS			
FOREIGN KEYS INTO PR			
Object(Parent Keys)	Target Object(Target Keys)	Rel Number	Description
<a href="#">PR</a> (SITEID, PRNUM)	<a href="#">MRLINE</a> (SITEID, PRNUM)	1 to many	MR created for the PR
<a href="#">PR</a> (SITEID, PRNUM)	<a href="#">PRCOST</a> (SITEID, PRNUM)	1 to many	Costs for PR
<a href="#">PR</a> (SITEID, PRNUM)	<a href="#">PRLINE</a> (SITEID, PRNUM)	1 to many	PR Lines
<a href="#">PR</a> (SITEID, PRNUM)	<a href="#">PRSTATUS</a> (SITEID, PRNUM)	1 to many	PR Status History
<a href="#">PR</a> (SITEID, PRNUM)	<a href="#">PRTERM</a> (SITEID, PRNUM)	1 to many	PR Terms
<a href="#">PR</a> (SITEID, PRNUM)	<a href="#">WPITEM</a> (SITEID, PR)	1 to many	Work Order Item ordered on this PR
<a href="#">PR</a> (SITEID, PRNUM)	<a href="#">WPMATERIAL</a> (SITEID, PR)	1 to many	Work Order Material ordered on this PR
<a href="#">PR</a> (SITEID, PRNUM)	<a href="#">WPSERVICE</a> (SITEID, PR)	1 to many	Work Order Service ordered on this PR

COLUMNS			
Attribute	Modifier	Title	
PRNUM	Required	PR	Identifies the requisition value for all PR
ISSUEDATE		Requested Date	Date the PR was issued
REQUIREDDATE		Required Date	Date the PR is needed
REQUESTEDBY		Requested By	Person who requested the PR. The user who created the PR
VENDOR		Company	Identifies the vendor
CONTACT		Contact	Primary contact at the vendor
CUSTOMERNUM		Customer #	Number of the vendor's company

Table List
Maximo Relationships
Printer View
Script of Unverified

