


Java EE Application 1z0-900

講師:江聖榮

GitHub



- 本地端主機
 - 新增資料夾
- GitHub網站
- New
 - Create a new repository
 - Repository name
 - Description
 - Add readme file

- GitHub desktop
- Clone a repository
- URL



The screenshot shows the 'Clone a repository' dialog box in GitHub Desktop. It has a title bar with a close button (X). Below the title bar are three tabs: 'GitHub.com', 'GitHub Enterprise', and 'URL'. The 'URL' tab is selected and highlighted with a blue underline. The main area contains two text input fields. The first field is labeled 'Repository URL or GitHub username and repository (hubot/cool-repo)' and contains the placeholder text 'URL or username/repository'. The second field is labeled 'Local path' and contains the text 'C:\git'. To the right of the 'Local path' field is a 'Choose...' button. At the bottom right of the dialog are two buttons: 'Clone' (in blue) and 'Cancel' (in light gray).

Git hub DeskTop



No local changes

There are no uncommitted changes in this repository. Here are some friendly suggestions for what to do next.



Push commits to the origin remote

You have 1 local commit waiting to be pushed to GitHub.

Always available in the toolbar when there are local commits waiting to be pushed or **Ctrl** + **P**

[Push origin](#)

Readme ,markdown語法

- 標題字
 - # GJSchool專案
 - ## 第一章
 - ### 第一小節
 - #### A
 - ##### A_1
 - ##### A_1_1
 - ## dddd
- 超連結
 - [連結文字](網址或文件路徑)
- 插圖
 - ![圖片文字](路徑)
- 基礎 html
 - <hr>
 -
 -