

Results

Repeated Measures ANOVA

Within Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p
Deformation LEvel	11.23	2	5.615	11.62	< .001
Residuals	11.60	24	0.4834		

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p
Residuals	73.24	12	6.104		


Note. Type III Sum of Squares

Descriptives

Descriptives

Deformation LLevel	N	Mean	SD	SE	Coefficient of variation
low	13	4.038	1.282	0.3556	0.3175
medium	13	4.577	1.789	0.4963	0.3910
high	13	5.346	1.491	0.4136	0.2790

Descriptives plots



Nonparametrics

Friedman Test

Factor	X^2_F	df	p	Kendall's W
Deformation LEvel	11.91	2	.003	0.4581

Conover Test

Conover's Post Hoc Comparisons - Deformation LEvel

		T-Stat	df	W_i	W_j	r_{rb}	p	PBonf	PHolm
low	medium	1.376	24	19.00	24.00	-0.5818	.182	.545	.182
	high	4.402	24	19.00	35.00	-1.000	< .001	< .001	< .001
medium	high	3.027	24	24.00	35.00	-0.8462	.006	.017	.012

Note. Grouped by subject.

Note. Rank-biserial correlation based on individual signed-rank tests.