

# **MyComicsList platforma**

Olja Ivković 34/16 Visoka ICT škola Web programiranje PHP 1

https://mycomicslist.datapoint.rs/

1.Uvod	3
1.1. Korišćenje tehnologije	3
1.2. Opis funkcionalnosti	3
1.3. Templates	4
1.4. Korišćene biblioteke	10
1.4.1. Select2 biblioteka	10
1.4.2. Chartist biblioteka	10
1.4.3. JQuery Knob biblioteka	10
2. Organizacija	11
2.1. Organizaciona šema	11
2.2. Šema baze podataka	12
2.3. Sitemap	12
2.4. Opis stranica sajta	15
2.4.1. Home page	15
2.4.2. Browse page	20
2.4.3. MyList page	22
2.4.4. Contact page	24
2.4.5. About me page	25
2.4.6. Admin panel panel page	26
2.4.7. Admin panel stats page	29
3. Kodovi	30
3.1. Root	30
3.1.1. index.php	30
3.2. Admin panel	32
3.2.1. panel.php	32
3.2.2. stats.php	38
3.3. Views	40
3.3.1. head.php	40
3.3.2. navigation.php	41
3.3.3. main.php	43
3.3.4. browse.php	47
3.4.5. my_list.php	48
3.4.6. about.php	51
3.4.7. contact.php	51
3.4.8. footer.php	53

3.4. Php logika	58
3.4.1. configuration.php	58
3.4.2. database.php	58
3.4.3. utilities.php	59
3.4.4. login.php	66
3.4.5. register.php	68
3.4.6. logout.php	70
3.4.7. contact.php	71
3.4.8. addNewComic.php	72
3.5. AJAX logika	77
3.5.1. comics.php	77
3.5.2. addToList.php	83
3.5.3. removeFromList.php	85
3.5.4. getComic.php	86
3.5.5. deleteComic.php	88
3.5.6. addVote.php	90
3.5.7. removeVote.php	92
3.5.8. comicStats.php	93
3.6. JavaScript	94
3.6.1. comics.js	94
3.6.2. mainslider.js	103
3.6.3. modal.js	108
3.6.4. utils.js	111
3.6.5. validations.js	112
3.7. CSS	121
3.7.1. utils.css	121
3.7.2. style.css	139

# 1.Uvod


#### 1.1. Korišćenje tehnologije

- 1. HTML 5
- 2. CSS 3
- 3. JavaScript
- 4. JQuery
- 5. PHP without frameworks
- 6. MySQL
- 7. PhpMyAdmin
- 8. AJAX
- 9. Apache
- 10. Git
- 11. Amazon Web Services
- 12. Visual Studio Code

#### 1.2. Opis funkcionalnosti

- 1. Registracija i provera podataka kako sa klijentske, tako i sa serverske strane
- Logovanje koje obezbedjuje korisnicima da se prijave na platformu
- 3. Dinamički generisan meni u header-u i footer-u
- 4. Dinamički učitani skoro svi podaci iz baze podataka
- 5. Admin panel preko kog je moguće dodavati, ažurirati i brisati stripove, kao i videti statistiku glasanja. Panelu pristupa samo administrator
- 6. Paginacija realizovana pomoću AJAX-a
- 7. Filtriranje stripova po žanru, poreklu, tipu i izdavaču, koje koristi paginaciju takodje
- 8. Dodavanje stripova u sopstvenu listu, kao i otklanjanje stripova iz iste. Mogućnost liste imaju samo prijavljeni korisnici
- 9. Anketa isključivo za prijavljene korisnike. Moguće je poništiti glas obzirom da jedan korisnik može samo jednom glasati
- 10. Kontakt forma koja validira podatke sa klijentske i serverske strane, i šalje administratoru poruku na mail
- 11. Responzivan slajder stripova na početnoj stranici
- 12. Full responzivan, pažljivo osmišljen i realizovan dizajn platforme

# 1.3. Templates



```
$html .= "
             <a href='index.php?page=panel' class='btn-style'>Admin
panel</a>
         11 -
        $html .= "
          <1i>>
            <a href='../php/logout.php' class='btn-style'>Logout</a>
          11 :
      } else {
        $html .= "
        <a href='#' class='btn-style open-modal-login'>Login</a>

        <a href='#' class='btn-style open-modal-register'>Register</a>
        ";
      }
      echo $html;
    ?>
  </nav>
 <?php
 $linkovi = selectMultipleRows($conn, "SELECT * FROM links"); ?>
 <nav class='navigation nav center'>
```

```
<u1>
    <?php foreach($linkovi as $link): ?>
        <1i>>
          <a href='<?= $link->path ?>'><?= $link->name ?></a>
        <?php endforeach ?>
  </nav>
</header>
<section class='list-adv flex-row center'> </section>
<footer>
  <div class="footer-picture flex-row center">
    <?php
        $linkovi = selectMultipleRows($conn, "SELECT * FROM links");
        $trenutna = isset($_GET['page']) ? 'index.php?page=' .
$ GET['page'] : "index.php";
        foreach($linkovi as $link) {
          if($trenutna != $link->path) {
            echo "'<a href='$link->path'>$link->name</a>";
          }
        }
        echo "<a href='MyComicsList.pdf'>Dokumentacija</a>";
```

```
?>
    <div class="disclaimer">
      Design by ©
      <strong>Olja Ivkovic
      This site is a project for <strong>ICT College</strong>, made
for educational purposes. I don't intend to profit nor gain any rights.
All rights go to their rightful owners.
  <a href="https://github.com/" class="fab fa-github"></a>
      <a href="https://www.instagram.com/?hl=sr" class="fab
fa-instagram"></a>
      <a href="https://www.facebook.com/" class="fab fa-facebook"></a>
    </div>
  </div>
  <!-- LOGIN MODAL -->
  <div class='modal'>
    <div class='card'>
      <div class='card face card face--front flex-col center'>
        <h1>Login</h1>
        <span class='modal-exit'>&times;</span>
        <form action='php/login.php' name='login-forma' method='POST'>
          <div class='relative'>
            <input type='text' name='email' placeholder='Email' />
```

```
<span class='fas fa-at fa-span fs-login absolute'></span>
          </div>
          <?= error for("email",</pre>
"greske"); ?>
          <div class='relative'>
           <input type='password' name='password' placeholder='Password'</pre>
/>
           <span class='fas fa-key fa-span fs-login absolute'></span>
          </div>
          <?= error_for("password",</pre>
<button id='login' name='login'</pre>
class='btn-style'>Login</button>
          <button id='register-btn' class='btn-style'>Register
        </form>
      </div>
      <!-- REGISTER MODAL -->
      <div class='card face card face--back flex-col center'>
        <h1>Register</h1>
        <span class='modal-exit'>&times;</span>
        <form action='php/register.php' name='reg-forma' method='POST' >
          <div class='relative'>
           <input type='text' name='reg-email' placeholder='Email' />
```

```
<span class='fas fa-at fa-span fs-reg absolute'></span>
          </div>
          <?= error for("reg email",</pre>
"greske"); ?>
          <div class='relative'>
            <input type='password' name='reg-password'</pre>
placeholder='Password' />
            <span class='fas fa-key fa-span fs-reg absolute'></span>
          </div>
          <?= error_for("reg_password",</pre>
"greske"); ?>
          <div class='relative'>
            <input type='password' name='reg-confirm'</pre>
placeholder='Confirm password' />
            <span class='fas fa-unlock fa-span fs-reg absolute'></span>
          </div>
          <?= error_for("reg_confirm",</pre>
"greske");?>
          <button id='login-btn' name='login'</pre>
class='btn-style'>Login</button>
          <button id='register' class='btn-style'</pre>
name='register'>Register</button>
        </form>
      </div>
```

</div>
</div>
</footer>

#### 1.4. Korišćene biblioteke

#### 1.4.1. Select2 biblioteka

https://select2.org/

#### 1.4.2. Chartist biblioteka


https://gionkunz.github.io/chartist-js/

# 1.4.3. JQuery Knob biblioteka


https://github.com/aterrien/jQuery-Knob

# 2. Organizacija

# 2.1. Organizaciona šema



# 2.2. Šema baze podataka



# 2.3. Sitemap

```
<?xml version="1.0" encoding="UTF-8"?>

<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">

<url>
<loc>https://mycomicslist.datapoint.rs/index.php</loc>
<lastmod>2018-06-19</lastmod>

<changefreq>weekly</changefreq>

</url>
```

```
<loc>https://mycomicslist.datapoint.rs/index.php?page=browse</loc>
<lastmod>2018-06-19</lastmod>
<changefreq>daily</changefreq>
<priority>0.8</priority>
</url>
<ur1>
<loc>https://mycomicslist.datapoint.rs/index.php?page=my_list</loc>
<lastmod>2018-06-19</lastmod>
<changefreq>monthly</changefreq>
<priority>0.7</priority>
</url>
<url>
<loc>https://mycomicslist.datapoint.rs/index.php?page=about</loc>
<lastmod>2018-06-19</lastmod>
<changefreq>yearly</changefreq>
<priority>0.4</priority>
</url>
<ur1>
<loc>https://mycomicslist.datapoint.rs/index.php?page=contact</loc>
<lastmod>2018-06-19</lastmod>
<changefreq>yearly</changefreq>
<priority>0.6</priority>
</url>
<ur1>
```


```
<loc>https://mycomicslist.datapoint.rs/index.php?page=panel</loc>
<lastmod>2018-06-19</lastmod>
<changefreq>weekly</changefreq>
<priority>0.9</priority>
</url>
<loc>https://mycomicslist.datapoint.rs/index.php?page=stats</loc>
<lastmod>2018-06-19</lastmod>
<changefreq>monthly</changefreq>
<priority>0.8</priority>
</url>
</url>

<pri></url>
<pri></url>

<pri></url>
```

# 2.4. Opis stranica sajta

#### 2.4.1. Home page




Kada je korisnik ulogovan, ima pristup svim stranicama sajta, sem admin panelu. Početnu stranicu sačinjava responzivan slajder koji prikazuje 10 stripova sortiranih po najmanjem broju poglavlja (issue-a). Ispod njega, ulogovan korisnik može videti top 3 stripa sortirana po najvećem broju glasova. Hover-ovanjem slike, može se videti ime stripa i koliko glasova ima. Ispod toga, korisnik vidi selectbox stilizovan pomoću biblioteke **select2**. Korisnik može samo jednom da glasa, tako da kada pokuša naredni put da glasa, pojavi mu se:

VOTE FOR YOUR FAV	ORITE COMIC
Bleach	Halliller((6))
You already vo	oted.
Click <b>here</b> to remove	e your vote.


Klikom na "here" korisnik može da poništi svoj glas, pa nakon toga može ponovo da glasa. Statistika glasova se menja bez potrebe za refresh-ovanjem stranice.


Bleach	•
You can vote again!	
VOTE FOR YOUR FAVORITE CO	OMIC:
Infinity Gauntlet	+
minity dddrittet	





Klikom na login ili register (ili join us now), otvara se modal koji pokazuje datu formu. Iz login modala klikom na register rotira se modal i korisnik vidi formu za registrovanje. Isti slučaj sa rotacijom je i na ovoj formi prisutan. Kada se korisnik uloguje, vidi link za Logout koji ga briše iz sesije.






Podaci prosledjeni formom validiraju se i sa klijentske i sa serverske strane regularnim izrazima. Greške se ispisuju i prilikom klijentske validacije, i prilikom serverske, u slučaju da je korisnik isključio javascript u browseru. Prilikom registracije, ako su podaci ispravno uneti, korisnik se upisuje u bazu i odmah upisuje u sesiju (login-uje).

U footeru se nalaze linkovi svih stranica sajta, osim stranice na kojoj se korisnik trenutno nalazi.


Izabirom jednog od filtera sa home stranice, korisnik se prebacuje na Browse stranicu, prikazujući mu stripove tog filtera, uz smooth scrolling.

#### 2.4.2. Browse page

Izgled za neulogovanog korisnika:




Browse stranica daje nam mogućnost pregleda svih stripova u bazi, dovučenih 8 po strani. Paginacija se dinamično pravi, u zavisnosti od broja stripova koje dovlačimo, bili oni filtrirani ili ne. Takodje, kada se izaberu filteri, prikazuju se stripovi tog izabranog filtera, takodje 8 po strani. Logovan korisnik vidi dugmiće za dodavanje stripa u svoju listu, ili sklanje sa iste.




Klikom na link "Add", korisnik dodaje strip u svoju listu, i automatski mu se pojavljuje link "Remove" za sklanjanje stripa iz liste.

#### 2.4.3. MyList page


Svaki korisnik ima svoju sopstvenu listu kojoj pristupa samo on na stranici My List. Preko ove stranice takodje korisnik može skloniti strip iz liste.




## Ne ulogovani korisnici ovako vide MyList stranicu:




#### 2.4.4. Contact page




Kontakt stranica služi za kontaktiranje administratora putem mail-a. Podaci se validiraju i na klijentskoj, i na serverskoj strani. Kada se forma ispravno popuni, dobija se response:



#### 2.4.5. About me page



#### 2.4.6. Admin panel -- panel page




Forma za insertovanje stripova koja se validira regularnim izrazima sa serverske strane. Svakom stripu koji se insertuje potrebno je popuniti sva polja. Barem jedan filter mora da se odabere, ime stripa mora se sastojati od jedne ili više reči sa velikim početnim slovom. U opis stripa je potrebno upisati barem 10 karaktera. Potrebno je i upisati koliko


strip ima issue-a odnosno chaptera. Maksimalna vrednost je 1000. Issue number je stilizovan **jquery-knob** bibliotekom.

Slika koja se uploaduje mora biti vertikalna. Moja funkcija skalira slike tako da se aspect ratio ne uništi. Height se uvek skalira na 355px., a width se akomodira. Maksimalna veličina slike je 2MB i dozvoljeni su samo JPG i JPEG formati. Nakon ispravno unetih podataka, podaci se upisuju u bazu, a slika se prebacuje na server.

Da bi update-ovali ili obrisali strip potrebno je odabrati isti iz selectbox-a. Nakon odabira, klikom na dugme Delete moguće je obrisati strip. Ako želimo da update-ujemo strip, forma se popuni podacima iz baze za odabrani strip. Klikom na dugme Update podaci za taj strip se update-uju. Regularni izrazi važe prilikom update-ovanja takodje.



## 2.4.7. Admin panel -- stats page



Na ovoj stranici može se videti statitiska glasanja, kao i statistika stripova koje su ljudi dodali u svoju listu, iscrtana pomoću **chartist** biblioteke.

# 3. Kodovi

#### 3.1. Root

#### 3.1.1. index.php

```
<?php
session_start();
require once "php/utilities.php";
require_once "../database.php";
?>
<!DOCTYPE html>
<html>
<?php
   include once "views/head.php";
 ?>
 <body>
   <?php
     $page = null;
     if(isset($_GET['page'])) {
       $page = $_GET['page'];
     include once "views/navigation.php";
     switch($page) {
      case 'browse':
```

```
include once "views/browse.php";
        break;
       case 'panel':
         if(isset($_SESSION['user']) && $_SESSION['user']->role ==
"administrator") {
           include once "../admin/panel.php";
         } else {
          include "views/main.php";
        break;
       case 'stats':
         if(isset($_SESSION['user']) && $_SESSION['user']->role ==
"administrator") {
           include_once "../admin/stats.php";
         } else {
          include "views/main.php";
        break;
       case 'my_list':
         include "views/my_list.php";
        break;
       case 'about':
        include "views/about.php";
        break;
       case 'contact':
```

```
include "views/contact.php";
break;
default:
    include "views/main.php";
    break;
}
include_once "views/footer.php";
?>
</body>
</html>
```

#### 3.2. Admin panel

#### 3.2.1. panel.php

```
<div class='input-group'>
     <label>Name of the comic</label>
     <input type='text' name='comicName' id='comicName' />
   </div>
   <span class='form-error'><?= error for("comicName", "comicErrors");</pre>
?></span>
   <div class='input-group'>
     <label>Description</label>
     <textarea name='desc' id='desc'></textarea>
   </div>
   <span class='form-error'><?= error for("description", "comicErrors");</pre>
?></span>
   <div class='input-group'>
     <label>Number of issues (chapters)</label>
     <input type="text" name='issues' value="1" data-min="1"</pre>
data-max="1000" class="dial" data-fgColor="#666A86">
  </div>
   <span class='form-error'><?= error for("issues", "comicErrors");</pre>
?></span>
  <div class='input-group'>
     <label>Choose subfilters</label>
     <select class='multipleSelect' multiple name='tags[]'>
       <?php
```

```
$upit = "SELECT * FROM sub filters";
        $filters = selectMultipleRows($conn, $upit);
        foreach($filters as $filter): ?>
        <option value="<?= $filter->id ?>"><?= $filter->name ?></option>
        <?php endforeach ?>
    </select>
  </div>
  <span class='form-error'><?= error_for("tags", "comicErrors");</pre>
?></span>
  <div class='input-group'>
    <label>Upload a picture</label>
    <input type='file' name='comic-por-pic'>
    Please upload a picture that is portrait oriented!
    <?php
     $subIndexes = ['type', 'size'];
     foreach($subIndexes as $subIndex):
     ?>
      <?= multi_error_for("comic-por-pic",</pre>
"comicErrors", $subIndex); ?>
     <?php endforeach ?>
  <?php unset($_SESSION['comicErrors']); ?>
```

```
<button id='insertComic' class='change-btn'</pre>
name='insert'>Insert</button>
   <?php
    if(isset($_SESSION['upload'])) {
       echo "<strong>" . $ SESSION['upload'] . "</strong>";
      unset($_SESSION['upload']);
   ?>
</form>
</div>
<div class="flex-col add-comic update-comic">
<h1>Choose a comic</h1>
<?php $stripovi = selectMultipleRows($conn, "select id, name from</pre>
comics") ?>
<select id='izbor-stripa'>
  <option value='0'>Izaberite...
  <?php foreach($stripovi as $strip): ?>
    <option value='<?= $strip->id ?>'><?= $strip->name ?></option>
   <?php endforeach ?>
</select>
<button id="delete" disabled class='disabled change-btn'>
  Delete
</button>
<img id="preview" />
</div>
```

```
<script>
window.addEventListener('DOMContentLoaded', () => {
   $(".dial").knob({
    min: 1,
    max: 1000,
    width: 100,
    height: 100
   });
$(".multipleSelect").select2();
$("#izbor-stripa").select2();
   $("#delete").click(function() {
    var id = $("#izbor-stripa").val();
    ajaxPost("ajax/deleteComic.php", {id: id}, (resp) => {
      console.log(resp);
    });
   });
   $("#izbor-stripa").change(function() {
     $("#delete").removeAttr('disabled');
     $("#delete").removeClass('disabled');
     ajaxPost("ajax/getComic.php", {id: $(this).val()}, (data) => {
      let comic = data.comic;
```

```
let filterIds = data.filters.map((filter) => filter.id sub filter +
"");
       var options = $(".multipleSelect option")
         .filter(function() {
          return filterIds.includes($(this).val());
         })
         .map(function() { return $(this).val(); })
         .toArray();
       $("#comicName").val(comic.name);
       $("#desc").val(comic.description);
       $(".dial").val(comic.issues);
       $(".multipleSelect").val(null).trigger('change');
       $(".multipleSelect").val(options).trigger('change');
       $("#preview").attr("src", comic.path);
       $("#naslov").text("Updating a comic");
       $("#insertComic").text("Update");
       $("# method").val("UPDATE");
       $("#comicID").val(comic.id);
    })
  });
});
</script>
```

#### 3.2.2. stats.php

```
<div class='flex-row center panel-navigation'>
<a href='index.php?page=panel'>Comics</a>
<a href='index.php?page=stats'>Stats</a>
</div>
<div class='flex-row center legend'>
ul>
  Favorites
  Votes
</div>
<div class='chart-container'>
</div>
<script>
window.addEventListener('DOMContentLoaded', () => {
  ajaxGet("/ajax/comicStats.php", (data) => {
    let comics = data.reduce((acc, stat) => {
      acc[stat.name] = {favorites: stat.favorite count, votes:
stat.vote_num};
      return acc;
    }, {});
    var data = {
```

```
labels: Object.keys(comics),
      series: [
        Object.values(comics).map((metric) => metric.votes),
        Object.values(comics).map((metric) => metric.favorites)
      ]
     };
     var options = {
      axisY: {
       onlyInteger: true,
      },
       seriesBarDistance: 50
     };
     new Chartist.Bar('.chart-container', data, options).on('draw',
function(data) {
      if(data.type === 'bar') {
        data.element.attr({
          style: 'stroke-width: 30px'
        });
    });
  });
});
</script>
```

#### 3.3. Views

#### 3.3.1. head.php

```
<head>
<title>MyComicsList</title>
<meta charset="utf-8" />
<meta name="keywords" content="browse, comic, login, register, list,</pre>
read, manga, book, fantasy, horror, action, crime, science, favorites,
filters, vote"/>
<meta name="description" content="Ever wanted to keep track of the comics</pre>
that you are interested it? Well, we have a solution for you! We'll give
you one list, so you decide what you'll keep track of!"/>
<meta name="author" content="mailto:olja.ivkovic.34.16@ict.edu.rs"/>
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
link
href="https://cdnjs.cloudflare.com/ajax/libs/select2/4.0.6-rc.0/css/select
2.min.css" rel="stylesheet" />
<link rel="stylesheet" type="text/css" media="screen"</pre>
href="css/chartist.min.css">
<link rel="stylesheet" type="text/css" media="screen"</pre>
href="css/utils.css">
<link rel="stylesheet" type="text/css" media="screen"</pre>
href="css/style.css">
<link rel="icon" href="images/favicon.ico">
<link rel="stylesheet"</pre>
href="https://use.fontawesome.com/releases/v5.0.13/css/all.css"
```

integrity="sha384-DNOHZ68U8hZfKXOrtjWvjxusGo9WQnrNx2sqG0tfsghAvtV1RW3tvkXW
Zh58N9jp"

```
crossorigin="anonymous">
</head>
```

# 3.3.2. navigation.php

```
<header class='flex-col center'>
 <nav class='log-reg flex-row nav center'>
  <h1>
    <a class='logo' href='/index.php'>MyComicsList</a>
  </h1>
   ul>
    <?php
       $html = "";
      if(isset($_SESSION['user'])) {
        if($_SESSION['user']->id_role == 1) {
          $html .= "
             <a href='index.php?page=panel' class='btn-style'>Admin
panel</a>
          11 ;
         }
         $html .= "
          <1i>>
            <a href='../php/logout.php' class='btn-style'>Logout</a>
```

```
11 :
      } else {
        $html .= "
        <a href='#' class='btn-style open-modal-login'>Login</a>

        <a href='#' class='btn-style open-modal-register'>Register</a>
        ";
      echo $html;
    ?>
  </nav>
<?php
$linkovi = selectMultipleRows($conn, "SELECT * FROM links"); ?>
<nav class='navigation nav center'>
  u1>
    <?php foreach($linkovi as $link): ?>
        <1i>>
          <a href='<?= $link->path ?>'><?= $link->name ?></a>
        <?php endforeach ?>
  </nav>
</header>
```

#### 3.3.3. main.php

```
<section class='slider flex-row center'>
<span id="slide-left" class='fas fa-chevron-left'></span>
<article class='list-of-comics'>
  <div class='sneak-peek'>
    <h2>Sneak Peek</h2>
  </div>
  <div class='image-slider-wrap'>
    <div class='image-slider'>
      <?php
         $upit = "SELECT p.path, p.alt FROM comics c INNER JOIN pictures p
ON c.id = p.id_comic ORDER BY issues LIMIT 0,10";
         $pics = selectMultipleRows($conn, $upit);
        foreach($pics as $pic):
       ?>
       <img src='<?= $pic->path ?>' alt='<?= $pic->alt ?>' />
      <?php endforeach ?>
     </div>
  </div>
</article>
<span id="slide-right" class='fas fa-chevron-right'>
</section>
<?php
```

```
if(isset($ SESSION['user'])): ?>
<?php
  $upit = "SELECT c.name,p.path, p.alt, COUNT(*) AS votes FROM votes v
JOIN comics c ON v.id comic = c.id JOIN pictures p ON c.id = p.id comic
GROUP BY c.name, p.path, p.alt ORDER BY votes DESC LIMIT 0,3";
  $comics = selectMultipleRows($conn, $upit);
?>
  <section class='list-adv flex-col center'>
    <h2>Top three by votes:</h2>
    <article class='last-added flex-row'>
      <?php
       if(count($comics) == 0) {
         echo "<span>Be the first one to vote!</span>";
       }
       foreach($comics as $comic): ?>
        <figure class='13-item'>
          <img src='<?= $comic->path ?>' alt='<?= $comic->alt ?>' />
          <figcaption class='13-desc'>
            <?= $comic->name ?>
            Votes: <?= $comic->votes ?>
           </figcaption>
         </figure>
     <?php endforeach ?>
    </article>
```

```
<article class='vote flex-col center'>
       <h2>Vote for your favorite comic:</h2>
       <select id='vote' name='vote'>
         <?php
           $upit = "SELECT id, name FROM comics";
           $comics = selectMultipleRows($conn, $upit);
           foreach($comics as $comic):
         ?>
           <option value='<?= $comic->id ?>'><?= $comic->name ?></option>
         <?php endforeach ?>
       </select>
       <span class='vote-msg'></span>
       <span class='click-here'> Click <a href=''>here</a> to remove your
vote.</span>
     </article>
   </section>
<?php else: ?>
<section class='list-adv flex-row center'>
   <article class='la-group'>
     Ever wanted to keep track of the comics that you are interested
it? Well, we have a solution for you! We'll give you one list, so you
```

decide what you'll keep track of -- favorites, currently reading, plan to read or anything else. Register now, and you can make your own list of

```
comics for free, vote for a favorite comic and decide what next to
read.
  </article>
  <article class='links-lr'>
    <a href='#' class='open-modal-register btn-style bs-white'>JOIN US
NOW</a>
     <a href='#' class='open-modal-login btn-style bs-white'>LOGIN</a>
   </article>
</section>
<?php endif; ?>
<section class='section-filter flex-row center'>
<article class='sf-article'>
  <h3>BROWSE BY FILTERS</h3>
  <?php
   $rows = selectMultipleRows($conn, "SELECT DISTINCT sf.name FROM
filters f INNER JOIN sub_filters sf ON f.id = sf.id_filter;");
   foreach($rows as $row) {
       echo "<a href='index.php?page=browse&filter={$row->name}'
class='filter'>{$row->name}</a>";
    }
   ?>
</article>
</section>
```

### 3.3.4. browse.php

```
<div class='flex-col center'>
<div class='browse-container row-no-wrap'>
  <div class='filters'>
    <h1 class='text-center heading'>Filters</h1>
    <?php $filters = selectFiltersWithSubfilter($conn) ?>
    <u1>
      <?php foreach($filters as $filter): ?>
        <1i>>
          <div class='title'>
            <span><?= $filter->name ?></span> <i class="fas</pre>
fa-caret-up"></i>
          </div>
          <?php foreach($filter->subfilters as $subfilter): ?>
            <1i>>
              <label class='custom-checkbox'>
                <span class='search-text'><?= $subfilter->name ?></span>
                <input class='filter' type='checkbox' value='<?=</pre>
$subfilter->id ?>' />
                <span class='checkmark'></span>
              </label>
            <?php endforeach ?>
```

```
<?php endforeach ?>
     </div>
  <div class='comics flex-row center'>
  </div>
</div>
 <div class='comics-control'>
 </div>
</div>
3.4.5. my_list.php
<?php
 $id = isset($_SESSION['user']) ? $_SESSION['user']->id : null;
 if (empty($id)): ?>
   <section class='list-adv flex-row center'>
    <article class='la-group'>
      <strong class='warning'>You need to login in order to see this
page..</strong>
       Ever wanted to keep track of the comics that you are interested
it? Well, we have a solution for you! We'll give you one list, so you
decide what you'll keep track of -- favorites, currently reading, plan to
read or anything else. Register now, and you can make your own list of
comics for free, vote for a favorite comic and decide what next to
read.
```

```
</article>
     <article class='links-lr'>
     <a href='#' class='open-modal-register btn-style bs-white'>JOIN US
NOW</a>
     <a href='#' class='open-modal-login btn-style bs-white'>LOGIN</a>
   </article>
   </section>
<?php else:</pre>
   $upit = "SELECT c.*, p.path, p.alt FROM comics c
               INNER JOIN list 1 ON 1.id comic=c.id INNER JOIN pictures p
ON p.id comic = c.id
               WHERE 1.id user=$id";
   $myComics = $conn->query($upit)->fetchAll();
    if(!empty($myComics)) {
?>
<div class='wrapper-for-comics flex-row center'>
<?php foreach($myComics as $myComic): ?>
<div class='comic'>
   <img src='<?= $myComic->path ?>' alt='<?= $myComic->alt ?>' />
  <div class='ar-btn'>
     <a href='#' data-id='<?= $myComic->id ?>' class='btn-style bs-white
add-to-list remove'>Remove</a>
   </div>
   <h2><?= $myComic->name ?></h2>
```

```
<?= $myComic->description ?>
  <div class='info'>
    <strong>Issues/Chapters: </strong><?= $myComic->issues ?>
  </div>
</div>
<?php endforeach ?>
</div>
<?php } else { ?>
<section class='list-adv flex-row center'>
    <article class='la-group'>
      <strong class='warning'>You don't have anything in your list...
browse and add some!</strong>
    </article>
</section>
<?php } ?>
<?php endif; ?>
```

#### 3.4.6. about.php

```
<section class='list-adv flex-row center'>
    <article class='la-group'>
```

My name is <strong class='warning'>Olja Ivkovic</strong> and I'm a
sophomore student of <strong class='warning'>ICT College of Vocational
Studies (IT module -> 34/16).</strong> Since I was little I was attracted
to graphic design. As I grew older and older, I started getting interested
in design for web, and since getting into ICT College, my passion for
programming started developing. My aim for now is to become front-end
developer (and oh, one of the best ones!) since that field connects web
desgin & programming, but we'll see about that.

The reason I chose this topic is simply because I like to read comics (especially Japanese ones - called Manga) in my free time.

# 3.4.7. contact.php

#### 3.4.8. footer.php

```
<footer>
  <div class="footer-picture flex-row center">
    <?php
        $linkovi = selectMultipleRows($conn, "SELECT * FROM links");
        $trenutna = isset($GET['page']) ? 'index.php?page=' .
$_GET['page'] : "index.php";
        foreach($linkovi as $link) {
          if($trenutna != $link->path) {
           echo "<a href='$link->path'>$link->name</a>";
         }
        echo "<a href='MyComicsList.pdf'>Dokumentacija</a>";
      ?>
    <div class="disclaimer">
      Design by ©
      <strong>Olja Ivkovic
      This site is a project for <strong>ICT College</strong>, made
for educational purposes. I don't intend to profit nor gain any rights.
All
      rights go to their rightful owners.
```

```
<a href="https://github.com/" class="fab fa-github"></a>
      <a href="https://www.instagram.com/?hl=sr" class="fab</pre>
fa-instagram"></a>
      <a href="https://www.facebook.com/" class="fab fa-facebook"></a>
    </div>
  </div>
  <!-- LOGIN MODAL -->
  <div class='modal'>
    <div class='card'>
      <div class='card face card face--front flex-col center'>
        <h1>Login</h1>
        <span class='modal-exit'>&times;</span>
        <form action='php/login.php' name='login-forma' method='POST'>
          <div class='relative'>
            <input type='text' name='email' placeholder='Email' />
            <span class='fas fa-at fa-span fs-login absolute'></span>
          </div>
          <?= error_for("email",</pre>
<div class='relative'>
            <input type='password' name='password' placeholder='Password'</pre>
/>
```

```
<span class='fas fa-key fa-span fs-login absolute'></span>
          </div>
          <?= error for("password",</pre>
"greske"); ?>
          <button id='login' name='login'</pre>
class='btn-style'>Login</button>
          <button id='register-btn' class='btn-style'>Register/button>
        </form>
      </div>
      <!-- REGISTER MODAL -->
      <div class='card face card face--back flex-col center'>
        <h1>Register</h1>
        <span class='modal-exit'>&times;</span>
        <form action='php/register.php' name='reg-forma' method='POST' >
          <div class='relative'>
            <input type='text' name='reg-email' placeholder='Email' />
            <span class='fas fa-at fa-span fs-reg absolute'></span>
          </div>
          <?= error for("reg email",</pre>
"greske"); ?>
          <div class='relative'>
            <input type='password' name='reg-password'</pre>
placeholder='Password' />
```

```
<span class='fas fa-key fa-span fs-reg absolute'></span>
          </div>
          <?= error for("reg password",</pre>
"greske"); ?>
          <div class='relative'>
            <input type='password' name='reg-confirm'</pre>
placeholder='Confirm password' />
            <span class='fas fa-unlock fa-span fs-reg absolute'></span>
          </div>
          <?= error for("reg_confirm",</pre>
"greske"); ?>
          <button id='login-btn' name='login'</pre>
class='btn-style'>Login</button>
          <button id='register' class='btn-style'</pre>
name='register'>Register</button>
        </form>
      </div>
    </div>
  </div>
 </footer>
 <script
src='https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js'/s
cript>
```

```
<script
src="https://cdnjs.cloudflare.com/ajax/libs/select2/4.0.6-rc.0/js/select2.
min.js"></script>
<script>
   <?php if(isset($_SESSION['greske'])): ?>
    window.modalOpen = true;
     $(".fs-login").css("color", "crimson");
     <?php if(isset($ SESSION['greske']['turn modal'])): ?>
       $(".fs-reg").css("color", "crimson");
       $(".fs-login").css("color", "#333");
       window.turnModal = true;
    <?php endif ?>
  <?php unset($_SESSION['greske']); ?>
   <?php else: ?>
    window.modalOpen = false;
   <?php endif ?>
   $('#vote').select2();
</script>
<script src='scripts/utils.js'></script>
<script src='scripts/jquery.knob.min.js'></script>
<script src='scripts/validations.js'></script>
<script src='scripts/modal.js'></script>
<script src='scripts/mainslider.js'></script>
<script src='scripts/comics.js'></script>
<script src='scripts/chartist.min.js'></script>
```

# 3.4. Php logika

### 3.4.1. configuration.php

```
<?php

define("DB_HOST", "mycomicslist.com");

define("DB_DATABASE", "comics_list");

define("DB_USER", "okii");

define("DB_PASSWORD", "oki123");</pre>
```

### 3.4.2. database.php

```
<?php
```

```
require_once "configuration.php";

try {
    $dsn = "mysql:host=" . DB_HOST . ";dbname=" . DB_DATABASE .
";charset=utf8";

$conn = new PDO($dsn, DB_USER, DB_PASSWORD);

$conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);

$conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
} catch(PDOException $e) {
```

### 3.4.3. utilities.php

```
<?php
define('PROJECT_ROOT', dirname(dirname(__FILE__))));
 define('DS', DIRECTORY SEPARATOR);
 function relativeToProjectOS($path) {
   $final = PROJECT_ROOT . $path;
  if(DS != '/') {
   return str_replace('/', "\\", $final);
   }
  return $final;
 function error for($key, $arr) {
  if(isset($ SESSION["$arr"][$key])) {
    return $_SESSION["$arr"][$key];
   }
  return "";
 function multi_error_for($key, $arr, $subKey) {
  if(isset($_SESSION["$arr"][$key][$subKey])) {
    return $ SESSION["$arr"][$key][$subKey];
```

```
return "";
}
function selectMultipleRows($conn, $upit) {
  $result = $conn->query($upit);
 return $result->fetchAll();
function bind($conn, $upit, $bindings) {
  $result = $conn->prepare($upit);
  foreach($bindings as $label => &$value) {
   ${"$label"} = $value;
   $result->bindParam(":$label", $$label);
  }
  try {
   $result->execute();
  } catch (PDOException $e) {
   return null;
 return $result;
function bindWithException($conn, $upit, $bindings) {
```

```
$result = $conn->prepare($upit);
  foreach($bindings as $label => &$value) {
   ${"$label"} = $value;
    $result->bindParam(":$label", $$label);
  $result->execute();
 return $result;
function bindAndSelect($conn, $upit, $bindings, $fetchOne) {
 $result = bind($conn, $upit, $bindings);
  $selected = null;
 if($fetchOne) {
   if($result->rowCount() > 1) {
     throw new Exception("Rezultat je vratio vise od jednog!!");
    $selected = $result->fetch();
  } else {
   $selected = $result->fetchAll();
 return $selected;
```

```
function selectFiltersWithSubfilter($conn) {
  $final = [];
  $records = $conn->query("
    SELECT f.id AS filter id, f.name AS filter name,
    sf.id AS sf id, sf.name AS sf name FROM filters f
   JOIN sub_filters sf ON f.id=sf.id filter
  ") ->fetchAll();
  foreach($records as $record) {
    $idFilter = $record->filter_id;
    if(!array_key_exists($idFilter, $final)) {
      $single = [
       "id" => $idFilter,
                  => $record->filter name,
        "subfilters" => []
     ];
      $single['subfilters'][] = (object)[
          "id" => $record->sf_id,
          "name" => $record->sf name
     ];
      $final[$idFilter] = (object)$single;
    } else {
      $final[$idFilter]->subfilters[] = (object)[
        "id" => $record->sf id,
        "name" => $record->sf name
```

```
];
  return $final;
function uploadPicture($picture, $lastInsertId, $conn, Callable
$callback, $target) {
   $tmpPath = $picture['tmp_name'];
   $picName = strstr($picture['name'], "." , true);
   $targetPath = relativeToProjectOS("/public/images/comics/") . time() .
"_" . $picture['name'];
   $targetDB = "images/comics/" . time() . "_" . $picture['name'];
   try {
     resize_image($tmpPath, $target, $callback);
    move_uploaded_file($tmpPath, $targetPath);
     $upit = "INSERT INTO pictures(path, alt, id comic) VALUES (:putanja,
:alt, :idComic)";
     $uploaded = bind($conn, $upit, [
       "putanja" => $targetDB,
       "alt" => $picName,
       "idComic" => $lastInsertId
     ]);
     return $uploaded;
   } catch(Exception $e) {
```

```
function validatePicture($picture, &$errors, $value) {
   $type = $picture['type'];
   $size = $picture['size'];
   $formats = ['image/jpg', 'image/jpeg'];
   if(!in_array($type, $formats)) {
     $errors[$value]['type'] = "Picture must be jpg / jpeg";
   }
  if($size > 2000000) {
     $errors[$value]['size'] = "You need to upload a picture lighter than
2MB":
 }
function resize image by width($ratio, $targetWidth) {
  if($ratio > 1) {
     $targetHeight = $targetWidth / $ratio;
   } else {
     throw new Exception("Wrong image form suplied");
    return;
```

```
return [$targetWidth, $targetHeight];
function resize image by height($ratio, $targetHeight) {
 if($ratio < 1) {
    $targetWidth = $targetHeight * $ratio;
  } else {
    throw new Exception("Wrong image format supplied");
   return;
 return [$targetWidth, $targetHeight];
function resize image($file, $target, Callable $callback) {
  list($originalWidth, $originalHeight) = getimagesize($file);
  $ratio = $originalWidth / $originalHeight;
  list($targetWidth, $targetHeight) = $callback($ratio, $target);
  $originalImage = imagecreatefromjpeg($file);
  $targetImage = imagecreatetruecolor($targetWidth, $targetHeight);
  imagecopyresampled($targetImage, $originalImage,
```

```
0, 0, 0, 0,
       $targetWidth, $targetHeight,
     $originalWidth, $originalHeight);
     imagejpeg($targetImage, $file, 100);
}
3.4.4. login.php
<?php
session start();
require once "../../database.php";
require once "utilities.php";
if(isset($_POST['login'])) {
   $email = $ POST['email'];
   $password = $_POST['password'];
   $errors = [];
   $passwordMessage = "A password must have at least one digit, at least
one uppercase char, lowercase chars and it should be at least 8 chars
long";
   $emailMessage = "You must enter a valid format for email address";
   representation = \frac{1}{2} (?=.*d) (?=.*[a-z]) (?=.*[a-z]) [0-9a-zA-z] {8,}$/';
   if(!preg_match($rePassword, $password)) {
     $errors["password"] = $passwordMessage;
```

}

```
if(!filter_var($email, FILTER_VALIDATE_EMAIL)) {
    $errors["email"] = $emailMessage;
   }
   if(empty($errors)) {
     $password = sha1($password);
     $upit = "SELECT u.*, r.role FROM users u INNER JOIN roles r ON
u.id_role = r.id
              WHERE email = :email AND password = :pass";
     $selectedUser = bindAndSelect($conn, $upit, [
       "email" => $email,
       "pass" => $password
     ], true);
     if($selectedUser) {
       $ SESSION['user'] = $selectedUser;
     } else {
       $_SESSION['greske'] = ['email' => 'Email or password are not
valid'];
   } else {
    $_SESSION['greske'] = $errors;
```

```
header("Location: ../index.php");
3.4.5. register.php
<?php
 session start();
 require once "../../database.php";
 require "utilities.php";
 if(isset($_POST['register'])) {
   $email
            = $_POST['reg-email'];
   $password = $_POST['reg-password'];
   $confirm = $_POST['reg-confirm'];
   $errors = [];
   $passwordMessage = "A password must have at least one digit, at least
one uppercase char, lowercase chars and it should be at least 8 chars
long";
   $emailMessage = "Your email must be of a valid format";
   $confirmMessage = "Your passwords are not matching";
   $uniqueMessage = "This email is taken";
   if($password !== $confirm) {
     $errors["reg confirm"] = $confirmMessage;
```

} else {

```
rePassword = '/^(?=.*\d) (?=.*[a-z]) (?=.*[A-z]) [0-9a-zA-z] {8,}$/';
      if(!preg match($rePassword, $password)) {
      $errors["reg password"] = $passwordMessage;
    }
   }
  if(!filter_var($email, FILTER VALIDATE EMAIL)) {
    $errors["reg_email"] = $emailMessage;
   }
  if(empty($errors)) {
    $password = sha1($password);
    $upit = "INSERT INTO users (email, password, id role) VALUES (:email,
:pass, 2)";
    $inserted = bind($conn, $upit, [
      "email" => $email,
      "pass" => $password
    ]);
    $id = $conn->lastInsertId();
    $user = (object)[
      "id" => $id,
      "email" => $email,
```

```
"password" => $password,
      "id role" => 2
    ];
    if($inserted) {
      $ SESSION['user'] = $user;
    } else {
      $errors['reg_email'] = $uniqueMessage;
      $errors["turn_modal"] = true;
      $_SESSION['greske'] = $errors;
   }
  } else {
    $errors["turn_modal"] = true;
    $_SESSION['greske'] = $errors;
 }
header("Location: ../index.php");
```

# 3.4.6. logout.php

```
<?php
session_start();
unset($_SESSION['user']);
session_destroy();
header("Location: ../index.php");</pre>
```

# 3.4.7. contact.php

```
<?php
session start();
require once "utilities.php";
if(isset($_POST['contact'])) {
   define("TO", "oljawildchild@gmail.com");
   $email = $ POST['contact-email'];
   $message = $_POST['contact-message'];
   $errors = [];
   $emailMess = "You must enter a valid format for email address";
   $messageMess = "Your message must have at least 10 characters";
    if(!filter_var($email, FILTER VALIDATE_EMAIL)) {
    $errors["email"] = $emailMess;
   if(strlen($message) < 10) {</pre>
     $errors["message"] = $messageMess;
   if(empty($errors)) {
     $subject = "MyComicsList contact";
```

```
$header = "From: $email";

mail(TO, $subject, $message, $header);

$_SESSION['contactSuccess'] = ['success' => 'Administrator will
respond as soon as possible'];

} else {

$_SESSION['contactErrors'] = $errors;
}

header("Location: /index.php?page=contact");
```

#### 3.4.8. addNewComic.php

```
<?php
```

```
"id" => $comicId
   ]);
   $oldState = bindAndSelect($conn,
     "SELECT id sub filter as id FROM comics sub filters WHERE
id comic=:id", ["id" => $comicId], false);
   $oldStateIds = array map(function($e) {
    return $e->id;
   }, $oldState);
   $toDelete = [];
   $toInsert = [];
   foreach($oldStateIds as $id) {
    if(!in_array($id, $tags)) $toDelete[] = $id;
   foreach($tags as $newId) {
    if(!in array($newId, $oldStateIds)) $toInsert[] = $newId;
   }
   foreach($toDelete as $idSub) {
     $query = "DELETE FROM comics sub filters WHERE id comic=:comic AND
id_sub_filter=:sub";
    bind($conn, $query, ["comic" => $comicId, "sub" => $idSub]);
```

```
foreach($toInsert as $idSub) {
     $query = "INSERT INTO comics sub filters(id comic,id sub filter)
VALUES (:idComic, :subFilter)";
     bind($conn, $query, ["idComic" => $comicId, "subFilter" => $idSub]);
   }
 function insertRecord($conn, $name, $desc, $issues, $picPor, $tags) {
   $upit = "INSERT INTO comics(name, description, issues) VALUES (:name,
:desc, :issues)";
   $inserted = bind($conn, $upit, [
     "name" => $name,
     "desc" => $desc,
     "issues" => $issues
   ]);
   if($inserted) {
     $idComic = $conn->lastInsertId();
     if(uploadPicture($picPor, $idComic, $conn, 'resize_image_by_height',
355)) {
       $upit = "INSERT INTO comics sub filters(id comic,id sub filter)
VALUES (:idComic, :subFilter)";
       foreach($tags as $tag) {
        bind($conn, $upit, [
           "idComic" => $idComic,
           "subFilter" => $tag
```

```
]);
      }
      $ SESSION['upload'] = "Successfully inserted comic!";
    } else $ SESSION['upload'] = "Error, not inserted";
  }
if(isset($_POST['insert'])) {
  $name
        = trim($_POST['comicName']);
  $desc = trim($ POST['desc']);
  $issues = $ POST['issues'];
          $picPor = $ FILES['comic-por-pic'];
  $method = $ POST[' method'];
  $errors = [];
  $nameError = "Every first letter of a word must be a capital letter";
  $descError = "You need to write more than 10 characters";
  $issuesError = "Number of issues cannot be zero or less";
  $tagsError = "You must choose at least one subfilter";
  $reName =
'/^[A-Z][a-z]\{2,48\}(\s([A-Z][a-z]\{1,48\}|[0-9]\{1,4\}(\.)*))*$/';
```

```
if(!preg match($reName, $name)) {
 $errors['comicName'] = $nameError;
}
if(strlen($desc) < 10) {</pre>
  $errors['description'] = $descError;
if($issues < 1 || $issues > 1000) {
  $errors['issues'] = $issuesError;
}
if(empty($tags)) {
  $errors['tags'] = $tagsError;
if($method == "POST") {
 validatePicture($picPor, $errors, "comic-por-pic");
if(empty($errors)) {
  if($method == "UPDATE") {
    $id = $_POST['comicID'];
```

```
updateRecord($conn, $id, $name, $desc, $issues, $tags);
} else {
    insertRecord($conn, $name, $desc, $issues, $picPor, $tags);
}
else {
    $_SESSION['comicErrors'] = $errors;
}
header("Location: ../index.php?page=panel");
} else {
    header("Location: ../index.php");
}
```

# 3.5. AJAX logika

#### 3.5.1. comics.php

```
<?php
```

```
session_start();
require_once "../../database.php";
require_once "../php/utilities.php";

define("PER_PAGE", 8);
header("Content-type: application/json");
```

```
$status = 200;
$userId = isset($_SESSION['user']) ? $_SESSION['user']->id : 0;
$loggedIn = isset($ SESSION['user']) ? true : false;
// PAGINACIJA
$page = 1;
if(isset($_POST['page'])) {
 $page = $_POST['page'];
$od = ($page-1) * PER_PAGE;
$koliko = PER PAGE;
$limit = "LIMIT :od, $koliko";
$base query = "SELECT DISTINCT c.*,p.path, p.alt, 1.id user FROM comics c
LEFT JOIN list 1 ON c.id = 1.id comic AND 1.id user=$userId
JOIN pictures p ON c.id = p.id_comic
JOIN comics_sub_filters cf ON c.id = cf.id_comic";
if(isset($_POST['ids'])) {
 $ids = $_POST['ids'];
 page = 1;
  if(isset($_POST['page'])) {
   $page = $_POST['page'];
```

```
}
   $array = "(";
   $count = count($ids);
   $bindings = [];
   foreach($ids as $index => $id) {
     $array .= ":a$index";
     $bindings["a$index"] = $id;
     if($index < $count - 1) {</pre>
      $array .= ", ";
    }
   $array .= ")";
   $stmt = $conn->prepare("SELECT COUNT(distinct csf.id comic) AS num FROM
comics c
   JOIN comics sub filters csf ON c.id = csf.id comic
   WHERE csf.id sub filter IN $array");
   foreach($bindings as $index => &$val) {
    $stmt->bindParam("$index", $val, PDO::PARAM INT);
   $stmt->execute();
   $count = $stmt->fetch()->num;
   $pages = ceil($count / PER_PAGE);
   $base_query .= " AND cf.id_sub_filter IN $array " . $limit;
```

```
try {
  $stmt = $conn->prepare($base query);
  $stmt->bindParam(":od", $od, PDO::PARAM INT);
  foreach($bindings as $index => &$val) {
    $stmt->bindParam("$index", $val, PDO::PARAM INT);
  $stmt->execute();
  $result = $stmt->fetchAll();
  $final = [];
  foreach($result as $row) {
    $novi = [];
    $novi["id"] = $row->id;
    $novi["name"] = $row->name;
    $novi["description"] = $row->description;
    $novi["issues"] = $row->issues;
    $novi["path"] = $row->path;
    $novi["alt"] = $row->alt;
    $novi["flag"] = $row->id_user;
    if($novi["flag"] == $userId) {
      $novi["flag"] = true;
    } else {
      $novi["flag"] = false;
```

```
}
      $final[] = (object) $novi;
     sec = [
       "total" => $pages,
       "page" => $page,
      "data" => $final,
       "loggedIn" => $loggedIn
    ];
    echo json_encode($resp);
   } catch (Exception $e) {
    $status = 500;
  }
} else {
   $count = $conn->query("SELECT COUNT(*) AS num FROM
comics") ->fetch() ->num;
   $pages = ceil($count / PER PAGE);
   try {
     $stmt = $conn->prepare($base_query . " " . $limit);
     $stmt->bindParam(":od", $od, PDO::PARAM_INT);
     $stmt->execute();
     $result = $stmt->fetchAll();
```

```
$final = [];
foreach($result as $row) {
  $novi = [];
  $novi["id"] = $row->id;
  $novi["name"] = $row->name;
  $novi["description"] = $row->description;
  $novi["issues"] = $row->issues;
  $novi["path"] = $row->path;
  $novi["alt"] = $row->alt;
  $novi["flag"] = $row->id_user;
 if($novi["flag"] == $userId) {
   $novi["flag"] = true;
  } else {
   $novi["flag"] = false;
 $final[] = $novi;
 }
sec = [
  "total" => $pages,
  "page" => $page,
  "data" => $final,
```

```
"loggedIn" => $loggedIn

1;
    echo json_encode($resp);
} catch (Exception $e) {
    $status = 500;
}

http_response_code($status);
```

## 3.5.2. addToList.php

```
<?php
session_start();
require "../../database.php";

$status = 404;
if($_SERVER['REQUEST_METHOD'] == 'POST') {
    $status = 403;
    if(isset($_SESSION['user'])) {
        $status = 400;
        $idUser = isset($_SESSION['user']) ? $_SESSION['user']->id : null;
        if(isset($_POST['stripId'])) {
```

```
$idStrip = $_POST['stripId'];
      $status = 201;
      if(!empty($idUser)) {
        $query = "INSERT INTO list(id user, id comic)
                VALUES(:id_kor, :id_com)";
        $stmt = $conn->prepare($query);
        $stmt->bindParam(":id_kor", $idUser);
        $stmt->bindParam(":id_com", $idStrip);
        $stmt->execute();
        echo json_encode(["success" => true]);
      }
   }
  }
http response code($status);
```

## 3.5.3. removeFromList.php

```
<?php
session_start();
require "../../database.php";
 $status = 404;
 if($ SERVER['REQUEST METHOD'] == 'POST') {
   $status = 403;
   if(isset($_SESSION['user'])) {
     $status = 400;
     $idUser = isset($_SESSION['user']) ? $_SESSION['user']->id : null;
     if(isset($_POST['stripId'])) {
       $idStrip = $ POST['stripId'];
       $status = 204;
      if(!empty($idUser)) {
         $query = "DELETE FROM list WHERE id user = :id user AND id comic
= :id comic";
         $stmt = $conn->prepare($query);
         $stmt->bindParam(":id_user", $idUser);
         $stmt->bindParam(":id_comic", $idStrip);
         $stmt->execute();
```

```
}

}

http_response_code($status);
```

#### 3.5.4. getComic.php

```
<?php
 session_start();
 require "../../database.php";
require "../php/utilities.php";
 $status = 404;
 if($ SERVER['REQUEST METHOD'] == "POST") {
   $status = 403;
   if($ SESSION['user']->role === 'administrator')
     $status = 400;
     if(isset($_POST['id'])) {
       $id = $_POST['id'];
       try {
         $status = 500;
         $comic = bindAndSelect($conn, "select c.*, p.path from comics c
join pictures p on c.id = p.id_comic where c.id=:id", ["id" => $id],
true);
```

```
$filters = bindAndSelect($conn,
           "select * from sub filters join comics sub filters csf
                on sub_filters.id = csf.id_sub_filter where
csf.id_comic=:id", ["id" => $comic->id], false);
        if($comic) {
           $status = 200;
          if(!$filters) $filters = [];
           echo json_encode([
            "comic" => $comic,
            "filters" => $filters
          ]);
        }
       } catch(Exception $e) {
        $status = 500;
http response code($status);
```

## 3.5.5. deleteComic.php

```
<?php
session_start();
 require "../../database.php";
 require "../php/utilities.php";
 function obrisiSliku($putanja) {
   $publicPath = relativeToProjectOS("public/$putanja");
  if(file_exists($publicPath)) {
    unlink($publicPath);
   }
 }
 $status = 404;
 if($ SERVER['REQUEST METHOD'] == 'POST') {
   $status = 403;
   if(true) {
     $status = 400;
     if(isset($_POST['id'])) {
       $status = 204;
       $id = $_POST['id'];
       $conn->beginTransaction();
       try {
         $upit = "SELECT path FROM pictures WHERE id comic=:id";
         $slike = bindAndSelect($conn, $upit, ["id" => $id], false);
```

```
bindWithException($conn, $upit, ["id" => $id]);
        $upit = "DELETE FROM list WHERE id comic=:id";
       bindWithException($conn, $upit, ["id" => $id]);
        $upit = "DELETE FROM comics sub filters WHERE id comic=:id";
       bindWithException($conn, $upit, ["id" => $id]);
        $upit = "DELETE FROM comics WHERE id=:id";
       bindWithException($conn, $upit, ["id" => $id]);
        foreach($slike as $slika) {
          obrisiSliku($slika->path);
      } catch (PDOException $e) {
        $conn->rollBack();
        echo $e->getMessage();
      } catch (Exception $e) {
        $conn->rollBack();
       echo $e->getMessage();
      }
      $conn->commit();
http response code($status);
```

\$upit = "DELETE FROM pictures WHERE id comic=:id";

#### 3.5.6. addVote.php

```
<?php
session_start();
require "../../database.php";
require "../php/utilities.php";
$status = 404;
header('Content-Type: application/json');
if($ SERVER['REQUEST_METHOD'] == 'POST') {
  \$status = 403;
   if(isset($_SESSION['user'])) {
     $status = 400;
    $idUser = isset($_SESSION['user']) ? $_SESSION['user']->id : null;
     if(isset($ POST['votedFor'])) {
       $votedFor = $_POST['votedFor'];
      if($votedFor > 0) {
         $status = 200;
         if(!empty($idUser)) {
           $query = "INSERT INTO votes(id_user, id_comic)
                     VALUES(:id user, :id comic)";
           try {
             bindWithException($conn, $query, [
               "id user" => $idUser,
```

```
"id comic" => $votedFor
             ]);
             $upit = "SELECT c.name,p.path, p.alt, COUNT(*) AS votes FROM
votes v JOIN comics c ON v.id_comic = c.id JOIN pictures p ON c.id =
p.id comic GROUP BY c.name, p.path, p.alt ORDER BY votes DESC LIMIT 0,3";
             $result = selectMultipleRows($conn, $upit);
             sep = [
               "results" => $result,
               "poruka" => "Thank you for voting!"
            ];
             echo json_encode($resp);
           } catch(PDOException $e) {
             echo json_encode(["poruka" => "You already voted."]);
 http response code($status);
```

#### 3.5.7. removeVote.php

```
<?php
 session start();
 require "../../database.php";
 require "../php/utilities.php";
 $status = 404;
header('Content-Type: application/json');
 if($_SERVER['REQUEST_METHOD'] == 'GET') {
   \$status = 403;
   if(isset($_SESSION['user'])) {
     $status = 400;
     $idUser = isset($_SESSION['user']) ? $_SESSION['user']->id : null;
     $status = 200;
     if(!empty($idUser)) {
       try {
         $query = "DELETE FROM votes WHERE id_user = $idUser";
         $conn->query($query);
         $upit = "SELECT c.name,p.path, p.alt, COUNT(*) AS votes FROM
votes v JOIN comics c ON v.id comic = c.id JOIN pictures p ON c.id =
p.id_comic GROUP BY c.name, p.path, p.alt ORDER BY votes DESC LIMIT 0,3";
         $result = selectMultipleRows($conn, $upit);
         sec = [
```

#### 3.5.8. comicStats.php

```
<?php
require "../../database.php";
require "../php/utilities.php";

session_start();

$stats = 403;
if(isset($_SESSION['user']) && $_SESSION['user']->role == 'administrator') {
```

```
$status = 200;
   $upit = "select c.name, count(*) as vote num, (select count(*) from
comics sub filters csf
            where csf.id_comic=c.id) as favorite_count from votes v
            join comics c on v.id comic=c.id
            group by c.name
            limit 5";
   $result = selectMultipleRows($conn, $upit);
   echo json_encode($result);
 }
http response code($status);
3.6. JavaScript
3.6.1. comics.js
$ (document) .ready (function() {
filters.init();
filters.getAllComics();
});
function addLink(id) {
```

return `<a href='#' data-id='\${id}' class='btn-style bs-white add-to-list

add'>ADD</a>`;

```
function deleteLink(id) {
return `<a href='#' data-id='${id}' class='btn-style bs-white add-to-list
remove'>REMOVE</a>`;
}
var myList = (function() {
function init() {
   var add = $(".add");
   var remove = $(".remove");
   console.log("Reinit?");
   add.click(handleAdd);
  remove.click(handleRemove);
 function handleRemove(e) {
   e.preventDefault();
   var id = $(this).data("id");
   ajaxPost("ajax/removeFromList.php", {
        stripId: id
       },
```

```
() => {
     var insertNode = $(addLink(id));
      insertNode.click(handleAdd);
      $(this).replaceWith(insertNode);
    },
    (status) => {
     console.log(status);
   });
function handleAdd(e) {
 e.preventDefault();
 var id = $(this).data("id");
 ajaxPost("ajax/addToList.php", {
      stripId: id
     },
    () => {
     var deleteNode = $(deleteLink(id));
     deleteNode.click(handleRemove);
     $(this).replaceWith(deleteNode);
    },
    (status) => {
     console.log(status);
    });
```

```
return {
  init: init
}
})();
var filters = (function() {
function init() {
   $(".sub-items").hide();
   $(".title i").css("transition", "all ease 450ms");
   $(".sub-items").each((i, el) => $(el).data('height', $(el).height()));
   $(".title").click(handleClick);
   $(".filter").click(handleFilterClick);
   var urlString = window.location.href;
   var url = new URL(urlString);
   var defaultFilter = url.searchParams.get("filter");
   if(defaultFilter) {
    var found = null;
     $(".search-text").each((i, el) => {
       if($(el).text() == defaultFilter) {
        found = \$(el);
         return;
```

```
}
    });
    if(found) {
      var title = found.closest('.sub-items').siblings('.title');
      title.click();
      found.click();
       var half = $(window).height() / 2;
       setTimeout(function() {
       $("html, body").animate({
         scrollTop: found.offset().top - half
       }, 750);
       }, 450);
   }
function handleFilterClick() {
 var ids = $(".filter")
    .filter(function() { return this.checked; })
    .map(function() { return $(this).val() })
    .toArray();
 var data = {ids: ids};
```

```
ajaxPost("ajax/comics.php", data,
    (resp) => {
     iscrtajSve(resp);
     myList.init();
     iscrtajNav(resp);
   },
   (status) => {
    console.log(status);
 );
function getAllComics(page) {
 var page = page || 1;
 var ids = $(".filter")
   .filter(function () { return this.checked; })
    .map(function () { return $(this).val() })
   .toArray();
  ajaxPost("ajax/comics.php", {
   page: page,
   ids: ids
  },
  (resp) => {
   iscrtajSve(resp);
```

```
myList.init();
   iscrtajNav(resp);
 },
 (status) => {
  console.log(status);
 });
function iscrtajNav(resp) {
 var div = $(".comics-control");
 div.html("");
  for(let i=0; i<resp.total;i++) {</pre>
    let link = $(`<a href='#'>${i+1}</a>`);
    link.css(
     {
      "fontSize": "3rem",
      "margin": "1em",
      "color": "#666A86"
     });
    link.click(function(e) {
     e.preventDefault();
     getAllComics(i+1);
    });
   div.append(link);
```

```
function resolveFlag(flag, id) {
 return flag ? deleteLink(id) : addLink(id);
}
function iscrtajJednog(comic, loggedIn) {
 return `<div class='comic'>
           <img src='${comic.path}' alt='${comic.alt}' />
           <h2>${comic.name}</h2>
           <div class='aid ar-btn'>
             ${loggedIn ? resolveFlag(comic.flag, comic.id):''}
           </div>
           ${comic.description}
           <div class='info'>
             <strong>Issues/Chapters: </strong>${comic.issues}
           </div>
         </div>`;
function iscrtajSve(resp) {
 var html = "";
 var loggedIn = resp.loggedIn;
 resp.data.forEach((comic) => {
```

```
html += iscrtajJednog(comic, loggedIn);
 });
  $(".comics").html(html);
function handleClick() {
 var elem = $(this).parent().find('.sub-items');
 var toHeight = elem.data('height');
 var carret = $(this).find('i');
  elem.finish();
  if(!elem.data("expanded")) {
    elem.css("height", 0).show();
    elem.animate({height: toHeight + "px"}, 450);
    elem.data("expanded", true);
    carret.addClass('go');
  } else {
    elem.animate({height: 0}, 450);
    elem.data("expanded", false);
    carret.removeClass('go');
```

```
return {
  init: init,
  getAllComics: getAllComics
};
})();
```

#### 3.6.2. mainslider.js

```
$ (document) .ready (function() {
 slider.init();
 $("#slide-left").click(slider.slideRight);
 $("#slide-right").click(slider.slideLeft);
 $ (".image-slider-wrap").on('touchmove', slider.handleTouch);
 $ (".image-slider-wrap").on('touchstart', slider.handleTouchStart);
 $(".image-slider-wrap").on('touchend', slider.handleTouchEnd);
 $(window).on('resize', slider.haandleResize);
});
var slider = (function () {
var index, slideAmount, imagesShown, imageCount;
 var lastTouchX, touchedPos, sliderPosition;
 function init() {
   index = 0;
   lastPos = 0;
```

```
sliderPosition = 0;
  imageCount = $(".image-slider img").length;
  slideAmount = $(".image-slider img").eq(0).outerWidth(true);
 length = $(".image-slider img").length;
  $(".image-slider").css('transition', 'all ease 1s');
  syncImageCount();
function handleTouchStart(e) {
  e.preventDefault();
  if(e.targetTouches.length == 1) {
   var touch = e.targetTouches[0];
    touchedPos = touch.pageX + sliderPosition;
 $(".image-slider").css("transition", "");
function handleTouch(e) {
 e.preventDefault();
  if (e.targetTouches.length == 1) {
   var touch = e.targetTouches[0];
   var movement = touchedPos - touch.pageX;
    $(".image-slider").css({
```

```
transform: `translateX(${-movement}px)`
   });
    sliderPosition = movement;
  }
function syncImageCount() {
 var imageWidth = $(".image-slider img").eq(1).outerWidth(true);
 var sliderWidth = $(".image-slider-wrap").width();
 imagesShown = Math.ceil(sliderWidth / imageWidth);
}
function handleResize() {
 syncImageCount();
function handleTouchEnd() {
 $(".image-slider").css('transition', 'all ease 1s');
}
function toMaxIndex() {
 var jumpIndex = imageCount - imagesShown;
 index = jumpIndex;
 var toSlide = index * slideAmount;
```

```
$(".image-slider").css({
   transform: `translateX(${-toSlide}px)`
 });
 lastPos = -toSlide;
function revertToZero() {
 index = 0;
 $(".image-slider").css({transform: "translateX(0)"})
 lsatPos = 0;
function slideLeft() {
 if(index + imagesShown > imageCount - 1) {
   revertToZero();
   return;
 index++;
 var toSlide = index * slideAmount;
 $(".image-slider").css({
   transform: `translateX(${-toSlide}px)`
 });
 lastPos = -toSlide;
```

```
function slideRight() {
  if (index - 1 < 0) {
    toMaxIndex();
    return;
   index--;
   var toSlide = index * slideAmount;
   $(".image-slider").css({
    transform: `translateX(${-toSlide}px)`
  });
  lastPos = -toSlide;
return {
   init: init,
   slideLeft: slideLeft,
   slideRight: slideRight,
  handleTouch: handleTouch,
  handleTouchStart: handleTouchStart,
  handleTouchEnd: handleTouchEnd,
  haandleResize: handleResize
}
})();
```

## 3.6.3. modal.js

```
$ (document) . ready (function () {
 initModal();
if (window.modalOpen) {
   if(window.turnModal) {
     openModal('register');
   } else {
     openModal();
 }
 $(".open-modal-login").click(function (e) {
  e.preventDefault();
   e.stopPropagation();
  openModal();
 });
 $(".open-modal-register").click(function (e) {
   e.preventDefault();
   e.stopPropagation();
   openModal('register');
});
});
```

```
function initModal() {
$("#register-btn").click((e) => {
  e.preventDefault();
  $(".modal .card").addClass('is-flipped');
});
$("#login-btn").click((e) => {
  e.preventDefault();
  $(".modal .card").removeClass('is-flipped');
});
 $(".modal").find(".modal-exit").click(function () {
  if (window.modalOpen) {
    closeModal();
  }
});
$ (document) .click(function (e) {
  if($(e.target).closest('.modal').length
     || e.target == '.open-modal-login') return;
  if (window.modalOpen) {
    closeModal();
  }
});
```

```
}
function closeModal() {
window.modalOpen = false;
$(".modal").removeClass("show");
$(".modal").addClass('hide');
$("#crnilo").remove();
function openModal(rotation) {
window.modalOpen = true;
$(".modal").removeClass('hide');
var crnilo = $("<div id='crnilo'>");
crnilo.css({
  display: "block",
  position: "fixed",
  width: "100%",
  height: "100%",
  background: "rgba(0, 0, 0, 0.6)",
  zIndex: 999
});
$(".modal").addClass("show");
if(typeof rotation == 'undefined') {
```

```
rotation = "login"
 if(rotation == 'login') {
   if($('.modal .card').hasClass('is-flipped')) {
     $('.modal').on('animationend', () => $('.modal
.card').removeClass('is-flipped'))
   }
 } else if(rotation == 'register') {
   if(!$('.modal .card').hasClass('is-flipped')) {
     $('.modal').on('animationend', () => $('.modal
.card').addClass('is-flipped'))
   }
$("body").prepend(crnilo);
}
3.6.4. utils.js
function ajaxGet(url, cbSuccess, cbFailure) {
 ajax(url, cbSuccess, cbFailure, "GET");
}
function ajaxPost(url, data, cbSuccess, cbFailure) {
ajax(url, cbSuccess, cbFailure, "POST", data);
}
```

```
function __ajax(url, cbSuccess, cbFailure, verb, data) {
  var data = data || {};

$.ajax({
    url: url,
    dataType: "json",
    method: verb,
    success: cbSuccess,
    data: data,
    error: function(xhr, statusText, msg) {
        cbFailure(xhr.status, xhr.responseText);
    }
})
```

## 3.6.5. validations.js

```
$ (document) .ready(function() {
  loginValidation();
  registerValidation();
  handleVote();
  contactValidation();
});
```

```
$('form[name="login-forma"]').submit(function (e) {
  var errors = {};
  var validno = {};
   if (!validateLoginParams(errors, validno)) {
    e.preventDefault();
    prikazGresaka(errors, $(this));
});
function validateLoginParams(errors, validno) {
var validations = [];
var email = $("input[name='email']").val();
var password = $("input[name='password']").val();
validations.push(validateEmail(email, errors, validno));
validations.push(validatePassword(password, errors, validno));
return !validations.includes(false);
}
function registerValidation() {
$('form[name="reg-forma"]').submit(function (e) {
  var errors = {};
  var validno = {};
```

```
if (!validateRegistrationParams(errors, validno)) {
    e.preventDefault();
    prikazGresaka(errors, $(this));
});
function validateRegistrationParams(errors, validno) {
var validations = [];
var email = $("input[name='reg-email']").val();
var password = $("input[name='reg-password']").val();
var confirm = $("input[name='reg-confirm']").val();
validations.push(validateEmail(email, errors, validno));
validations.push(confirmPassword(password, confirm, errors));
validations.push(validatePassword(password, errors, validno));
return !validations.includes(false);
function contactValidation() {
$('form[name="contact"]').submit(function (e) {
  var errors = {};
  var validno = {};
   if(!validateContactParams(errors, validno)) {
```

```
e.preventDefault();
    prikazGresaka(errors, $(this));
  }
});
}
function validateContactParams(errors, validno) {
var validations = [];
var email = $("input[name='contact-email']").val();
var message = $("#contact-message").val();
validations.push(validateEmail(email, errors, validno));
validations.push(validateMessage(message, errors, validno));
return !validations.includes(false);
}
function validateEmail(email, errors, validno) {
var reEmail = /^[A-Za-z0-9._%+-]+@[A-Za-z0-9.-]+\\.[A-Za-z]{2,6}$/;
if(!reEmail.test(email)) {
   errors.email = "You must enter a valid format for email address";
  return false;
 } else {
  validno.email = email;
  return true;
```

```
function validatePassword(password, errors, validno) {
 var rePass = /^(?=.*\d) (?=.*[a-z]) (?=.*[A-z]) [0-9a-zA-z] {8,}$/;
 if(!rePass.test(password)) {
   errors.password = "A password must have at least one digit, at least
one uppercase char, lowercase chars and it should be at least 8 chars
long";
  return false;
} else {
  validno.password = password;
  return true;
function confirmPassword(password, confirm, errors) {
if(password != confirm) {
  errors.confirm = "Your passwords are not matching";
  return false;
} else {
  return true;
```

```
function validateMessage(message, errors, validno) {
if(message.length < 10) {</pre>
   errors.message = "Your message must have at least 10 characters";
   return false;
} else {
  validno.message = message;
  return true;
function prikazGresaka(errors, forma) {
if (errors.password) {
   forma.find('.errPass').html(errors.password);
   forma.find(".fa-key").css("color", "crimson");
 } else {
  forma.find('.errPass').html("");
  forma.find(".fa-key").css("color", "#333");
if (errors.email) {
   forma.find('.errEmail').html(errors.email);
   forma.find(".fa-at").css("color", "crimson");
   forma.find('.errContactEmail').html(errors.email);
 } else {
```

```
forma.find('.errEmail').html("");
   forma.find(".fa-at").css("color", "#333");
   forma.find('.errContactEmail').html("");
if (errors.confirm) {
   forma.find('.errConfirm').html(errors.confirm);
   forma.find(".fa-unlock").css("color", "crimson");
 } else {
   forma.find('.errConfirm').html("");
  forma.find(".fa-unlock").css("color", "#333");
 }
 if (errors.message) {
  forma.find('.errContactMsg').html(errors.message);
} else {
   forma.find('.errContactMsg').html("");
function results(resp) {
var html = "";
$(".vote-msg").html(resp.poruka);
console.log(resp.poruka);
if (resp.poruka == "You already voted.") {
```

```
$(".click-here").show();
} else {
  $(".click-here").hide();
if(resp.results) {
  resp.results.forEach((result) => {
   html += iscrtajSliku(result);
  });
  $(".last-added").html(html);
}
function iscrtajSliku(jedna) {
return `<figure class='13-item'>
          <img src='${jedna.path}' alt='${jedna.alt}' />
        <figcaption class='13-desc'>
          ${jedna.name}
          Votes: ${jedna.votes}
        </figcaption>
      </figure>`;
}
function handleVote() {
$(".click-here").hide();
```

```
$("#vote").change(function () {
 var value = Number($(this).val());
 if (value > 0) {
   ajaxPost("ajax/addVote.php", {
     votedFor: value
    },
    (resp) => {
    results (resp);
    },
    (status, responseText) => {
     console.log(responseText);
   });
 }
});
$(".click-here a").click(function (e) {
 $(".vote-msg").html("");
  $(".click-here").hide();
  e.preventDefault();
  ajaxGet("ajax/removeVote.php",
  (resp) => {
  results (resp);
  },
  (status, responseText) => {
```

```
console.log(responseText);
});
});
```

## 3.7. CSS

## 3.7.1. utils.css

```
@import
url('https://fonts.googleapis.com/css?family=Fjalla+One|Raleway|Bangers');
* {
box-sizing: border-box;
margin:0;
padding:0;
html {
font-size: 62.5%;
}
body {
color:#333;
 font-family: 'Raleway', sans-serif;
 background-image: url("../images/hypnotize.png");
```

```
background-repeat: repeat;
}
ul {
list-style-type: none;
}
a {
text-decoration: none;
button {
cursor: pointer;
header {
background: #666A86;
font-family: 'Bangers', cursive;
}
h1, h2 {
font-family: 'Bangers', cursive;
}
```

```
.warning {
color:#666A86;
.relative {
position: relative;
.absolute {
position: absolute;
.just-center {
justify-content: center;
}
.row-no-wrap {
display:flex;
flex-flow: row nowrap;
.text-center {
text-align: center;
```

```
.flex-col {
display: flex;
flex-flow: column wrap;
}
.align-center {
align-items: center;
.center {
justify-content: center;
align-items: center;
.flex-row {
display: flex;
flex-flow: row wrap;
}
/* ---- Modal ---- */
.modal {
position: fixed;
min-height: 40rem;
```

```
height: 40rem;
width: 50%;
max-width: 40rem;
background: transparent;
left: 50%;
top: 50%;
transform: translate(-50%, -50%);
display: none;
overflow: hidden;
z-index: 1000;
perspective: 1200px;
border-radius: .3em;
.modal .card {
width: 100%;
height: 100%;
transition: transform ease-out 1s;
transform-style: preserve-3d;
position: relative;
.card.is-flipped {
transform: rotateY(180deg);
```

```
}
.card face {
position: absolute;
width: 100%;
height: 100%;
color: white;
text-align: center;
font-weight: bold;
backface-visibility: hidden
}
.card face--front {
background: #666A86;
}
.card face--back {
background: #666A86;
transform: rotateY(180deg);
.modal .modal-exit {
font-family: 'Raleway', sans-serif;
display: block;
```

```
position: absolute;
right: 10px;
top: -5px;
font-size: 3rem;
color: black;
cursor: pointer;
transition: all ease 150ms;
.modal .form-error {
color: white;
font-size: 1.3rem;
text-align:justify;
.modal .modal-exit:hover {
color:white;
.modal.show {
min-height: 0 !important;
animation-name: modal-in;
animation-duration: 600ms;
display: flex;
```

```
}
.modal.hide {
min-height: 0 !important;
 animation-name: modal-out;
animation-duration: 600ms;
display: flex;
width: 0;
height: 0;
@keyframes modal-out {
from {
  width: 50%;
  height: 40rem;
to {
 width: 0;
  height: 40rem;
}
}
@keyframes modal-in {
from {
```

```
width: 0;
}
to {
 width: 50%;
}
}
.modal h1 {
text-align: center;
letter-spacing: .2em;
font-size:2.3rem;
.modal form {
width: 70%;
.modal form input {
display: block;
border:none;
background: rgba(255,255,255,0.4);
border-radius: .2em;
padding: 1.3em 1.3em 1.3em 3em;
 color: #333;
```

```
width: 100%;
margin: 1em auto;
height: 2em;
position: relative;
}
.fa-span {
position: absolute;
font-size: 2rem;
color: #333;
opacity: 0.7;
top: 8px;
left: 10px;
}
.modal form input::-moz-placeholder {
color:#333;
letter-spacing: .2em;
}
.modal form input::placeholder {
color:#333;
letter-spacing: .2em;
```

```
.modal button {
margin-top: 1em;
border: none;
background: transparent;
color: white;
border: 2px solid white;
.modal button:hover,
.modal button:focus {
border:none;
background: white;
color:#666A86;
border: 2px solid white;
/* ---- NAVIGATION ---- */
.nav li {
display: inline-block;
}
.logo {
```

```
color:#666A86;
font-family: 'Raleway',
sans-serif;
text-transform: uppercase;
font-weight: 300;
letter-spacing: .5em;
font-size:2rem;
.logo:hover {
color:rgba(255,255,255,0.4);
}
.navigation a {
color:white;
display:block;
text-align:center;
font-size: 2rem;
padding: .7em 1em .7em 0;
margin-left: 1em;
.navigation ul {
padding: 1em 0;
```

```
overflow: hidden;
.navigation ul li {
position: relative;
.navigation ul li:after {
display: block;
position: absolute;
left: 1em;
width: 70%;
height: 5px;
background: white;
content: "";
transform: translateY(11px);
transition: transform ease .3s;
}
.navigation ul li:hover:after {
transform: translateY(6px);
}
.log-reg {
```

```
background:#333333;
width:100%;
padding:2em;
}
.log-reg ul {
margin-left: auto;
@media only screen and (max-width: 600px) {
.log-reg ul {
 margin: 2.5em 0 2.5em 0;
.navigation a {
  font-size: 1.4rem;
.btn-style {
font-size:1.4rem;
font-family: 'Bangers', cursive;
padding: .7em;
margin-left: 1em;
 text-align: center;
```

```
color:#666A86;
border: 2px solid #666A86;
.btn-style:hover,
.btn-style:focus {
background: #666A86;
color:#333;
.bs-white:hover, .bs-white:focus {
color:white;
}
/* ---- FOOTER ---- */
footer {
background: #333;
width:100%;
.footer-picture {
background-image: url("../images/footer-wallp.png");
padding: 8em 0;
```

```
background-repeat: no-repeat;
background-size: cover;
background-position: center;
background-position-y: 15%;
flex-wrap:wrap;
.footer-picture strong {
color: #7680c9;
.disclaimer {
color:white;
font-size:1.6rem;
width:12em;
margin-left: 5em;
align-self: flex-start;
.links a {
color:white;
font-size:2rem;
```

```
.links a:hover, .links a:focus {
color: #7680c9;
.links li {
padding-bottom: 1em;
border-bottom: 1px solid gray;
margin-bottom: 1em;
min-width: 20em;
.disclaimer .fab {
font-size: 2.5rem;
color: #7680c9;
margin: 1em 0;
padding-right: .5em;
.update-comic button.disabled {
cursor: not-allowed;
.select2-container {
width:300px !important;
```

```
margin: .5em 0;
.select2-container--default
.select2-results option--highlighted[aria-selected] {
background-color: #666A86 !important;
color:white !important;
.select2-results options li {
font-size: 1.7rem;
@media only screen and (max-width: 475px) {
.disclaimer {
  margin: 1em 2.5em;
}
@media only screen and (max-width:700px) {
.sf-article {
 margin: 0 2em;
```

## 3.7.2. style.css

```
.slider {
background: #333;
width:100%;
min-height: 30rem;
margin-top: 6.5em;
padding: 4.5em;
flex-wrap: nowrap;
.list-of-comics {
position: relative;
.sneak-peek {
position: absolute;
top: -3.5em;
left: -2.2em;
background: #666A86;
min-width: 22em;
text-align: center;
color: white;
padding:.5em;
font-size: 1.9em;
```

```
letter-spacing: .2em;
}
.slider .fas {
color:white;
font-size: 4rem;
margin: .5em;
cursor:pointer;
.image-slider-wrap {
overflow: hidden;
width: 80rem;
.image-slider {
display: flex;
align-items: flex-start;
}
.image-slider img {
width: 200px;
 flex: 0 0 200px;
margin: 0 .6em;
```

```
}
@media only screen and (max-width: 1300px) {
.sneak-peek {
  position:absolute;
  top: -2.3em;
  left: 50%;
  right:50%;
  transform: translate(-50%, -50%);
}
}
@media only screen and (max-width: 900px) {
.image-slider-wrap {
 width: 60rem;
@media only screen and (max-width: 900px) {
.image-slider-wrap {
 width: 40rem;
}
}
```

```
@media only screen and (max-width: 500px) {
.sneak-peek {
 min-width: 16.8em;
.image-slider-wrap {
 width: 20rem;
}
}
/* ---- ADVERTSIZMENT FOR LIST/REGISTER ---- */
.list-adv {
font-size:2.3rem;
padding:4em 0;
.la-group {
width:60rem;
text-align: justify;
.la-group p {
margin: 0 1.5em 1em;
```

```
.links-lr a {
font-size: 2.5rem;
display: block;
margin-bottom: 1em;
/* ---- LAST ADDED ---- */
.last-added img {
width:100%;
height: 100%;
.list-adv h2 {
font-size:2.4rem;
color:#666A86;
letter-spacing: .1em;
margin-bottom:.7em;
font-family:"Raleway", sans-serif;
text-transform: uppercase;
letter-spacing:.2em;
```

```
.13-item {
width:180px;
position:relative;
margin-right:.5em;
overflow:hidden;
@-moz-document url-prefix() {
.13-item {
  height:100%;
.13-desc {
position:absolute;
 z-index:100;
bottom: 0em;
left:0em;
right: 0em;
 color:white;
 background: rgba(0, 0, 0, .55);
padding-bottom:5em;
 transition: all ease-in-out 250ms;
```

```
}
.13-desc {
transform: translateY(150%);
}
.13-item:hover .13-desc {
transform: translateY(0);
.the-rest {
font-family: 'Raleway', sans-serif;
margin-top:.7em;
font-size:1.8rem;
}
.the-rest a {
margin:0;
font-size:1.8rem;
display:inline;
color:#666A86;
font-weight: 700;
```

```
.vote {
margin-top: 2em;
.click-here, .vote-msg {
margin-top: 1em;
.click-here a {
color: #666A86;
font-weight: 900;
}
@media only screen and (max-width: 810px) {
.last-added {
  justify-content: center;
 .13-item {
  width: 250px;
  height: auto;
  margin-bottom:1em;
```

```
.13-desc {
  width:250px;
  padding-bottom: 7em;
.the-rest, .the-rest a {
  font-size: 2.2rem;
@media only screen and (max-width: 510px) {
.last-added {
 display:flex;
 flex-direction:column;
 }
 .13-item {
  width: 250px;
  -moz-height: auto;
  height:auto;
  margin-bottom: 1em;
}
}
```

```
/* ---- FILTER SECTION ---- */
.section-filter {
background-color: rgba(102, 106, 134, 0.6);
padding: 5em 0;
align-items: flex-start;
.sf-article {
width:700px;
text-align:center;
.sf-article h3 {
padding-bottom: 2em;
letter-spacing: .5em;
color: white;
text-shadow: 3px 4px 3px grey;
.section-filter a {
color:black;
font-size:2rem;
padding-right: .7em;
```

```
display: inline-block;
line-height: 1.5em;
.section-filter a:nth-child(even) {
font-size:3rem;
.section-filter a:nth-child(5n+2) {
font-size:2.7rem;
.filter:hover, .filter:focus {
color:white;
}
/* ---- ABOUT ME ---- */
.img-circle img {
border-radius:50%;
width:300px;
/* ---- ADMIN PANEL ---- */
.add-comic {
```

```
font-size: 1.7rem;
}
.update-comic {
align-self: flex-start;
}
.add-comic h1 {
font-family: 'Raleway', sans-serif;
font-size: 2.5rem;
letter-spacing: .2em;
text-transform: uppercase;
margin: 1em 0;
.input-group {
margin: 1em 0;
width: 70%;
}
.input-group input,
.input-group textarea {
width: 30rem;
height: 3em;
```

```
.input-group textarea {
height: 10em;
max-height: 30em;
max-width: 30em;
min-width: 100%;
min-height: 100%;
.input-group input[type='text'],
textarea {
border: 1px solid #D7D7D7;
.input-group label {
display: block;
font-weight: 700;
color: #666A86;
padding-bottom: .7em;
.input-group p {
padding-left: 1em;
```

```
margin: 1em;
.form-error {
color: crimson;
.change-btn {
display:block;
padding: 1.4em;
border: none;
background-color: #666A86;
color: white;
text-align: center;
margin: 1em 0;
font-weight: 700;
letter-spacing: .2em;
}
.change-btn:hover,
.change-btn:focus {
background-color: #333;
```

```
.fstMultipleMode .fstControls {
width: 15em !important;
.fstResultItem,
.fstChoiceItem,
.fstMultipleMode .fstQueryInput {
font-size: 1em !important;
.panel-navigation a {
font-size: 2.5rem;
margin: .5em 1em;
color: #666a86;
padding: 1em;
.chart-container {
width: 80em;
height: 50em;
margin: 0 auto;
}
.ct-label {
```

```
font-size: 2rem;
.ct-series-a .ct-bar {
stroke: #6b0392 !important;
}
.ct-series-b .ct-bar {
stroke: #666a86 !important;
.series-a,
.series-b {
position: relative;
font-size: 2.1rem;
.series-a:before,
.series-b:before {
position: absolute;
left: -20px;
 top: 6px;
 content: '';
 display: block;
```

```
width: 15px;
height: 15px;
.series-a:before {
background: #6b0392;
.series-b:before {
background: #666A86;
}
/* ----- BROWSE ----- */
.browse-container {
justify-content: center;
margin: 5em 0;
.heading {
letter-spacing: .2em;
font-size: 4rem;
color: #666A86;
```

```
.filters {
flex: 1 0 25%;
margin-left: 10em;
}
.filters ul {
font-size: 2.5rem;
.filters>ul>li {
padding: .5em;
display: flex;
flex-direction: column;
}
.filters>ul>li:not(:last-child) {
border-bottom: 1px solid #333;
}
.title {
color: #666A86;
padding: .5em 0;
```

```
.filters span {
margin-right: auto;
}
.sub-items {
font-size: 2rem !important;
overflow: hidden;
.sub-items li {
margin-top: .5em;
margin-bottom: .75em;
.title {
display: flex;
cursor: pointer;
}
.title span {
margin-right: auto;
}
```

```
.title i.go {
transform: rotate(180deg);
.custom-checkbox {
position: relative;
cursor: pointer;
display: block;
-moz-user-select: none;
-webkit-user-select: none;
-ms-user-select: none;
user-select: none;
margin-bottom: .33em;
margin-top: .33em;
}
.custom-checkbox input {
display: none;
opacity: 0;
.checkmark {
position: absolute;
display: block;
```

```
width: 1.3em;
height: 1.3em;
background: transparent;
border: 1px solid #333;
right: .5em;
top: 0;
border-radius: 3px;
.custom-checkbox input:checked~.checkmark:after {
position: absolute;
content: "\f00c";
font-family: "Font Awesome 5 Free";
font-weight: 900;
left: .1em;
top: 1px;
color: #666A86;
.comics,
.wrapper-for-comics {
width: 100%;
font-size: 1.5rem;
```

```
.comic {
flex: 1 0 20%;
margin: 0 1em;
}
.comic img {
width: 200px;
margin: 1em 0;
}
.comic h2 {
font-size: 3rem;
font-family: 'Raleway', sans-serif;
margin-bottom: .5em;
.scroll {
width: 100%;
height: 15em;
overflow: auto;
}
.info {
```

```
font-size: 1.8rem;
padding: .5em 0;
color: #666A86;
}
.ar-btn {
margin: 1.5em 0;
.ar-btn a:first-child {
margin-left: 0;
}
.comics-control {
margin: 3em 0;
.comics-control a:hover,
.comics-control a:focus,
.comics-control a:active {
color: #333;
}
.one-row {
```

```
margin: 1em 0;
.one-row img {
width: 100px;
.contactSuccess {
display: inline-block;
margin: 1em 0;
color: #666a86;
font-weight: 900;
}
@media only screen and (max-width: 770px) {
 .browse-container {
  display: flex;
   flex-flow: column wrap;
  align-items: center;
 .filters {
  width: 100%;
  margin: 0;
   text-align: center;
```

```
.comics,
.wrapper-for-comics {
    min-height: 80vmax;
    min-width: 50vmax;
}
```