


Web Programming with Python and JavaScript

Git




first
commit



first
commit

changes



first
commit

changes

more
changes




first
commit

changes

more
changes

start new
feature



first
commit


changes

more
changes

start new
feature

keep working
on new feature

Branching




first
commit



first
commit

changes



first
commit

changes

more
changes


start new
feature





first
commit


changes


more
changes



















Branching


- `git branch`
- `git checkout`
- `git merge`

Remotes

Remotes




master




master



Remotes



Remotes




Remotes



↑
master



```
git fetch  
git merge  
origin/master
```





↑
master

↖
origin/master

Remotes



Remotes



Forks

Pull Requests

HTML

Links

- link to local page
- link to external page
- link to same page

HTML4 Organization

- `<div class="header">`
- `<div class="nav">`
- `<div class="section">`
- `<div class="footer">`
- ...

HTML5 Organization

- `<header>`
- `<nav>`
- `<section>`
- `<footer>`
- ...

New HTML5 Elements

- `<audio>`
- `<video>`
- `<datalist>`
- ...

CSS

CSS Selectors

CSS Selectors

a, b	Multiple Element Selector
a b	Descendant Selector
a > b	Child Selector
a + b	Adjacent Sibling Selector
[a=b]	Attribute Selector
a:b	Pseudoclass Selector
a::b	Pseudoelement Selector

Responsive Design

Responsive Design

- viewport
- Media Queries
- Flexbox
- Grids

Bootstrap

Sass

Web Programming with Python and JavaScript