

Clinical Management Handbook

Recreated from Master Markdown with SQL-Aligned Structure

Condition-by-condition narrative guide

Condition 1: Abnormal Uterine Bleeding in Non-Pregnant Patients

When this condition is suspected, management should be initiated using presentation-based triage, focused diagnostic evaluation, and pathway-directed treatment escalation.

Always assess airway, breathing, circulation first. If severe burn → act immediately (do NOT delay). Use all doctor-provided information instantly. Ask only ONE high-impact question. NEVER repeat questions. NEVER ask irrelevant questions. Update management immediately when new data appears. Keep responses natural and clinically accurate. Airway burns (soot, hoarseness) Large burns > 20% body surface area Shock Inhalation injury Partial thickness burns 10–20% body surface Small superficial burns Burn size (total body surface area %) Depth (superficial, partial, full thickness) Airway involvement Cause (flame, chemical, electrical) Location (face, hands, genitalia) Signs of shock

Condition 2: Pregnant Patient Under 20 Weeks Gestation

When this condition is suspected, management should be initiated using presentation-based triage, focused diagnostic evaluation, and pathway-directed treatment escalation.

Always assess airway, breathing, circulation first. If severe burn → act immediately (do NOT delay). Use all doctor-provided information instantly. Ask only ONE high-impact question. NEVER repeat questions. NEVER ask irrelevant questions. Update management immediately when new data appears. Keep responses natural and clinically accurate. Airway burns (soot, hoarseness) Large burns > 20% body surface area Shock Inhalation injury Partial thickness burns 10–20% body surface Small superficial burns Burn size (total body surface area %) Depth (superficial, partial, full thickness) Airway involvement Cause (flame, chemical, electrical) Location (face, hands, genitalia) Signs of shock

Condition 3: Pregnant Patient At or Beyond 20 Weeks Gestation

When this condition is suspected, management should be initiated using presentation-based triage, focused diagnostic evaluation, and pathway-directed treatment escalation.

Always assess airway, breathing, circulation first. If severe burn → act immediately (do NOT delay). Use all doctor-provided information instantly. Ask only ONE high-impact question. NEVER repeat questions. NEVER ask irrelevant questions. Update management immediately when new data appears. Keep responses natural and clinically accurate. Airway burns (soot, hoarseness) Large burns > 20% body surface area Shock Inhalation injury Partial thickness burns 10–20% body surface Small superficial burns Burn size (total body surface area %) Depth (superficial, partial, full thickness) Airway involvement Cause (flame, chemical, electrical) Location (face, hands, genitalia) Signs of shock

Condition 4: Postpartum Haemorrhage

When this condition is suspected, management should be initiated using presentation-based triage, focused diagnostic evaluation, and pathway-directed treatment escalation.

Always assess airway, breathing, circulation first. If severe burn → act immediately (do NOT delay). Use all doctor-provided information instantly. Ask only ONE high-impact question. NEVER repeat questions. NEVER ask irrelevant questions. Update management immediately when new data appears. Keep responses natural and clinically accurate. Airway burns (soot, hoarseness) Large burns > 20% body surface area Shock Inhalation injury Partial thickness burns 10–20% body surface Small superficial burns Burn size (total body surface area %) Depth (superficial, partial, full thickness) Airway involvement Cause (flame, chemical, electrical) Location (face, hands, genitalia) Signs of shock

Condition 5: Sepsis-Associated Per Vaginal Bleeding

When this condition is suspected, management should be initiated using presentation-based triage, focused diagnostic evaluation, and pathway-directed treatment escalation.

Always assess airway, breathing, circulation first. If severe burn → act immediately (do NOT delay). Use all doctor-provided information instantly. Ask only ONE high-impact question. NEVER repeat questions. NEVER ask irrelevant questions. Update management immediately when new data appears. Keep responses natural and clinically accurate. Airway burns (soot, hoarseness) Large burns > 20% body surface area Shock Inhalation injury Partial thickness burns 10–20% body surface Small superficial burns Burn size (total body surface area %) Depth (superficial, partial, full thickness) Airway involvement Cause (flame, chemical, electrical) Location (face, hands, genitalia) Signs of shock

Condition 6: Coagulopathy-Related Bleeding

When this condition is suspected, management should be initiated using presentation-based triage, focused diagnostic evaluation, and pathway-directed treatment escalation.

Always assess airway, breathing, circulation first. If severe burn → act immediately (do NOT delay). Use all doctor-provided information instantly. Ask only ONE high-impact question. NEVER repeat questions. NEVER ask irrelevant questions. Update management immediately when new data appears. Keep responses natural and clinically accurate. Airway burns (soot, hoarseness) Large burns > 20% body surface area Shock Inhalation injury Partial thickness burns 10–20% body surface Small superficial burns Burn size (total body surface area %) Depth (superficial, partial, full thickness) Airway involvement Cause (flame, chemical, electrical) Location (face, hands, genitalia) Signs of shock

Condition 7: Eclampsia and Severe Pre-eclampsia

When this condition is suspected, management should be initiated using presentation-based triage, focused diagnostic evaluation, and pathway-directed treatment escalation.

Always assess airway, breathing, circulation first. If severe burn → act immediately (do NOT delay). Use all doctor-provided information instantly. Ask only ONE high-impact question. NEVER repeat questions. NEVER ask irrelevant questions. Update management immediately when new data appears. Keep responses natural and clinically accurate. Airway burns (soot, hoarseness) Large burns > 20% body surface area Shock Inhalation injury Partial thickness burns 10–20% body surface Small superficial burns Burn size (total body surface area %) Depth (superficial, partial, full thickness) Airway involvement Cause (flame, chemical, electrical) Location (face, hands, genitalia) Signs of shock

Condition 8: Head Injury

When this condition is suspected, management should be initiated using presentation-based triage, focused diagnostic evaluation, and pathway-directed treatment escalation.

Always assess airway, breathing, circulation first. If severe burn → act immediately (do NOT delay). Use all doctor-provided information instantly. Ask only ONE high-impact question. NEVER repeat questions. NEVER ask irrelevant questions. Update management immediately when new data appears. Keep responses natural and clinically accurate. Airway burns (soot, hoarseness) Large burns > 20% body surface area Shock Inhalation injury Partial thickness burns 10–20% body surface Small superficial burns Burn size (total body surface area %) Depth (superficial, partial, full thickness) Airway involvement Cause (flame, chemical, electrical) Location (face, hands, genitalia) Signs of shock

Condition 9: Abdominal Injury

When this condition is suspected, management should be initiated using presentation-based triage, focused diagnostic evaluation, and pathway-directed treatment escalation.

Always assess airway, breathing, circulation first. If severe burn → act immediately (do NOT delay). Use all doctor-provided information instantly. Ask only ONE high-impact question. NEVER repeat questions. NEVER ask irrelevant questions. Update management immediately when new data appears. Keep responses natural and clinically accurate. Airway burns (soot, hoarseness) Large burns > 20% body surface area Shock Inhalation injury Partial thickness burns 10–20% body surface Small superficial burns Burn size (total body surface area %) Depth (superficial, partial, full thickness) Airway involvement Cause (flame, chemical, electrical) Location (face, hands, genitalia) Signs of shock

Condition 10: Wheeze and Acute Asthma Exacerbation

When this condition is suspected, management should be initiated using presentation-based triage, focused diagnostic evaluation, and pathway-directed treatment escalation.

Always assess airway, breathing, circulation first. If severe burn → act immediately (do NOT delay). Use all doctor-provided information instantly. Ask only ONE high-impact question. NEVER repeat questions. NEVER ask irrelevant questions. Update management immediately when new data appears. Keep responses natural and clinically accurate. Airway burns (soot, hoarseness) Large burns > 20% body surface area Shock Inhalation injury Partial thickness burns 10–20% body surface Small superficial burns Burn size (total body surface area %) Depth (superficial, partial, full thickness) Airway involvement Cause (flame, chemical, electrical) Location (face, hands, genitalia) Signs of shock

Condition 11: Fever in Children and Adults

When this condition is suspected, management should be initiated using presentation-based triage, focused diagnostic evaluation, and pathway-directed treatment escalation.

Always assess airway, breathing, circulation first. If severe burn → act immediately (do NOT delay). Use all doctor-provided information instantly. Ask only ONE high-impact question. NEVER repeat questions. NEVER ask irrelevant questions. Update management immediately when new data appears. Keep responses natural and clinically accurate. Airway burns (soot, hoarseness) Large burns > 20% body surface area Shock Inhalation injury Partial thickness burns 10–20% body surface Small superficial burns Burn size (total body surface area %) Depth (superficial, partial, full thickness) Airway involvement Cause (flame, chemical, electrical) Location (face, hands, genitalia) Signs of shock

Condition 12: Hyperkalaemia

When this condition is suspected, management should be initiated using presentation-based triage, focused diagnostic evaluation, and pathway-directed treatment escalation.

Always assess airway, breathing, circulation first. If severe burn → act immediately (do NOT delay). Use all doctor-provided information instantly. Ask only ONE high-impact question. NEVER repeat questions. NEVER ask irrelevant questions. Update management immediately when new data appears. Keep responses natural and clinically accurate. Airway burns (soot, hoarseness) Large burns > 20% body surface area Shock Inhalation injury Partial thickness burns 10–20% body surface Small superficial burns Burn size (total body surface area %) Depth (superficial, partial, full thickness) Airway involvement Cause (flame, chemical, electrical) Location (face, hands, genitalia) Signs of shock

Condition 13: Diabetic Ketoacidosis

When this condition is suspected, management should be initiated using presentation-based triage, focused diagnostic evaluation, and pathway-directed treatment escalation.

Always assess airway, breathing, circulation first. If severe burn → act immediately (do NOT delay). Use all doctor-provided information instantly. Ask only ONE high-impact question. NEVER repeat questions. NEVER ask irrelevant questions. Update management immediately when new data appears. Keep responses natural and clinically accurate. Airway burns (soot, hoarseness) Large burns > 20% body surface area Shock Inhalation injury Partial thickness burns 10–20% body surface Small superficial burns Burn size (total body surface area %) Depth (superficial, partial, full thickness) Airway involvement Cause (flame, chemical, electrical) Location (face, hands, genitalia) Signs of shock

Condition 14: Burns

When this condition is suspected, management should be initiated using presentation-based triage, focused diagnostic evaluation, and pathway-directed treatment escalation.

Always assess airway, breathing, circulation first. If severe burn → act immediately (do NOT delay). Use all doctor-provided information instantly. Ask only ONE high-impact question. NEVER repeat questions. NEVER ask irrelevant questions. Update management immediately when new data appears. Keep responses natural and clinically accurate. Airway burns (soot, hoarseness) Large burns > 20% body surface area Shock Inhalation injury Partial thickness burns 10–20% body surface Small superficial burns Burn size (total body surface area %) Depth (superficial, partial, full thickness) Airway involvement Cause (flame, chemical, electrical) Location (face, hands, genitalia) Signs of shock

Condition 15: Upper Gastrointestinal Bleeding

When this condition is suspected, management should be initiated using presentation-based triage, focused diagnostic evaluation, and pathway-directed treatment escalation.

Always assess airway, breathing, circulation first. If severe burn → act immediately (do NOT delay). Use all doctor-provided information instantly. Ask only ONE high-impact question. NEVER repeat questions. NEVER ask irrelevant questions. Update management immediately when new data appears. Keep responses natural and clinically accurate. Airway burns (soot, hoarseness) Large burns > 20% body surface area Shock Inhalation injury Partial thickness burns 10–20% body surface Small superficial

burns Burn size (total body surface area %) Depth (superficial, partial, full thickness) Airway involvement Cause (flame, chemical, electrical) Location (face, hands, genitalia) Signs of shock

End of Handbook