

HW4 LLM

Requirements

1. At least compare result with and without RAG

- Must have **evaluation metrics**: BLEU, ROUGE, BERTScore...
- Prepare your own dataset

2. Bonus: compare different models

3. Bonus: try different RAG pipeline

Submit and Grading

1. Jupyter notebook / code

2. Report

- Describe your dataset - 20% ([notebook example](#))

1. **Dataset reference** 資料集參考來源

2. **Dataset Content**

- Result without RAG - 20%

1. 從 **Hugging face** 挑的 **Generative Model**

2. **Result** (與無添加 RAG 的 **Generative Model** 互動結果)

- Result with RAG - 20%

1. 從 **Hugging face** 挑的 **Generative Model** (需列在報告裡)

2. **Result** (有添加 RAG 的 **Generative Model** 互動結果)

- Compare the result (w/o RAG) - 20%

1. 從 **Hugging face** 挑的 **Generative Model** (需列在報告裡)

2. **with RAG** 和 **without RAG** 在各語言模型之評估指標的結果且要羅列正確答案 (因為要計算評估指標的數值會用到)

3. 適當對圖表做結論

- Bonus: Different model comparison - 10% () (**Bonus** 見下頁)

- Bonus: Describe your own RAG pipeline / Compare with sample notebook - 10%

Submit and Grading

1. Jupyter notebook / code

2. Report

- Describe your dataset - 20% ([notebook example](#))

- Result without RAG - 20%

- Result with RAG - 20%

- Compare the result (w/o RAG) - 20%

- Bonus: Different model comparison - 10%

- 1. 從Hugging face挑的Generative Model(需列在報告裡) (假設有A和B語言模型) · 需分別羅列出A和B模型在with RAG及without RAG的結果

- 2. 適當對圖表做結論

- Bonus: Describe your own RAG pipeline / Compare with sample notebook - 10%

- 1. 從Hugging face挑的Generative Model(需列在報告裡)

- 2. 和原先的RAG相比 · 你的RAG pipeline做了哪些改變 · 又因為牽涉比較一定會使用到評估指標來說明

- 3. 適當對圖表做結論