


eigen-3.4.0/eigen-3.4.0
/Eigen/src/plugins/BlockMethods.h



```
graph BT; A["eigen-3.4.0/eigen-3.4.0  
/Eigen/src/Core/DenseBase.h"] --> B["eigen-3.4.0/eigen-3.4.0  
/Eigen/src/plugins/BlockMethods.h"]; C["eigen-3.4.0/eigen-3.4.0  
/Eigen/src/SparseCore  
/SparseMatrixBase.h"] --> B;
```

The diagram illustrates a dependency structure in the Eigen library. At the top, a grey box represents the header file `BlockMethods.h` located at `eigen-3.4.0/eigen-3.4.0/Eigen/src/plugins/BlockMethods.h`. Below it, two white boxes represent other header files. The box on the left, `DenseBase.h` at `eigen-3.4.0/eigen-3.4.0/Eigen/src/Core/DenseBase.h`, has a blue arrow pointing up to the `BlockMethods.h` box. The box on the right, `SparseMatrixBase.h` at `eigen-3.4.0/eigen-3.4.0/Eigen/src/SparseCore/SparseMatrixBase.h`, also has a blue arrow pointing up to the `BlockMethods.h` box. This indicates that both `DenseBase.h` and `SparseMatrixBase.h` include `BlockMethods.h`.

eigen-3.4.0/eigen-3.4.0
/Eigen/src/Core/DenseBase.h

eigen-3.4.0/eigen-3.4.0
/Eigen/src/SparseCore
/SparseMatrixBase.h