

Eigen::internal::noncopyable	
#	noncopyable()
#	~noncopyable()
-	noncopyable()
-	operator=()



Eigen::SparseSolverBase < SparseQR< _MatrixType, _OrderingType > >	
#	m_isInitialized
+	SparseSolverBase()
+	~SparseSolverBase()
+	derived()
+	derived()
+	solve()
+	solve()
+	_solve_impl()



Eigen::SparseQR< _MatrixType, _OrderingType >													
#	m_analysisIsok												
#	m_factorizationIsok												
#	m_info												
#	m_lastError												
#	m_pmat												
#	m_R												
#	m_Q												
#	m_hcoeffs												
#	m_perm_c												
#	m_pivotperm												
	<table border="1"><tr><td>3</td><td>0</td></tr><tr><td>7</td><td>B</td></tr></table> <table border="1"><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>B</td></tr></table> 8 <table border="1"><tr><td>4</td><td>E</td></tr><tr><td>F</td><td>6</td></tr></table> ...	3	0	7	B	3	0	4	B	4	E	F	6
3	0												
7	B												
3	0												
4	B												
4	E												
F	6												
+	SparseQR()												
+	SparseQR()												
+	compute()												
+	analyzePattern()												
+	factorize()												
+	rows()												
+	cols()												
+	matrixR()												
+	rank()												
+	matrixQ()												
	<table border="1"><tr><td>3</td><td>0</td></tr><tr><td>7</td><td>B</td></tr></table> <table border="1"><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>B</td></tr></table> 8 <table border="1"><tr><td>4</td><td>E</td></tr><tr><td>F</td><td>6</td></tr></table> ...	3	0	7	B	3	0	4	B	4	E	F	6
3	0												
7	B												
3	0												
4	B												
4	E												
F	6												