

Business Description

VitalLiving Cloud is a cloud based platform that lets users track and manage their fitness, nutrition and overall health. VitalLiving stores workout logs, user records and health files in a secure way while still providing controlled access and high availability. The system supports multiple subsidiary organizations and keeps user data secure.

Subsidiary Companies

- VitalLiving Fitness
- VitalLiving Nutrition

These subsidiaries are managed through IAM users with controlled access

Technical Requirements

- Backup system for protection of data
- File system for shared files
- Cloud storage for files
- Archival system for old data

Security Requirements

- Restricted access using IAM
- Controlled permissions and restricted access for subsidiaries
- Encryption of all data at rest
- System monitoring for performance

Functional Requirements

- System must be up and available at all times
- Users can track nutrition and fitness information
- Users can access health data
- Subsidiaries can access shared data

Performance Requirements

- High availability
- Availability to support multiple users at the same time
- Fast access to data

AWS Services Used

Monitoring	AWS default monitoring
Backup	DynamoDB PITR
Database	DynamoDB
Archival	S3 Glacier
File Storage	S3
Access control	IAM
Replication	Multiple AZ concept
File system	FSx (documented free tier doesn't allow)

Implementation

An S3 bucket was created to store files with a lifecycle rule to move user data to Glacier for archive.

A DynamoDB table was created to store user info with point in time recovery turned on for backup.

Amazon FSx is used for shared files as a managed file system. Due to lab free tier limitations S3 was used for file storage functionality.

IAM users were created to represent the two subsidiary companies and manage access.

Encryption

All data is secured with AWS features. DynamoDB encrypts data automatically, FSx supports encrypted file storage and S3 is used for stored files.

S3

Amazon S3

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

Storage management and insights

Storage Lens

Batch Operations

Account and organization settings

AWS Marketplace for S3

Buckets

General purpose buckets

Directory buckets

General purpose buckets (2)

Copy ARN

Empty

Delete

Create bucket

Buckets are containers for data stored in S3.

Find buckets by name

< 1 >

	Name	AWS Region	Creation date
☐	healthyliving-storage-98765	US East (Ohio) us-east-2	April 6, 2026, 13:37:28 (UTC-07:00)
☐	quickbite-storage-98765	US East (Ohio) us-east-2	March 27, 2026, 10:31:02 (UTC-07:00)

Account snapshot

Updated daily

View dashboard

Storage Lens provides visibility into storage usage and activity trends.

External access summary

Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

CloudShellFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

Amazon S3

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

Storage management and insights

Storage Lens

Batch Operations

Account and organization settings

AWS Marketplace for S3

healthyliving-storage-98765

Info

Objects

Metadata

Properties

Permissions

Metrics

Management

Access Points

Permissions overview

Access finding

Access findings are provided by IAM external access analyzers. Learn more about [How IAM analyzer findings work](#)

[View analyzer for us-east-2](#)

Block public access (bucket settings)

Edit

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Block all public access

On

Individual Block Public Access settings for this bucket

Bucket policy

Edit

Delete

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

Public access is blocked because Block Public Access settings are turned on for this bucket

To determine which settings are turned on, check your Block Public Access settings for this bucket. Learn more about [using Amazon S3 Block Public Access](#)

CloudShellFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

DynamoDB

DynamoDB

Dashboard

Tables

Explore items

PartiQL editor

Backups

Exports to S3

Imports from S3

Integrations

Reserved capacity

Settings

DAX

Clusters

Subnet groups

Parameter groups

Events

Share your feedback on Amazon DynamoDB

Your feedback is an important part of helping us provide a better customer experience. Take this short survey to let us know how we're doing.

Share feedback

Tables (1)

Info

April 6, 2026, 23:10 (UTC-7:00)

Last updated

Actions

Delete

Create table

Find tables

Filter by tag

Any tag key

Filter by tag value

Any tag value

1

Name

Status

Partition key

Sort key

Indexes

Replication Regions

Deletion protection

Favorite

HealthyLivingData

Active

UserID (S)

-

0

0

Off

☆

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

DynamoDB

Dashboard

Tables

Explore items

PartiQL editor

Backups

Exports to S3

Imports from S3

Integrations

Reserved capacity

Settings

DAX

Clusters

Subnet groups

Parameter groups

Events

Share your feedback on Amazon DynamoDB

Your feedback is an important part of helping us provide a better customer experience. Take this short survey to let us know how we're doing.

Share feedback

Tables (1)

Filter by tag

Any tag key

Filter by tag value

Any tag value

Find tables

1

HealthyLivingData

☆

HealthyLivingData

Info

April 6, 2026, 23:10 (UTC-7:00)

Last updated

Actions

Explore table items

Indexes

Monitor

Global tables

Backups

Exports and streams

Permissions

Point-in-time recovery (PITR)

Info

Edit

Restore

Point-in-time recovery provides continuous backups of your DynamoDB data for up to 35 days to help you protect against accidental write or delete operations. Additional charges apply. See [Amazon DynamoDB pricing](#).

Status

On

Backup recovery period

35 days

Earliest restore point

April 6, 2026, 13:50:03 (UTC-07:00)

Latest restore point

April 6, 2026, 23:05:18 (UTC-07:00)

Backups (0)

Info

April 6, 2026, 23:10 (UTC-7:00)

Last updated

View details

Restore

Copy

Delete

Create backup

Find backups by ARN or name

1

Name

Status

Creation time

ARN

Size

No backups

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

IAM

Users (3)

Info

An IAM user is an identity with long-term credentials that is used to interact with AWS in an account.

Q

Search

<

1

>

User name

▲

▼

Path

▼

Group

▼

Last activity

▼

MFA

▼

Password age

▼

Console last sign-in

▼

Access key ID

▼

Active

admin-user

/

0

-

-

-

-

-

-

-

fitness-user

/

0

-

-

-

-

-

-

-

nutrition-user

/

0

-

-

-

-

-

-

-

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences