```
Legacy System Migration Workbench: Object Information

This list was created on        07.03.2022 At 17:22:38 . R/3 System    EUP .

Project:                ARMTEK        Проект АРМТЕК
Subproject:             SD            SD Загрузки
Object:                 XD01 MAIN     Загрузка дебиторов
Data Transfer Program:  Recording(s) -> XD01 MAIN_REC
Data Transfer Method:   B (Batch Input)

Source Structures

XD01_MAIN_SOURCE - Источник для дебиторов

Target Strutures

  XD01_MAIN_REC - Загрузка дебиторов

Structure Relations

  XD01_MAIN_REC <=== XD01_MAIN_SOURCE

Source Fields

XD01_MAIN_SOURCE - Источник для дебиторов
  NAME1           Имя 1              Type:  C Length: 040 Position:  0001 Offset:  000
  SORT2           Код 1С             Type:  C Length: 020 Position:  0002 Offset:  040
  ROOMNUMBER      Квартира           Type:  C Length: 010 Position:  0003 Offset:  060
  STREET          Улица              Type:  C Length: 060 Position:  0004 Offset:  070
  HOUSE_NUM1      Номер дома         Type:  C Length: 010 Position:  0005 Offset:  130
  CITY2           Район              Type:  C Length: 040 Position:  0006 Offset:  140
  POST_CODE1      Индекс             Type:  C Length: 010 Position:  0007 Offset:  180
  CITY1           Город              Type:  C Length: 040 Position:  0008 Offset:  190
  REGION          Регион             Type:  C Length: 003 Position:  0009 Offset:  230
  TEL_NUMBER      Телефон1           Type:  C Length: 030 Position:  0010 Offset:  233
  TEL_NUMBER2     Телефон2           Type:  C Length: 030 Position:  0011 Offset:  263
  TEL_NUMBER3     Телефон3           Type:  C Length: 030 Position:  0012 Offset:  293
  STCD1           ИНН                Type:  C Length: 016 Position:  0013 Offset:  323
  STCD2           ОКПО               Type:  C Length: 011 Position:  0014 Offset:  339
  STCD3           КПП                Type:  C Length: 018 Position:  0015 Offset:  350
  STKZN           Признак физлица    Type:  C Length: 001 Position:  0016 Offset:  368
  KUKLA           Программа          Type:  C Length: 002 Position:  0017 Offset:  369
  KNBK-BANKS      Страна банка       Type:  C Length: 002 Position:  0018 Offset:  371
  BANKL           БИК                Type:  C Length: 015 Position:  0019 Offset:  373
  BANKN           Банковский счет    Type:  C Length: 018 Position:  0020 Offset:  388
  BKONT           КонтрольнБанкКлюч   Type:  C Length: 002 Position:  0021 Offset:  406
  BKREF           Коррсчет           Type:  C Length: 020 Position:  0022 Offset:  408
  BANKA           Наименование банка Type:  C Length: 060 Position:  0023 Offset:  428
  ORT01           Город Банка        Type:  C Length: 035 Position:  0024 Offset:  488
  BRNCH           Отделение банка    Type:  C Length: 040 Position:  0025 Offset:  523
  KNVK-NAME1      Контактное лицо    Type:  C Length: 035 Position:  0026 Offset:  563
  ZTERM           Условия платежа    Type:  C Length: 004 Position:  0027 Offset:  598
  VKBUR           Отдел сбыта        Type:  C Length: 004 Position:  0028 Offset:  602
  VKGRP           Группа сбыта       Type:  C Length: 003 Position:  0029 Offset:  606
  KDGRP           Группа клиентов    Type:  C Length: 002 Position:  0030 Offset:  609

Target Fields

XD01_MAIN_REC - Загрузка дебиторов
  TABNAME                 Table Name             Type:  CHAR      Length: 030
  TCODE                   Transaction Code       Type:  CHAR      Length: 020
  ADDR1_DATA-NAME1        Официальное название   Type:  CHAR      Length: 040
  ADDR1_DATA-SORT2        Код 1с                 Type:  CHAR      Length: 020
  ADDR1_DATA-ROOMNUMBER   Квартира               Type:  CHAR      Length: 010
  ADDR1_DATA-STREET       Улица                  Type:  CHAR      Length: 060
  ADDR1_DATA-HOUSE_NUM1   Дом                    Type:  CHAR      Length: 010
  ADDR1_DATA-CITY2        Район                  Type:  CHAR      Length: 040
  ADDR1_DATA-POST_CODE1   Индекс                 Type:  CHAR      Length: 010
  ADDR1_DATA-CITY1        Город                  Type:  CHAR      Length: 040
  ADDR1_DATA-REGION       Регион                 Type:  CHAR      Length: 003
  SZA1_D0100-TEL_NUMBER   Телефон1               Type:  CHAR      Length: 030
  ADTEL-TEL_NUMBER2       Телефон2               Type:  CHAR      Length: 030
  ADTEL-TEL_NUMBER3       Телефон3               Type:  CHAR      Length: 030
  STCD1                   ИНН                    Type:  CHAR      Length: 016
  STCD2                   ОКПО                   Type:  CHAR      Length: 011
  STCD3                   КПП                    Type:  CHAR      Length: 018
  STKZN                   Признак физлица        Type:  CHAR      Length: 001
  KNA1-KUKLA              Прпограмма             Type:  CHAR      Length: 002
  KNBK-BANKS              Страна банка           Type:  CHAR      Length: 003
  BANKL                   БИК                    Type:  CHAR      Length: 015
  BANKN                   Счет                   Type:  CHAR      Length: 018
  BKONT                   Контрольный ключ       Type:  CHAR      Length: 002
  BKREF                   Коррсчет               Type:  CHAR      Length: 020
  BNKA-BANKA              Банк                   Type:  CHAR      Length: 060
  BNKA-ORT01              Город банка            Type:  CHAR      Length: 035
  BNKA-BRNCH              Отделение банка        Type:  CHAR      Length: 040
  KNVK-NAME1              Имя контактного лица   Type:  CHAR      Length: 035
  KNB1-AKONT              Счет                   Type:  CHAR      Length: 010
  KNB1-ZTERM              Условия платежа        Type:  CHAR      Length: 004
  KNVV-VKBUR              Отдел сбыта            Type:  CHAR      Length: 004
  KNVV-VKGRP              Группа сбыта           Type:  CHAR      Length: 003
  KNVV-KDGRP              Типология клиента      Type:  CHAR      Length: 002

Field Mapping

All non-executed fields of the R/3 structures    remain initial.


Structure: XD01_MAIN_REC

__BEGIN_OF_RECORD__
XD01_MAIN_REC = INIT_XD01_MAIN_REC.

XD01_MAIN_REC-TABNAME
  Rule Type:  Default Settings
    XD01_MAIN_REC-TABNAME = 'XD01_MAIN_REC'.

XD01_MAIN_REC-TCODE
  Rule Type:  Default Settings
    XD01_MAIN_REC-TCODE = 'XD01'.
```

```
XD01_MAIN_REC-ADDR1_DATA-NAME1 <=== XD01_MAIN_SOURCE-NAME1
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-ADDR1_DATA-NAME1 = XD01_MAIN_SOURCE-NAME1.

XD01_MAIN_REC-ADDR1_DATA-SORT2 <=== XD01_MAIN_SOURCE-SORT2
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-ADDR1_DATA-SORT2 = XD01_MAIN_SOURCE-SORT2.

XD01_MAIN_REC-ADDR1_DATA-ROOMNUMBER <=== XD01_MAIN_SOURCE-ROOMNUMBER
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-ADDR1_DATA-ROOMNUMBER =
       XD01_MAIN_SOURCE-ROOMNUMBER.

XD01_MAIN_REC-ADDR1_DATA-STREET <=== XD01_MAIN_SOURCE-STREET
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-ADDR1_DATA-STREET = XD01_MAIN_SOURCE-STREET.

XD01_MAIN_REC-ADDR1_DATA-HOUSE_NUM1 <=== XD01_MAIN_SOURCE-HOUSE_NUM1
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-ADDR1_DATA-HOUSE_NUM1 =
       XD01_MAIN_SOURCE-HOUSE_NUM1.

XD01_MAIN_REC-ADDR1_DATA-CITY2 <=== XD01_MAIN_SOURCE-CITY2
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-ADDR1_DATA-CITY2 = XD01_MAIN_SOURCE-CITY2.

XD01_MAIN_REC-ADDR1_DATA-POST_CODE1 <=== XD01_MAIN_SOURCE-POST_CODE1
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-ADDR1_DATA-POST_CODE1 =
       XD01_MAIN_SOURCE-POST_CODE1.

XD01_MAIN_REC-ADDR1_DATA-CITY1 <=== XD01_MAIN_SOURCE-CITY1
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-ADDR1_DATA-CITY1 = XD01_MAIN_SOURCE-CITY1.

XD01 MAIN REC-ADDR1 DATA-REGION <=== XD01 MAIN SOURCE-REGION
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-ADDR1_DATA-REGION = XD01_MAIN_SOURCE-REGION.

XD01_MAIN_REC-SZA1_D0100-TEL_NUMBER <=== XD01_MAIN_SOURCE-TEL_NUMBER
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-SZA1_D0100-TEL_NUMBER =
       XD01_MAIN_SOURCE-TEL_NUMBER.

XD01_MAIN_REC-ADTEL-TEL_NUMBER2 <=== XD01_MAIN_SOURCE-TEL_NUMBER2
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-ADTEL-TEL_NUMBER2 = XD01_MAIN_SOURCE-TEL_NUMBER2.

XD01_MAIN_REC-ADTEL-TEL_NUMBER3 <=== XD01_MAIN_SOURCE-TEL_NUMBER3
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-ADTEL-TEL_NUMBER3 = XD01_MAIN_SOURCE-TEL_NUMBER3.

XD01_MAIN_REC-STCD1 <=== XD01_MAIN_SOURCE-STCD1
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-STCD1 = XD01_MAIN_SOURCE-STCD1.

XD01_MAIN_REC-STCD2 <=== XD01_MAIN_SOURCE-STCD2
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-STCD2 = XD01_MAIN_SOURCE-STCD2.

XD01_MAIN_REC-STCD3 <=== XD01_MAIN_SOURCE-STCD3
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-STCD3 = XD01_MAIN_SOURCE-STCD3.

XD01_MAIN_REC-STKZN <=== XD01_MAIN_SOURCE-STKZN
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-STKZN = XD01_MAIN_SOURCE-STKZN.

XD01_MAIN_REC-KNA1-KUKLA <=== XD01_MAIN_SOURCE-KUKLA
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-KNA1-KUKLA = XD01_MAIN_SOURCE-KUKLA.

XD01_MAIN_REC-KNBK-BANKS <=== XD01_MAIN_SOURCE-KNBK-BANKS
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-KNBK-BANKS = XD01_MAIN_SOURCE-KNBK-BANKS.

XD01 MAIN REC-BANKL <=== XD01 MAIN SOURCE-BANKL
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-BANKL = XD01_MAIN_SOURCE-BANKL.

XD01_MAIN_REC-BANKN <=== XD01_MAIN_SOURCE-BANKN
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-BANKN = XD01_MAIN_SOURCE-BANKN.

XD01_MAIN_REC-BKONT <=== XD01_MAIN_SOURCE-BKONT
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-BKONT = XD01_MAIN_SOURCE-BKONT.

XD01_MAIN_REC-BKREF <=== XD01_MAIN_SOURCE-BKREF
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-BKREF = XD01_MAIN_SOURCE-BKREF.

XD01_MAIN_REC-BNKA-BANKA <=== XD01_MAIN_SOURCE-BANKA
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-BNKA-BANKA = XD01_MAIN_SOURCE-BANKA.

XD01_MAIN_REC-BNKA-ORT01 <=== XD01_MAIN_SOURCE-ORT01
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-BNKA-ORT01 = XD01_MAIN_SOURCE-ORT01.

XD01_MAIN_REC-BNKA-BRNCH <=== XD01_MAIN_SOURCE-BRNCH
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-BNKA-BRNCH = XD01_MAIN_SOURCE-BRNCH.

XD01_MAIN_REC-KNVK-NAME1 <=== XD01_MAIN_SOURCE-KNVK-NAME1
   Rule Type:  Transfer (MOVE)
     XD01_MAIN_REC-KNVK-NAME1 = XD01_MAIN_SOURCE-KNVK-NAME1.

XD01_MAIN_REC-KNB1-AKONT
   Rule Type:  Constant
     XD01_MAIN_REC-KNB1-AKONT = '0012100000'.
```

```
XD01_MAIN_REC-KNB1-ZTERM <=== XD01_MAIN_SOURCE-ZTERM
  Rule Type:  Transfer (MOVE)
    XD01_MAIN_REC-KNB1-ZTERM = XD01_MAIN_SOURCE-ZTERM.

XD01_MAIN_REC-KNVV-VKBUR <=== XD01_MAIN_SOURCE-VKBUR
  Rule Type:  Transfer (MOVE)
    XD01_MAIN_REC-KNVV-VKBUR = XD01_MAIN_SOURCE-VKBUR.

XD01_MAIN_REC-KNVV-VKGRP <=== XD01_MAIN_SOURCE-VKGRP
  Rule Type:  Transfer (MOVE)
    XD01_MAIN_REC-KNVV-VKGRP = XD01_MAIN_SOURCE-VKGRP.

XD01_MAIN_REC-KNVV-KDGRP <=== XD01_MAIN_SOURCE-KDGRP
  Rule Type:  Transfer (MOVE)
    XD01_MAIN_REC-KNVV-KDGRP = XD01_MAIN_SOURCE-KDGRP.


__END_OF_RECORD__
transfer_record.


__END_OF_TRANSACTION__
transfer_transaction.
```

```
XD01_MAIN_REC-KNB1-ZTERM <=== XD01_MAIN_SOURCE-ZTERM
  Rule Type:  Transfer (MOVE)
    XD01_MAIN_REC-KNB1-ZTERM = XD01_MAIN_SOURCE-ZTERM.

XD01_MAIN_REC-KNVV-VKBUR <=== XD01_MAIN_SOURCE-VKBUR
  Rule Type:  Transfer (MOVE)
    XD01_MAIN_REC-KNVV-VKBUR = XD01_MAIN_SOURCE-VKBUR.

XD01_MAIN_REC-KNVV-VKGRP <=== XD01_MAIN_SOURCE-VKGRP
  Rule Type:  Transfer (MOVE)
    XD01_MAIN_REC-KNVV-VKGRP = XD01_MAIN_SOURCE-VKGRP.

XD01_MAIN_REC-KNVV-KDGRP <=== XD01_MAIN_SOURCE-KDGRP
  Rule Type:  Transfer (MOVE)
    XD01_MAIN_REC-KNVV-KDGRP = XD01_MAIN_SOURCE-KDGRP.
```