VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

DOKUMENTACIJA

https://childofthegrim.github.io/neo/

modul: Internet Tehnologije

predmet: Web Programiranje 1

Danilo Perović 28/20

Contents

1 Uvod	
1.1 Korišćeni programski jezici	
1.2 Opis funkcionalnosti	
1.3 Template	
2. Organizacija	
2.1 Organizaciona šema	
2.2 Mapa sajta	7
2.3 Slike stranica i opis funkcionalnosti	
3.Kodovi	10
3.1 HTML	10
3.2 CSS	17
Layaut.css	17
Framework.css	54
Custom.css	64
3.3 JavaScript i jQuery	69

1 Uvod

1.1 Korišćeni programski jezici

Za izradu sajta korišćene su sledeće tehnologije

- HTML 5
- CSS 3
- JavaScript
- jQvery
- jQvery plugin za modale
- jQvery plugin za vraćanje na vrh stranice
- Visual Studio Code

1.2 Opis funkcionalnosti


- Dinamički hamburger meni.
- Pritisak na dugme O autoru otvara odgovarajući modal.
- Dinamičko ispisivanje sekcije Usluge i Cenovnik.
- Dinamički progres bar sa desne strane.
- Dinamičko odkrivanje i sakrivanje elemenata.
- Dinamičko dugme za povratak na vrh stranice.
- Dinamičko ispisivanje drop-down liste u formi.


• Validacija forme i provera podataka. Ukoliko. je forma zadovoljavajuća iskače alert sa obaveštenjem.

1.3 Template

Za izradu sajta korišćen je template na sledećem linku:

https://www.free-css.com/free-css-templates/page266/siopp





2. Organizacija


2.1 Organizaciona šema


Sajt je rađen kao single page website. Svi linkovi ka stranicama sajta se nalaze na index.html strani.

2.2 Mapa sajta

```
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9
http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
<url>
<loc>https://childofthegrim.github.io/neo/</loc>
<lastmod>2021-12-11T00:52:40+00:00</lastmod>
<priority>1.00</priority>
</url>
</url>
</url>
</url>
</url>
```

2.3 Slike stranica i opis funkcionalnosti





Po ulasku na stranicu se dinamički učitava hamburger i navigacioni meni u njemu. Pritiskom na hamburger stranica se zamračuje I pojavljuje se meni. U hamburger se nalazi link O autoru. Ako se pritisne na njega automatski iskače modal sa slikom I textom. Ako se pritisne na bilo koji drugi link meni se automatski gasi I odvodi nas na odgovarajući deo stranice.



Prikaz modala koji se pojavi pritiskom na link O autoru.

Sa desne strane stranice se nalazi dinamički scrollbar koji daje vizuelni prikaz na kom se delu stranice nalazite. Na stranici postoji I dinamički ispisana sekcije Usluge i Cenovnik. Preko JavaScripta generše se 6 blokova sa ikonicama I textom.

Takođe je na stranici I forma koja proverava validnost unetih podataka preko regularnih izraza. Ako je uneta prazna ili neispravna vrednost korisniku se automatski iznad inputa pojavljuje upozorenje o grešci.


Zakažite Posetu Ime i Prezime * Mail * Telefon * abc@gmail.com Ime i Prezime pogrešno uneti Email pogresno unet Broj telefona pogrešno unet Izaberite termin * Izaberite uslugu * Izaberite vreme * Niste izabrali uslugu 12/10/2020 09:00 AM 0 Izaberite

Unutar forme se takođe nalazi I dinamičko generisan dropdownList. Ako je pri pritisku na dugme Zakazi idalje selectovana opcija Izaberite korisniku odmah iskače greška. Pri ispravnom popunjavanju forme iskače alert "Uspešno ste popunili formu".

Na stranici se takođe nalazi i blok gde se na odredjen interval automatski menja text. To je postignuto uz pomoć liste i tajmera i Java Scripta.



U futeru se nalazi kratak opis firme sa mogućstvom da se proširi klikom na [Saznaj vise]. Tada se skriveni text odkriva I dugme menja svoj sadržaj u [Smanji]. Ponovnim pritiskom na dugme smanji se text skriva.



NEO Vam nudi tehničku stručnost i iskustvo potrebnu u oblasti računara, laptopova, računarskih mreža.

To može da potvrdi činjenica da imamo 15 godina iskustva u održavanju, detektovanju kvarova i servisiranju računara i opreme. Kroz konstantno usavršavanje nadogradjujemo svoje znanje i na taj način unapredjujemo poslovanje.

[Smanji]

3.Kodovi

3.1 HTML

index.html

```
<!DOCTYPE html>
Template Name: Siopp
Author: <a href="https://www.os-templates.com/">OS Templates</a>
Author URI: https://www.os-templates.com/
Copyright: OS-Templates.com
Licence: Free to use under our free template licence terms
Licence URI: https://www.os-templates.com/template-terms
<html lang="sr">
  <!-- To declare your language - read more here:
https://www.w3.org/International/questions/qa-html-language-declarations -->
  <head>
    <title>NEO</title>
    <meta charset="utf-8" />
    <meta
      name="keywords"
      content="neo, servis, računara, usluge, popravka, laptopova, održavanje"
    <meta
      name="viewport"
      content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-
scalable=no"
    link
      href="layout/styles/layout.css"
      rel="stylesheet"
      type="text/css"
      media="all"
    link
      href="layout/styles/custom.css"
      rel="stylesheet"
      type="text/css"
      media="all"
    <link rel="shortcut icon" href="favicon.ico" type="image/x-icon" />
    <meta
      name="description"
      content="Dobrodošli na početnu stranu Servisa za racunare NEO"
```

```
</head>
 <body id="top">
  <div id="progressbar"></div>
  <!-- Top Background Image Wrapper -->
  <div class="bgded mackbook">
<div class="wrapper overlay row0">
     <div id="topbar" class="hoc clear">
       <div class="fl left">
         <i class="fas fa-phone rgtspace-5"></i> +381 123 4567
          <i class="far fa-envelope rgtspace-5"></i> info@neo.com
         </div>
     </div>
    </div>
    <div class="hoc-meni">
       <div class="logoNeo">
         <a href="index.html"><h1>Neo</h1></a>
       <div id="burger-menu">
         <span></span>
       </div>
       <div id="menu">
         <u1>
          <a href="index.html">Početna</a>
          <a href="#usluge" class="nav_link">Usluge</a>
          <a href="#cene" class="nav link">Cenovnik</a>
          <a href="#kontakt">Kontakt</a>
          <
            <a class="js-open-modal" href="#" data-modal-id="popup"</pre>
             >0 autoru</a
          </div>
    </div>
```

```
<div class="wrapper overlay">
   <div id="pageintro" class="hoc clear">
     <article>
       Servis i održavanje računara
       <h3 class="heading">NEO</h3>
        NEO Vam nudi tehničku stručnost i iskustvo potrebno u oblasti
        računara, laptopova, računarskih mreža.
       <footer>
        <a class="btn" href="#usluge">Naše usluge</a>
        </footer>
     </article>
   </div>
 </div>
</div>
<!-- End Top Background Image Wrapper -->
<div id="usluge" class="wrapper row3">
 <main class="hoc container clear">
   <div class="sectiontitle">
     <h6 class="heading font-x2">Usluge koje nudimo</h6>
   </div>
   <section id="introblocks"></section>
   <div class="clear"></div>
 </main>
</div>
<div class="bgded overlay diagram" id="cene">
 <section id="services" class="hoc container clear">
   <div class="sectiontitle">
     <h6 class="heading font-x2">Cenovnik</h6>
   </section>
</div>
<div id="popup" class="modal-box">
 <header>
   <a href="#" class="js-modal-close close">x</a>
   <h3>0 Autoru</h3>
 </header>
 <div class="modal-body">
```

```
<img src="images\ja.png" alt="autor" />
      Zdravo, zovem se Danilo Perović. Imam 20 godina i živim u Srbiji. Išao
      sam u "Tehničku školu Obrenovac". Uvek su me zanimali računari i
      programiranje. A sada studiram Web development na "ICT"-u u Beogradu,
      Srbija. Želim da usavršim svoje veštine, pa vežbam svaki dan radeći
      nove i jedinstvene projekte. Moj cilj je da dostignem nivo
      specijalnosti i da budem u mogućnosti da radim za veće kompanije, da
      pravim i poboljšavam njihove web stranice. Možete pogledati moj
      <a href="https://childofthegrim.github.io/" target="blank"</pre>
        >NA OVOM LINKU</a
    </div>
  <footer>
    <a href="#" class="js-modal-close">Close Button</a>
  </footer>
</div>
<div id="kontakt" class="wrapper row3">
  <section class="hoc container clear">
    <div id="comments">
      <h6 class="heading font-x2">Zakažite posetu</h6>
      <form action="#" method="post" id="form">
        <div class="one third first">
          <label for="name">Ime i Prezime <span>*</span></label</pre>
          ><i class="fas fa-exclamation-circle failure-icon prazno"></i></i>
          <i class="far fa-check-circle success-icon prazno"></i></i>
          <input type="text" name="name" id="name" />
          <div class="greska"></div>
        </div>
        <div class="one third">
          <label for="email">Mail <span>*</span></label</pre>
          ><i class="fas fa-exclamation-circle failure-icon prazno"></i></i>
          <i class="far fa-check-circle success-icon prazno"></i></i></or>
          <input</pre>
            type="email"
            name="email"
            id="email"
            placeholder="abc@gmail.com"
          <div class="greska"></div>
        </div>
        <div class="one_third">
          <label for="tel">Telefon <span>*</span></label</pre>
```

```
><i class="fas fa-exclamation-circle failure-icon prazno"></i></i>
  <i class="far fa-check-circle success-icon prazno"></i></i></i></or>
  <input type="tel" name="tel" id="tel" />
  <div class="greska"></div>
</div>
<div class="one third first">
  <label for="termin">Izaberite termin <span>*</span></label</pre>
  ><i class="fas fa-exclamation-circle failure-icon prazno"></i>
  <i class="far fa-check-circle success-icon prazno"></i></i></or>
  <input</pre>
    type="date"
    name="termin"
    id="termin"
    value="2020-12-10"
    min="2020-12-10"
    max="2021-6-31"
  <div class="greska"></div>
</div>
<div class="one third">
  <label for="time">Izaberite vreme <span>*</span></label</pre>
  ><i class="fas fa-exclamation-circle failure-icon prazno"></i></i>
  <i class="far fa-check-circle success-icon prazno"></i></i></or>
  <input</pre>
    type="time"
    id="time"
    name="time"
    value="09:00"
    min="09:00"
    max="18:00"
  <div class="greska"></div>
</div>
<div class="one third" id="padajuca lista">
  <label for="select">Izaberite uslugu <span>*</span></label>
  <div class="greska"></div>
  <i class="fas fa-exclamation-circle failure-icon prazno"></i></i>
  <i class="far fa-check-circle success-icon prazno"></i></i></or>
</div>
<div class="block clear">
  <label for="comment">Dodatno opisite vaš problem</label>
  <textarea
    name="comment"
    id="comment"
    cols="25"
```

```
rows="10"
         ></textarea>
       </div>
       <div>
         <button type="submit" name="zakazi" value="Zakazi" id="zakazi">
          Zakaži
         </button>
          
         <button type="reset" name="reset" value="Resetuj">Resetuj
     </form>
   </div>
 </section>
</div>
<div class="wrapper coloured">
 <article id="cta" class="hoc container clear">
   <h6 class="font-x2">Izaberite nas zato što smo</h6>
   <h6 class="heading" id="recenica">&ldquo;Profesionalni&bdquo;</h6>
 </article>
</div>
<div class="bgded overlay row4">
 <footer id="footer" class="hoc clear">
   <figure id="ctdetails">
     <div class="clear">
          <a href="#"><i class="fas fa-phone"></i></a>
          <span><strong>Pozovite nas:</strong> +381 123 4567</span>
         </div>
       <div class="clear">
          <a href="#"><i class="fas fa-envelope"></i></a>
          <span
            ><strong>Pošaljite nam mail:</strong> support@neo.com</span
         </div>
       <div class="clear">
          <a href="https://goo.gl/maps/N1bRLi5E7NpeesWu5" target="blank"</pre>
            ><i class="fas fa-map-marker-alt"></i</pre>
          ></a>
          <span
            ><strong>Posetite nas:</strong>Naša lokacija<a</pre>
```

```
href="https://goo.gl/maps/N1bRLi5E7NpeesWu5"
           target="blank"
           u Beogradu</a</pre>
         ></span
     </div>
   </figure>
<div class="one half first">
 <h1 class="logoname">
   <a href="index.html">N<span>eo</span></a>
 </h1>
   NEO Vam nudi tehničku stručnost i iskustvo potrebnu u oblasti
   računara, laptopova, računarskih mreža.<span id="text_vise"</pre>
     >To može da potvrdi činjenica da imamo 15 godina iskustva u
     održavanju, detektovanju kvarova i servisiranju računara i opreme.
     Kroz konstantno usavršavanje nadogradjujemo svoje znanje i na taj
     način unapredjujemo poslovanje.
   ><span id="more_dugme"> [Saznaj vise]</span>
 <1i>>
     <a class="faicon-facebook" href="https://www.facebook.com/"</pre>
       ><i class="fab fa-facebook"></i</pre>
     ></a>
   <
     <a class="faicon-linkedin" href="https://www.linkedin.com/"</pre>
       ><i class="fab fa-linkedin"></i</pre>
     ></a>
   <
     <a class="faicon-twitter" href="https://twitter.com/"</pre>
       ><i class="fab fa-twitter"></i</pre>
     ></a>
   </div>
<div class="one half">
 <h6 class="heading">Meni</h6>
 <a href="#">Početna</a>
```

```
<a href="#usluge">Usluge</a>
          <a href="#cene">Cenovnik</a>
          <a href="#kontakt">Kontakt</a>
            <a href="Dokumentacija.pdf" target="blank">Dokumentacija</a>
          </div>
     </footer>
   </div>
   <div class="wrapper row5">
     <div id="copyright" class="hoc clear">
      Copyright © 2021 - All Rights Reserved - <a href="#">NEO</a>
     </div>
   </div>
   <a id="backtotop" href="#top"><i class="fas fa-chevron-up"></i></a>
   <!-- JAVASCRIPTS -->
   <script src="layout/scripts/jquery.min.js"></script>
   <script src="layout/scripts/script.js"></script>
 </body>
</html>
```

3.2 CSS

Layaut.css

CSS koji je došao uz template i koji je malo prerađjen po potrebi.

```
@charset "utf-8";
/*
Template Name: Siopp
Author: <a href="https://www.os-templates.com/">OS Templates</a>
Author URI: https://www.os-templates.com/
Copyright: OS-Templates.com
Licence: Free to use under our free template licence terms
Licence URI: https://www.os-templates.com/template-terms
File: Layout CSS
*/
@import url("fontawesome-free/css/fontawesome-all.min.css");
@import url("framework.css");
/* Rows
```

```
.row0,
.row0 a {
.row1,
.row1 a {
.row2,
.row2 a {
.row3,
.row3 a {
.row4,
.row4 a {
.row5,
.row5 a {
#topbar {
  padding: 20px 0;
  font-size: 0.8rem;
  text-transform: uppercase;
#topbar ul li {
  display: inline-block;
  margin-right: 15px;
#topbar ul li:last-child {
  margin-right: 0;
  padding-right: 0;
  border-right: none;
#topbar i {
  line-height: normal;
#topbar > div:nth-of-type(2) i {
```

```
font-size: 1rem;
/* Search Form */
#topbar #searchform {
  position: relative;
 line-height: 1;
  z-index: 9999;
#topbar #searchform::after {
  display: block;
  height: 18px;
 line-height: 18px;
  padding: 0;
  font-family: "Font Awesome\ 5 Free";
  font-weight: 900;
  font-size: 1rem;
  content: "\f002" /* fa-search */;
#topbar #searchform:hover::after,
#topbar #searchform button {
  cursor: pointer;
#topbar #searchform > div {
  position: absolute;
  top: 18px;
  right: 0;
 width: 280px;
 visibility: hidden;
  opacity: 0; /*Required for transition effect; */
#topbar #searchform:hover > div {
  visibility: visible;
  opacity: 1; /*Required for transition effect; */
#topbar #searchform form {
 display: block;
 position: relative;
#topbar #searchform form * {
  border: none;
#topbar #searchform input {
  display: block;
 width: 100%;
```

```
height: 36px;
  padding: 8px 40px 8px 10px;
  font-size: 1rem;
#topbar #searchform ::placeholder {
  text-transform: capitalize;
#topbar #searchform button {
  display: block;
 position: absolute;
 top: 3px;
  right: 2px;
 height: 30px;
 font-size: 16px;
  line-height: 1;
#header {
#header #logo {
 margin: 22px 0 0 0;
/* Page Intro
#pageintro {
 padding: 200px 0 270px;
} /* 270px => 70px for #introblocks negative margin */
#pageintro article {
 display: block;
 max-width: 55%;
#pageintro article p {
 line-height: 2.5rem;
  font-size: 1.6rem;
#pageintro article p:first-of-type {
 margin: 0 0 20px 0;
 padding: 0;
```

```
text-transform: uppercase;
  font-size: 1.2rem;
 line-height: 1;
#pageintro .heading {
 margin-bottom: 40px;
  font-size: 4rem;
#pageintro footer {
 margin-top: 50px;
.container {
 padding: 80px 0;
/* Content */
.container .content {
.sectiontitle {
 display: block;
 max-width: 55%;
 margin: 0 auto 80px;
  text-align: center;
.sectiontitle * {
 margin: 0;
.elements {
.elements-three li {
 margin-bottom: 30px;
.elements-three li:nth-last-child(-n + 3) {
 margin-bottom: 0;
} /* Removes bottom margin from the last line of items - margin is restored in
the media queries when items stack */
.elements-three li:nth-child(3n + 1) {
 margin-left: 0;
 clear: left;
```

```
} /* Removes the need to add class="first" */
.elements article {
  display: block;
  position: relative;
  padding: 30px 15px;
  border: 1px solid;
.elements article * {
  margin: 0;
  padding: 0;
  line-height: 1;
.elements article i {
  width: 60px;
  height: 60px;
 line-height: 60px;
  font-size: 2rem;
  text-align: center;
.elements article .heading {
.elements article p {
  line-height: 1.4rem;
.elements article footer {
/* Introblocks */
#introblocks {
  display: block;
  position: relative;
  margin-top: -5=70px;
  z-index: 1;
} /* 150px => 70px + container padding */
#introblocks .elements article {
  min-height: 122px; /* padding + border + icon */
  padding-left: 90px;
#introblocks .elements article .heading {
  margin-bottom: 15px;
#introblocks .elements article footer {
  position: absolute;
  top: 35px;
 left: 15px;
```

```
/* Services */
#services {
#services .elements article {
  padding: 25px;
#services .elements article > div {
  display: block;
  position: relative;
 min-height: 60px;
 margin: 0 0 30px 0;
  padding: 12px 0 0 75px;
#services .elements article > div footer {
  position: absolute;
 top: 0;
 left: 0;
#services .elements article > p:first-of-type {
  line-height: 1.6rem;
#services .elements article > p:last-of-type {
 margin-top: 30px;
  padding-top: 20px;
 text-transform: uppercase;
  text-align: center;
 font-weight: 700;
 border-top: 1px solid;
.shout {
.shout figure {
 display: block;
 max-width: 546px; /* same width as the image - contains the caption */
.shout figure img {
.shout figure figcaption {
 display: block;
 position: relative;
```

```
.shout figure figcaption a {
 display: block;
 position: relative;
 padding: 15px;
 border: solid;
 border-width: 0 1px 1px 1px;
.shout figure figcaption a::after {
 position: absolute;
 top: 12px;
 right: 15px;
 width: 30px;
 height: 30px;
 line-height: 30px;
 font-family: "Font Awesome\ 5 Free";
 font-weight: 900;
 content: "\f105"; /* fa-angle-right */
 text-align: center;
/* Easy Pie Charts */
.pr-charts {
.pr-charts .pr-chart-ctrl {
 display: block;
 float: left;
 width: 25%;
 min-height: 200px;
.pr-charts .pr-chart-ctrl .pr-chart {
 display: block;
 position: relative;
 width: 100%;
 margin: 0 0 50px 0;
 text-align: center;
.pr-charts .pr-chart-ctrl .pr-chart canvas {
 display: block;
 margin: 0 auto;
 padding: 0;
 vertical-align: top;
.pr-charts .pr-chart-ctrl .pr-chart i {
 position: absolute;
 top: 0;
```

```
left: 0;
 width: 100%;
 height: 200px;
 line-height: 200px;
  font-size: 18px;
 font-style: normal;
} /* Must have same height & line height as set in the javascript size element to
vertical align centre */
.pr-charts .pr-chart-ctrl p {
 margin: 0;
 padding: 0;
 text-transform: uppercase;
/* Comments */
#comments ul {
 margin: 0 0 40px 0;
 padding: 0;
 list-style: none;
#comments li {
 margin: 0;
  padding: 15px;
#comments .avatar {
  float: right;
 margin: 0 0 10px 10px;
 padding: 3px;
 border: 1px solid;
#comments address {
  font-weight: bold;
#comments time {
  font-size: smaller;
#comments .comcont {
  display: block;
 margin: 0;
 padding: 0;
#comments .comcont p {
  margin: 10px 5px 10px 0;
 padding: 0;
```

```
#comments form {
  display: block;
  width: 100%;
#comments input,
#comments textarea {
  width: 100%;
  padding: 10px;
  border: 1px solid;
  border-radius: 15px;
#comments textarea {
  overflow: auto;
#comments div {
  margin-bottom: 15px;
#comments input[type="submit"],
#comments input[type="reset"],
#comments select {
  display: inline-block;
  width: auto;
  min-width: 250px;
  margin: 0;
  padding: 8px 5px;
  cursor: pointer;
  border-radius: 15px;
.container .sidebar {
.sidebar .sdb_holder {
  margin-bottom: 50px;
.sidebar .sdb_holder:last-child {
  margin-bottom: 0;
/* CTA - Click to action
```

```
padding: 80px 0;
  text-align: center;
#cta p,
#cta .heading,
#cta footer {
 margin: 0;
 padding: 0;
#cta p:first-of-type {
 text-transform: uppercase;
#cta .heading {
 margin-bottom: 50px;
 font-size: 3rem;
#cta .heading span {
 font-size: 4rem;
#cta footer {
#cta footer .btn {
 padding: 14px 40px;
/* Footer
#footer {
 padding: 80px 0;
#footer .heading {
  margin-bottom: 50px;
  font-size: 1.2rem;
#footer .logoname {
 margin-bottom: 50px;
#footer p + .faico {
 margin-top: 30px;
#footer input,
```

```
#footer button {
  border: 1px solid;
#footer input {
  display: block;
 width: 100%;
 padding: 12px 15px;
#footer button {
 padding: 10px 15px 12px;
  font-size: 1rem;
#footer .linklist li {
  display: block;
 margin-bottom: 15px;
 padding: 0 0 15px 0;
  border-bottom: 1px solid;
#footer .linklist li:last-child {
 margin: 0;
  padding: 0;
 border: none;
#footer .linklist li::before,
#footer .linklist li::after {
  display: table;
  content: "";
#footer .linklist li,
#footer .linklist li::after {
  clear: both;
#footer .latestimg {
#footer .latestimg > li {
  display: inline-block;
 float: left;
 width: 30%;
 margin: 0 0 5% 5%;
#footer .latestimg > li:nth-last-child(-n + 3) {
 margin-bottom: 0;
```

```
} /* Removes bottom margin from the last three items - margin is restored in the
media queries when items stack */
#footer .latestimg > li:nth-child(3n + 1) {
  margin-left: 0;
  clear: left;
} /* Removes the need to add class="first" */
#footer .latestimg > li img {
 width: 100%;
} /* Force the image to resize to take the full space - may have to be changed
for tablets, depends on personal preference */
#footer .latestimg > li a.imgover {
  display: block;
#ctdetails {
  display: block;
  position: relative;
  margin-bottom: 80px;
  padding-bottom: 80px;
  border-bottom: 5px solid;
#ctdetails::before,
#ctdetails::after {
  display: block;
  position: absolute;
  bottom: -5px;
  left: 50%;
  width: 100px;
  height: 5px;
  margin-left: -50px;
  content: "";
  transform: rotate(25deg);
#ctdetails::after {
  transform: rotate(-25deg);
#ctdetails > ul {
#ctdetails > ul li {
#ctdetails > ul li > div {
  display: block;
  position: relative;
  min-height: 75px; /* padding + icon */
  padding: 15px 15px 15px 80px;
```

```
line-height: 1;
#ctdetails > ul li:last-child {
 margin-bottom: 0;
} /* Used when elements stack in small viewports */
#ctdetails > ul li i {
  position: absolute;
  top: 15px;
 left: 15px;
 width: 45px;
 height: 45px;
 line-height: 45px;
 font-size: 16px;
 text-align: center;
#ctdetails > ul li span {
 display: block;
 padding: 4px 0 0 0;
#ctdetails > ul li strong {
  display: block;
 margin: 0 0 8px 0;
 text-transform: capitalize;
/* Copyright
#copyright {
 padding: 20px 0;
#copyright * {
 margin: 0;
 padding: 0;
/* Add roundness to certain items
Settings are all different due to the optical similarity needed for different
sized elements
Delete this section if roundness is not wanted / required
.btn {
 border-radius: 14px;
```

```
#topbar #searchform input {
  border-radius: 8px;
.elements article {
  border-radius: 22px;
.elements article i {
  border-radius: 12px;
.shout figure img {
  border-radius: 22px 22px 0 0;
.shout figure figcaption a {
  border-radius: 0 0 22px 22px;
.shout figure figcaption a::after {
  border-radius: 8px;
#footer input,
#footer button {
  border-radius: 12px;
#ctdetails > ul li {
  border-radius: 16px;
#ctdetails > ul li i {
  border-radius: 12px;
/* Transition Fade
This gives a smooth transition to "ALL" elements used in the layout - other than
the navigation form used in mobile devices
If you don't want it to fade all elements, you have to list the ones you want to
be faded individually
Delete it completely to stop fading
*::before,
*::after {
  transition: all 0.1s ease-in-out;
```

```
#mainav form * {
  transition: none !important;
nav ul,
nav ol {
 margin: 0;
 padding: 0;
 list-style: none;
#mainav,
#breadcrumb,
.sidebar nav {
 line-height: normal;
#mainav .drop::after,
#mainav li li .drop::after,
#breadcrumb li a::after,
.sidebar nav a::after {
 position: absolute;
  font-family: "Font Awesome\ 5 Free";
  font-weight: 900;
 font-size: 10px;
  line-height: 10px;
/* Top Navigation */
#mainav {
```

```
#mainav ul {
  text-transform: uppercase;
#mainav ul ul {
  position: absolute;
 width: 180px;
 text-transform: none;
  z-index: 9999;
#mainav ul ul ul {
 left: 180px;
 top: 0;
#mainav li {
  display: inline-block;
 position: relative;
 margin: 0 15px 0 0;
 padding: 0;
#mainav li:last-child {
  margin-right: 0;
#mainav li li {
 width: 100%;
 margin: 0;
#mainav li a {
  display: block;
  padding: 30px 0;
#mainav li li a {
 border: solid;
 border-width: 0 0 1px 0;
#mainav .drop {
  padding-left: 15px;
#mainav li li a,
#mainav li li .drop {
 display: block;
 margin: 0;
 padding: 10px 15px;
#mainav .drop::after,
#mainav li li .drop::after {
```

```
content: "\f0d7";
#mainav .drop::after {
  top: 35px;
  left: 5px;
#mainav li li .drop::after {
  top: 15px;
  left: 5px;
#mainav ul ul {
  visibility: hidden;
  opacity: 0;
#mainav ul li:hover > ul {
  visibility: visible;
  opacity: 1;
#mainav form {
  display: none;
  width: 100%;
  margin: 0;
  padding: 0;
#mainav form select,
#mainav form select option {
  display: block;
  cursor: pointer;
  outline: none;
#mainav form select {
  width: 100%;
  padding: 5px;
  border: 1px solid;
#mainav form select option {
  margin: 5px;
  padding: 0;
  border: none;
/* Breadcrumb */
#breadcrumb {
 padding: 150px 0 30px;
```

```
#breadcrumb ul {
  margin: 0;
  padding: 0;
  list-style: none;
  text-transform: uppercase;
#breadcrumb li {
  display: inline-block;
  margin: 0 6px 0 0;
  padding: 0;
#breadcrumb li a {
  display: block;
  position: relative;
  margin: 0;
  padding: 0 12px 0 0;
  font-size: 12px;
#breadcrumb li a::after {
  top: 4px;
  right: 0;
  content: "\f0da";
#breadcrumb li:last-child a {
  margin: 0;
  padding: 0;
#breadcrumb li:last-child a::after {
  display: none;
#breadcrumb .heading {
  margin: 0;
  font-size: 2rem;
.sidebar nav {
  display: block;
  width: 100%;
.sidebar nav li {
  margin: 0 0 3px 0;
  padding: 0;
```

```
.sidebar nav a {
  display: block;
 position: relative;
 margin: 0;
  padding: 5px 10px 5px 15px;
 text-decoration: none;
 border: solid;
 border-width: 0 0 1px 0;
.sidebar nav a::after {
 top: 10px;
 left: 5px;
 content: "\f0da";
.sidebar nav ul ul a {
 padding-left: 35px;
.sidebar nav ul ul a::after {
 left: 25px;
.sidebar nav ul ul ul a {
 padding-left: 55px;
.sidebar nav ul ul ul a::after {
 left: 45px;
/* Pagination */
.pagination {
 display: block;
 width: 100%;
 text-align: center;
 clear: both;
.pagination li {
 display: inline-block;
 margin: 0 2px 0 0;
pagination li:last-child {
 margin-right: 0;
.pagination a,
.pagination strong {
 display: block;
 padding: 8px 11px;
```

```
border: 1px solid;
  background-clip: padding-box;
  font-weight: normal;
#backtotop {
  z-index: 999;
  display: inline-block;
  position: fixed;
  visibility: hidden;
  bottom: 20px;
  right: 20px;
  width: 36px;
  height: 36px;
  line-height: 36px;
  font-size: 16px;
  text-align: center;
  opacity: 0.2;
  border-radius: 15px;
#backtotop i {
  display: block;
 width: 100%;
  height: 100%;
  line-height: inherit;
#backtotop.visible {
  visibility: visible;
  opacity: 0.5;
#backtotop:hover {
  opacity: 1;
table,
th,
td {
  border: 1px solid;
  border-collapse: collapse;
 vertical-align: top;
```

```
table,
th {
  table-layout: auto;
table {
 width: 100%;
 margin-bottom: 15px;
th,
td {
 padding: 5px 8px;
td {
 border-width: 0 1px;
/* Gallery
#gallery {
  display: block;
  width: 100%;
  margin-bottom: 50px;
#gallery figure figcaption {
  display: block;
 width: 100%;
  clear: both;
#gallery li {
  margin-bottom: 30px;
.faico {
 margin: 0;
  padding: 0;
 list-style: none;
.faico li {
  display: inline-block;
  margin: 8px 5px 0 0;
 padding: 0;
```

```
line-height: normal;
.faico li:last-child {
 margin-right: 0;
.faico a {
 display: inline-block;
 width: 36px;
 height: 36px;
 line-height: 36px;
 font-size: 18px;
 text-align: center;
.faico a {
 color: inherit;
 background-color: rgba(255, 255, 255, 0.2);
.faico a:hover {
 color: #ffffff;
.faicon-dribble:hover {
 background-color: #ea4c89;
.faicon-facebook:hover {
 background-color: #3b5998;
.faicon-google-plus:hover {
 background-color: #db4a39;
.faicon-linkedin:hover {
 background-color: #0e76a8;
.faicon-twitter:hover {
 background-color: #00acee;
.faicon-vk:hover {
 background-color: #4e658e;
```

```
/* Colours
body {
  color: #a5a6aa;
  background-color: #000000;
a {
  color: #3aafa9;
a:active,
a:focus {
 background: transparent !important;
} /* IE10 + 11 Bugfix - prevents grey background */
.borderedbox {
  border-color: #d7d7d7;
label span {
  color: #ff0000;
  background-color: inherit;
input:focus,
textarea:focus,
*:required:focus {
  border-color: #3aafa9 !important;
.overlay {
  color: #ffffff;
  background-color: inherit;
.overlay::after {
  color: inherit;
  background-color: rgba(0, 0, 0, 0.55);
.overlay.light {
  color: #474747;
```

```
.overlay.light::after {
 background-color: rgba(255, 255, 255, 0.7);
.btn,
.btn.inverse:hover {
 color: #ffffff;
 background-color: #3aafa9;
 border-color: #3aafa9;
.btn:hover,
.btn.inverse {
 color: inherit;
 background-color: transparent;
 border-color: inherit;
.coloured {
 color: #ffffff;
 background-color: #3aafa9;
.coloured .btn {
 color: #3aafa9;
 background-color: #ffffff;
.coloured .btn:hover {
 color: inherit;
 background-color: transparent;
 border-color: inherit;
.imgover:hover::before {
 background-color: rgba(58, 175, 169, 0.3); /* #3aafa9 */
imgover,
.imgover:hover::after {
 color: #ffffff;
.row0,
.row0 a {
.row1 {
```

```
color: #ffffff;
  background-color: rgba(255, 255, 255, 0.4);
.row1:hover {
  color: #474747;
  background-color: #ffffff;
.row2 {
  color: #474747;
  background-color: #f4f4f4;
.row3 {
  color: #474747;
  background-color: #ffffff;
.row4 {
  color: #a5a6aa;
  background-color: #000000;
.row5,
.row5 a {
  color: #a5a6aa;
  background-color: #000000;
#topbar #searchform {
  color: #3aafa9;
#topbar #searchform input {
  color: #ffffff;
  background: #889c29;
#topbar #searchform button {
  color: #ffffff;
  background: transparent;
#header #logo a {
  color: inherit;
#pageintro {
```

```
color: #ffffff;
/* Content Area */
.elements article,
#services .elements article:hover {
  color: #474747;
 background-color: #ffffff;
 border-color: #d7d7d7;
.elements article:hover,
#services .elements article:hover {
  border-color: #3aafa9;
.elements article a i {
  color: #3aafa9;
  background-color: #f4f4f4;
.elements article:hover a i,
#introblocks .elements li:nth-child(even) article:hover a i {
  color: #ffffff;
 background-color: #3aafa9;
#introblocks .elements article:hover {
  box-shadow: 0px 0px 15px rgba(0, 0, 0, 0.1);
#introblocks .elements li:nth-child(even) article {
  background-color: #f4f4f4;
#introblocks .elements li:nth-child(even) article a i {
  background-color: #ffffff;
#services .elements article {
  background-color: rgba(255, 255, 255, 0.7);
  border-color: #000000;
#services .elements article > p:last-of-type {
  border-color: #d7d7d7;
.shout figure figcaption a {
  color: inherit;
 background-color: inherit;
 border-color: #d7d7d7;
```

```
.shout figure:hover figcaption a,
.shout figure figcaption a::after {
 color: #ffffff;
 background-color: #3aafa9;
 border-color: #3aafa9;
.shout figure:hover figcaption a::after {
 color: #3aafa9;
 background-color: #ffffff;
/* Footer */
#footer .heading {
 color: #ffffff;
#footer hr,
#footer .borderedbox,
#footer .linklist li {
 border-color: rgba(255, 255, 255, 0.1);
#footer input,
#footer button {
  border-color: transparent;
#footer input {
  color: #ffffff;
  background-color: rgba(255, 255, 255, 0.2);
#footer input:focus {
  background-color: #3aafa9;
#footer button {
 color: #ffffff;
  background-color: #3aafa9;
#footer button:hover {
  color: inherit;
 background-color: transparent;
 border-color: inherit;
#ctdetails {
  border-color: rgba(255, 255, 255, 0.2);
```

```
#ctdetails::before,
#ctdetails::after {
  background: rgba(255, 255, 255, 0.2);
#ctdetails > ul li {
  color: inherit;
  background-color: rgba(255, 255, 255, 0.2);
#ctdetails > ul li i,
#ctdetails > ul li strong {
  color: #ffffff;
#ctdetails > ul li a i {
  background-color: #3aafa9;
#ctdetails > ul li:nth-child(even),
#ctdetails > ul li:hover {
  color: #ffffff;
  background-color: #3e6462;
/* Navigation */
#mainav li a {
  color: inherit;
#mainav .active a,
#mainav a:hover,
#mainav li:hover > a {
  color: #3aafa9;
  background-color: inherit;
#mainav li li a,
#mainav .active li a {
  color: #ffffff;
  background-color: rgba(58, 175, 169, 0.5);
  border-color: rgba(58, 175, 169, 0.5); /* #3aafa9 */
#mainav li li:hover > a,
#mainav .active .active > a {
  color: #ffffff;
  background-color: #3aafa9;
#mainav form select {
  color: #474747;
 background-color: #ffffff;
```

```
border-color: #d7d7d7;
#breadcrumb a {
  color: inherit;
  background-color: inherit;
#breadcrumb li:last-child a {
  color: #3aafa9;
.container .sidebar nav a {
  color: inherit;
  border-color: #d7d7d7;
.container .sidebar nav a:hover {
  color: #3aafa9;
.pagination a,
.pagination strong {
  border-color: #d7d7d7;
.pagination .current * {
  color: #ffffff;
  background-color: #3aafa9;
#backtotop {
  color: #ffffff;
  background-color: #3aafa9;
/* Tables + Comments */
table,
th,
td,
#comments .avatar,
#comments input,
#comments textarea {
  border-color: #d7d7d7;
th {
  color: #ffffff;
 background-color: #373737;
```

```
tr,
#comments li,
#comments input[type="submit"],
#comments input[type="reset"] {
  color: inherit;
 background-color: #fbfbfb;
tr:nth-child(even),
#comments li:nth-child(even) {
 color: inherit;
 background-color: #f7f7f7;
table a,
#comments a {
 background-color: inherit;
/* Media Queries
@-ms-viewport {
 width: device-width;
/* Max Wrapper Width - Laptop, Desktop etc.
@media screen and (min-width: 1140px) {
  .hoc {
   max-width: 95%;
```

```
@media screen and (min-width: 978px) and (max-width: 1140px) {
  .hoc {
   max-width: 95%;
/* Mobile Devices
@media screen and (max-width: 978px) {
  .hoc {
   max-width: 90%;
  #topbar {
  #header {
   padding: 0px 0;
 #header #logo {
  margin-top: 0;
 #mainav form {
  display: block;
  margin-top: 2px;
 #breadcrumb {
  .container {
 #comments input[type="reset"] {
  margin-top: 0px;
  .pagination li {
   display: inline-block;
  margin: 0 5px 5px 0;
 #footer {
```

```
#copyright {
  #copyright p:first-of-type {
    margin-bottom: 10px;
@media screen and (min-width: 768px) and (max-width: 900px) {
  #introblocks .elements article {
    padding-left: 15px;
  #services .elements article {
    padding: 20px;
  #services .elements article > div {
    padding: 0;
  #introblocks .elements article footer,
  #services .elements article > div footer {
   position: inherit;
   top: auto;
   left: auto;
   margin-bottom: 20px;
  /* .hamburger{
  .hamburger .active .bar:nth-child(2){
   opacity: 0;
  .hamburger .active .bar:nth-child(1){
    transform: translateY(8px) rotate(45deg);
  .hamburger .active .bar:nth-child(1){
    transform: translateY(-8px) rotate(-45deg);
  #mainav {
   position: fixed;
    left: -100%;
   top: 70px;
   gap: 0;
   flex-direction: column;
   width: 100%;
   text-align: center;
    transition: 0.3s;
```

```
.nav menu.active {
    left: 0;
@media screen and (max-width: 750px) {
  .imgl,
  .imgr {
   display: inline-block;
   float: none;
   margin: 0 0 10px 0;
  .fl left,
  .fl_right {
   display: block;
   float: none;
  .group > *:last-child,
  .clear .clear > *:last-child,
  .clear .group > *:last-child,
  .group .clear > *:last-child {
   margin-bottom: 0;
 } /* Experimental - Needs more testing in different situations, stops double
margin when stacking */
  .one_half,
  .one_third,
  .two_third,
  .one quarter,
  .two_quarter,
  .three_quarter {
   display: block;
   float: none;
   width: auto;
   margin: 0 0 30px 0;
  #topbar {
    text-align: center;
 #topbar > div:first-of-type ul {
   margin: 0 0 10px 0;
 #topbar #searchform {
  display: none;
```

```
} /* This is personal preference - remove if not required */
#header {
 text-align: center;
#header #logo {
 margin: 0 0 15px 0;
#pageintro article {
 max-width: none;
#pageintro .heading {
 margin-bottom: 20px;
  font-size: 2.5rem;
#pageintro article p:last-of-type {
 line-height: 1.4;
 font-size: 1.2rem;
.sectiontitle {
 max-width: none;
.shout figure {
 margin: 0 auto 30px;
.elements-three li:nth-last-child(-n + 3) {
  margin-bottom: 30px;
.elements-three li:last-child,
.shout figure:last-child {
 margin-bottom: 0;
#ctdetails {
 margin-bottom: 80px;
} /* Gives good separation between the two elements */
#footer {
  padding-bottom: 50px;
} /* Not needed - just looks better */
#footer .latestimg > li,
#footer .latestimg > li:nth-last-child(-n + 3) {
display: inline-block;
```

```
float: none;
    width: auto;
    margin: 0 5% 5% 0;
 #footer .latestimg > li:last-child {
    margin-bottom: 0;
 #footer .latestimg > li img {
    width: auto;
@media screen and (min-width: 451px) and (max-width: 900px) {
  .pr-charts .pr-chart-ctrl {
   width: 50%;
   margin-bottom: 50px;
  .pr-charts .pr-chart-ctrl:nth-child(n + 3) {
   margin-bottom: 0;
@media screen and (max-width: 450px) {
 #topbar > div:first-of-type ul li {
    display: block;
   margin: 0;
  #services .elements article > div {
   padding: 0;
  #services .elements article > div footer {
   position: inherit;
   top: auto;
    left: auto;
   margin-bottom: 20px;
  .pr-charts .pr-chart-ctrl {
   width: 100%;
   margin-bottom: 50px;
  .pr-charts .pr-chart-ctrl:last-child {
   margin-bottom: 0;
```

```
/* Other
@media screen and (max-width: 650px) {
  .scrollable {
   display: block;
   width: 100%;
   margin: 0 0 30px 0;
   padding: 0 0 15px 0;
   overflow: auto;
   overflow-x: scroll;
  .scrollable table {
  margin: 0;
   padding: 0;
   white-space: nowrap;
  .inline li {
   display: block;
   margin-bottom: 10px;
  .pushright li {
   margin-right: 0;
  .font-x2 {
   font-size: 1.6rem;
  .font-x3 {
   font-size: 1.8rem;
```

Framework.css

Templateov framevork -neizmenjen

```
@charset "utf-8";
Template Name: Siopp
Author: <a href="https://www.os-templates.com/">OS Templates</a>
Author URI: https://www.os-templates.com/
Copyright: OS-Templates.com
Licence: Free to use under our free template licence terms
Licence URI: https://www.os-templates.com/template-terms
File: Framework CSS
html {
  overflow-y: scroll;
 overflow-x: hidden;
html,
body {
 margin: 0;
 padding: 0;
 font-size: 14px;
  line-height: 1.6em;
*::before,
*::after {
  box-sizing: border-box;
.bold {
 font-weight: bold;
.center {
 text-align: center;
.right {
 text-align: right;
.uppercase {
  text-transform: uppercase;
.capitalise {
```

```
text-transform: capitalize;
.hidden {
  display: none;
.nospace {
 margin: 0;
  padding: 0;
  list-style: none;
.block {
  display: block;
.inline {
  display: inline-block;
.justified {
  text-align: justify;
.inline * {
  display: inline-block;
.inline *:last-child {
  margin-right: 0;
.pushright li {
  margin-right: 20px;
.pushright li:last-child {
  margin-right: 0;
.borderedbox {
  border: 1px solid;
.overlay {
  position: relative;
  z-index: 1;
.overlay::after {
  display: block;
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
```

```
content: "";
  z-index: -1;
.bgded {
  background-position: top center;
  background-repeat: no-repeat;
  background-size: cover;
.circle {
  border-radius: 50%;
  background-clip: padding-box;
.logoname {
  margin: 0;
  padding: 0;
  font-size: 2rem;
  font-variant: small-caps;
.logoname::first-letter,
.logoname span {
  font-weight: 700;
.btn,
button.btn {
  display: inline-block;
  padding: 8px 25px 10px;
  text-transform: uppercase;
  font-size: 1.2rem;
  font-weight: 400;
  border: 1px solid;
button.btn {
  cursor: pointer;
.clear,
.group {
  display: block;
.clear::before,
.clear::after,
.group::before,
.group::after {
```

```
display: table;
  content: "";
.clear,
.clear::after,
.group,
.group::after {
  clear: both;
a {
  outline: none;
  text-decoration: none;
.fl_left,
.imgl {
  float: left;
.fl_right,
.imgr {
  float: right;
img {
  width: auto;
  max-width: 100%;
  height: auto;
  margin: 0;
  padding: 0;
  border: none;
  line-height: normal;
  vertical-align: middle;
.imgl {
  margin: 0 15px 10px 0;
  clear: left;
.imgr {
  margin: 0 0 10px 15px;
  clear: right;
.imgover {
  display: inline-block;
 position: relative;
```

```
max-width: 100%;
.imgover::before,
.imgover::after {
  display: block;
  position: absolute;
  content: "";
  text-align: center;
  opacity: 0;
 imgover::before {
  top: 0;
  right: 0;
  bottom: 0;
  left: 0;
.imgover::after {
  top: 50%;
  left: 50%;
  width: 50px;
  height: 50px;
  line-height: 50px;
  margin: -25px 0 0 -25px;
  font-family: "Font Awesome\ 5 Free";
  font-weight: 900;
  content: "\f067"; /* fa-plus */
  font-size: 28px;
.imgover:hover::before,
.imgover:hover::after {
  opacity: 1;
body,
input,
textarea,
select {
  font-family: Verdana, Geneva, sans-serif;
h1,
h2,
h3,
```

```
h4,
h5,
h6,
.heading {
  font-family: Georgia, "Times New Roman", Times, serif;
form,
fieldset,
legend {
  margin: 0;
  padding: 0;
  border: none;
legend {
  display: none;
label,
input,
textarea,
select,
button {
  display: block;
  resize: none;
  outline: none;
  color: inherit;
  font-size: inherit;
  font-family: inherit;
  vertical-align: middle;
label {
  margin-bottom: 5px;
:required,
:invalid {
  outline: none;
  box-shadow: none;
::placeholder {
  opacity: 1;
} /* Makes sure the placeholder text is not transparent */
```

```
/* Generalise
h1,
h2,
h3,
h4,
h5,
h6,
.heading {
  margin: 0 0 20px 0;
  font-size: 1.4rem;
  line-height: normal;
  font-weight: normal;
  text-transform: capitalize;
.heading.nospace {
  margin-bottom: 0;
address {
  font-style: normal;
  font-weight: normal;
hr {
  display: block;
  width: 100%;
  height: 1px;
  border: solid;
  border-width: 1px 0 0 0;
.font-xs {
  font-size: 1rem;
.font-x2 {
  font-size: 2.2rem;
.font-x3 {
  font-size: 3.2rem;
.wrapper {
  display: block;
  position: relative;
```

```
width: 100%;
  margin: 0;
 padding: 0;
 text-align: left;
 word-wrap: break-word;
The "hoc" class is a generic class used to centre a containing element
horizontally
It should be used in conjunction with a second class or ID
.hoc {
 display: block;
 margin: 0 auto;
.hoc-meni{
 display: block;
/* HTML 5 Overrides
address,
article,
aside,
figcaption,
figure,
footer,
header,
main,
nav,
section {
 display: block;
 margin: 0;
 padding: 0;
/* Grid - RS-MQF 1140 V.2 - https://www.os-templates.com/free-basic-html5-
templates/rs-mqf-1140
.one half,
.one_third,
.two_third,
.one_quarter,
.two_quarter,
```

```
.three_quarter {
 display: inline-block;
 float: left;
 margin: 0 0 0 4.21052%;
 list-style: none;
.first {
 margin-left: 0;
 clear: left;
.one_quarter {
 width: 21.8421%;
.one_third {
 width: 30.52631%;
.one_half,
.two_quarter {
 width: 47.89473%;
.two_third {
 width: 65.26315%;
.three_quarter {
 width: 73.94736%;
/* Spacing
.btmspace-10 {
 margin-bottom: 10px;
.btmspace-15 {
 margin-bottom: 15px;
.btmspace-20 {
 margin-bottom: 20px;
.btmspace-30 {
 margin-bottom: 30px;
.btmspace-50 {
```

```
margin-bottom: 50px;
.btmspace-80 {
 margin-bottom: 80px;
.rgtspace-5 {
 margin-right: 5px;
.rgtspace-10 {
 margin-right: 10px;
.rgtspace-15 {
 margin-right: 15px;
.rgtspace-20 {
 margin-right: 20px;
.rgtspace-30 {
 margin-right: 30px;
.inspace-5 {
 padding: 5px;
.inspace-10 {
 padding: 10px;
.inspace-15 {
  padding: 15px;
.inspace-20 {
  padding: 20px;
.inspace-30 {
  padding: 30px;
```

Custom.css

CSS koji je korišćen za blokove i svojstva koje je kreirao autor.

```
scroll-behavior: smooth;
 margin: 0;
  padding: 0;
#footer .one_half #text_vise {
  display: none;
#footer .one_half #more_dugme {
  cursor: pointer;
  color: aqua;
.modal-box {
 display: none;
 position: absolute;
  z-index: 1000;
 width: 98%;
 background: white;
  border-bottom: 1px solid #aaa;
  border-radius: 15px;
 box-shadow: 0 3px 9px rgba(0, 0, 0, 0.5);
  border: 1px solid rgba(0, 0, 0, 0.1);
 background-clip: padding-box;
 text-align: center;
.modal-box header,
.modal-box .modal-header {
 padding: 1.25em 1.5em;
 border-bottom: 1px solid #ddd;
.modal-box header h3,
.modal-box header h4,
.modal-box .modal-header h3,
.modal-box .modal-header h4 {
 margin: 0;
.modal-box .modal-body {
 padding: 2em 1.5em;
```

```
.modal-box footer,
.modal-box .modal-footer {
  padding: 1em;
  border-top: 1px solid #ddd;
  background: rgba(0, 0, 0, 0.02);
  text-align: right;
.modal-overlay {
  opacity: 0;
  filter: alpha(opacity=0);
  position: absolute;
  top: 0;
  left: 0;
  z-index: 900;
  width: 100%;
  height: 100%;
  background: rgba(0, 0, 0, 1) !important;
.modal-body img {
  width: 40%;
a.close {
  line-height: 1;
  font-size: 1.5em;
  position: absolute;
  top: 5%;
  right: 2%;
  text-decoration: none;
  color: #bbb;
.failure-icon,
.greska,.popunjeno {
  color: red;
.success-icon {
  color: aqua;
.greska {
  font-size: 14.5px;
  margin-top: 5px;
```

```
form div {
  position: relative;
  margin-bottom: 15px;
.prazno {
  display: none;
.success-icon,
.failure-icon {
  right: 0;
  opacity: 1;
button {
  margin-top: 15px;
  width: 100%;
  height: 45px;
  background-color: #3aafa9;
  border: 2px solid #3aafa9;
  border-radius: 8px;
  color: #fff;
  font-size: 20px;
  cursor: pointer;
  box-shadow: 2px \ 2px \ 4px \ rgba(0, 0, 0, 0.1);
  transition: all 0.1s ease;
button:hover {
  opacity: 0.8;
a.close:hover {
  color: #222;
  -webkit-transition: color 1s ease;
  -moz-transition: color 1s ease;
  transition: color 1s ease;
.mackbook{
  background-image:url('../../images/macbook.jpg');
.diagram{
  background-image:url('../../images/diagram.jpg');
@media (min-width: 32em) {
  .modal-box {
    width: 70%;
```

```
/* burger menu*/
nav {
 display: flex;
 justify-content: space-between;
nav .logoNeo h1 {
 font-size: 3.5em;
nav #burger-menu,
nav .logoNeo {
 cursor: pointer;
 height: 27px;
 width: 27px;
 margin: 50px;
  overflow: visible;
  position: relative;
  z-index: 9;
nav #burger-menu span,
nav #burger-menu span:before,
nav #burger-menu span:after {
 background: #fff;
 display: block;
 height: 2px;
 opacity: 1;
 position: absolute;
  transition: 0.3s ease-in-out;
#burger-menu span:before,
#burger-menu span:after {
  content: "";
#burger-menu span {
  right: 0px;
 top: 13px;
 width: 27px;
#burger-menu span:before {
 left: 0px;
 top: -10px;
 width: 27px;
#burger-menu span:after {
 left: 0px;
 top: 10px;
```

```
width: 27px;
#burger-menu.close span {
 transform: rotate(-45deg);
 top: 13px;
 width: 27px;
#burger-menu.close span:before {
  top: 0px;
 transform: rotate(90deg);
 width: 27px;
#burger-menu.close span:after {
  top: 0px;
 left: 0;
 transform: rotate(90deg);
  opacity: 0;
 width: 0;
#menu {
 z-index: 8;
 min-width: 100%;
  min-height: 100%;
 position: fixed;
 top: 0;
  height: 0;
  visibility: hidden;
  opacity: 0;
  text-align: center;
  padding-top: 20px;
  transition: all 0.3s ease-in-out;
#menu.overlay {
 visibility: visible;
 opacity: 1;
  padding-top: 100px;
  background: rgba(0, 0, 0, 0.5);
#menu li {
  list-style: none;
```

```
#menu a {
  color: #fff;
  display: block;
  font-size: 32px;
  margin-bottom: 30px;
  text-decoration: none;
::-webkit-scrollbar {
  width: 0;
#progressbar {
  position: fixed;
  top: 0;
  right: 0;
  width: 15px;
  height: 100%;
  border-radius: 5px;
  background: linear-gradient(to top, #3aafa9, rgb(206, 218, 214));
  z-index: 7;
```

3.3 JavaScript i jQuery

```
//skracivanje koda
let id = (id) => document.getElementById(id);
let classes = (classes) => document.getElementsByClassName(classes);
//saznaj vise
let dugme = id("more_dugme");
let dodatniText = id("text_vise");
dodatniText.style.display = "none";
dugme.addEventListener("click", function () {
 if (dodatniText.style.display === "none") {
    dodatniText.style.display = "block";
    dugme.innerHTML = " [Smanji]";
 } else {
    dodatniText.style.display = "none";
    dugme.innerHTML = " [Saznaj vise]";
});
//forma
let padajuci = id("padajuca_lista");
```

```
var opcije = [
  "Izaberite",
  "Redovan Servis",
  "Programiranje Biosa",
  "Servis Matičnih Ploča",
  "Spašavanje Podataka",
  "Instalacija OS",
  "Popravka uređaja",
];
let lista = document.createElement("select");
lista.setAttribute("name", "problem");
lista.setAttribute("id", "problem");
for (let i = 0; i < opcije.length; i++) {
  var novaOpcija = document.createElement("option");
  novaOpcija.setAttribute("value", `${i}`);
 novaOpcija.setAttribute("name", "opcija");
 novaOpcija.innerHTML = opcije[i];
 lista.appendChild(novaOpcija);
let padajucaLista = id("padajuca lista");
padajucaLista.appendChild(lista);
//provera forme
let form = id("form"),
 ime = id("name"),
  email = id("email"),
 telefon = id("tel"),
 termin = id("termin"),
 vreme = id("time"),
  opcija = id("problem"),
  successIcon = classes("success-icon"),
  failureIcon = classes("failure-icon"),
 greska = classes("greska");
var brojGresaka;
const regIme = /^[A-ZČĆŠĐŽ]{1}[a-zčćšđž]{2,15}\s[A-ZČĆŠĐŽ]{1}[a-zčćšđž]{2,15}$/,
  regEmail = /^[a-zA-Z0-9._%-]+@[a-zA-Z0-9.-]+.[a-zA-Z]{2,4}$/,
  regTel = /^06[0-689][\d]{2}[\d]{2}[\d]{2,3}$/;
form.addEventListener("submit", (e) => {
 brojGresaka = 0;
 e.preventDefault();
 if (regIme.test(ime.value)) {
```

```
greska[0].innerHTML = "";
    failureIcon[0].classList.add("prazno");
    successIcon[0].classList.remove("prazno");
 } else {
    greska[0].innerHTML = "Ime i Prezime pogrešno uneti";
    failureIcon[0].classList.remove("prazno");
    successIcon[0].classList.add("prazno");
    brojGresaka++;
 if (regEmail.test(email.value)) {
    greska[1].innerHTML = "";
    failureIcon[1].classList.add("prazno");
    successIcon[1].classList.remove("prazno");
  } else {
    greska[1].innerHTML = "Email pogresno unet";
    failureIcon[1].classList.remove("prazno");
    successIcon[1].classList.add("prazno");
    brojGresaka++;
 if (regTel.test(telefon.value)) {
    greska[2].innerHTML = "";
    failureIcon[2].classList.add("prazno");
    successIcon[2].classList.remove("prazno");
 } else {
    greska[2].innerHTML = "Broj telefona pogrešno unet";
    failureIcon[2].classList.remove("prazno");
    successIcon[2].classList.add("prazno");
    brojGresaka++;
 if (parseInt(opcija.value) == 0) {
    greska[5].innerHTML = "Niste izabrali uslugu";
    failureIcon[5].classList.remove("prazno");
    successIcon[5].classList.add("prazno");
    brojGresaka++;
 } else {
    greska[5].innerHTML = "";
    failureIcon[5].classList.add("prazno");
    successIcon[5].classList.remove("prazno");
 if (brojGresaka == 0) {
    alert("Forma uspešno odrađena");
});
form.addEventListener("reset", (e) => {
```

```
e.preventDefault();
  for (let i = 0; i < 6; i++) {
    reset(i);
});
let reset = (serial) => {
  failureIcon[serial].classList.add("prazno");
  successIcon[serial].classList.add("prazno");
  greska[serial].innerHTML = "";
};
//menjanje texta
var recenica = id("recenica");
var text = [
  "" Pouzdani" ",
  "" Pristupačni " ",
  ""Uvek spremni za saradnju"",
  "" Iskusni" ",
  "" Profesionalni" ",
];
var brojac = 0;
function Smenjivanje() {
  recenica.innerHTML = text[brojac];
 brojac++;
  if (brojac > 4) brojac = 0;
setInterval(Smenjivanje, 2000);
//jqveri modal
$(function () {
  var appendthis = "<div class='modal-overlay js-modal-close'></div>";
 $("a[data-modal-id]").click(function (e) {
   e.preventDefault();
   $("body").append(appendthis);
   $(".modal-overlay").fadeTo(500, 0.7);
   //$(".js-modalbox").fadeIn(500);
   var modalBox = $(this).attr("data-modal-id");
   $("#" + modalBox).fadeIn($(this).data());
 });
 $(".js-modal-close, .modal-overlay").click(function () {
   $(".modal-box, .modal-overlay").fadeOut(500, function () {
     $(".modal-overlay").remove();
```

```
});
 $(window).resize(function () {
    $(".modal-box").css({
      top: ($(window).height() - $(".modal-box").outerHeight()) / 2,
      left: ($(window).width() - $(".modal-box").outerWidth()) / 2,
    });
 });
 $(window).resize();
});
//jqvery back to top
$(document).ready(function () {
  jQuery(window).scroll(function () {
    if (jQuery(window).scrollTop() > 150) {
      jQuery("#backtotop").addClass("visible");
    } else {
      jQuery("#backtotop").removeClass("visible");
 });
});
// burger menu
var burgerMenu = id("burger-menu");
var overlay = id("menu");
burgerMenu.addEventListener("click", function () {
  this.classList.toggle("close");
  overlay.classList.toggle("overlay");
});
var nav = classes("nav_item");
for (let i = 0; i < 4; i++) {
 nav[i].addEventListener("click", () => {
    overlay.classList.toggle("overlay");
    burgerMenu.classList.toggle("close");
  });
//usluge generation
let iNiz = [
  "fas fa-clock",
  "fas fa-hand-holding-usd",
  "fas fa-edit",
  "fas fa-file-alt",
```

```
"fas fa-tachometer-alt",
  "fas fa-shipping-fast",
];
let h6Niz = [
  "Radno vreme",
  "Odkup i Prodaja",
  "Dijagnostika",
  "Garancija",
  "Brzina",
  "Popravka na terenu",
];
let pNiz = [
  "Ponedeljak - petak 9h-18h \nSubota i Nedelja neradni dani",
  "Odkup i prodaja novih i polovnihi delova za laptop i desktop računare",
  "Besplatna dijagnostika kvarova za računare koje servisiramo.",
  "Garancija: 1-6 meseci na ugrađene komponente.",
  "Zadržavanje računara u servisu zavisi od težine problema. Manji problemi
rešavaju se obično istog ili sledećeg dana, a razne popravke za 1-3 dana. ",
 "Ukoliko ste na teritoriji Beograda, dovoljno je da nas pozovete i mi dolazimo
kod vas kako bi servisirali računare.",
];
let sectionAppend = id("introblocks");
let newUl = document.createElement("ul");
newUl.setAttribute("class", "nonspace");
newUl.classList.add("group");
newUl.classList.add("elements");
newUl.classList.add("elements-three");
for (var i = 0; i < 6; i++) {
 let newLi = document.createElement("li");
 newLi.setAttribute("class", "one third");
 let newArticle = document.createElement("article");
 let newFooter = document.createElement("footer");
 let aFooter = document.createElement("a");
  let iFooter = document.createElement("i");
  iFooter.setAttribute("class", `${iNiz[i]}`);
  let articleHeader = document.createElement("h6");
  articleHeader.setAttribute("class", "heading");
  articleHeader.innerHTML = h6Niz[i];
```

```
let articleP = document.createElement("p");
  articleP.innerHTML = pNiz[i];
  aFooter.setAttribute("href", "#usluge");
  aFooter.appendChild(iFooter);
  newFooter.appendChild(aFooter);
  newArticle.appendChild(newFooter);
  newArticle.appendChild(articleHeader);
  newArticle.appendChild(articleP);
  newLi.appendChild(newArticle);
  newUl.appendChild(newLi);
sectionAppend.appendChild(newUl);
//progres bar
$(window).scroll(function () {
  var scroll = $(window).scrollTop(),
    dh = $(document).height(),
    wh = $(window).height(),
    scrollPercent = (scroll / (dh - wh)) * 100;
  $(progressbar).css("height", scrollPercent + "%");
});
//generisanje cena
let ikonice = [
  "fas fa-bug",
  "fas fa-microchip",
  "fas fa-hdd",
  "fas fa-code",
  "fas fa-laptop",
  "fas fa-keyboard",
];
let naslovi = [
  "Programiranje biosa",
  "Servis matičnih ploča",
  "Spašavanje podataka",
  "Instalacija OS",
  "Redovan servis".
```

```
"Kompjuterska oprema",
];
let opis = [
  "Usluga podrazumeva programiranje BIOS čipa i kao i optimizaciju BIOS opcija.",
  "Zamena Čipseta, Severnog i Južnog mosta, Grafičkog čipa, kao i svih ostalih
vrsta BGA kola.",
  "Odmah saznajte vrstu kvara. Besplatna dijagnoza i procena uspešnosti
spašavanja podataka.",
  "Instalacija sistema po izboru na laptopu ili desktop računaru.",
  "Servis, održavanje i čišćenje sistema, računara i mreža.",
  "UOprema za održavanje i delovi za sve deskop, apple i ostale brend računare.",
];
let cene = [
  "800 rsd",
  "od 1.900 rsd",
  "od 1.900 rsd",
  "1.600 rsd",
  "1.300 rsd",
  "Cena može varirati",
];
let ulListaCene = document.getElementById("listaCene");
for (let i = 0; i < ikonice.length; i++) {
  let newLi = document.createElement("li");
  newLi.setAttribute("class", "one_third");
 let articleLi = document.createElement("article");
  let divArticle = document.createElement("div");
  let footerDiv = document.createElement("footer");
  let h6Div = document.createElement("h6");
  h6Div.setAttribute("class", "heading");
  h6Div.innerHTML = naslovi[i];
 let aFooter = document.createElement("a");
  aFooter.setAttribute("href", "#cene");
  let aI = document.createElement("i");
  aI.setAttribute("class", `${ikonice[i]}`);
  aFooter.appendChild(aI);
  footerDiv.appendChild(aFooter);
  divArticle.appendChild(footerDiv);
  divArticle.appendChild(h6Div);
```

```
articleLi.appendChild(divArticle);

let pLi = document.createElement("p");
pLi.innerHTML = opis[i];

let p2Li = document.createElement("p");
let aP2Li = document.createElement("a");
aP2Li.setAttribute("href", "#cene");
aP2Li.innerHTML = cene[i];
p2Li.appendChild(aP2Li);

articleLi.appendChild(pLi);
articleLi.appendChild(pLi);
newLi.appendChild(articleLi);

ulListaCene.appendChild(newLi);
}
```